

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

(Final Term Past Paper)

MADE AND SOLVED BY TEAM HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.



WhatsApp: 03087122922



FACEBOOK ID: <https://www.facebook.com/hadipastpapers/>

Best of luck!



Question No : 1 of 52

Marks: 1 (Budgeted Time 1 Min)

Var($4X + 5$) = _____

Correct answer solved by hadi
Cell No.03228043306
Email. hadirajputofficial@gmail.com

Answer (Please select your correct option)

☐ 16 Var (X)

☐ 16 Var (X) + 5

☒ 4 Var (X) + 5

☐ 12 Var (X)



correct answer
solved by hadi

Correct answer solved by HADI

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 2 of 52

Marks: 1 (Budgeted Time 1 Min)

When $f(x)$ is continuous probability function, then $P(X = 1)$ is:

Answer (Please select your correct option)

☐

1

☐


∞

☐

$-\infty$

☒

0



MADE BY HADI

Email: hadi@inputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

BITOUT
SOFTWARE
HOUSE LAHORE

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 3 of 52

Marks: 1 (Budgeted Time 1 Min)

The hyper geometric random variable is a(an):

Correct answer solved by hadi
Cell No.03228043306
Email: hadirajputofficial@gmail.com

Answer (Please select your correct option)

☐ Continuous variable

☒ Discrete variable



correct answer
solved by hadi

☐ Undefined

☐ Independent variable

MADE BY HADI

Email: hadirajputofficial@gmail.com | WhatsApp: 03087122822 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 4 of 52

Marks: 1 (Budgeted Time 1 Min)

The degrees of freedom for a t-test with sample size 'n' is:

Answer (Please select your correct option)

☐

n-1



correct answer
solved by hadi

Correct answer solved by HADI

☐

n+1

☐

n-2

☐

n+2

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 5 of 52

Marks: 1 (Budgeted Time 1 Min)

Rumour has reached the Trading Standards Officer that the manufacturer ABC is deliberately underfilling his cartons of orange juice. It is decided that a sample should be taken to check this claim. The stated contents on the carton are 100 ml on the average, then the null hypothesis is:

Answer (Please select your correct option)

☐ $H_0: \mu = 100$



correct answer
solved by hadi

☐ $H_0: \mu > 100$

☐ $H_0: \mu < 100$

☐ $H_0: \mu \neq 100$

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 6 of 52

Marks: 1 (Budgeted Time 1 Min)

Assuming that following is a probability distribution, then what is the value of 'a':

X	1	2	3
P(X)	0.1	a	0.1

Correct answer solved by hadi
Cell No.03228043306
Email: hadirajputofficial@gmail.com

Answer (Please select your correct option)

- ☐ 0.6
- ☐ 0.8
- ☐ 0.2
- ☐ 0.4



correct answer
solved by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 7 of 52

Marks: 1 (Budgeted Time 1 Min)

In normal distribution $\beta_1 = \dots\dots\dots$:

Answer (Please select your correct option)

☐

0



correct answer
solved by hadi

Correct answer solved by HADI

☐

1

☐

2

☐

3

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 8 of 52

Marks: 1 (Budgeted Time 1 Min)

A good way to get a small standard error is to use a _____.

Answer (Please select your correct option)

☐ Repeated sampling

☐ Small sample

☒ Large sample

☐ Large population



correct answer

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 9 of 52

Marks: 1 (Budgeted Time 1 Min)

A randomly selected sample of 400 students at university was asked whether or not they will participate in politics. Forty-six percent of the 400 student surveyed answered "yes". Which one of the following statement about number 46% is correct?

Correct answer solved by hadi
Cell No.03228043306
Email: hadirajputofficial@gmail.com


Answer (Please select your correct option)

☐ It is a sample statistic.

☐ It is a population parameter.

☐ It is a margin of error.

☐ It is a standard error.



correct answer
solved by hadi

but not sure

MADE BY HA

Question No : 10 of 52

Marks: 1 (Budgeted Time 1 Min)

If you draw all possible samples from some population, calculate the mean for each of the sample and construct the probability distribution of the sample means, what would you have?

Answer (Please select your correct option)

- ☐ A population distribution
- ☐ A sample distribution
- ☒ A sampling distribution
- ☐ A parameter distribution



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 11 of 52

Marks: 1 (Budgeted Time 1 Min)

The conditional probability function $f(x|1) =$ _____

Correct answer solved by hadi
Cell No.03228043306
Email: hadirajputofficial@gmail.com

Answer (Please select your correct option)

☐ $f(1,1)$

☐ $f(x,1)$

☐ $\frac{f(x,1)}{h(1)}$



☐ $\frac{f(x,1)}{h(x)}$

correct answer

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 12 of 52

Marks: 1 (Budgeted Time 1 Min)

If $f(x, y)$ is bivariate probability density function of continuous random variables X and Y then marginal density function of y i.e. $h(y)$ is:

Answer (Please select your correct option)

☐ $\int_{-\infty}^{\infty} f(x, y) dx$



correct answer
solved by hadi

Correct answer solved by HADI

☐ $\int_{-\infty}^{\infty} f(x, y) dy$

☐ $\int_{-\infty}^{\infty} \int_{-\infty}^{\infty} f(x, y) dx dy$

☐ $\int_a^b \int_c^d f(x, y) dy dx$

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 13 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ is a range of numbers inferred from the sample that has a certain probability of including the population parameter over the long run.

Answer (Please select your correct option)

☐ Hypothesis

☐ Lower limit

☐ Confidence interval

☐ Probability limit

not sure

MADE BY HADI

Question No : 14 of 52

Marks: 1 (Budgeted Time 1 Min)

How many parameter(s) are in t-distribution?

Correct answer solved by hadi
Cell No.03228043306
Email: hadirajputofficial@gmail.com

Answer (Please select your correct option)

- ☐ 0
- ☒ 1 
- ☐ 2
- ☐ 3

correct answer
solved by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 15 of 52

Marks: 1 (Budgeted Time 1 Min)

A judge can acquit a guilty person is the example of:

Answer (Please select your correct option)

☐ Type I error

☐ Type II error

☒ Correct decision

☐ No information regarding this



correct answer

Correct answer solved by HADI

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 16 of 52

Marks: 1 (Budgeted Time 1 Min)

If the sampling distribution of $\bar{X}$ is normal, we would expect 99% of the sample means to be within the interval:

Answer (Please select your correct option)

- ☐ $\mu_x \pm 2\sigma_x$
- ☐ $\mu_x \pm 1.96\sigma_x$
- ☒ $\mu_x \pm 2.58\sigma_x$
- ☐ $\mu_x \pm \sigma_x$



correct answer

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 17 of 52

Marks: 1 (Budgeted Time 1 Min)

The proportion of males in Pakistan is at least 0.48, the alternative hypothesis H_1 is

Correct answer solved by hadi
Cell No.03228043306
Email: hadirajputofficial@gmail.com

Answer (Please select your correct option)

☐ $P \leq 0.48$

☐ $P = 0.48$

☒ $P < 0.48$

☐ $P \geq 0.48$

correct answer
solved by hadi



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

BITOUT
SOFTWARE
HOUSE LAHORE

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 18 of 52

Marks: 1 (Budgeted Time 1 Min)

If mean of χ^2 distribution is k then variance will be:

Answer (Please select your correct option)

☐

k^2

☒

2k



correct answer
solved by hadi

Correct answer solved by HADI

☐

1/k

☐

k

MADE BY HADI

Email: hadi.raiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 19 of 52

Marks: 1 (Budgeted Time 1 Min)

Test Statistics χ^2 is equal to:

Answer (Please select your correct option)

☐ $\frac{n^2 S^2}{\sigma_0^2}$

☒ $\frac{n S^2}{\sigma_0^2}$

☐ $\frac{S^2}{2\sigma_0^2}$

☐ $\frac{n^2 S^2}{2\sigma_0^2}$



correct answer
solved by hadi

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 20 of 52

Marks: 1 (Budgeted Time 1 Min)

F- distribution is

Answer (Please select your correct option)

☐ Positively skewed



correct answer
solved by hadi

☐ Negatively skewed

☐ Normal

☐ Symmetrical

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 21 of 52

Marks: 1 (Budgeted Time 1 Min)

The Chi- Square distribution is continuous distribution ranging from:

Answer (Please select your correct option)

☐ $-\infty \leq \chi^2 \leq \infty$

☐ $-\infty \leq \chi^2 \leq 1$

☐ $-\infty \leq \chi^2 \leq 0$

☐ $0 \leq \chi^2 \leq \infty$



Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 22 of 52

Marks: 1 (Budgeted Time 1 Min)

In Statistics, we have MSE which is abbreviation of

Answer (Please select your correct option)

☐ Mean square error



correct answer
solved by hadi

Correct answer solved by HADI

☐ Measured square error

☐ Medical screening exam

☐ Major sampling error

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 23 of 52

Marks: 1 (Budgeted Time 1 Min)

The LSD test is applied when the null hypothesis is:

Answer (Please select your correct option)

- ☐ Rejected
- ☐ Accepted
- ☐ Finalized
- ☐ Acknowledged



correct answer
solved by hadi

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 24 of 52

Marks: 1 (Budgeted Time 1 Min)

As the degree of freedom increases, the t-distribution tends to coincide with:

Answer (Please select your correct option)

☐ Binomial distribution

☐ Uniform distribution

☐ Hypergeometric distribution

☒ Normal distribution



MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 25 of 52

Marks: 1 (Budgeted Time 1 Min)

In a binomial experiment the total number of trials are:

Answer (Please select your correct option)

☐ Fixed in advance



correct answer
solved by hadi

Correct answer solved by HADI

☐ Changeable according to situation

☐ Unpredictable

☐ Not independent

MADE BY HADI

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 26 of 52

Marks: 1 (Budgeted Time 1 Min)

What is the probability of drawing a red-queen card from a well shuffled pack of 52 playing cards?

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

Answer (Please select your correct option)

4/52

☐

2/52

☒



correct answer
solved by hadi

13/52

☐

26/52

☐

MADE BY HADI

Email:hadiraiputofficial@gmail.com Whatsapp:03087122922(Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 27 of 52

Marks: 1 (Budgeted Time 1 Min)

The probability of drawing a spade card is:

Answer (Please select your correct option)

☐ 1/52

☐ 4/52

☐ 13/52

☐ 26/52



correct answer
solved by hadi

MADE BY HADI

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VULNERABILITY PROJECTS)

Question No : 28 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following is true for the binomial distribution $b(x; n, p)$:

Answer (Please select your correct option)

☐ mean > variance



correct answer
solved by hadi

Correct answer solved by HADI

☐ mean < variance

☐ mean = variance

☐ mean = standard deviation

MADE BY HADI

Email: hadi@bitoutofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 29 of 52

Marks: 1 (Budgeted Time 1 Min)

When $f(x)$ is continuous probability function, then $P(X = 2)$ is:

Answer (Please select your correct option)

☐

1

☐

0.5

☐

0

☐

0.25

Correct answer solved by hadi

Cell No:03228043306

Email: hadirajputofficial@gmail.com

correct answer
solved by hadi



MADE BY HADI

BITOUT
SOFTWARE
HOUSE LAHORE

Question No : 30 of 52

Marks: 1 (Budgeted Time 1 Min)

For any two estimators T_1 and T_2 , if $\text{VAR}(T_1) < \text{VAR}(T_2)$, then T_1 is:

Answer (Please select your correct option)

☐ Unbiased

☐ Sufficient

☒ Efficient

☐ Consistent



correct answer

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 31 of 52

Marks: 1 (Budgeted Time 1 Min)

In construction of a histogram, what would be taken along X-axis?

Answer (Please select your correct option)

☐ Mid points

☐ Class limits

☐ Class interval

☐ Class boundaries



Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 32 of 52

Marks: 1 (Budgeted Time 1 Min)

If you connect the mid-points of rectangles in a histogram by a series of lines that also touches the x-axis from both ends, what will you get?

Answer (Please select your correct option)

- ☐ Ogive
- ☐ Frequency polygon
- ☒ Frequency curve
- ☐ Histogram



Correct answer solved by HADI

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)
Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 33 of 52

Marks: 1 (Budgeted Time 1 Min)

Tabulation is the process of arranging data into:

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

Answer (Please select your correct option)

☐ Different classes

☐ Rows

☐ Columns

☐ Rows and Columns



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 34 of 52

Marks: 1 (Budgeted Time 1 Min)

Which type of the curve is represented by the following shape?



Answer (Please select your correct option)

☐ Negatively skewed curve



correct answer
solved by hadi

☐ Bell shape curve

☐ semi-symmetrical curve

☐ Positively skewed curve

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 35 of 52

Marks: 1 (Budgeted Time 1 Min)

If $A = \{1, 2, 3, 4, 5, 10\}$ and $B = \{1, 3, 5\}$ then $B \subset A$ means:

Answer (Please select your correct option)

- ☐ A is less than B
- ☐ A is contained in B
- ☒ B is contained in A.
- ☐ B is less than A.



Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

correct answer

Correct answer solved by HADI

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 36 of 52

Marks: 1 (Budgeted Time 1 Min)

What is the mode in the word STATISTICS:

Answer (Please select your correct option)

☐

S

☐

T

☐

I

☐

S and T



MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 37 of 52

Marks: 1 (Budgeted Time 1 Min)

In a symmetrical distribution, if $Q_1 = 20$, $Q_2 = 30$ then Q_3 is :

Answer (Please select your correct option)

☐ 50

☒ 40

☐ 30

☐ 10



correct answer
solved by hadi

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 38 of 52

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is not included in measures of central tendency.

Answer (Please select your correct option)

☐ Quartile Deviation



correct answer
solved by hadi

Correct answer solved by HADI

☐ Harmonic Mean

☐ Geometric Mean

☐ Arithmetic Mean

MADE BY HADI

Email: hadirainutofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 39 of 52

Marks: 1 (Budgeted Time 1 Min)

The sum of deviations from mean is:

Answer (Please select your correct option)

Maximum

☐

Minimum

☐

Zero

☐

Undefined

☐



Correct answer solved by hadi

Cell No:03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 40 of 52

Marks: 1 (Budgeted Time 1 Min)

Mean deviation is always:

Answer (Please select your correct option)

- ☐ Less than Standard Deviation
- ☐ Greater than Standard Deviation
- ☐ Greater or equal to Standard Deviation
- ☐ Less or equal to Standard Deviation



Correct
Email :
Cell :

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 41 of 52

Marks: 2 (Budgeted Time 4 Min)

In how many branches, estimation can be divided? Also write down the names of the branches.

Answer (Please [click here](#) to Add Answer)

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 42 of 52

Marks: 2 (Budgeted Time 4 Min)

A Sample has following values.

101, 99, 111, 199, 150, 140

Find out the maximum likelihood estimate of population mean.

Answer (Please [click here](#) to Add Answer)



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 43 of 52

Marks: 2 (Budgeted Time 4 Min)

Write down critical region for the following hypothesis.

$$H_0: \sigma^2 = 20$$

$$H_1: \sigma^2 < 20$$

Where, $\alpha = 0.01$ and $n=10$

Answer (Please [click here](#) to Add Answer)



Correct answer solved by hadi
Cell No.03228043306
Email. hadirajputofficial@gmail.com

Correct answer solved by hadi
Cell No.03228043306
Email. hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 44 of 52

Marks: 2 (Budgeted Time 4 Min)

What is the concept of extrapolation in regression analysis?

Answer (Please [click here](#) to Add Answer)



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 45 of 52

Marks: 3 (Budgeted Time 6 Min)

If Z is a standard normal random variable with mean 0 and variance 1, then find the Lower quartile.

Answer (Please [click here](#) to Add Answer)

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 46 of 52

Marks: 3 (Budgeted Time 6 Min)

For the following table we want to test the independence of smoking pattern and marital status. What will be the degrees of freedom for the chi-square test of independence?

Marital Status	Smoking Pattern			Total
	Total self-restraint	Only at times	Regular Smoker	
Single	67	213	74	354

Answer (Please [click here](#) to Add Answer)



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 47 of 52

Marks: 3 (Budgeted Time 6 Min)

Find the proportion for the X_1 and X_2 , Where $X_1=300$ with sample size $= n_1 = 400$ and $X_2 = 200$ with sample size $= n_2 = 300$.

Answer (Please [click here](#) to Add Answer)

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

Calculate class boundaries from the following data.

Age Group	f
20-29	2
30-39	4
40-49	5

Answer (Please [click here](#) to Add Answer)



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 49 of 52

Marks: 5 (Budgeted Time 10 Min)

A certain type of storage battery lasts on the average 3.0 years, with a standard deviation of 0.5 year. Assuming that the battery lives are normally distributed, find the probability that a given battery will last less than 2.3 years.

Answer (Please [click here](#) to Add Answer)

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)

For the Given information, what is your conclusion in testing the indicated null hypothesis?

$$n_1 = 13, n_2 = 41, s_1^2 = 6.3, s_2^2 = 15.6, H_0: \sigma_1^2 = \sigma_2^2 \text{ and } H_1: \sigma_2^2 > \sigma_1^2$$

Answer (Please [click here](#) to Add Answer)

Normal Arial 12 B I U

100%

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 51 of 52

Marks: 5 (Budgeted Time 10 Min)

In a random sample of 200 persons having their lunch at the University cafeteria on meatless day it was observed that 30 percent preferred vegetable dishes. Find 95% confidence interval for p.

Answer (Please [click here](#) to Add Answer)

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Answer the following questions:

- i. Which method has been used for collecting the data in the following case?
"An investigator collects the information personally from the individuals concerned".
- i. Find the sampling error when the population mean is 15.785 and sample mean is 15.6.
- ii. Write down any two types of nonrandom sampling
- iii. What is the singular of strata?

Answer ([Please click here to Add Answer](#))



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)