CS301:Grand Quiz

Question # 1 of 30 (Start time: 12:37:37 PM, 22 June 2021)

Linked List use _____ to store data.

Select the correct option

- ○ Variables
- ○ Array
- ○ 2-D Array
- ● Linked Memory

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com
VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 2 of 30 (Start time: 12:38:01 PM, 22 June 2021)

In the statement template <T>, T represents_____.

Select the correct option

○	String data type
○	Character data type
○	Integer data type
●	Generic data type

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 3 of 30 (Start time: 12:38:19 PM, 22 June 2021)

What is the postfix form of (A+B)*(C-D)

Select the correct option

- ○ CD- A B + *
- ● A B + C D - *
- ○ +A B - C D *
- ○ A +B*C- D

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 4 of 30 (Start time: 12:38:34 PM, 22 June 2021)

A queue is a _____data structure, whereas a stack is a _____data structure.

Select the correct option

○	both of these
○	none of these
○	LIFO,FIFO
●	FIFO, LIFO

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 5 of 30 (Start time: 12:38:50 PM, 22 June 2021)

The expression DE+H* is called_____

Select the correct option

- ○ Infix expression
- ● Postfix expression

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ○ Hybrid expression
- ○ Prefix expression

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 6 of 30 (Start time: 12:39:09 PM, 22 June 2021)

For String-based Binary Search Tree, we use ASCII values of characters for comparing among letters. This method is known a

Select the correct option

- (●) Lexicographic order

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) Heap-based approach
- ( ) Alphabet coding procedure
- ( ) Asymmetric technique

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 7 of 30 (Start time: 12:39:27 PM, 22 June 2021)

Current pointer always points to the _____ of the linked list.

Select the correct option

- ○ lastcurrent node
- ○ last node
- ○ first node
- ● current node

Solved By: Waqas Ahmed
Whatsapp: 03066295623
VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 8 of 30 (Start time: 12:39:40 PM, 22 June 2021)

Which one option is correct to know the first element of the linked list.

Select the correct option

- (●) Start():

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) Current pointer
- ( ) Last pointer
- ( ) Head pointer

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 9 of 30 (Start time: 12:39:56 PM, 22 June 2021)

Suppose we are building the AVL tree using nodes 11, 29 and 35 then which type of rotation at root node will balance the tree?

Select the correct option

- (●) Single left
- ( ) Double left-right
- ( ) Single right
- ( ) Double right-left

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 10 of 30 (Start time: 12:40:18 PM, 22 June 2021)

The type of expression in which operator succeeds its operands is_____expression.

Select the correct option

- ○ Preorder
- ○ Prefix
- ○ Infix
- ● Postfix

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 11 of 30 (Start time: 12:40:32 PM, 22 June 2021)

All the objects created using _____ operator have to be destroyed explicitly.

Select the correct option

- construct
- new
- build
- create

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 12 of 30 (Start time: 12:40:46 PM, 22 June 2021)

A binary tree is said to be a _____ binary tree if every non-leaf node in a binary tree has non-empty left and right subtrees.

Select the correct option

- (●) Strictly

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) Complete
- ( ) AVL
- ( ) Perfect

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 13 of 30 (Start time: 12:41:03 PM, 22 June 2021)

Memory address is stored in

Select the correct option

- ○ Reference
- ● Pointer
- ○ Array
- ○ Address operator

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 14 of 30 (Start time: 12:41:22 PM, 22 June 2021)

In which of the following tree for each node, the value of root node is greater than left child and smaller than right child ?

Select the correct option

- (●) Binary Search Tree
- ( ) Full Binary Tree
- ( ) Perfect Binary Tree
- ( ) Complete Binary Tree

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 15 of 30 (Start time: 12:41:39 PM, 22 June 2021)

The _____ method of list will position the currentNode and lastCurrentNode at the start of the list.

Select the correct option

- (●) Start

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) Next
- ( ) Remove
- ( ) Back

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 16 of 30 (Start time: 12:41:57 PM, 22 June 2021)

An array is collection of cells of the .

Select the correct option

- (●) Same type

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) Different type
- ( ) Hybrid type
- ( ) Struct type

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 17 of 30 (Start time: 12:42:14 PM, 22 June 2021)

In a complete binary tree the number of nodes at level 5 are

Select the correct option

- ○ 16
- ● 32
- ○ 31
- ○ 15

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 18 of 30 (Start time: 12:42:29 PM, 22 June 2021)

The _____ of a binary tree is the maximum level of the deepest leaf in the tree.

Select the correct option

- ○ Height
- ○ Length
- ○ Width
- ● Depth

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 19 of 30 (Start time: 12:42:42 PM, 22 June 2021)

Circular Linked List always has _____ NULL pointer/s in a node.

Select the correct option

- ○ 1
- ● 0

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ○ 2
- ○ 3

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 20 of 30 (Start time: 12:42:59 PM, 22 June 2021)

In the perspective of memory organization every process executing, the last part of the memory is for the _____

Select the correct option

- ○ Data
- ○ Stack
- ○ Code
- ● Heap

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 21 of 30 (Start time: 12:43:13 PM, 22 June 2021)

Which of the following is correct syntax to declare a const function ?

Select the correct option

- ● `int& findMin( ) const;`
- ○ `const int& findMin( );`
- ○ `int& findMin(const);`
- ○ `int& findMin const ( );`

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 22 of 30 (Start time: 12:43:31 PM, 22 June 2021)

The abstract data type refers to the basic mathematical concept that defines the

Select the correct option

- ○ Function type
- ○ Class type
- ● Data type
- ○ structure

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 23 of 30 (Start time: 12:43:47 PM, 22 June 2021)

_____ is a self-balancing tree.

Select the correct option

- ALV
- AVL

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- Binary Tree
- Binary Search Tree

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 24 of 30 (Start time: 12:44:04 PM, 22 June 2021)

Whenever we call a function, the compiler makes a stack, the top element of the stack is _____ of the function.

Select the correct option

- (●) Return address
- ( ) First argument
- ( ) Last argument
- ( ) Variable name only

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 25 of 30 (Start time: 12:44:25 PM, 22 June 2021)

Which of the following is TRUE about recursive calls ?

Select the correct option

- Recursive calls can only be used with inorder traversal
- Recursive call always contains a terminating condition
- Tree data structure cannot use recursive calls
- There is no terminating condition in recursive calls

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 26 of 30 (Start time: 12:44:45 PM, 22 June 2021)

What will be the postfix expression of following infix expression?
D+E*F/G

Select the correct option

- ○ DE+F*G/
- ● DEF*G/+
- ○ DE*F/G+
- ○ DE+FG*/

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 27 of 30 (Start time: 12:45:02 PM, 22 June 2021)

_____ is a collection of elements arranged in a linear order.

Select the correct option

- (●) Stack
- ( ) Binary Search Tree
- ( ) AVL Tree
- ( ) Heap

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 28 of 30 (Start time: 12:45:18 PM, 22 June 2021)

In a list, tail() method of current pointer _____

Select the correct option

- returns the first element of the "current" pointer
- moves the "current" pointer to the very first element
- moves the "current" pointer to the very last element
- returns the last element of the "current" pointer

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 29 of 30 (Start time: 12:45:32 PM, 22 June 2021)

After performing which task on the list, implementing array has to shift the entire remaining elements one place to the left.

Select the correct option

- (●) By removing element at start

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) By adding element at last
- ( ) By searching of element
- ( ) By removing element at end

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 30 of 30 (Start time: 12:45:46 PM, 22 June 2021)

If a function has recursive call as the last statement, it is known as _____.

Select the correct option

- ○ Last recursion
- ○ Local Recursion
- ● Tail recursion
- ○ Function recursion

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

[redacted]: FARRUKH AKHTAR

CS301:Grand Quiz

Quiz Start Time: 09

Question # 1 of 30 (Start time: 09:26:13 AM, 22 June 2021)

_____ is a collection of elements arranged in a linear order.

Select the correct option

- AVL Tree
- Binary Search Tree
- Stack
- Heap

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 2 of 30 (Start time: 09:26:40 AM, 22 June 2021)

Analyze the given code carefully and identify which type of binary tree traversal this is :

```
void traversal (TreeNode<int>* treeNode)
{
 if( treeNode != NULL )
 {
 traversal (treeNode->getLeft());
```

Select the correct option

Rel

- ○ Levelorder
- ○ Preorder
- ● Inorder
- ○ Postorder

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 3 of 30 (Start time: 09:27:13 AM, 22 June 2021)

In the linked list implementation of the stack class, where does the push member function places the new entry on the li

Select the correct option

- After all other entries that are greater than the new entry.
- At the head
- After all other entries that are smaller than the new entry.
- At the tail

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Quiz Start Time:

Question # 4 of 30 (Start time: 09:27:44 AM, 22 June 2021)

Sometimes, _____ queues do not follow FIFO order

Select the correct option

Re

- (●) Priority
- ( ) Simple
- ( ) Circular
- ( ) Double Ended

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 5 of 30 (Start time: 09:28:15 AM, 22 June 2021)

Clear() of a list is used to_____.

Select the correct option

- remove last element
- remove current element
- remove all elements
- remove first element

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 6 of 30 (Start time: 09:28:44 AM, 22 June 2021)

Which data structure is needed to convert infix expression to postfix expression?

Select the correct option

- (●) Stack
- ( ) Graph
- ( ) Queue
- ( ) Tree

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 7 of 30 (Start time: 09:29:11 AM, 22 June 2021)

The usage of the class of a data structure causes the code of the program

Select the correct option

- (●) Simplifies

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) Difficult
- ( ) Complicated
- ( ) Lengthy

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 8 of 30 (Start time: 09:29:38 AM, 22 June 2021)

If numbers 5, 222, 4, 48 are inserted in a queue, which one will be removed first?

Select the correct option

- 222
- 48
- 5
- 4

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 9 of 30 (Start time: 09:30:09 AM, 22 June 2021)

The _____ of a node in a binary tree is defined as the height of its left subtree minus height of its right subtree.

Select the correct option

- Width
- Level
- Height
- Balance

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 10 of 30 (Start time: 09:30:35 AM, 22 June 2021)

copy() method of List data structure _____

Select the correct option

- (●) Set one list to be a copy of another
- ( ) Copy any item of list
- ( ) Copy last item of list
- ( ) Copy first item of list

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 11 of 30 (Start time: 09:31:16 AM, 22 June 2021)

In Binary Search Tree, deleting a node is easy if it is a _____ node.

Select the correct option

- ○ Left-most
- ○ Root
- ● Leaf
- ○ Right-most

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 12 of 30 (Start time: 09:31:45 AM, 22 June 2021)

STL is a _____ that is a part of the official standard of C++.

Select the correct option

- C program file
- .h file
- Library
- .cpp file

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 13 of 30 (Start time: 09:32:15 AM, 22 June 2021)

Which of the following is the correct conversion from infix to postfix expression?
A*B+C/(E-F)

Select the correct option

- AB+C*E-F/
- AB*CEF-/+
- AB*C+EF/-
- ABC*+EF-/

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Quiz Start Time: 0

Question # 14 of 30 (Start time: 09:32:49 AM, 22 June 2021)

Which kind of data structure is used to evaluate postfix expression?

Select the correct option

- Stack

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- Linked List
- Tree
- Queue

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 15 of 30 (Start time: 09:33:31 AM, 22 June 2021)

In singly linked list "next" field of node contains:

Select the correct option

- Address of next node

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- Address of head node
- Object of next node
- Object of current node

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 16 of 30 (Start time: 09:34:02 AM, 22 June 2021)

The balance of a node in a binary tree is defined as the height of its _____ sub tree minus height of its right sub t

Select the correct option

- upper
- left
- lower
- right

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 17 of 30 (Start time: 09:34:34 AM, 22 June 2021)

y = &x[0];
In the above statement, we get the address of the fist location of the array x and store it in y. Here "y" is:

Select the correct option

- (●) lvalue

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) zvalue
- ( ) xvalue
- ( ) rvalue

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 18 of 30 (Start time: 09:35:05 AM, 22 June 2021)

In a list, tail() method of current pointer _____

Select the correct option

- returns the first element of the "current" pointer
- moves the "current" pointer to the very last element
- returns the last element of the "current" pointer
- moves the "current" pointer to the very first element

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 19 of 30 (Start time: 09:35:32 AM, 22 June 2021)

get(?) method of List class is used to:

Select the correct option

- Get element from the last position
- Get element from the middle position
- Get element at the given position
- Get element from the first position

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.co

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 20 of 30 (Start time: 09:35:57 AM, 22 June 2021)

If the root of a tree is at level zero, its two children (subtrees) i.e. nodes will be at _____

Select the correct option

- Level 3
- Level 0
- Level 2
- Level 1

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 21 of 30 (Start time: 09:36:22 AM, 22 June 2021)

Which of the following statement is correct for the variable "current--"?

Select the correct option

- (●) current = current - 1
- ( ) current = current - 2
- ( ) current = current + 1
- ( ) current - 1 = current

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 22 of 30 (Start time: 09:37:11 AM, 22 June 2021)

Suppose we are building the AVL tree using nodes 1, 23 and 12 then which type of rotation at root node will balance th

Select the correct option

- Single left
- Double right-left
- Single right
- Double left-right

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 23 of 30 (Start time: 09:37:50 AM, 22 June 2021)

Last node in circular linked list contains

Select the correct option

- ○ At least one null pointer
- ○ tail pointer
- ○ Maximum two null pointers
- ● No null pointer

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 24 of 30 (Start time: 09:38:15 AM, 22 June 2021)

If we return the reference of a local variable from a function it will cause :

Select the correct option

- (●) dangling reference

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) deletion of local variable from memory
- ( ) reference overloading
- ( ) duplication of local variable

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 25 of 30 (Start time: 09:38:59 AM, 22 June 2021)

_____ is the major factor to see the efficiency of a program.

Select the correct option

- ○ Correctness
- ○ Quality
- ○ Code
- ● Time

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 26 of 30 (Start time: 09:39:26 AM, 22 June 2021)

To create a reference variable, we need to use _____ sign.

Select the correct option

Rel

- asterisk
- sigma
- dollar
- ampersand

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 27 of 30 (Start time: 09:39:54 AM, 22 June 2021)

The _____ tree has been named after two persons.

Select the correct option

Relo

- Red Black
- Binary Search
- AVL
- Binary

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 28 of 30 (Start time: 09:40:20 AM, 22 June 2021)

Following is true in case of using Recursive method calls.

Select the correct option

Relo

- Code will not execute if it contains recursive calls
- The code becomes very short
- There is no effect on length of code
- The code becomes very long

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 30 of 30 (Start time: 09:40:50 AM, 22 June 2021)

Suppose we have the following values to be inserted in constructing AVL tree.
20,23,25,10,12,13
Tell when first rotation will take place.

Select the correct option

- ○ after inserting node 10
- ○ after inserting node 25
- ● after inserting node 12
- ○ after inserting node 23

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

[redacted] HAFIZA AREEBA SHAKIR

CS301:Grand Quiz

Quiz Start Time: 1

Question # 1 of 30 (Start time: 12:10:58 PM, 22 June 2021)

After deletion of a node from a binary search tree , _____ traversal method should be maintained.

Select the correct option

Re

- Level order
- Inorder
- Preorder
- Postorder

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 2 of 30 (Start time: 12:11:34 PM, 22 June 2021)

If there are _____ nodes in an AVL tree, its levels will be roughly as Log2(10 million).

Select the correct option

- 5 million
- 100 million
- 2 million
- 10 million

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 3 of 30 (Start time: 12:11:57 PM, 22 June 2021)

"set()" method of list class is used to:

Select the correct option

- Set the value of Null Nodes
- Set the value of object
- Set the value of lvalue
- Set the value of pointer

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 4 of 30 (Start time: 12:12:26 PM, 22 June 2021)

In singly linked list a node consists of two parts:

Select the correct option

- Object and structure
- Two pointers
- Object and pointer
- Two objects

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 5 of 30 (Start time: 12:13:07 PM, 22 June 2021)

Suppose we are building the AVL tree using nodes 11, 29 and 35 then which type of rotation at root node will balance th

Select the correct option

- ○ Single right
- ○ Double right-left
- ○ Double left-right
- ● Single left

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waq

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 6 of 30 (Start time: 12:13:37 PM, 22 June 2021)

Which kind of data structure is used to evaluate postfix expression?

Select the correct option

- (●) Stack

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) Queue
- ( ) Linked List
- ( ) Tree

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 7 of 30 (Start time: 12:14:20 PM, 22 June 2021)

In simple or singly linked list there is/are _____ pointer/s in each node.

Select the correct option

- Four
- Three
- Two
- One

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 8 of 30 (Start time: 12:14:42 PM, 22 June 2021)

After evaluating this expression what will be the result?
7+3*3/(7-4)

Select the correct option

- 6
- 9
- 12
- 10

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 9 of 30 (Start time: 12:15:06 PM, 22 June 2021)

New items are added at the _____of the stack.

Select the correct option

- ○ Center
- ● Top
- ○ Bottom
- ○ Middle

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Quiz Start Time:

Question # 10 of 30 (Start time: 12:15:30 PM, 22 June 2021)

Which data structure is needed to convert infix expression to postfix expression?

Select the correct option

- Tree
- Stack

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- Graph
- Queue

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 11 of 30 (Start time: 12:16:01 PM, 22 June 2021)

A _____ model attempts to model a real-world phenomenon

Select the correct option

- Conceptual
- Physical
- Simulation
- Logical

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 12 of 30 (Start time: 12:16:27 PM, 22 June 2021)

There is no such node whose next field is NULL, which one of the given option supports the statement.

Select the correct option

- ○ Array
- ○ Queue
- ○ Linked list
- ● Circular link list

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 13 of 30 (Start time: 12:16:50 PM, 22 June 2021)

The abstract data type refers to the basic mathematical concept that defines the

Select the correct option

- (●) Data type
- ( ) Function type
- ( ) structure
- ( ) Class type

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 14 of 30 (Start time: 12:17:15 PM, 22 June 2021)

"new int[11]" will allocate memory for _____ integers.

Select the correct option

- 13
- 12
- 10
- 11

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 15 of 30 (Start time: 12:17:43 PM, 22 June 2021)

next() method of List class is used to:

Select the correct option

- (●) Moves the current position forward one element
- ( ) Moves the "current" pointer to two steps after the last element of the array
- ( ) Moves the "current" pointer to two steps before the last element of the array
- ( ) Moves the current position backward one element

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 16 of 30 (Start time: 12:18:12 PM, 22 June 2021)

Which of the following traversal method traverses the binary tree in sorted order?

Select the correct option

Rel

- Level order
- Pre-order
- In-order
- Post-order

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 17 of 30 (Start time: 12:18:36 PM, 22 June 2021)

NULL is an invalid address and _____.

Select the correct option

- Points to the start point of the list
- Inaccessible
- Accessible
- Points to the last current node of the list

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 18 of 30 (Start time: 12:19:07 PM, 22 June 2021)

isFull() method of stack class will return true when:

Select the correct option

- Stack is empty
- Stack is full
- Stack is partially full
- Stack is not empty nor full

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 19 of 30 (Start time: 12:19:32 PM, 22 June 2021)

In Left-Right case of rotation in _____ tree. A double rotation is performed.

Select the correct option

- (●) AVL
- ( ) Binary Search
- ( ) Big
- ( ) ALV

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 20 of 30 (Start time: 12:20:02 PM, 22 June 2021)

If we want to return first element of the list which one method will be used.

Select the correct option

- ○ Get():
- ● Start():

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ○ Peek():
- ○ Set():

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Quiz Start Time: 12

Question # 21 of 30 (Start time: 12:20:29 PM, 22 June 2021)

Binary Search Tree violates the condition of AVL tree when any node has balance factor equal to

Select the correct option

Rel

- 0
- 2 or -2
- 1
- -1

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Quiz Start Time: 1

Question # 22 of 30 (Start time: 12:20:58 PM, 22 June 2021)

Head node pointer always points to the _____ of the linked list?

Select the correct option

Re

- newly added node
- first node
- current node
- last node

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 23 of 30 (Start time: 12:21:25 PM, 22 June 2021)

Leaf node of binary search tree contains _____

Select the correct option

Rel

- (●) Two Null pointers
- ( ) Three Null pointers
- ( ) One Null pointer
- ( ) No Null pointer

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 24 of 30 (Start time: 12:21:50 PM, 22 June 2021)

Which of the following is the correct conversion of infix to postfix expression?
Z+B-(D-H)/K

Select the correct option

- ZB+DH-K-/
- ZB+DH-K/-
- ZB+DHK--/
- ZB+D-H-K/

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 25 of 30 (Start time: 12:22:17 PM, 22 June 2021)

We can use Binary Search Tree with _____

Select the correct option

- (●) Both Integer and String data
- ( ) Integer data only
- ( ) String data only
- ( ) Non-integer data only

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 26 of 30 (Start time: 12:22:46 PM, 22 June 2021)

The -- is a decrement operator in C++ that decreases the value of the operand by _____.

Select the correct option

- ○ Three
- ● One
- ○ Two
- ○ Four

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 27 of 30 (Start time: 12:23:09 PM, 22 June 2021)

The function calls are made with the help of_____.

Select the correct option


- Dynamic memory
- Stack
- Heap
- External memory

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 28 of 30 (Start time: 12:23:38 PM, 22 June 2021)

Which type of rotation can balance the following AVL tree?



Select the correct option

Re

- Single left
- Single right

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- Double left-right
- Double right-left

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 29 of 30 (Start time: 12:24:10 PM, 22 June 2021)

In _____ various cells of memory are not located continuously.

Select the correct option

- Circular array
- List
- Arrays
- Linked list

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

MUHAMMAD SULEMAN SHAFQAT

CS301:Grand Quiz

Question # 1 of 30 (Start time: 12:09:40 PM, 22 June 2021)

dequeue() operation of queue data structure is used to _____

Select the correct option

- ○ insert an element at the front
- ● remove an element from the front and return it
- ○ insert an element at the back
- ○ get an element from the front of the queue

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 2 of 30 (Start time: 12:10:58 PM, 22 June 2021)

In queue data structure elements are removed from _____.

Select the correct option

- ○ Pop
- ○ Rear
- ○ Push
- ● Front

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 3 of 30 (Start time: 12:11:49 PM, 22 June 2021)

Suppose we are building the AVL tree using nodes 13, 7 and 9 then which type of rotation at root node will balance the tree?

Select the correct option

- ○ Single left
- ● Double left-right
- ○ Double right-left
- ○ Single right

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 4 of 30 (Start time: 12:12:10 PM, 22 June 2021)

Which of the following operation returns but do not removes top value of the stack?

Select the correct option

- push
- top
- first
- pop

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 6 of 30 (Start time: 12:13:54 PM, 22 June 2021)

Which of the following is not a form of expression?

Select the correct option

- Postfix
- Infix
- Prefix
- Pastfix

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 7 of 30 (Start time: 12:14:20 PM, 22 June 2021)

get(?) method of List class is used to:

Select the correct option

- ○ Get element from the first position
- ○ Get element from the last position
- ○ Get element from the middle position
- ● Get element at the given position

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com
VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 8 of 30 (Start time: 12:14:50 PM, 22 June 2021)

Consider the linked list implementation of a stack. Which of the following node is considered as Top of the stack?

Select the correct option

- Middle node
- Last node
- Any node
- First node

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 9 of 30 (Start time: 12:15:13 PM, 22 June 2021)

If a function has recursive call as the last statement, it is known as _____.

Select the correct option

- ○ Local Recursion
- ○ Last recursion
- ● Tail recursion
- ○ Function recursion

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 10 of 30 (Start time: 12:15:28 PM, 22 June 2021)

Analyze the given code carefully and identify which type of binary tree traversal this is :

```
void traversal (TreeNode<int>* treeNode)
{
 if( treeNode != NULL )
 {
 traversal (treeNode->getLeft());
```

Select the correct option

○	Preorder
○	Postorder
●	Inorder
○	Levelorder

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 11 of 30 (Start time: 12:15:44 PM, 22 June 2021)

If we use singly linked list to implement list, then there is an issue that it gives difficulty when we:

Select the correct option

- (●) Move backward in the list

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) We will decrease its size
- ( ) Move forward in the list
- ( ) We will increase its size

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 12 of 30 (Start time: 12:16:04 PM, 22 June 2021)

The _____ of a node in a binary tree is defined as the height of its left subtree minus height of its right subtree.

Select the correct option

- ○ Height
- ● Balance
- ○ Level
- ○ Width

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 13 of 30 (Start time: 12:16:21 PM, 22 June 2021)

What is the postfix form of (A+B)*(C-D)

Select the correct option

- ○ CD- A B + *
- ○ A +B*C- D
- ● A B + C D - *
- ○ +A B - C D *

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 14 of 30 (Start time: 12:16:38 PM, 22 June 2021)

Suppose a Stack class has been defined using template. Now, we want to declare a Stack object of an int type. What will be th

Select the correct option

- ○ int Stack stack ;
- ○ <int>Stack stack ;
- ○ Stack int stack;
- ● Stack<int> stack;

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com
VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 15 of 30 (Start time: 12:16:51 PM, 22 June 2021)

If both left and right nodes of a node are NULL then this type of node is called a _____ node.

Select the correct option

- ○ Non leaf
- ● Leaf

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ○ Inner
- ○ Internal

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 16 of 30 (Start time: 12:17:08 PM, 22 June 2021)

The first statement in the given code is called as:

```
class BinarySearchTree ;
class BinaryNode{
friend class BinarySearchTree;
};
```

Select the correct option

- ○ Post Class Declaration
- ○ Pre Class Declaration
- ● Forward Declaration
- ○ Binary Declaration

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 17 of 30 (Start time: 12:17:24 PM, 22 June 2021)

Head node pointer always points to the _____ of the linked list?

Select the correct option

- ○ current node
- ○ newly added node
- ● first node
- ○ last node

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 18 of 30 (Start time: 12:17:38 PM, 22 June 2021)

_____ parameter passing (by value or by reference) is similar to PASCAL.

Select the correct option

- FORTRAN
- C++
- COBOL
- JAVA

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 19 of 30 (Start time: 12:17:57 PM, 22 June 2021)

In singly linked list a node consists of two parts:

Select the correct option

- (●) Object and pointer

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

- ( ) Object and structure
- ( ) Two pointers
- ( ) Two objects

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 20 of 30 (Start time: 12:18:13 PM, 22 June 2021)

In Preorder traversal of a binary tree the second step is _____

Select the correct option

- ○ traverse the right subtree
- ○ traverse the leaf node
- ○ traverse the root
- ● traverse the left subtree

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.co
VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 21 of 30 (Start time: 12:18:27 PM, 22 June 2021)

At a particular node, the difference in heights of its left and right subtree gives the _____ of the node

Select the correct option

- ○ Right subtree
- ○ Height
- ○ Left subtree
- ● Balance

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com
VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 22 of 30 (Start time: 12:18:43 PM, 22 June 2021)

Binary Search Tree violates the condition of AVL tree when any node has balance factor equal to

Select the correct option

- ○ -1
- ● 2 or -2
- ○ 0
- ○ 1

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 23 of 30 (Start time: 12:19:41 PM, 22 June 2021)

In a complete binary tree the number of nodes at level 5 are

Select the correct option

- 15
- 31
- 16
- 32

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 24 of 30 (Start time: 12:20:21 PM, 22 June 2021)

Local variables defined inside function body are _____ automatically at the end of function execution.

Select the correct option

- (●) destroyed
- ( ) created
- ( ) incremented
- ( ) decremented

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 25 of 30 (Start time: 12:20:39 PM, 22 June 2021)

Each node in doubly link list has,

Select the correct option

- 4 pointers
- 2 pointers
- 1 pointer
- 3 pointers

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

Question # 26 of 30 (Start time: 12:20:58 PM, 22 June 2021)

Analyze the given code carefully and identify which type of binary tree traversal this is :

```
void traversal (TreeNode<int>* treeNode)
{
 if( treeNode != NULL )
 {
 cout << *(treeNode->getInfo())<<" ";
```

Select the correct option

- ○ Inorder
- ● Preorder
- ○ Sorted order
- ○ Postorder

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 27 of 30 (Start time: 12:21:24 PM, 22 June 2021)

In a strictly complete binary tree, the number of _____ at any level k will be 2^k.

Select the correct option

- links
- nodes
- sets
- children

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 28 of 30 (Start time: 12:21:48 PM, 22 June 2021)

_____ is the maximum height of the AVL tree.

Select the correct option

- log2n
- 1.44
- 4.44log2n
- 1.44log2n

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 29 of 30 (Start time: 12:22:04 PM, 22 June 2021)

A binary tree is said to be a _____ binary tree if every non-leaf node in a binary tree has non-empty left and right subtrees.

Select the correct option

- Complete
- Strictly
- AVL
- Perfect

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

VU Stars (Waqas Ahmed)
Whatsapp 03066295623

CS301:Grand Quiz

Question # 30 of 30 (Start time: 12:22:25 PM, 22 June 2021)

Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having

Solved By: Waqas Ahmed
Whatsapp: 03066295623
Email: waqas.vu.edu@gmail.com

Select the correct option

- ○ 6, 72, 35, 65, 25, 18
- ○ 6, 72, 18, 35, 65, 25
- ○ 6, 72, 35, 18, 65, 25
- ○ 6, 18 ,72, 35, 65, 25

VU Stars (Waqas Ahmed)
Whatsapp 03066295623