PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

# CS301QUIZ#3(Searching File) 2024

# (B File)

# 17/01/2024

# WARNING

**(Don't Copy My File)**

**©ARTIST©**




LMS HANDLING SERVICES AVAILABLE

**Join Whatsapp Group For Latest Solutions**

Join Now

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

03147094561
CONTACT FOR PAID QUIZ'S

**1. Consider a min heap, represented by the following array:**

**a. 3,4,6,7,5**

b. After calling the function deleteMin().Which of the following is the updated min heap?

c. 4,6,5,7,

d. 6,7,5,4

e. 4,5,6,7 ✺➳©ARTIST©

f. 4,6,7,5

**2. While building Huffman encoding tree the new node that is the result of joining two nodes has the frequency.**

a. Equal to the small frequency

*b. Equal to the sum of the two frequencies* ✺➳ ©ARTIST©

c. Equal to the greater frequency

d. Equal to the difference of the two frequencies

**3. In Huffman encoding, codes are sent to the receiver in _____ format.**

a. Hexadecimal

b. Octal

c. Binary ✺➳©ARTIST©

d. ASCII

**4. In double left-right rotation in the AVL tree, the single ____ rotation is carried at first, followed by single _____rotation.**

a. left, right
b. left, left
c. right, left ✺➳©ARTIST©
d. d right, right

**5. A binary tree with 45 internal nodes has _____links to external nodes.**

a. 90
b. 44
c. 45 ✺➳©ARTIST©
d. d . 46

**6. In which of the following tree, parent node has key greater than or equal to its both children?**

a. Threaded Binary tree
b. Complete Binary tree
c. Binary search tree
d. Max heap ✺➳©ARTIST©

**7. Suppose we are building the AVL tree using nodes 13, 7 and 9 then which type of rotation at root node will balance the tree?**

a. Double right-left
b. Single left
c. Double left-right
d. Single right ✺➳©ARTIST©

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

**8. If there are 56 internal nodes in a binary tree then how many external nodes this binary tree will have?**

a. 57✺➳©ARTIST©
b. 54
c. 55
d. 56

**9. The worst case of building a heap of N keys is _____ .**

a. N
b. NLogn✺➳©ARTIST©
c. N^2
d. 2^N

**10. Consider a max heap, represented by the following array:**

a. 40,30,20,10,15,16,17,8,4
b. After inserting a node with value 35.Which of the following is the updated max heap?
c. 40,35,20,10,30,16,17,8,4,15
d. 40,30,20,10,15,16,17,8,4,35✺➳©ARTIST©
e. 40,35,20,10,15,16,17,8,4,30
f. 40,30,20,10,35,16,17,8,4,15

**11. Which of the following statement is correct?**

a. A Threaded Binary Tree is a binary tree in which every node that does not have a right child has a THREAD (in actual sense, a link) to its POSTORDER predecessor.

b. A Threaded Binary Tree is a binary tree in which every node that does not have a left child has a THREAD (in actual sense, a link) to its INORDER successor.

c. A Threaded Binary Tree is a binary tree in which every node that does not have a left child has a THREAD (in actual sense, a link) to its INORDER predecessor. ✺➳©ARTIST©

d. A Threaded Binary Tree is a binary tree in which every node that does not have a right child has a THREAD (in actual sense, a link) to its PREOREDR successor.

**12. Which one of the following array elements represents a min heap?**

a. 9,7,13,26,15,18

b. 9,11,13,26,15,18

c. 9,11,13,10,15,18✺➳©ARTIST©

d 9,11,8,26,15,18

03147094561
03217769365
@studywithhamza25
@hamzabahtti25

**13. Traversing a binary tree can only be done using _____**

a. Iteration

b. Recursion

c. Both recursion and iteration ✺➳©ARTIST©

d. None of the given options

**14. When a complete binary tree, represented by an array then for any array element at position i, the parent is at position _____ .**

a. 2i+1
b. 2i
c. floor(i/2) ✺➳©ARTIST©
d. 2i-1

**15. To develop a character encoding scheme in Huffman tree, _____ will be assigned to left branch.**

a. -1
b. 0
c. c.1
d. d.1 and 0 ✺➳©ARTIST©

**16. If there are _____ nodes in an AVL tree, its levels will be roughly as Log2(10 million).**

a. 100 million
b. 10 million ✺➳©ARTIST©
c. 5 million
d. 2 million

**17. In Huffman encoding, codes are sent to the receiver in _____ format.**

a. Binary ✺➳©ARTIST©
b. Octal
c. ASCII
d. Hexadecimal

18. **Compiler translates Java code into _____.**

a. ByteCode ✺➳©ARTIST©

b. Assembly Language
c. Native Code
d. Machine Language

**19. To evaluate an expression tree which of following techniques is used?**

a. Top down
b. Right to left
c. Bottom up ✺➳©ARTIST©
d. Left to right

**20. Consider a min heap, represented by the following array:**

**10,30,20,60,40,50,80,70**

**After inserting a node with value 31.Which of the following is the updated min heap?**

SUBSCRIBE @studywithhamza25 03147094561 03217769365 @hamzabahtti25

a. 10,30,20,31,40,50,80,60,70
b. 10,30,20,70,40,50,80,60,31
c. 10,30,20,31,40,50,80,70,60 ✺➳©ARTIST©
d. 31,10,30,20,70,40,50,80,60

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

JOIN WHATSAPP GROUP NOW

SUBSCRIBE

MY YOUTIBE

CHANNEL

SUBSCRIBE

NOW

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

# THANK YOU!

©ARTIST©

