
AR Lucky Team

Cs403P Quiz 01 Lab(1-3)



All VU Subjects Available Quizzes, Assignment and GDBs



AR Lucky Team

Question:

Car carries passengers.

Bus carries passengers.

Truck carries luggage.

Harvester harvests the crops.

Car, Bus, Harvester and Truck are derived from which class?

Select the correct option

Passenger Transport

Navy Ships

Vehicle

Public Transport

Prove: 1

Car, Bus, Harvester, and Truck belong to the Vehicle class as they are all types of vehicles.

Prove: 2

The correct option is "Vehicle".

Car, Bus, Harvester, and Truck are all types of vehicles. While cars and buses are primarily used for passenger transport, trucks are commonly used for transporting goods and luggage, and harvesters are used for harvesting crops. However, they all belong to the broader category of vehicles, which includes any type of machine used for transportation.

Question:

Which of the following concept deals with the security of data?

Select the correct option

Data Hiding

Polymorphism

Inheritance

Generalization



AR Lucky Team

Prove: 1

The concept that deals with the security of data is Data Hiding.

Prove: 2

The correct option is "Data Hiding." Data Hiding is a concept that deals with the security of data by restricting access to it and encapsulating it within a class or module. It is a technique used to protect sensitive information and prevent unauthorized access or modification.

Question:

Chair is a(an) _____ object and patent is a(an) _____ object.

Select the correct option

Intangible, Tangible

Intangible. Tangible

Tangible, Intangible

Intangible, Intangible

Tangible, Tangible

Prove: 1

Chair is a tangible object and patent is an intangible object.

Prove: 2

The correct option is "Tangible, Intangible."

A chair is a tangible object because it can be physically touched and occupies space.

A patent, on the other hand, is an intangible object because it is a legal right or protection granted for an invention or innovation. It cannot be physically touched or seen, but it represents a legal concept or intellectual property.

Question:

Which of the following is used to achieve information hiding?

Select the correct option

Inheritance

Encapsulation

Composition

Aggregation



AR Lucky Team

Prove: 1

Encapsulation is used to achieve information hiding.

Prove: 2

The correct option is "Encapsulation."

Encapsulation is a principle of object-oriented programming that combines data and methods within a class, hiding the internal implementation details from the outside world. It allows for information hiding by providing a protective barrier that prevents direct access to the internal state of an object. By encapsulating data and providing controlled access through methods, the internal details can be hidden, and the object's behavior can be controlled and modified without affecting other parts of the program.

Question:

Which of the following can be the attribute of the Employee class?

Select the correct option

Roll Number

Salary

Course

GPA

Prove: 1

The attribute that can be the attribute of the Employee class is Salary.

Prove: 2

The correct option is "Salary."

In the context of an Employee class, "Salary" is a suitable attribute. An attribute represents a characteristic or property of an object. In the case of an Employee class, the salary can be considered an attribute that defines the monetary compensation associated with the employee's job.

"Roll Number" is typically associated with student records or identification and is not commonly used as an attribute in an Employee class.

"Course" and "GPA" are attributes more commonly associated with student or academic records and are less relevant in the context of an Employee class.

Question:



AR Lucky Team

Relationships between two entities in the Entity Relationship Data Model are represented by _____.

Select the correct option

Line

Diamond symbol

Oval symbol

Rectangular box

Prove: 1

The relationships between two entities in the Entity Relationship Data Model are represented by diamond symbols.

Prove: 2

Relationships between two entities in the Entity Relationship Data Model are represented by a diamond symbol. The diamond symbol is used to indicate a relationship between two entities in an ER diagram. The entities are represented by rectangular boxes, and the attributes of each entity are listed within the box. The diamond symbol is positioned between the entity boxes to represent the relationship between them, and the type of relationship is indicated by the labels on the lines connecting the diamond to the entity boxes.

Question:

A Context Level Data Flow Diagram shows _____.

Select the correct option

Data Store only

Input/Output to and from the process and interaction with external entities

External entities only


Detailed working of the system

Prove: 1

A Context Level Data Flow Diagram shows the Input/Output to and from the process and interaction with external entities. It represents the overall system and its interactions with external entities.

Prove: 2

A Context Level Data Flow Diagram shows input/output to and from the process and interaction with external entities.



AR Lucky Team

A Context Level DFD is a high-level diagram that provides an overview of the system and its boundaries. It shows the system as a single process or a box, with inputs and outputs to external entities such as users, other systems, or organizations. It does not show the detailed working of the system or the internal processes within the system.

In addition to the process box and external entities, a Context Level DFD may also show data stores that are used by the process to store or retrieve data. However, the main focus of the diagram is on the inputs and outputs of the process and how it interacts with external entities.

Question:

Which of the following is the main user interface of Microsoft SQL server?

Select the correct option

Graphical User Interface

Gesture-based Interface

Modular Interface

Voice-activated interface

Prove: 1

The main user interface of Microsoft SQL Server is Graphical User Interface (GUI).

Prove: 2

The main user interface of Microsoft SQL Server is the Graphical User Interface or GUI.

The GUI is a visual interface that allows users to interact with SQL Server using menus, buttons, and other graphical elements. SQL Server Management Studio (SSMS) is the primary tool used to manage SQL Server, and it provides a graphical interface for performing tasks such as database design, query development, and server administration.

While SQL Server can also be managed using command-line tools, the GUI is the most common interface used by administrators and developers, due to its ease of use and visual representation of the system.

Question:

Microsoft SQL server is a _____ DBMS.

Select the correct option

Relational

Hybrid



AR Lucky Team

Network

Hierarchical

Prove: 1

Microsoft SQL server is a Relational DBMS.

Prove: 2

Microsoft SQL Server is a Relational Database Management System (RDBMS).

An RDBMS is a type of database management system that stores data in tables with rows and columns, and enforces relationships between tables through the use of primary and foreign keys. SQL Server is a popular RDBMS that is widely used for storing, managing, and querying large amounts of data.

SQL Server also supports advanced features such as stored procedures, triggers, and views, which provide additional functionality for managing data and automating tasks. With its robust features and scalability, SQL Server is commonly used by enterprises for mission-critical applications, data warehousing, and business intelligence.

Question:

What does an oval or rounded rectangle represent in Data Flow Diagram?

Select the correct option

System Component

Processes

Entity

Data Store

Prove: 1

An oval or rounded rectangle in Data Flow Diagram represents an Entity.

Prove: 2

An oval or rounded rectangle represents Entity in Data Flow Diagram.

Question:

Arrow symbol in Data Flow Diagram represents _____.

Select the correct option

Flow of data

System components



AR Lucky Team

Entity

Decision making

Prove: 1

The arrow symbol in Data Flow Diagram represents the flow of data.

Prove: 2

In a Data Flow Diagram (DFD), an arrow symbol represents the Flow of Data.

Data flows in a DFD represent the movement of data between processes, entities, and data stores within a system. The data flow is represented by an arrow, which indicates the direction of the flow and the data being exchanged.

Data flows can be labeled to describe the type of data being transferred, such as customer information, sales data, or inventory levels. The data flow can also be annotated with other information, such as the frequency of the data transfer or the format of the data.

Understanding the data flows in a DFD is important for analyzing the information requirements of a system, identifying potential bottlenecks or errors, and designing an efficient and effective system architecture.

Question:

A DATA STORE in Data Flow Diagram is represented by _____.

Select the correct option

Rectangle open on right width and left width of the rectangle drawn with double lines

Diamond symbol

Rectangle open on left width and right width of the rectangle drawn with single line

An arrow

Prove: 1

A DATA STORE in Data Flow Diagram is represented by Rectangle open on left width and right width of the rectangle drawn with single line.

Prove: 2

In a Data Flow Diagram (DFD), an arrow symbol represents the Flow of Data.

Data flows in a DFD represent the movement of data between processes, entities, and data stores within a system. The data flow is represented by an arrow, which indicates the direction of the flow and the data being exchanged.



AR Lucky Team

Data flows can be labeled to describe the type of data being transferred, such as customer information, sales data, or inventory levels. The data flow can also be annotated with other information, such as the frequency of the data transfer or the format of the data.

Understanding the data flows in a DFD is important for analyzing the information requirements of a system, identifying potential bottlenecks or errors, and designing an efficient and effective system architecture.

Question:

The instances of _____ cannot exist independently?

Select the correct option

Hybrid Entity

Weak Entity

Naming Entity

Strong Entity

Prove: 1

The instances of Weak Entity cannot exist independently.

Prove: 2

The instances of a Weak Entity cannot exist independently.

A weak entity is an entity in a database schema that does not have a unique key or identifier of its own. Instead, it depends on another entity, known as the owner entity, to provide a key. The owner entity is usually a strong entity that has a primary key, and the weak entity has a foreign key that references the primary key of the owner entity.

The instances of a weak entity cannot exist independently because they do not have a unique key or identifier of their own. Instead, they are identified by the combination of their foreign key and the primary key of the owner entity. This means that a weak entity can only exist in the context of its relationship with the owner entity.

For example, in a database schema for a university, a course offering might be a weak entity that depends on the course entity to provide a unique identifier. The course entity would be the owner entity, and the course offering entity would have a foreign key that references the primary key of the course entity. This would ensure that each course offering is associated with a specific course, and could not exist independently.

Question:

_____ represents characteristics of an object.



AR Lucky Team

Select the correct option

Modality

Relationship

Attribute

Cardinality

Prove: 1

Attribute represents characteristics of an object.

Prove: 2

An Attribute represents characteristics of an object.

In a database, an attribute is a characteristic or property of an entity or object. Attributes describe the features or qualities of the entity, such as its name, age, color, or size. Attributes are used to define the structure and content of a database, and are typically stored as columns in database tables.

For example, in a database for a car dealership, the attributes of a car entity might include make, model, year, color, and price. Each attribute would be represented as a column in the car table, and would contain data specific to that attribute for each car record.

Attributes can also be used to define relationships between entities in a database. For example, a foreign key attribute in one table can reference the primary key attribute in another table, creating a relationship between the two tables.

Question:

In a Data Flow Diagram, _____ symbol is used to express the convergence of several data flow connections to a single point.

Select the correct option

Oval

Collector


Diamond

Merger

Prove: 1

In a Data Flow Diagram, the Merger symbol is used to express the convergence of several data flow connections to a single point.

Prove: 2



AR Lucky Team

In a Data Flow Diagram (DFD), the Merger symbol is used to express the convergence of several data flow connections to a single point.

The Merger symbol is a diamond-shaped symbol that is used to represent the point where multiple data flows converge into a single flow. It is also sometimes referred to as a Converging Process.

The Merger symbol is used in a DFD to simplify and clarify the diagram when multiple data flows are merging into a single flow. It helps to avoid cluttering the diagram with multiple lines, and makes it easier to understand the overall flow of data within the system.

In contrast, the Splitter symbol is used to represent the point where a single data flow is split into multiple flows, also known as a Diverging Process.

Question:

In Entity Relationship Data Model, which of the following symbol is used to represent Entity Type?

Select the correct option

Rectangle

Parallelogram

Diamond

Oval

Prove: 1

In Entity Relationship Data Model, Rectangle symbol is used to represent Entity Type.

Prove: 2

In the Entity Relationship Data Model, the Rectangle symbol is used to represent an Entity Type.

The Entity Type represents a category of objects or things that have common attributes and characteristics. Each entity type is represented by a rectangle, and the name of the entity type is written inside the rectangle.

For example, in a database for a library, the entity types might include books, borrowers, and authors. Each entity type would have its own rectangle with a name written inside, and each rectangle would be connected by lines to show the relationships between the entities.

Attributes of the Entity Type are listed within the rectangle, and the primary key attribute is usually underlined to indicate its unique identifier. The attributes of the



entity type are the characteristics or properties that describe the objects in the entity type, such as title, author, and ISBN for the book entity type.

Question:

In an Entity Relationship diagram, a rectangle represents _____.

Select the correct option

Entities

Attributes

Relationship

Identifier

Prove: 1

In an Entity Relationship diagram, a rectangle represents Entities.

Prove: 2

In an Entity Relationship diagram, a rectangle represents Entities.

An entity is a real-world object or concept that has a distinct identity and can be uniquely identified. In an Entity Relationship diagram, entities are represented by rectangles, with the name of the entity written inside the rectangle. For example, in a database for a school, entities might include students, teachers, and classes.

Entities have attributes that describe the properties or characteristics of the entity. For example, a student entity might have attributes such as name, age, and student ID. Attributes are typically listed within the rectangle representing the entity.

Entities can be related to other entities through relationships, which are represented by lines connecting the rectangles. The lines can be labeled to indicate the type of relationship, such as "is enrolled in" or "teaches."

Each entity has a unique identifier, which is typically represented by a primary key in a database. The primary key is used to distinguish one instance of the entity from another, and is typically listed as an attribute within the entity rectangle.


Question:

A graphical representation of system showing flow of data between its different components is knowns as _____.

Select the correct option

Data Flow Diagram

Gantt Chart



AR Lucky Team

Hierarchy Charts

Pie Chart

Prove: 1

A graphical representation of a system showing the flow of data between its different components is known as Data Flow Diagram (DFD).

Prove: 2

A graphical representation of a system showing the flow of data between its different components is known as a Data Flow Diagram (DFD).

A DFD is a visual tool used to describe the flow of data within a system. It shows how data moves between processes, entities, and data stores, and how it is transformed along the way. A DFD consists of a set of interconnected symbols that represent the system components and the data flows between them.

In a DFD, processes are represented by rectangles, entities are represented by ovals or rounded rectangles, data stores are represented by rectangles with an opening on one side, and data flows are represented by arrows. The symbols are connected by arrows to show the flow of data between them.

DFDs are commonly used in systems analysis and design to help stakeholders understand the data requirements of a system and to identify potential errors or bottlenecks in the data flow.

Question:

The first step of creating level 0 Data Flow Diagram is to _____.

Select the correct option

Represent interaction between external entities

Establish link between different entities

Identify prominent modules of system

Create a Data Store

Prove: 1

The first step of creating level 0 Data Flow Diagram is to represent interaction between external entities.

Prove: 2

The first step of creating a Level 0 Data Flow Diagram (DFD) is to represent the interaction between external entities.



AR Lucky Team

A Level 0 DFD is a high-level diagram that provides an overview of the system and its boundaries. It shows the system as a single process or a box, with inputs and outputs to external entities such as users, other systems, or organizations. The main focus of the diagram is on the inputs and outputs of the process and how it interacts with external entities.

The first step in creating a Level 0 DFD is to identify the external entities that interact with the system. These could be users, customers, suppliers, or other systems. Once the external entities are identified, they are represented by ovals or rounded rectangles on the diagram, with arrows indicating the data flows to and from the process box.

After the external entities are represented, the next step is to identify the inputs and outputs of the process box and to connect them to the external entities. This creates the Level 0 DFD, which serves as a starting point for creating more detailed data flow diagrams for the system.

Question:

Which of the following statement is true about Entity Set?

Select the correct option

A group of attributes of a particular entity type

A group of relationship between different entities

A group of instances of particular attributes

A group of entity instances of a particular entity type

Prove: 1

A group of entity instances of a particular entity type is true about Entity Set.

Prove: 2

A statement that is true about an Entity Set is that it is a group of entity instances of a particular entity type.


In a database, an entity set is a collection of similar entities, each with a unique identifier or primary key. An entity set represents a category of objects or things, such as customers, employees, or products.

For example, in a database for a library, the entity set for books would include all instances of books in the library, each with a unique identifier such as ISBN number. Similarly, the entity set for borrowers would include all instances of borrowers in the library, each with a unique identifier such as a library card number.

An entity set is different from a relationship between entities, which is a connection between two or more entity sets that represents an association between them. An entity set is also different from a group of attributes of a particular entity type or a



group of instances of particular attributes, which do not represent a collection of entities with unique identifiers.




Subscribe
Like
Share
AR Lucky Academy
AR

AR Lucky Team


Subscribe
Like
Share
AR Lucky Academy

AR Lucky Team




Subscribe
Like
Share
AR Lucky Academy

AR Lucky Team




Subscribe
Like
Share
AR Lucky Academy

AR Lucky Team




Subscribe
Like
Share
AR Lucky Academy

AR Lucky Team





AR Lucky Team



Services For Vu All Subjects

(Assignment Ms-Word, Quizzes, GDBs)

(Short Notes, Lecture Watching)

WhatsApp No: 0304-2387216

"I provide assignments, quizzes, and GDBs for all subjects listed below."

ACC311, ACC501

BIF401, BIF402, BIF501, BIF601, BIF602, BIF731, BIF732, BIF733, BIO201, BIO202, BIO203, BIO204, BIO301, BIO302, BIO303, BIO401, BIO502, BIO731, BIO732, BIO733, BIO734, BNK601, BNK603, BNK610, BNK611, BNK612, BNK613, BT101, BT102, BT301, BT302, BT404, BT406, BT501, BT503, BT504, BT603, BT605, BT731, BT732, BT733, BT734, BT735

CHE301, CS101, CS201, CS202, CS205, CS206, CS301, CS302, CS304, CS311, CS312, CS315, CS401, CS402, CS403, CS405, CS407, CS408, CS410, CS411, CS432, CS435, CS501, CS502, CS504, CS506, CS507, CS508, CS601, CS602, CS603, CS604, CS605, CS606, CS607, CS609, CS610, CS611, CS614, CS615

ECO401, ECO402, ECO403, ECO404, ECO501, ECO601, ECO603, ECO606, ECO615, EDU101, EDU201, EDU301, EDU303, EDU304, EDU305, EDU401, EDU402, EDU403, EDU404, EDU405, EDU406, EDU410, EDU411, EDU430, EDU431, EDU501, EDU505, EDU510, EDU512, EDU515, EDU516, EDU601, EDU602, EDU603, EDU604, EDU654, EDU705, EDU712, ENG001, ENG101, ENG201, ENG301, ENG501, ENG502, ENG503, ENG504, ENG505, ENG506, ENG507, ENG508, ENG509, ENG510, ENG511, ENG512, ENG513, ENG515, ENG516, ENG518, ENG519, ETH202


FIN611, FIN621, FIN622, FIN623, FIN625, FIN630, FIN701

GSC101, GSC201

HRM613, HRM617, HRM624, HRM626, HRM627, HRM713

ISL201, IT430

MCD401, MCD402, MCD403, MCD404, MCD501, MCD502, MCD503, MCD504, MCM101, MCM301, MCM304, MCM310, MCM311, MCM401, MCM404, MCM411, MCM501, MCM511, MCM514, MCM515, MCM516, MCM604, MCM610, MGMT611, MGMT614, MGMT615, MGMT617, MGMT622, MGMT623, MGMT625, MGMT627, MGMT628, MGMT629, MGMT630, MGMT631, MGMT715,



AR Lucky Team

MGMT727, MGMT731, MGT101, MGT111, MGT201, MGT211, MGT301, MGT401, MGT402, MGT404, MGT411, MGT501, MGT502, MGT503, MGT504, MGT510, MGT513, MGT520, MGT522, MGT601, MGT602, MGT603, MGT604, MGT610, MGT611, MGT612, MGT613, MGT621, MGT703, MGT705, MKT501, MKT529, MKT530, MKT603, MKT610, MKT611, MKT621, MKT624, MKT625, MKT626, MKT627, MKT630

MTH001, MTH100, MTH101, MTH102, MTH201, MTH202, MTH301, MTH302, MTH303, MTH401, MTH501, MTH601, MTH603, MTH621, MTH622, MTH631, MTH632, MTH633, MTH634, MTH641

PAK301, PAK302, PHY101, PHY301, PSC201, PSC401, PSY101, PSY401, PSY403, PSY404, PSY405, PSY406, PSY407, PSY408, PSY409, PSY502, PSY504, PSY510, PSY511, PSY512, PSY513, PSY514, PSY610, PSY631, PSY632

SOC101, SOC301, SOC302, SOC401, SOC402, SOC403, SOC601, SOC603, STA100, STA301, STA621, STA630, STA631, STA632, STA642, STA643, STA644, STA730,

URD101

ZOO301, ZOO502, ZOO503, ZOO504, ZOO505, ZOO731

