Question # 1 of 10 (Start time: 02:47:07 AM, 10 May 2021)

For any set there are always two topologies namely..... .....

Select the correct option

- Lower limit topology and discrete topology
- Discrete Topology and cofinite Topology
- Co finite and Indiscrete Topology
- Discrete and Indiscrete Topology

S KHAN ACADEMY

NAME:SANAULLAH KHAN

YOUTUBE: S KHAN ACADEMY

MSc (MATHEMATICS)

Scanned with CamScanner

Question # 2 of 10 (Start time: 02:48:44 AM, 10 May 2021)

If τ is a topology on a non empty set x, then ..... of finite members of τ belongs to τ.

Select the correct option

- intersection
- union

S KHAN ACADEMY

Question # 3 of 10 (Start time: 02:50:22 AM, 10 May 2021)

For any two topologies T1 and T2 defined on a non empty set then T1 is finer than T2 , iff for all U(open set) $\in$ T2 implies.....

Select the correct option

- $U \notin T1$
- $U \in T1$

S KHAN ACADEMY

Scanned with CamScanner

Question # 4 of 10 (Start time: 02:51:56 AM, 10 May 2021)

Let $\mathcal{A}$ be the collection of all closed subset of a topological space (X,τ) then $\mathcal{A}$ is closed under .....set union .

Select the correct option

- Finite
- Infinite

S KHAN ACADEMY

Question # 5 of 10 (Start time: 02:53:34 AM, 10 May 2021)

Derived set of empty set .....

Select the correct option

- Empty
- 1
- Non empty
- All of above

S KHAN ACADEMY

Scanned with CamScanner

Question # 6 of 10 (Start time: 02:54:53 AM, 10 May 2021)

For an open ball centered at x=(x1,x2,...xn) belongs to Rn, which of the following is the correct representation?

Select the correct option

- S KHAN ACADEMY

$\{y | \sqrt{\sum_{i=1}^{n} (x_i - y_i)^2} < r\} \subset R^n$, where $y = (y_1, y_2, \ldots, y_n) \in R^n$

$\{y | \sqrt{\sum_{i=1}^{n} (x_i - y_i)^2} \leq r\} \subset R^n$, where $y = (y_1, y_2, \ldots, y_n) \in R^n$

$\{y | \sqrt{\sum_{i=1}^{n} (x_i - y_i)^2} > r\} \subset R^n$, where $y = (y_1, y_2, \ldots, y_n) \in R^n$

$\{y | \sqrt{\sum_{i=1}^{n} (x_i - y_i)^2} \geq r\} \subset R^n$, where $y = (y_1, y_2, \ldots, y_n) \in R^n$

Question # 7 of 10 (Start time: 02:55:37 AM, 10 May 2021)

..... is the weakest topology on set x .

Select the correct option

- Discrete Topology
- Indiscrete Topology

S KHAN ACADEMY

- Cofinite Topolgy
- Noe of above

Scanned with CamScanner

Question # 8 of 10 (Start time: 02:56:29 AM, 10 May 2021)

..... of a subset A of a topological space (X, τ) is the set of all limit points of A.

Select the correct option

- Proper Set
- Super Set
- Derived Set
- All of above

S KHAN ACADEMY

Scanned with CamScanner

Question # 9 of 10 (Start time: 02:57:32 AM, 10 May 2021)

Which of the following topology is called "Finite Complement Topology"?

Select the correct option

- Discrete Topology
- Indiscrete Topology
- Co finite Topology
- Lower Limit Topology

S KHAN ACADEMY

Question # 10 of 10 (Start time: 02:58:18 AM, 10 May 2021)

Which of the following topology contains the complete power set of a set?

Select the correct option

- Indiscrete topology
- lower limit topology
- Discrete topology
- co finite topology

S KHAN ACADEMY

Scanned with CamScanner

MTH634 Quiz No. 1

Question # 1 of 10 (Start time: 09:36:25 AM, 10 May 2021)

In a topological space, a subset of A of X closed if the compliment of A in X is open

Select the correct option

True

False

S KHAN ACADEMY

Scanned with CamScanner

MTH634:Quiz No. 1

Question # 3 of 10 (Start time: 09:37:27 AM, 10 May 2021)

Let $X = \{2, 4, 6\}$. The following sets represents a topology on

Select the correct option

○	$\{\phi, X\}$
○	$\{\phi, \{2\}, \{2, 4\}, X\}$
○	$\{\phi, \{4\}, \{4, 6\}, X\}$
○	All of these

S KHAN ACADEMY

Scanned with CamScanner

MTH634:Quiz No. 1

Question # 4 of 10 (Start time: 09:38:08 AM, 10 May 2021)

Every collection of subsets of a set is said to be a topology.

Select the correct option

- True
- False

S KHAN ACADEMY

Scanned with CamScanner

MTH634 Quiz No. 1

Question # 5 of 10 (Start time: 09:38:41 AM, 10 May 2021)

For any two topologies T1 and T2 defined on a non empty set then T1 is finer than T2 , iff for all U(open set) ∈ T2 implies

Select the correct option

- U ∈ T1
- U∈T1

S KHAN ACADEMY

Scanned with CamScanner

10:10 AM

quiz.vu.edu.pk

MC190405741: NAJMA BIBI

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:10 AM, 10 May 2021

Question # 1 of 10 (Start time: 10:10:41 AM, 10 May 2021)

Total Marks: 1

Let X be a nonempty set and τ be a topology on X, then the following statements must be true. (*where* $P(X)$ *denotes* the power set of X)

Select the correct option

Reload Math Equations

- $\tau \subset X$
- $X \subset \tau$
- $\tau \subset P(X)$
- none

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Search...

Scanned with CamScanner

10:13 AM

quiz.vu.edu.pk

MC190405741: NAJMA BIBI

Time Left 86 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:10 AM, 10 May 2021

Question # 4 of 10 (Start time: 10:13:14 AM, 10 May 2021)

Total Marks: 1

Let (X, τ) be the topological space and $A, B \subset X$ such that $A \subset B$ then for derived set

A'

and

Select the correct option

Reload Math Equations

$(A \cup B)' = A' \cup B'$

S KHAN ACADEMY

$(A \cup B)' = A' \cap B'$

$(A \cup B)' = A \cup B$

None of above

Click to Save Answer & Move to Next Question

Search...

Scanned with CamScanner

10:14 AM

quiz.vu.edu.pk

MC190405741: NAJMA BIBI

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:10 AM, 10 May 2021

Question # 6 of 10 (Start time: 10:14:56 AM, 10 May 2021)

Total Marks: 1

Let $X = R$ be a usual topology and consider $C = \{1, \frac{1}{2}, \frac{1}{3}, \frac{1}{4} \ldots\ldots\ldots\ldots\}$ then which of the following is not limit point of :

Select the correct option

Reload Math Equations

0

S KHAN ACADEMY

1/2

1

Both (b) and (c)

Click to Save Answer & Move to Next Question

Search...

Scanned with CamScanner

10:16 AM

quiz.vu.edu.pk

MC190405741: NAJMA BIBI

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:10 AM, 10 May 2021

Question # 8 of 10 (Start time: 10:16:21 AM, 10 May 2021)

Total Marks: 1

Let $X = \{a, b, c, d\}$ and $\tau = \{\phi, \{c\}, \{a, c\}, \{b, c, d\}, X\}$ be a topology on X. The closed set in X is:

Select the correct option

Reload Math Equations

(b,d)

S KHAN ACADEMY

(c)

(d)

none

Click to Save Answer & Move to Next Question

Search...

Scanned with CamScanner

10:17 AM

quiz.vu.edu.pk

MC190405741: NAJMA BIBI

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:10 AM, 10 May 2021

Question # 9 of 10 (Start time: 10:16:57 AM, 10 May 2021)

Total Marks: 1

Let $X = \{1, 2, 3\}$ and $\tau = \{\phi, \{1\}, \{2\}, \{1, 2\}, X\}$ then (X, τ) as a pair will be called .....

Select the correct option

Reload Math Equations

- Discrete topology
- Indiscrete topology
- Topological space
- None of these

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Search...

Scanned with CamScanner

10:17 AM

quiz.vu.edu.pk

MC190405741: NAJMA BIBI

Time Left 86 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:10 AM, 10 May 2021

Question # 10 of 10 (Start time: 10:17:45 AM, 10 May 2021)

Total Marks: 1

Let $X = \{a, b, c\}$. *The following set is a topology on* X.

Select the correct option

Reload Math Equations


- {φ,{b},{c},X}
- {φ,{a},{b},X}
- {φ,{a},{b,c},X}
- none

S KHAN ACADEMY


Click to Save Answer & Move to Next Question

Search...


Scanned with CamScanner




Scanned with CamScanner




Scanned with CamScanner




Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner

10:26 AM | 22.4KB/s 82%

quiz.vu.edu.pk/QuizQuestion.asp

MC200401119: KINZA JAVIED

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:22 AM, 10 May 2021

Question # 7 of 10 (Start time: 10:26:16 AM, 10 May 2021)

Total Marks: 1

Let $X = \{a, b, c, d, e\}$. *The following set is a topology on* X.


Select the correct option

Reload Math Equations


- {φ,{a},{b,c},{a,b,c},{d},X}
- {φ,{a,b},{a,c,d},X}
- {φ,{a},{a,b},{a,c,d},{a,b,c,d},{a,b,e},X}
- none

S KHAN ACADEMY


Scanned with CamScanner




Scanned with CamScanner




Scanned with CamScanner




Scanned with CamScanner




Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner

10:43 4G 61%

Quiz
quiz.vu.edu.pk

BC180405449: HUMERA RASOOL

Time Left 85 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:43 AM, 10 May 2021

Question # 1 of 10 (Start time: 10:43:14 AM, 10 May 2021) Total Marks: 1

Let $X = \{a, b, c, d\}$ and $\tau = \{\phi, \{c\}, \{a, c\}, \{b, c, d\}, X\}$ be a topology on X. The closed set in X is:

Select the correct option

Reload Math Equations

- {b,d}
- {c}
- {d}
- none

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

10:44 4G 61%

Quiz
quiz.vu.edu.pk

BC180405449: HUMERA RASOOL

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:43 AM, 10 May 2021

Question # 2 of 10 (Start time: 10:44:54 AM, 10 May 2021) Total Marks: 1

Let (X, τ) be the topological space and $A, B \subset X$ such that $A \subset B$ then for derived set

$$A'$$

and

Select the correct option

Reload Math Equations

○	S KHAN ACADEMY $(A \cup B)' = A' \cup B'$
○	$(A \cup B)' = A' \cap B'$
○	$(A \cup B)' = A \cup B$
○	None of above

Click to Save Answer & Move to Next Question

Scanned with CamScanner

10:46 4G 60%

Quiz
quiz.vu.edu.pk

BC180405449: HUMERA RASOOL

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:43 AM, 10 May 2021

Question # 3 of 10 (Start time: 10:46:06 AM, 10 May 2021)

Total Marks: 1

For any set there are always two topologies namely…… …….

Select the correct option

- Lower limit topology and discrete topology
- Discrete Topology and cofinite Topology
- Co finite and Indiscrete Topology
- Discrete and Indiscrete Topology

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

10:47 4G 60%

Quiz
quiz.vu.edu.pk

BC180405449: HUMERA RASOOL

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:43 AM, 10 May 2021

Question # 4 of 10 (Start time: 10:47:01 AM, 10 May 2021) Total Marks: 1

The set of all open intervals of $\mathbb{R}$ is a topology on $\mathbb{R}$, called

Select the correct option

Reload Math Equations

- discrete topology
- cofinite topology
- real topology
- usual topology

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

10:47 4G 60%

Quiz
quiz.vu.edu.pk

BC180405449: HUMERA RASOOL

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:43 AM, 10 May 2021

Question # 5 of 10 (Start time: 10:47:47 AM, 10 May 2021)

Total Marks: 1

More than one topological spaces can be defined on a single set.

Select the correct option

- True
- False

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

10:48 4G 60%

Quiz
quiz.vu.edu.pk

BC180405449: HUMERA RASOOL

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:43 AM, 10 May 2021

Question # 6 of 10 (Start time: 10:48:26 AM, 10 May 2021) Total Marks: 1

Let $X = \{2, 4, 5, 7\}$. *The following set represents a topology on* X.

Select the correct option

Reload Math Equations

- {φ,{2},{4,5},X}
- {φ,{2},{4,5,7},X}
- {φ,{2},{5,7},X}
- {φ,{2},{4},{5},X}

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

10:49 4G 60%

Quiz
quiz.vu.edu.pk

BC180405449: HUMERA RASOOL

Time Left 85 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:43 AM, 10 May 2021

Question # 7 of 10 (Start time: 10:49:35 AM, 10 May 2021) Total Marks: 1

Let A be the collection of all closed subset of a topological space (X, τ) then A is closed under .....set union .

Select the correct option

Reload Math Equations

- Finite
- Infinite

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

10:51 4G 59%

Quiz
quiz.vu.edu.pk

BC180405449: HUMERA RASOOL

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:43 AM, 10 May 2021

Question # 9 of 10 (Start time: 10:51:33 AM, 10 May 2021) Total Marks: 1

Let $X = \{2, 4, 6\}$. The following sets represents a topology on

$$X$$

.

Select the correct option

Reload Math Equations

○	$\{\phi, X\}$
○	$\{\phi, \{2\}, \{2, 4\}, X\}$
○	$\{\phi, \{4\}, \{4, 6\}, X\}$
○	All of these.

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

10:52 4G 59%

Quiz
quiz.vu.edu.pk

BC180405449: HUMERA RASOOL

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 10:43 AM, 10 May 2021

Question # 10 of 10 (Start time: 10:52:34 AM, 10 May 2021) Total Marks: 1

If X=R with usual Topology and consider B= {1/n where n belongs to the set of Natural numbers}, then the limit point of B is .....

Select the correct option

- 1
- 0
- 1/2
- 1/3

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:05 4G 56%

Quiz
quiz.vu.edu.pk

BC180408153: SONIA SHAHZADI

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:05 AM, 10 May 2021

Question # 1 of 10 (Start time: 11:05:44 AM, 10 May 2021) Total Marks: 1

Let $X = \{a, b, c, d\}$. *The following set* is *a topology on* X.

Select the correct option

Reload Math Equations

- {φ,{b},{c},X}
- {φ,{b},{a,b},{c},X}
- {φ,{b,d},{a,b,c},{b},X}
- none

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:07 4G 56%

Quiz
quiz.vu.edu.pk

BC180408153: SONIA SHAHZADI

Time Left 80 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:05 AM, 10 May 2021

Question # 2 of 10 (Start time: 11:07:28 AM, 10 May 2021)

Total Marks: 1

The set of .....of R (Real line) forms a topology called usual topology.

Select the correct option

- all open intervals
- all open discs
- all open balls
- all open spheres

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:08 4G 56%

Quiz
quiz.vu.edu.pk

BC180408153: SONIA SHAHZADI

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:05 AM, 10 May 2021

Question # 3 of 10 (Start time: 11:08:50 AM, 10 May 2021)

Total Marks: 1

Let (X, τ) be the topological space and $A, B \subset X$ such that $A \subset B$ then for derived set

$$A'$$

and

Select the correct option

Reload Math Equations

- S KHAN ACADEMY $(A \cup B)' = A' \cup B'$
- $(A \cup B)' = A' \cap B'$
- $(A \cup B)' = A \cup B$
- None of above

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:10 4G 56%

Quiz
quiz.vu.edu.pk

BC180408153: SONIA SHAHZADI

Time Left 81 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:05 AM, 10 May 2021

Question # 4 of 10 (Start time: 11:10:01 AM, 10 May 2021) Total Marks: 1

Which of the following represents an open interval on real line R?

Select the correct option

Reload Math Equations

- $\{x|a < x < b\}$ where $a, b \in R$ with usual order $a < b$
- $\{x|a \leq x < b\}$ where $a, b \in R$ with usual order $a < b$
- $\{x|a \leq x \leq b\}$ where $a, b \in R$ with usual order $a < b$
- $\{x|a < x \leq b\}$ where $a, b \in R$ with usual order $a < b$

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:12 4G 55%

Quiz
quiz.vu.edu.pk

BC180408153: SONIA SHAHZADI

Time Left 80 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:05 AM, 10 May 2021

Question # 6 of 10 (Start time: 11:12:15 AM, 10 May 2021)

Total Marks: 1

Topology means the study of something with respect to its .....

Select the correct option

- place
- volume
- perimeter
- area

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:13 4G 55%

Quiz
quiz.vu.edu.pk

BC180408153: SONIA SHAHZADI

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:05 AM, 10 May 2021

Question # 7 of 10 (Start time: 11:13:17 AM, 10 May 2021)

Total Marks: 1

Let X be a nonempty set and τ be a topology on X, then the following statements must be true. $(where\ P(X)\ denotes$ the power set of $X)$

Select the correct option

Reload Math Equations

- $\tau \subset X$
- $X \subset \tau$
- $\tau \subset P(X)$
- none

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:14 4G 54%

Quiz
quiz.vu.edu.pk

BC180408153: SONIA SHAHZADI

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:05 AM, 10 May 2021

Question # 9 of 10 (Start time: 11:14:49 AM, 10 May 2021) Total Marks: 1

Let τ_1 and τ_2 be the two topologies on a non-empty set X. then τ_2 is finer than τ_1 iff.....

Select the correct option

Reload Math Equations

- $\tau_1 \subseteq \tau_2$
- $\tau_2 \subseteq \tau_1$
- $\tau_1 = \tau_2$
- None of these

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:20 4G 53%

Quiz
quiz.vu.edu.pk

BC180405801: MALAIKA NOOR

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:20 AM, 10 May 2021

Question # 1 of 10 (Start time: 11:20:13 AM, 10 May 2021)

Total Marks: 1

Let $X = \mathbb{R}$ with usual topology and $A = (0, 3)$. *The limit point of* A is:

Select the correct option

Reload Math Equations

- 1.5
- 4
- 5
- -0.5

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:21 4G 53%

Quiz
quiz.vu.edu.pk

BC180405801: MALAIKA NOOR

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:20 AM, 10 May 2021

Question # 2 of 10 (Start time: 11:21:30 AM, 10 May 2021) Total Marks: 1

Let X={1,2,3}, then P(X)=_____

Select the correct option

Reload Math Equations

- {φ,{1},{2},{3},{1,2},{1,3},{2,3}}
- {φ,{1},{3},{1,2},{1,3},{1,2,3}}
- {φ,{1},{2},{3},{1,2},{1,3},{2,3},X}
- {φ,X}

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:23 4G 53%

Quiz
quiz.vu.edu.pk

BC180405801: MALAIKA NOOR

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:20 AM, 10 May 2021

Question # 4 of 10 (Start time: 11:23:53 AM, 10 May 2021)

Total Marks: 1

If X is a finite set then co-finite topology on X is .....

Select the correct option

- indiscrete topology
- discrete topology
- lower limit topology
- none of these

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:24 4G 52%

Quiz
quiz.vu.edu.pk

BC180405801: MALAIKA NOOR

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:20 AM, 10 May 2021

Question # 5 of 10 (Start time: 11:24:40 AM, 10 May 2021) Total Marks: 1

Union of topologies on a set X is :

Select the correct option

Reload Math Equations

- a topology
- not a topology
- may or may not be a topology
- none

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:25 4G 52%

Quiz
quiz.vu.edu.pk

BC180405801: MALAIKA NOOR

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:20 AM, 10 May 2021

Question # 6 of 10 (Start time: 11:25:20 AM, 10 May 2021)

Total Marks: 1

More than one topological spaces can be defined on a single set.

Select the correct option

- True
- False

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:26 4G 52%

Quiz
quiz.vu.edu.pk

BC180405801: MALAIKA NOOR

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:20 AM, 10 May 2021

Question # 7 of 10 (Start time: 11:26:24 AM, 10 May 2021)

Total Marks: 1

We have ..... topological spaces for a three point set.

Select the correct option

- 26
- 27
- 28
- 29

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:27 4G 52%

Quiz
quiz.vu.edu.pk

BC180405801: MALAIKA NOOR

Time Left 86 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:20 AM, 10 May 2021

Question # 8 of 10 (Start time: 11:27:28 AM, 10 May 2021)

Total Marks: 1

Only one topology can be defined on a set.

Select the correct option

- True
- False

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:28 4G 51%

Quiz
quiz.vu.edu.pk

BC180405801: MALAIKA NOOR

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:20 AM, 10 May 2021

Question # 9 of 10 (Start time: 11:28:54 AM, 10 May 2021) Total Marks: 1

If τ is a topology on a non empty set X, then ..... of finite members of τ belongs to τ.

Select the correct option

Reload Math Equations

- intersection
- union

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:30 4G 51%

Quiz
quiz.vu.edu.pk

BC180405801: MALAIKA NOOR

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:20 AM, 10 May 2021

Question # 10 of 10 (Start time: 11:30:12 AM, 10 May 2021) Total Marks: 1

..... of a subset A of a topological space (X, τ) is the set of all limit points of A.

Select the correct option

Reload Math Equations

- Proper Set
- Super Set
- Derived Set
- All of above

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:32 4G 51%

Quiz
quiz.vu.edu.pk

BC180405713: MURYAM BIBI

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:32 AM, 10 May 2021

Question # 1 of 10 (Start time: 11:32:40 AM, 10 May 2021)

Total Marks: 1

If in a topology τ on X, all subsets of X are called open and closed, then τ is called :

Select the correct option

Reload Math Equations

- discrete space
- indiscrete space
- metric space
- none

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:34 4G 50%

Quiz
quiz.vu.edu.pk

BC180405713: MURYAM BIBI

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:32 AM, 10 May 2021

Question # 2 of 10 (Start time: 11:34:15 AM, 10 May 2021)

Total Marks: 1

Topology can be a useful tool in those problems where ……..study is more effective.

Select the correct option

- Qualitative
- Quantitative

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:36 4G 50%

Quiz
quiz.vu.edu.pk

BC180405713: MURYAM BIBI

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:32 AM, 10 May 2021

Question # 4 of 10 (Start time: 11:36:44 AM, 10 May 2021)

Total Marks: 1

The set of …….of R (Real line) forms a topology called usual topology.

Select the correct option

- all open intervals
- all open discs
- all open balls
- all open spheres

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:45 4G 48%

Quiz
quiz.vu.edu.pk

BC180405450: NIDA IFTIKHAR

Time Left 88 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:45 AM, 10 May 2021

Question # 1 of 10 (Start time: 11:45:42 AM, 10 May 2021) Total Marks: 1

Let $\{T_i | i \in I\}$ be any collection of topologies on set X. Then $\bigcap_{i \in I} T_i$ is :

Select the correct option

Reload Math Equations

- not a topology
- a topology
- empty set
- empty

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:46 4G 48%

Quiz
quiz.vu.edu.pk

BC180405450: NIDA IFTIKHAR

Time Left 85 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:45 AM, 10 May 2021

Question # 2 of 10 (Start time: 11:46:52 AM, 10 May 2021) Total Marks: 1

Let $X = \{a, b, c, d\}$ and $\tau = \{\phi, \{a\}, \{a, b\}, X\}$ be a topology on X.then the open sets of X are :

Select the correct option

Reload Math Equations

- $\{a\}, \{a, b\}$
- $\{c\}, \{c, d\}$
- $\{b\}, \{b, d\}$
- $\{d\}, \{a, d\}$

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:51 4G 47%

Quiz
quiz.vu.edu.pk

BC180405450: NIDA IFTIKHAR

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:45 AM, 10 May 2021

Question # 6 of 10 (Start time: 11:51:45 AM, 10 May 2021)

Total Marks: 1

The trivial topology is also called:

Select the correct option

- Discrete topology
- Complete topology
- Indiscrete topology

S KHAN ACADEMY

- none

Click to Save Answer & Move to Next Question

Scanned with CamScanner

11:53 4G 46%

Quiz
quiz.vu.edu.pk

BC180405450: NIDA IFTIKHAR

Time Left 85 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 11:45 AM, 10 May 2021

Question # 8 of 10 (Start time: 11:53:52 AM, 10 May 2021)

Total Marks: 1

In a discrete space X, the derived set A' of any subset A of X is ..... .

Select the correct option

- A itself
- A complement
- empty set
- X

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

12:28 73%

Quiz
quiz.vu.edu.pk

BC180203132: MUHAMMAD KHALIL

Time Left 89 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 12:27 PM, 10 May 2021

Question # 2 of 10 (Start time: 12:28:06 PM, 10 May 2021)

Total Marks: 1

The set of .....of R (Real line) forms a topology called usual topology.

Select the correct option

- all open intervals
- all open discs
- all open balls
- all open spheres

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

12:30 73%

Quiz
quiz.vu.edu.pk

BC180203132: MUHAMMAD KHALIL

Time Left 86 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 12:27 PM, 10 May 2021

Question # 5 of 10 (Start time: 12:30:55 PM, 10 May 2021)

Total Marks: 1

$\bigcap_{n \in N}\left(-\frac{1}{n}, \frac{1}{n}\right) =$ ....., where N stands for set of natural numbers

Select the correct option

Reload Math Equations

- {0}
- {-1,1}
- {}
- {-infinity, +infinity}

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

12:32 73%

Quiz
quiz.vu.edu.pk

BC180203132: MUHAMMAD KHALIL

Time Left 89 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 12:27 PM, 10 May 2021

Question # 7 of 10 (Start time: 12:32:34 PM, 10 May 2021)

Total Marks: 1

The collection τ of subsets of X consisting of the empty set ϕ and all subsets of X whose complements are finite is called :

Select the correct option

Reload Math Equations

- discrete topology
- cofinite topology
- indiscrete topology
- none

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

12:37 60%
quiz.vu.edu.pk/QuizQuestio
. REHMAN
Time Left
Quiz Start Time: 12:35 PM, 1
t time: 12:37:14 PM, 10 May 2021)
To

AnopendiskinR^2(Realplane)centeredat $(x, y) \in R^2$, is the set of all points $(x', y') \in R^2$ such that

Reload Mat

$\{(x', y') | \sqrt{(x-x')^2 + (y-y')^2} > r,$ where r is a positive real number$\}$

$\{(x', y') | \sqrt{(x-x')^2 + (y-y')^2} a \leq r,$ where r is a positive real number$\}$

$\{(x', y') | \sqrt{(x-x')^2 + (y-y')^2} < r,$ where r is a positive real number$\}$

S KHAN ACADEMY

$\{(x', y') | \sqrt{(x-x')^2 + (y-y')^2} = r,$ where r is a positive real number$\}$

Click to Save Answer & Move to Next Ques

Scanned with CamScanner

12:38 60%

quiz.vu.edu.pk/QuizQuestio 1

4634:Quiz No. 1

stion # 5 of 10 (Start time: 12:38:13 PM, 10 May 2021)

Let $X = \{a, b, c, d\}$. *The following set* is *a topology on* X.

ct the correct option

- {φ,{b},{c},X}
- {φ,{b},{a,b},{c},X}
- {φ,{b,d},{a,b,c},{b},X}
- none

S KHAN ACADEMY

Click to Sav

Scanned with CamScanner

12:39 60%
quiz.vu.edu.pk/QuizQuestio

MC200405431: ABDUL REHMAN

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 12:35 PM, 10 May 2021

Question # 6 of 10 (Start time: 12:39:29 PM, 10 May 2021)

Total Marks: 1

Every open subset of the real line is a union of disjoint .....

Select the correct option

- Closed Intervals
- Open Intervals
- Semi Open Intervals
- Sets

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

12:41 11.0 KB/S 71

quiz.vu.edu.pk

MC200404309: AALAM SHER

Time Left 86 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 12:39 PM, 10 May 2021

Question # 3 of 10 (Start time: 12:40:59 PM, 10 May 2021)

Total Marks: 1

Which of the following topology is called “Finite Complement Topology”?

Select the correct option

- Discrete Topology
- Indiscrete Topology
- Co finite Topology
- Lower Limit Topology

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

12:41 59%

quiz.vu.edu.pk/QuizQuestio 1

MC200405431: ABDUL REHMAN

MTH634:Quiz No. 1

Question # 7 of 10 (Start time: 12:40:02 PM, 10 May 2021)

Let $X = \{a, b, c, d\}$.The following sets represents a topology on X .

Select the correct option

○	$\{\phi, X\}$
○	$\{\phi, \{a\}, \{b\}\}$
○	$\{\{a\}, \{b\}, X\}$
○	$\{\phi, \{a\}, \{a, b\}, \{c\}, X\}$

S KHAN ACADEMY

Scanned with CamScanner

12:42 59%

quiz.vu.edu.pk/QuizQuestio

MC200405431: ABDUL REHMAN

Time Left 85 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 12:35 PM, 10 May 2021

Question # 8 of 10 (Start time: 12:42:25 PM, 10 May 2021)

Total Marks: 1

Which of the following topology contains the complete power set of a set?

Select the correct option

- Indiscrete topology
- lower limit topology
- Discrete topology
- co finite topology

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

12:43 38.0 KB/S 71

quiz.vu.edu.pk

MC200404309: AALAM SHER

Time Left 86 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 12:39 PM, 10 May 2021

Question # 5 of 10 (Start time: 12:43:01 PM, 10 May 2021)

Total Marks: 1

Let $X = R$ be a usual topology and consider $C = \{1, \frac{1}{2}, \frac{1}{3}, \frac{1}{4} \ldots\ldots\ldots\ldots\ldots\}$.then which of the following is not limit point of :

Select the correct option

Reload Math Equations

- 0
- 1/2
- 1
- Both (b) and (c)

S KHAN ACADEMY

Click to Save Answer & Move to Next Question

Scanned with CamScanner

1:08

quiz.vu.edu.pk/QuizQue:

MC200401208: SABA UN NISA

Time Left 87 sec(s)

MTH634:Quiz No. 1

Quiz Start Time: 01:00 PM, 10 May 2021

Question # 9 of 10 (Start time: 01:08:27 PM, 10 May 2021)

Total Marks: 1


In a topological space the intersection of any collection of closed sets is .....

Select the correct option

- Closed
- Open
- Neither open nor closed
- None of these

S KHAN ACADEMY

Scanned with CamScanner



Scanned with CamScanner

Scanned with CamScanner