Time Left 68 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:11 PM, 23 December 2020

Question # 1 of 10 (Start time: 07:11:44 PM, 23 December 2020) Total Marks: 1

Which of the following MATLAB command clears all data and variables stored in memory?

Select the correct option

- (●) clear
- ( ) clc
- ( ) delete
- ( ) None of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



Time Left 76 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:11 PM, 23 December 2020

Question # 2 of 10 (Start time: 07:12:14 PM, 23 December 2020) Total Marks: 1

Which command can be used to generate multiple graphs in the same window?

Select the correct option

- (●) hold on
- ( ) wait
- ( ) hold multiple
- ( ) none of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question

LEVELS UP WITH LEVELS ACADMY ARIFWALA

Time Left 60 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:11 PM, 23 December 2020

Question # 3 of 10 (Start time: 07:12:37 PM, 23 December 2020) Total Marks: 1

Which operator is used to check if two elements are equal in MATLAB?

Select the correct option

- =
- == LEVELS ACADMEY ARIFWALA
- !=
- Isequal

Click to Save Answer & Move to Next Question



Time Left 8 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:11 PM, 23 December 2020

Question # 4 of 10 (Start time: 07:13:12 PM, 23 December 2020) **Total Marks: 1**

What is the error in the following code
x=-10:1:10; y=-10:2:10; plot(x,y)

Select the correct option

- ○ syntax of plot is not correct
- ○ plot command cannot be used with two variables
- ● length of x and y should be same
- ○ none of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question

LEVELS UP WITH LEVELS ACADMY ARIFWALA

Time Left 19 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:11 PM, 23 December 2020

Question # 5 of 10 (Start time: 07:14:45 PM, 23 December 2020) Total Marks: 1

Which of the following is correct command to reduce the following expressions in simple form

$$\frac{(x-y)^3}{(x-y)}$$

Select the correct option

Reload Math Equations

- syms x y; solve((x-y)^3/(x-y))
- syms x y; simplify((x-y)^3/(x-y))
- syms x y; expansion((x-y)^3/(x-y))
- syms x y; factorize((x-y)^3/(x-y))

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question

LEVELS UP WITH LEVELS ACADMY ARIFWALA

Time Left 50 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:11 PM, 23 December 2020

Question # 6 of 10 (Start time: 07:16:07 PM, 23 December 2020) Total Marks: 1

Matlab array index starts from

Select the correct option

- 0
- 1
- any number which you defined
- none of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



Time Left 77 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:11 PM, 23 December 2020

Question # 7 of 10 (Start time: 07:16:56 PM, 23 December 2020) Total Marks: 1

Which of the following command is used to clear command window in Matlab?

Select the correct option

- clear
- clear all
- close
- clc

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



LEVELS ACADMEY ARIFWALA

Time Left 43 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:11 PM, 23 December 2020

Question # 8 of 10 (Start time: 07:17:13 PM, 23 December 2020) Total Marks: 1

Which of the following command is used to substitute a value in the expression

Select the correct option

- put
- subs
- exact
- none of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



Time Left 11 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:11 PM, 23 December 2020

Question # 9 of 10 (Start time: 07:18:18 PM, 23 December 2020) Total Marks: 1

Which of the following will be the output of the command
a = [1 0 2]; b = [3 0 7];
c=a*b

Select the correct option

- [3 0 14]
- [4 0 9]
- this command will give the error message
- None of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question

LEVELS UP WITH LEVELS ACADMY ARIFWALA

Time Left 18 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:11 PM, 23 December 2020

Question # 10 of 10 (Start time: 07:20:04 PM, 23 December 2020) Total Marks: 1

Which of the following command correctly calculate the value of cos(pi/2)

Select the correct option

- cos(pi/2)
- cos(22/7/2)
- cos(sym(pi/2)) LEVELS ACADMEY ARIFWALA
- none of these

Click to Save Answer & Move to Next Question

Time Left 83 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:36 PM, 23 December 2020

Question # 3 of 10 (Start time: 07:37:08 PM, 23 December 2020) Total Marks: 1

Which operator is used to check if two elements are equal in MATLAB?

Select the correct option

- =
- == LEVELS ACADMEY ARIFWALA
- !=
- Isequal

Click to Save Answer & Move to Next Question

Time Left 85 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:36 PM, 23 December 2020

Question # 2 of 10 (Start time: 07:37:01 PM, 23 December 2020) Total Marks: 1

Which of the following command correctly calculate the value of cos(pi/2)

Select the correct option

- cos(pi/2)
- cos(22/7/2)
- cos(sym(pi/2))
- none of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



Time Left 85 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:36 PM, 23 December 2020

Question # 1 of 10 (Start time: 07:36:53 PM, 23 December 2020) Total Marks: 1

Which of the following is correct command to reduce the following expressions in simple form

$$\frac{(x-y)^3}{(x-y)}$$

Select the correct option

Reload Math Equations

- syms x y; solve((x-y)^3/(x-y))
- syms x y; simplify((x-y)^3/(x-y))
- syms x y; expansion((x-y)^3/(x-y))
- syms x y; factorize((x-y)^3/(x-y))

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



Time Left 86 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:36 PM, 23 December 2020

Question # 4 of 10 (Start time: 07:37:18 PM, 23 December 2020) Total Marks: 1

Matlab array index starts from

Select the correct option

- 0
- 1
- any number which you defined
- none of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



Time Left 73 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:36 PM, 23 December 2020

Question # 5 of 10 (Start time: 07:37:24 PM, 23 December 2020) Total Marks: 1

Which of the following will be the output of the command
a = [1 0 2]; b = [3 0 7];
c=a*b

Select the correct option

- [3 0 14]
- [4 0 9]
- this command will give the error message
- None of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question

LEVELS UP WITH LEVELS ACADMY ARIFWALA

Time Left 83 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:36 PM, 23 December 2020

Question # 6 of 10 (Start time: 07:37:44 PM, 23 December 2020) Total Marks: 1

Which command can be used to generate multiple graphs in the same window?

Select the correct option

- (●) hold on
- ( ) wait
- ( ) hold multiple
- ( ) none of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



Time Left 80 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:36 PM, 23 December 2020

Question # 7 of 10 (Start time: 07:37:54 PM, 23 December 2020) Total Marks: 1

Which of the following MATLAB command clears all data and variables stored in memory?

Select the correct option

- (●) clear
- ( ) clc
- ( ) delete
- ( ) None of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



Time Left 77 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:36 PM, 23 December 2020

Question # 8 of 10 (Start time: 07:38:06 PM, 23 December 2020) Total Marks: 1

Which of the following command is used to clear command window in Matlab?

Select the correct option

- clear
- clear all
- close
- clc

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



Time Left 82 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:36 PM, 23 December 2020

Question # 9 of 10 (Start time: 07:38:21 PM, 23 December 2020) Total Marks: 1

Which of the following command is used to substitute a value in the expression

Select the correct option

- put
- subs
- exact
- none of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question



Time Left 85 sec(s)

MTH643:Quiz # 1

Quiz Start Time: 07:36 PM, 23 December 2020

Question # 10 of 10 (Start time: 07:38:31 PM, 23 December 2020) Total Marks: 1

What is the error in the following code
x=-10:1:10; y=-10:2:10; plot(x,y)

Select the correct option

- ○ syntax of plot is not correct
- ○ plot command cannot be used with two variables
- ● length of x and y should be same
- ○ none of these

LEVELS ACADMEY ARIFWALA

Click to Save Answer & Move to Next Question





Question # 10 of 10 (Start time: 10:08:12 PM, 23 December 2020)


Matlab array index starts from


Select the correct option


- 0
- 1
- any number which you defined
- none of these



See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 1 of 10 (Start time: 03:03:12 PM, 23 December 2020)
Total Marks: 1
Which of the following MATLAB command clears all data and variables stored in memory?
Select the correct option
clear
clc
delete
None of these
Click to Save Answer & Move to Next Question
Type here to search
3:03 pm
23/12/2020
Type here to search
3:43 pm
23/12/2020



MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 2 of 10 (Start time: 03:03:54 PM, 23 December 2020)
Total Marks: 1
Matlab array index starts from
Select the correct option
0
1
any number which you defined
none of these
Click to Save Answer & Move to Next Question
00:00:13
Type here to search
3:04 pm
23/12/2020
Type here to search
3:43 pm
23/12/2020



Apowersoft
Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 3 of 10 (Start time: 03:04:03 PM, 23 December 2020)
Total Marks: 1
Which of the following command is used to substitute a value in the expression
Select the correct option
put
subs
exact
none of these
Click to Save Answer & Move to Next Question
00:00:23
Type here to search
3:05 pm
23/12/2020
Type here to search
3:44 pm
23/12/2020



Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 4 of 10 (Start time: 03:05:37 PM, 23 December 2020)
Total Marks: 1
Which of the following command correctly calculate the value of cos(pi/2)
Select the correct option
cos(pi/2)
cos(22/7/2)
cos(sym(pi/2))
none of these
Click to Save Answer & Move to Next Question
00:00:32
Type here to search
3:06 pm
23/12/2020
Type here to search
3:44 pm
23/12/2020



Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 4 of 10 (Start time: 03:05:37 PM, 23 December 2020)
Total Marks: 1
Which of the following command correctly calculate the value of cos(pi/2)
Select the correct option
cos(pi/2)
cos(22/7/2)
cos(sym(pi/2))
none of these
Click to Save Answer & Move to Next Question
00:00:34
Type here to search
3:06 pm
23/12/2020
Type here to search
3:44 pm
23/12/2020



MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 5 of 10 (Start time: 03:06:07 PM, 23 December 2020)
Total Marks: 1
What is the error in the following code
x=-10:1:10; y=-10:2:10; plot(x,y)
Select the correct option
syntax of plot is not correct
plot command cannot be used with two variables
length of x and y should be same
none of these
00:00:40
Type here to search
3:06 pm
23/12/2020
Type here to search
3:44 pm
23/12/2020



MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 6 of 10 (Start time: 03:06:18 PM, 23 December 2020)
Total Marks: 1
Which of the following is correct command to reduce the following expressions in simple form
$\frac{(x-y)^3}{(x-y)}$
Select the correct option
Reload Math Equations
syms x y; solve((x-y)^3/(x-y))
syms x y; simplify((x-y)^3/(x-y))
syms x y; expansion((x-y)^3/(x-y))
syms x y; factorize((x-y)^3/(x-y))
00:00:50
Type here to search
3:06 pm
23/12/2020
Type here to search
3:44 pm
23/12/2020



Apowersoft
Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 7 of 10 (Start time: 03:06:42 PM, 23 December 2020)
Total Marks: 1
Which operator is used to check if two elements are equal in MATLAB?
Select the correct option
=
==
!=
Isequal
Click to Save Answer & Move to Next Question
00:00:56
Type here to search
3:06 pm
23/12/2020
Type here to search
3:44 pm
23/12/2020



MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 8 of 10 (Start time: 03:06:50 PM, 23 December 2020)
Total Marks: 1
Which of the following command is used to clear command window in Matlab?
Select the correct option
clear
clear all
close
clc
00:01:05
Type here to search
3:06 pm
23/12/2020
Type here to search
3:44 pm
23/12/2020



Apowersoft
Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:09 PM, 23 December 2020
Question # 1 of 10 (Start time: 03:09:22 PM, 23 December 2020)
Total Marks: 1
Which command can be used to generate multiple graphs in the same window?
Select the correct option
hold on
wait
hold multiple
none of these
00:01:33
Type here to search
3:09 pm
23/12/2020
Type here to search
3:45 pm
23/12/2020



Apowersoft
Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 10 of 10 (Start time: 03:07:45 PM, 23 December 2020)
Total Marks: 1
Which of the following will be the output of the command
a = [1 0 2], b = [3 0 7].
c=a*b
Select the correct option
[3 0 14]
[4 0 9]
this command will give the error message
None of these
Click to Save Answer & Move to Next Question
00:01:22
Type here to search
3:07 pm
23/12/2020
Type here to search
3:45 pm
23/12/2020



Apowersoft
Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:03 PM, 23 December 2020
Question # 9 of 10 (Start time: 03:07:02 PM, 23 December 2020)
Total Marks: 1
Which command can be used to generate multiple graphs in the same window?
Select the correct option
hold on
wait
hold multiple
none of these
Click to Save Answer & Move to Next Question
00:01:13
Type here to search
3:07 pm
23/12/2020
Type here to search
3:44 pm
23/12/2020



MTH643:Quiz # 1
Quiz Start Time: 03:09 PM, 23 December 2020
Question # 2 of 10 (Start time: 03:09:29 PM, 23 December 2020)
Total Marks: 1
Which of the following command is used to substitute a value in the expression
Select the correct option
put
subs
exact
none of these
00:01:36
Type here to search
3:10 pm
23/12/2020
Type here to search
3:45 pm
23/12/2020



Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:09 PM, 23 December 2020
Question # 3 of 10 (Start time: 03:10:45 PM, 23 December 2020)
Total Marks: 1
Which of the following will be the output of the command
a = [1 0 2], b = [3 0 7].
c=a*b
Select the correct option
[3 0 14]
[4 0 9]
this command will give the error message
None of these
00:01:41
Type here to search
3:10 pm
23/12/2020
Type here to search
3:45 pm
23/12/2020



Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:09 PM, 23 December 2020
Question # 4 of 10 (Start time: 03:10:55 PM, 23 December 2020)
Total Marks: 1
What is the error in the following code
x=-10:1:10; y=-10:2:10; plot(x,y)
Select the correct option
syntax of plot is not correct
plot command cannot be used with two variables
length of x and y should be same
none of these
00:01:47
Type here to search
3:11 pm
23/12/2020
Type here to search
3:45 pm
23/12/2020


Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:09 PM, 23 December 2020
Question # 5 of 10 (Start time: 03:11:03 PM, 23 December 2020)
Total Marks: 1
Which of the following MATLAB command clears all data and variables stored in memory?
Select the correct option
clear
clc
delete
None of these
00:01:55
Type here to search
3:11 pm
23/12/2020
Type here to search
3:45 pm
23/12/2020


See all photos
Add to
Edit & Create
Share
sec(s)
MTH643:Quiz # 1
Quiz Start Time: 03:09 PM, 23 December 2020
Question # 6 of 10 (Start time: 03:11:33 PM, 23 December 2020)
Total Marks: 1
Matlab array index starts from
Select the correct option
0
1
any number which you defined
none of these
Click to Save Answer & Move to Next Question
00:02:03
Type here to search
3:11 pm
23/12/2020
Type here to search
3:45 pm
23/12/2020


See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:09 PM, 23 December 2020
Question # 8 of 10 (Start time: 03:12:09 PM, 23 December 2020)
Total Marks: 1
Which of the following command is used to clear command window in Matlab?
Select the correct option
clear
clear all
close
clc
00:02:10
Type here to search
3:12 pm
23/12/2020
Type here to search
3:45 pm
23/12/2020


Apowersoft
Screen Recorder Pro
See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:09 PM, 23 December 2020
Question # 10 of 10 (Start time: 03:12:29 PM, 23 December 2020)
Total Marks: 1
Which of the following command correctly calculate the value of cos(pi/2)
Select the correct option
cos(pi/2)
cos(22/7/2)
cos(sym(pi/2))
none of these
Click to Save Answer & Move to Next Question
00:02:24
Type here to search
3:12 pm
23/12/2020
Type here to search
3:46 pm
23/12/2020


See all photos
Add to
Edit & Create
Share
MTH643:Quiz # 1
Quiz Start Time: 03:09 PM, 23 December 2020
Question # 9 of 10 (Start time: 03:12:20 PM, 23 December 2020)
Total Marks: 1
Which operator is used to check if two elements are equal in MATLAB?
Select the correct option
=
==
!=
Isequal
Click to Save Answer & Move to Next Question
00:02:19
Type here to search
3:12 pm
23/12/2020
Type here to search
3:46 pm
23/12/2020

MTH643:Quiz # 1

Quiz Start Time: 03:27 PM, 23 December 2020

Question # 6 of 10 (Start time: 03:34:16 PM, 23 December 2020)

Total Marks: 1

Which of the following will be the output of the command
a = [1 0 2]; b = [3 0 7];
c=a*b

Select the correct option

- [3 0 14]
- [4 0 9]
- this command will give the error message
- None of these



MTH643:Quiz # 1

Quiz Start Time: 03:27 PM, 23 December 2020

Question # 5 of 10 (Start time: 03:32:36 PM, 23 December 2020)


Total Marks: 1

Which of the following command is used to substitute a value in the expression

Select the correct option

- put
- subs
- exact
- none of these




MTH643:Quiz # 1
Quiz Start Time: 03:27 PM, 23 December 2020
Question # 4 of 10 (Start time: 03:31:25 PM, 23 December 2020)
Total Marks: 1
Which of the following command is used to clear command window in Matlab?
Select the correct option
clear
clear all
close
clc
ONLINE STUDY
SIR NAIMAT ULLAH
3:40 / 5:36

MTH643:Quiz # 1 Quiz Start Time: 03:27 PM, 23 December 2020

Question # 10 of 10 (Start time: 03:38:57 PM, 23 December 2020) Total Marks: 1

Which command can be used to generate multiple graphs in the same window?

Select the correct option

- hold on
- wait
- hold multiple
- none of these

ONLINE STUDY OLS SIR NAIMAT ULLAH

MTH643:Quiz # 1

Quiz Start Time: 03:27 PM, 23 December 2020

Question # 1 of 10 (Start time: 03:28:00 PM, 23 December 2020)

Total Marks: 1

Which of the following MATLAB command clears all data and variables stored in memory?

Select the correct option

- clear
- clc
- delete
- None of these



MTH643:Quiz # 1 Quiz Start Time: 03:27 PM, 23 December 2020

Question # 2 of 10 (Start time: 03:28:50 PM, 23 December 2020) Total Marks: 1

Which operator is used to check if two elements are equal in MATLAB?

Select the correct option

- =
- ==
- !=
- Isequal



MTH643:Quiz # 1

Quiz Start Time: 03:27 PM, 23 December 2020

Question # 9 of 10 (Start time: 03:37:54 PM, 23 December 2020)

Total Marks: 1

Which of the following command correctly calculate the value of cos(pi/2)

Select the correct option

- cos(pi/2)
- cos(22/7/2)
- cos(sym(pi/2))
- none of these



MTH643:Quiz # 1

Quiz Start Time: 03:27 PM, 23 December 2020

Question # 8 of 10 (Start time: 03:36:36 PM, 23 December 2020)

Total Marks: 1

What is the error in the following code
x=-10:1:10; y=-10:2:10; plot(x,y)

Select the correct option

- syntax of plot is not correct
- plot command cannot be used with tw
- length of x and y should be same
- none of these



MTH643:Quiz # 1

Quiz Start Time: 03:27 PM, 23 December 2020

Question # 7 of 10 (Start time: 03:36:56 PM, 23 December 2020)

Total Marks: 1

Matlab array index starts from

Select the correct option

- 0
- 1
- any number which you defined
- none of these



MTH643:Quiz # 1 **Quiz Start Time: 03:27 PM, 23 December 2020**

Question # 3 of 10 (Start time: 03:30:22 PM, 23 December 2020) **Total Marks:** 1

Which of the following is correct command to reduce the following expressions in simple form

$$\frac{(x-y)^3}{(x-y)}$$

Select the correct option

Reload Math Equations

- syms x y; solve((x-y)^3/(x-y))
- syms x y; simplify((x-y)^3/(x-y))
- syms x y; expansion((x-y)^3/(x-y))
- syms x y; factorize((x-y)^3/(x-y))





MTH643:Quiz # 1

Question # 8 of 10 (Start time: 08:04:53 PM, 23 December 2020)

Which of the following command is used to clear command window in Matlab?

Select the correct option

○	clear
○	clear all
○	close
◉	clc



MTH643:Quiz # 1

Question # 9 of 10 (Start time: 08:05:20 PM, 23 December 2020)

Which of the following will be the output of the command
a = [1 0 2]; b = [3 0 7];
c=a*b

Select the correct option

○	[3 0 14]
○	[4 0 9]
◉	this command will give the error message
○	None of these



MTH643:Quiz # 1

Question # 10 of 10 (Start time: 08:06:09 PM, 23 December 2020)

Which of the following is correct command to reduce the following expressions in simple form

$$\frac{(x-y)^3}{(x-y)}$$

Select the correct option

◉	syms x y; solve((x-y)^3/(x-y))
○	syms x y; simplify((x-y)^3/(x-y))
○	syms x y; expansion((x-y)^3/(x-y))
○	syms x y; factorize((x-y)^3/(x-y))



MTH643:Quiz # 1

Question # 7 of 10 (Start time: 08:03:42 PM, 23 December 2020)

Which operator is used to check if two elements are equal in MATLAB?

Select the correct option

- =
- ==
- !=
- Isequal

MTH643:Quiz # 1

Suggested: M

643(MATLAB) Short lectures

Question # 6 of 10 (Start time: 08:02:42 PM, 23 December 2020)

Matlab array index starts from

Select the correct option

- 0
- 1
- any number which you defined
- none of these

MTH643:Quiz # 1

Suggested: MTH643(MATLAB) Short lectures

Question # 5 of 10 (Start time: 08:02:20 PM, 23 December 2020)

Which of the following command correctly calculate the value of cos(pi/2)

Select the correct option

- ○ cos(pi/2)
- ○ cos(22/7/2)
- ◉ cos(sym(pi/2))
- ○ none of these



MTH643:Quiz # 1

Subscribe For grand Assignment

Question # 2 of 10 (Start time: 07:59:41 PM, 23 December 2020)

Which of the following command is used to substitute a value in the expression

Select the correct option

- ○ put
- ◉ subs
- ○ exact
- ○ none of these



MTH643:Quiz # 1

Question # 3 of 10 (Start time: 08:00:36 PM, 23 December 2020)

What is the error in the following code
x=-10:1:10; y=-10:2:10; plot(x,y)

Select the correct option

○	syntax of plot is not correct
○	plot command cannot be used with two variables
◉	length of x and y should be same
○	none of these



MTH643:Quiz # 1

Question # 4 of 10 (Start time: 08:01:12 PM, 23 December 2020)

Which of the following MATLAB command clears all data and variables stored in memory?

Select the correct option

- (●) clear
- ( ) clc
- ( ) delete
- ( ) None of these



MTH643:Quiz # 1

Question # 1 of 10 (Start time: 07:58:06 PM, 23 December 2020)

Which command can be used to generate multiple graphs in the same window?

Select the correct option

- (●) hold on
- ( ) wait
- ( ) hold multiple
- ( ) none of these

