Quiz
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=37115453-8e73-4824-860f-92d258ca4ff0
To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

If f is a function from A={a,b,c} to B={1,2,3} such that f={(a,3),(b,1),(c,2)},then f is called _____.

Select the correct option

○	Surjective function
○	Bijective function ✓
○	Injective function
○	None of these

Suppose X is a set with three elements and Y is a set with four elements. How many binary relations are there from X to Y?

Select the correct option

- 2^3 ; That is, 2 is raise to power 3
- 2^4 ; That is, 2 is raise to power 4
- 2^(3+4) ; That is, 2 is raise to power (3 + 4)
- 2^(3 x 4); That is, 2 is raise to power (3 x 4)

59°F
Smoke
Search

3:17 VPN VoD LTE2 80
vulms.vu.edu.pk/ 88

ZS220401824: AGHA KHIZER AHMED

Time Left 89 sec(s)

MTH001 - Elementary Mathematics (Quiz No.1)

Quiz Start Time: 03:14 AM, 22 December 2022

Question # 5 of 10 (Start time: 03:17:58 AM, 22 December 2022)

Total Marks: 1

In how many ways, a set can be written?

Select the correct option

- 2
- 3
- 1
- 4

Click to Save Answer & Move to Next Question

3:19 VPN VoD LTE2 80
vulms.vu.edu.pk/ 88

ZS220401824: AGHA KHIZER AHMED

Time Left 87 sec(s)

MTH001 - Elementary Mathematics (Quiz No.1)

Quiz Start Time: 03:14 AM, 22 December 2022

Question # 8 of 10 (Start time: 03:18:58 AM, 22 December 2022)

Total Marks: 1

Suppose A = {1,2,3,4} and B = {a, c}.
A ×B =_____

Select the correct option

- {(1, a),(1, c),(2,a),(2, c),(3,a),(3, c),(4,a),(4, c)}
- {(a,1),(a,2),(a,3),(a,4),(c,1),(c,2),(c,3),(c,4)}

Click to Save Answer & Move to Next Question

3:20 VPN VoD LTE2 80
vulms.vu.edu.pk/ 88

ZS220401824: AGHA KHIZER AHMED

Time Left 89 sec(s)

MTH001 - Elementary Mathematics (Quiz No.1)

Quiz Start Time: 03:14 AM, 22 December 2022

Question # 10 of 10 (Start time: 03:20:17 AM, 22 December 2022)

Total Marks: 1

The properties of being symmetric and being anti-symmetric are negative of each other.

Select the correct option

- True
- Flase

Click to Save Answer & Move to Next Question

RAMRAN ARIF

MTH001 - Elementary Mathematics (Quiz No.1)

Question # 2 of 10 (Start time: 07:44:18 PM, 22 December 2022)

If A is a subset of B then A intersection B = ___ .

Select the correct option

- Empty set
- A
- Universal set

Type here to search

19:45 57%
vulms.vu.edu.pk/Quiz/Qu
10

ZS220401572: AYESHA AHMED

Time Left 47 sec(s)

MTH001 - Elementary Mathematics (Quiz No.1)

Quiz Start Time: 07:43 PM, 22 December 2022

Question # 3 of 10 (Start time: 07:45:03 PM, 22 December 2022)

Total Marks: 1

When $a_1 = 7$ and $r = 3$. Then a_4 is _____.

Select the correct option

Reload Math Equations

- 189
- 16
- 121
- 144

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 08:07:08 PM, 22 December 2022)

The _____ function is true for $f(x) = 5x - 3$.

Select the correct option

- one-to-one
- not one-to-one
- identity
- constant

MTH001 - Elementary Mathematics (Quiz No.1)

Quiz Start Time: 08:07 PM

Question # 2 of 10 (Start time: 08:08:41 PM, 22 December 2022)

Let $f : Z \to Z^+$ be defined as $f(x) = |x|$. Then the function is _____.

Select the correct option

Reloc

- bijective
- not onto
- onto
- one-to-one

Click to Save Answer & Next

Question # 4 of 10 (Start time: 08:11:48 PM, 22 December 2022)

Total Mar

---------- is called surjective function.

Select the correct option

- None of these
- (1-1) and onto function
- Onto function
- Into function

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 08:12:08 PM, 22 December 2022)

Total Marks:

For a sequence whose nth term is "(-200/n)" then its 200th term is --------

Select the correct option

- 1
- -1
- 200
- -40000

Question # 6 of 10 (Start time: 08:13:39 PM, 22 December 2022)

R is not _____iff there are elements a and b in A such that $(a,b) \in R$ and $(b,a) \in R$ but $a \neq b$.

Select the correct option

- anti-symmetric
- symmetric

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=430693b2-3b0a-4a77-b0ba-34bd4c3c39a6

Question # 7 of 10 (Start time: 08:15:05 PM, 22 December 2022)

Total Mark

Let R be a binary relation on a set A.R is _____
iff ∀a, b ∈A if (a,b) ∈R and (b,a) ∈R then a = b.

Select the correct option

- symmetric
- anti-symmetric

Question # 8 of 10 (Start time: 08:16:04 PM, 22 December 2022)

Total Ma

Range of the relation {(0,1),(3,22),(90,34)}
is _____.

Select the correct option

- ○ {0,3,90}
- ○ {0,1,3}
- ○ {1,22,34}
- ○ {0,1,3,22,90,34}

If first term of the geometric sequence is 243 and sixth term is 1, then the common ratio will be----.

Select the correct option

- -1
- 1/3
- 3
- 1

Time Left

sec(s)

Quiz Start Time: 08:20 PM, 22 December 2022

Question # 1 of 10 (Start time: 08:20:41 PM, 22 December 2022)

Total Marks: 1

If there are two variables p and q in a logical statement then the truth table will have _____ rows.

Select the correct option

Reload Math Equations

- 8
- 2
- 6
- 4

Click to Save Answer & Move to Next Question

Total Marks: 1

If U = {1,2,3,4,5,6,7}
A = {1, 3, 5, 7}, B = {1,2, 3,4, 6}
Then A ∪ B = _____

Select the correct option

- {1,3}
- {1,2,3,4,5,6,7}
- {1}
- {}

Click to Save Answer & Move to Next Question

...ver=da21fccb-9c06-46a1-9720-bd8109ffd90b

Question # 3 of 10 (Start time: 08:22:29 PM, 22 December 2022)

Total Marks: 1

For an arithmetic sequence with first term = 1, if the sum of its '101' terms is also '101' then the common difference of this A.P is -------

Select the correct option

- 101
- 1
- 0
- 100

Click to Save Answer & Move to Next Question

PM, 22 December 2022)

For a geometric sequence, if 2nd term is equal to 4th term then value of common ratio is

Total Marks: 1

Select the correct option

- +1 or -1
- 0
- 1 only
- -1 only

Click to Save Answer & Move to Next Question

Quiz Start Time: 08:20 PM, 22 December 2022

10 (Start time: 08:25:30 PM, 22 December 2022)

Total Marks: 1

If a relation R is symmetric then for every (a,b) in R then (b,a) must be in R.

Select the correct option

- False
- True

Click to Save Answer & Move to Next Question

Quiz

https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=2589d182-a910-44c6-bb8c-254bd1ef2b4c

Question # 6 of 10 (Start time: 08:26:14 PM, 22 December 2022)

Total Marks:

The set of rational numbers between 5 and 9 is _____

Select the correct option

- Infinite
- Finite
- {5,6,7,8,9}
- {6,7,8,}

Click to Save Answer & Move to Next Question

PM, 22 December 2022)

Suppose R and S are transitive relations on a set A then which of the following statement is true?

Total Marks:

Select the correct option

- R union S is transitive.
- R intersection S is transitive.

Click to Save Answer & Move to Next Question

Quiz Start Time: 08:20 PM, 22 December 2022

Question # 8 of 10 (Start time: 08:28:58 PM, 22 December 2022)

Total Marks:

Let p and q be two propositions then, $\sim q \rightarrow \sim p \equiv$ _____.

Select the correct option

Reload Math Equations

○	$p \vee \sim q$
○	$p \rightarrow q$
○	$\sim p \vee \sim q$
○	$q \rightarrow p$

Click to Save Answer & Move to Next Question

(Start time: 08:29:55 PM, 22 December 2022)

Total Marks: 1

If the first term=a=1, common ratio=r=1/2; then which term of geometric sequence is 1/4?

Select the correct option

- 3
- 6
- 4
- 5

Click to Save Answer & Move to Next Question

Let p and q be two propositions then, the argument of the form: $p \wedge q$. Therefore, p is _____.

Select the correct option

○	invalid
○	valid
○	true
○	false

Suppose A = {0,1,2,3,4}, B = {2,3,4,5} and f = {(0,3),(1,3),(2,4),(3,2),(4,2)}.
range= _____

Select the correct option

- ○ {2,3,4}
- ○ {0,1,2,3,4}

Domain of the function: y = Square root of 'x' is --------

Select the correct option

- ○ only negative real numbers
- ○ zero or positive real numbers ✓
- ○ only positive real numbers
- ○ zero or negative real numbers

Which of the following is an arithmetic sequence?

Select the correct option

- 1,4,9,....
- 2,4,8,....
- 1/2,1/4,1/6,...
- 1,4,7,...

If there are two variables p and q in a logical statement then the biconditional operator can be represented as _____.

Select the correct option

○	$p \rightarrow q$
○	$p \leftrightarrow q$ ✓
○	$p \mapsto q$
○	$p \Rightarrow q$

Sets Z and N are infinite.

Select the correct option

○	True. 
○	False

Every real number is an even integer.

Select the correct option

○	False 
○	True.

Every relation is a function.

Select the correct option

○	True
○	False 

To get future Google Chrome updates, you'll need Windows 10 or later. This compu

If A is a subset of the universal set U then
A intersection complement of A = _____ .

Select the correct option

- Complement of A
- A
- U
- Empty set

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is usi

Question # 3 of 10 (Start time: 10:10:55 PM, 22 December 2022)

Identify the sequence as Arithmetic, Geometric or neither.
8, 13, 18, 23, ...

Select the correct option

- ○ Arithmetic
- ○ Geometric
- ○ Harmonic
- ○ Neither

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=da0c40ef-f973-438a-883a-4f91e6cd2a58

YouTube Gmail Maps

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

Question # 6 of 10 (Start time: 10:14:24 PM, 22 December 2022)

If first term=a=2, common difference=d=4 and term number=n=10; then what is the value of 10th term in an arithmetic sequence

Select the correct option

- 39
- 40
- 37
- 38

acer

LMS Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=b3cc596c-db1b-42ed-803e-c493648ae798

YouTube Gmail Maps

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

A _____ is an infinite ordered set of terms combined together by the addition operator.

Select the correct option

- sequence
- subset
- series
- set

acer

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=d1af3d52-bb86-4868-b851-adcdc8ce2

YouTube Gmail Maps

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

For a geometric sequence, if 2nd term is equal to 4th term then value of common ratio is

Select the correct option

- 0
- -1 only
- 1 only
- +1 or -1

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=75a7e6f7-4f5b-4405-9aba-904fa9391d21

YouTube Gmail Maps

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

Suppose R and S are transitive relations on a set A then which of the following statement is true?

Select the correct option

- R intersection S is transitive.
- R union S is transitive.

YouTube Gmail Maps

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using W

Identify the sequence as Arithmetic, Geometric or neither.

5, 10, 20, 40, . . .

Select the correct option

- ○ Arithmetic
- ○ Harmonic
- ○ Geometric
- ○ Neither

ZS220400665: MUHAMMAD ABUZAR ZAFAR

MTH001 - Elementary Mathematics (Quiz No.1)

Quiz Start Time: 06:38 PM

Question # 2 of 10 (Start time: 06:39:29 PM, 23 December 2022)

Consider that q and p are statements such that $q \to p$ is false. Then the truth value of $q \to \sim p$ is _____.

Select the correct option

Reloc

- False
- True

Click to Save Answer & Move

10°C Clear

Quiz
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=5480d148-2ffa-4d34-9972-c5eb2e5a3ad2

ZS220400665: MUHAMMAD ABUZAR ZAFAR

Time Left 86 sec(s)

MTH001 - Elementary Mathematics (Quiz No.1)

Quiz Start Time: 06:38 PM, 23 December 2022

Question # 3 of 10 (Start time: 06:40:53 PM, 23 December 2022)

Total Marks: 1

In MS Excel, the "_____" operator is used for multiplication.

Select the correct option

Reload Math Equations

- ×
- •
- *
- ○

Click to Save Answer & Move to Next Question

Type here to search
10°C Clear
ENG
6:40 PM
2022/12/23

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=26e0fe17-a376-4608-b40a-f536a734cb60

Question # 4 of 10 (Start time: 06:41:35 PM, 23 December 2022)

Tota

In how many ways, a set can be written?

Select the correct option

- 4
- 1
- 3
- 2

Click to Save Answer & Move to Next Que

Type here to search
10°C Clear
ENG
6:41 PM
2022/12/

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=fa279040-fcba-4ef4-87b8-2222804fd926

Question # 5 of 10 (Start time: 06:42:09 PM, 23 December 2022) Total Mar

{1,2,3} is _____ .

Select the correct option

- A finite set
- An infinite set
- A singleton set
- Empty set

Click to Save Answer & Move to Next Ques

10°C Clear ENG 6:42 PM 2022/12/2

Type here to search

Question # 6 of 10 (Start time: 06:42:40 PM, 23 December 2022) **Total Marks: 1**

A function $f : Z \times Z \rightarrow Z$ is defined as $f((m,n)) = 2n - 4m$.
This function is surjective.

Select the correct option

- True.
- False



Click to Save Answer & Move to Next Question

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=cf7899e0-4364-421e-9335-dc6329b0b3f6

sec(s)

MTH001 - Elementary Mathematics (Quiz No.1) Quiz Start Time: 06:38 PM, 23 December 2022

Question # 7 of 10 (Start time: 06:43:57 PM, 23 December 2022) Total Marks: 1

when a1 = 9 and a2 = 18. Then the explicit formula for the sequence will be _____. Where the symbol "^" denote for the power.

Select the correct option

- an = 9 + (2)(n-1)
- an = 2 × (9) ^(n-1)
- an = 9 × (2) ^(n-1)
- an = 9 × (2) ^(n)

Type here to search

10°C Clear ENG 6:44 PM 2022/12/23

Question # 8 of 10 (Start time: 06:45:21 PM, 23 December 2022)

Total Marks

Let A = {1,2,3,4} and R = {(1,2), (2,3), (3,3), (3,4)} be a relation on A, then which one of the following ordered pair has made R an irreflexive relation?

Select the correct option

- (2,3)
- (3,3)
- (1,2)
- (3,4)

Click to Save Answer & Move to Next Question

ZS220400665: MUHAMMAD ABUZAR ZAFAR

Time Left 86 sec(s)

MTH001 - Elementary Mathematics (Quiz No.1)

Quiz Start Time: 06:38 PM, 23 December 2022

Question # 9 of 10 (Start time: 06:46:09 PM, 23 December 2022)

Total Marks: 1

Let A = {0, 1, 2} then which of the following is a reflexive relation on A?

Select the correct option

- R = {(1,2),(2,1)}
- R = {(0,2), (1,1), (2,0)}
- R = {(0,0), (1,1), (2,2)}
- R = {(0,2),(2,0)}

Type here to search

10°C Clear ENG 6:46 PM 2022/12/23

23 December 2022)

Up to 'n' terms, the simplified expression for:
"Summation(n) + Summation(1/2)" is-------

Select the correct option

- n(n+2)/2
- n(n+1)/2
- n(n+2)
- n(n+2)

Question # 3 of 10 (Start time: 06:51:36 PM, 23 December 2022)

Sum of how many terms of an arithmetic series will be zero provided that 1st term = -20, common difference = 20?

Select the correct option

- ○ 10
- ○ 2
- ○ 20
- ○ 3

Question # 4 of 10 (Start time: 06:52:40 PM, 23 December 2022)

If A = {a,e,i,o,u} and B = {y}, the, A X B is _____.

Select the correct option

- {(a,y), (e,y), (i,y), (o,y), (u,y)}
- {(1,a), (2,a), (3,a), (4,a)}
- {(a,y), (e,y), (i,y), (o,y), (y,u)}
- {(a,x), (b,x), (c,x), (d,x)}

Question # 7 of 10 (Start time: 06:55:20 PM, 23 December 2022)

A series is an infinite ordered set of terms combined together by the _____ operator.

Select the correct option

- division
- addition
- subtraction
- multiplication

Question # 8 of 10 (Start time: 06:56:40 PM, 23 December 2022)

If the first term $a = 1$, the common difference $d = 2$ of an arithmetic series then _____ is an arithmetic series of positive odd integers.

Select the correct option

- $2 + 4 + 8 + \ldots$
- $12 + 14 + 18 + \ldots$
- $1 + 3 + 7 + \ldots$
- $15 + 16 + 17 + \ldots$

Question # 9 of 10 (Start time: 06:58:08 PM, 23 December 2022)

Two sets A and B are disjoint if _____ .

Select the correct option

- A intersection B = B
- A intersection B = A
- A intersection B = U where U is the universal set
- A intersection B = empty set

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

ZS220400374: SYED UMAID ALI SHAH

MTH001 - Elementary Mathematics (Quiz No.1)

Question # 1 of 10 (Start time: 07:01:07 PM, 23 December 2022)

An argument is a list of statements called premises followed by a statement called the _____.

Select the correct option

○	hypothesis
○	assumption
○	conclusion
○	antecedent

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

The 9999th term of the sequence:
{-1,1,-1,1,-1,1,....} is

Select the correct option

○	9999
○	-9999
○	1
○	-1

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=075eea35-a63e-466d-a055-d0cbeb1b0

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

ZS220400374: SYED UMAID ALI SHAH

MTH001 - Elementary Mathematics (Quiz No.1)

Question # 4 of 10 (Start time: 07:04:08 PM, 23 December 2022)

The statement form $p \vee \sim p$ is _____.

Select the correct option

- tautology
- negation of p
- falsity
- negation of q

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=078f533f-5997-4aa5-88bf-26b7fd4f04aa

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

ZS220400374: SYED UMAID ALI SHAH

MTH001 - Elementary Mathematics (Quiz No.1)

Question # 5 of 10 (Start time: 07:04:55 PM, 23 December 2022)

Let p be a proposition then, $p \vee p \equiv p$ is known as_____law.

Select the correct option

- Negation
- Identity
- Distributive
- Idempotent

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=79bafe42-bb01-427f-90c7-1be3

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

Question # 6 of 10 (Start time: 07:05:54 PM, 23 December 2022)

Onto function is also called _____ function.

Select the correct option

- Injcective
- Surjective
- None of these
- Bijective

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=f51ef1e9-f40c-42e3-ac

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using W

Question # 8 of 10 (Start time: 07:08:01 PM, 23 December 2022)

Suppose A = {4,3,6,7,1,9}, B = {5,6,8,4} and C = {5,8,4}.

A -C = _____

Select the correct option

- {3,6,7,1,9}
- {3,7,1,9}

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=b3d222f4-fcda-43f3-b14d-95895e4f8d89

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7.

If the sum of first n natural numbers is n(n+1)/2, Then their average will be------.

Select the correct option

○	n(n+1)/2
○	(n-1)/2
○	n/2
○	(n+1)/2 ✓

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=6ddfe5cc-31ef-49e7-8073-a474

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 7

_____ is called bijective function.

Select the correct option

- (1-1) and onto function
- Into function
- Onto function
- None of these

Quiz Start Time: 07:12 PM, 23 December

Question # 1 of 10 (Start time: 07:12:47 PM, 23 December 2022)

Total Mar

For the sequence of natural numbers if sum of 'n' natural numbers =Summation(n)=21 then value of 'n' is -------

Select the correct option

- -6
- 6
- -7
- 7

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 07:14:21 PM, 23 December 2022)

A graph of a function f is one-to-one iff every horizontal line intersects the graph in at most _____

Select the correct option

- ○ two point
- ○ one point



Click to Save Answer & Move to Next

Question # 3 of 10 (Start time: 07:14:57 PM, 23 December 2022)

{x / x belongs to set of natural numbers and 2< x < 4} is _____.

Select the correct option

- ○ a finite set
- ○ a singleton set
- ○ an infinite set
- ○ empty set

Question # 6 of 10 (Start time: 07:17:13 PM, 23 December 2022)

Let R be a relation on a set A. R is _____if, and only if, for all $a \in A$, $(a, a) \in R$. Or equivalently aRa. That is, each element of A is related to itself.

Select the correct option

- Reflexive
- symmetric



Question # 8 of 10 (Start time: 07:18:51 PM, 23 December 2022)

In which method the elements of the set are written within braces?

Select the correct option

- Set builder
- Descriptive
- None of these
- Tabular

Question # 9 of 10 (Start time: 07:19:46 PM, 23 December 2022)

Range of the function is always a -------of the co-domain of the function.

Select the correct option

- Power set
- Proper Subset
- Null Set
- Subset

Question # 10 of 10 (Start time: 07:20:37 PM, 23 December 2022)

If A is a subset of the universal set U then complement of (complement of A) = _____.

Select the correct option

- U
- Complement of A
- A
- Empty set

vulms.vu.edu.pk

For a sequence:{2^n='2' is raised to power 'n'} if its nth term is equal to '1, then the value of 'n' is ----------

Select the correct option

- -1
- also 2
- 1
- zero

Question # 2 of 10 (Start time: 07:35:23 PM, 23 December 2022)

If A={2} and B={} then "f = {(2)}" is a function from A to B.

Select the correct option

- False
- True

vulms.vu.edu.pk

Question # 4 of 10 (Start time: 07:37:21 PM, 23 December 2022)

Let A = {1,2,3} and R be the relation defined on A is R = {(1,1), (1,2), (2,3), (3,1)}.
If in the directed graph there is no pair of arrows between two distinct points in A then R is _____.

Select the correct option

- Antisymmetric
- Symmetric

vulms.vu.edu.pk

Sum of the geometric series:
1+(1/2)+(1/4)+(1/8)+----- is

Select the correct option

5/2

2

1

3/2

A function f from A---->B is called an onto function when

Select the correct option

- Range (f) =A
- Range (f) is not equal to B
- Range (f) =B
- None of theses

vulms.vu.edu.pk

MTH001 - Elementary Mathematics (Quiz No.1)

Question # 7 of 10 (Start time: 07:40:38 PM, 23 December 2022)

In MS Excel, the _____ key can be used to delete an undesired value in a cell.

Select the correct option

- Crtl
- Enter
- Alt
- Del

vulms.vu.edu.pk

A constant function is one-to-one if and only if

Select the correct option

- Its co-domain is empty
- Its domain is empty
- Its domain is singleton
- Its co-domain is singleton

Let U = {a, b, c, d, e, f, g}
If A = {a, c, e, g}, B = {d, e, f, g}
Then A ∩ B = _____

Select the correct option

- {e, g}
- {}
- {e, c}
- {a, c, d, f, g}

vulms.vu.edu.pk

The set of first elements of the ordered pairs in a function is called its

Select the correct option

- Co-domain
- Range
- None of these
- Domain

Question # 2 of 10 (Start time: 07:50:32 PM, 23 December 2022)

The Cartesian Product B×A is equal to the cartesian product A× B

Select the correct option

- False
- True



Google Chrome

Microsoft Edge

TouchVPN

VLC media player

(Start time: 07:51:35 PM, 23 December 2022)

In MS Excel, the formula used for converting percent to fraction uses the symbol " _____ ".

Select the correct option

- ÷
- $
- %
- /

The set of English alphabets is _____ .

Select the correct option

- Singleton
- Finite
- Infinite
- Empty

Question # 5 of 10 (Start time: 07:53:13 PM, 23 December 2022)

For an arithmetic sequence: $x+a^2, x+3a^2, x+5a^2, \ldots$ if the common difference is '4' then the value of 'a' is -------

Select the correct option

- ±2
- ±1
- ±Square root of '2'
- 0

Question # 6 of 10 (Start time: 07:54:14 PM, 23 December 2022)

For a geometric sequence if $a_n = 32$ and $a_1 = r = 2$, then the value of n is _____.

Select the correct option

- 1
- 3
- 2
- 5

Question # 7 of 10 (Start time: 07:55:46 PM, 23 December 2022)

Is the set $\theta = \{(X,|X|) : X \subseteq Z5\}$ a function? If so, what is its range?

Select the correct option

- {0,1,2,3,4,5}.
- {1,2,3,4,}



AVG ntiVir...
oreIDRAW 019 (64-Bit
Google Chrome
Microsoft Edge
TouchVPN
VLC media player

cycle Bin

AVG AntiVir...

orelDRAW 19 (64-Bit

Google Chrome

Microsoft Edge

TouchVPN

VLC media player

IQBAL

MTH001 - Elementary Mathematics (Quiz No.1)

Question # 10 of 10 (Start time: 07:59:05 PM, 23 December 2022)

If A is any given set, then the relation in A is the ------ of Cartesian product A×A.

Select the correct option

- Null Set
- Subset
- Proper Subset
- Power Set

Question # 1 of 10 (Start time: 08:01:39 PM, 23 December 2022)

Consider that q and p are statements such that $q \rightarrow p$ is false. Then the truth value of $q \rightarrow \sim p$ is _____.

Select the correct option

○	False
○	True

Question # 2 of 10 (Start time: 08:02:28 PM, 23 December 2022)

Suppose A = {1,2,3,4} and B = {a, c}.

A ×B =_____

Select the correct option

○	{(a,1),(a,2),(a,3),(a,4),(c,1),(c,2),(c,3),(c,4)}
○	{(1, a),(1, c),(2,a),(2, c),(3,a),(3, c),(4,a),(4, c)}

Question # 3 of 10 (Start time: 08:03:39 PM, 23 December 2022)

Let R be a binary relation defined on a set A. Then R is a partial order relation, iff _____ .

Select the correct option

○	R is reflexive, symmetric, and transitive
○	R is antisymmetric, and transitive
○	R is reflexive and transitive
○	R is reflexive, antisymmetric, and transitive

Suppose X is a set with three elements and Y is a set with four elements. How many binary relations are there from X to Y?

Select the correct option

○	2^(3 x 4);That is, 2 is raise to power (3 x 4)
○	2^(3+4) ; That is, 2 is raise to power (3 + 4)
○	2^3 ; That is, 2 is raise to power 3
○	2^4 ; That is, 2 is raise to power 4

A relation S on set X is _____ iff there is an element a belonging to X such that (a,a)belongs to S.

Select the correct option

○	transitive
○	not irreflexive
○	irreflexive
○	not transitive

If "f" is a function then the two ordered pairs in "f" can have the same first element.

Select the correct option

○	Yes
○	No 

Let A = {1, 2,3} and R = {(1,2), (2,1), (3,1)} be a relation on A. Which ordered pair is needed in R to make it symmetric?

Select the correct option

○	(1,1)
○	(3,3)
○	(1,3) 
○	(2,3)

Question # 4 of 10 (Start time: 08:20:15 PM, 23 December 2022)

The seventh term of the sequence 2, 3, 5, 7, _ is _____.

Select the correct option

- 19
- 17
- 15
- 13

Question # 6 of 10 (Start time: 08:22:44 PM, 23 December 2022)

Let U = {1, 2, 3, ..., 10}, A = {1, 2, 3, 4, 5},
B = {b | b = 2 a, a belongs to A}, then
Complement of B = _____.

Select the correct option

- empty
- {1,2,3,4,5}
- {2,4,6,8,10} ✓
- {1,3,5,7,9}

ZS220400390: MUHAMMAD SAMEER

MTH001 - Elementary Mathematics (Quiz No.1)

Quiz Start Tim

Question # 7 of 10 (Start time: 08:24:18 PM, 23 December 2022)

The images of all non-zero positive real numbers for the function: f(x) = Square root of (-x) are -------

Select the correct option

- never real numbers
- also real numbers

MTH001 - Elementary Mathematics (Quiz No.1)

Question # 8 of 10 (Start time: 08:25:44 PM, 23 December 2022)

For the sequence 5, 10, 20, 40, . . . , the a_8 will be _____.

Select the correct option


○	19
○	90
○	70
○	640

Question # 2 of 10 (Start time: 08:34:26 PM, 23 December 2022)

An argument is a list of statements called_____

Select the correct option

- premises
- Set



Type here to search

Question # 7 of 10 (Start time: 08:39:40 PM, 23 December 2022)

The set of integers is denoted by _____ .

Select the correct option

- ○ N
- ○ I
- ○ W
- ○ Z

Type here to search