

STA301-(Statistics and probability)
Mid Term Updated Important Solved
Mcq's
By Mickey Ch

80 to 100% Marks

We offers:

▪ LMS Handling

▪ Assignments

▪ Quizes

▪ GDB

▪ Mid&Final Term important Notes

We also offers:

▪ CS 619 Projects

Follow us on youtube:

@mickeych8525

Whatsapp

#0333-6166150

Email:

mickeych96@gmail.com

Learning With Mickey ch

Q NO 01:

How many types of random sampling:

Select the correct option

☐	five
☐	three
☐	two
☒	four

Q NO 02:

Which average gives the more weightage to the smaller values?

Select the correct option

☐	Arithmetic Mean
☒	Harmonic Mean
☐	None of the above
☐	Geometric Mean

Q NO 03:

The total number of observations, which are below a certain value are known as:

Select the correct option

☐	Variances
☐	Class marks
☒	Cumulative frequency
☐	Class boundaries

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 04:

One of the major type of statistics is	
Select the correct option	
☐	Basic
☒	Descriptive
☐	Probabilistic
☐	Advanced

Q NO 05:

IQ's of all children in a school is an example of:	
Select the correct option	
☐	Hypothetical Population
☒	Finite population
☐	None of these
☐	Infinite population

Q NO 06:

Which of the following terms best describes data that were originally collected at an earlier time by a different person for a different purpose?	
Select the correct option	
☐	Secondary data
☒	Primary data
☐	Experimental data
☐	Field notes

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 07:

When the peak of the curve becomes relatively high, it is called:

Select the correct option

☐	Hetrokurtic
☐	Platykurtic
☒	Leptokurtic
☐	Mesokurtic

Q NO 08:

Two dice are tossed. The probability that the total score is a prime number is:

Select the correct option

☐	1/2
☐	7/9
☒	5/12
☐	1/6

Q NO 09:

If A and B are sets and $A \cup B = A \cap B$, then:

Select the correct option

☐	$A = \Phi$
☐	$B = \Phi$
☒	$A = B$
☐	$A \neq B$

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 10:

r is a pure number that lies between:

Select the correct option

☐	None
☐	0 to ∞
☒	-1 to +1
☐	0 to 1

Q NO 11:

Bowley's coefficient of skewness is expressed in terms of:

Select the correct option

☐	Different units
☒	Same units
☐	Square of units
☐	Independent of units

Q NO 12:

Which of the following method of skewness based on mean, median, mode?

Select the correct option

☒	Pearson
☐	Bowleys
☐	Fisher
☐	Sheppred

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 13:

An event that contains only one sample points is called:

Select the correct option

☐	Compound event
☐	Normal event
☐	Mutually exclusive event
☒	Simple event

Q NO 14:

If a coin is tossed 3 times then probability that three tails appear simultaneously is equal to:

Select the correct option

☒	1/8
☐	1/4
☐	1/6
☐	1/2

Q NO 15:

From a group of 7 men and 6 women, five persons are to be selected to form a committee so that at least 3 men are there on the committee. In how many ways can it be done?

Select the correct option

☐	564
☐	645
☐	865
☒	756

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 16:

Smaller standard error of estimate shows:	
Select the correct option	
☒	Data points are close to the line
☐	There is no difference between line and points
☐	Difference is additive
☐	Data points are very far to the line

Q NO 17:

Two dice are tossed. The probability that the total score is a prime number is:	
Select the correct option	
☐	7/9
☐	1/2
☒	5/12
☐	1/6

Q NO 18:

For Platykurtic distribution, b2 (moment ratio) will be:	
Select the correct option	
☒	Less than 3
☐	Equal to zero
☐	Equal to 3
☐	Greater than 3

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 19:

10! equals to:	
Select the correct option	
☐	362800
☐	362280
☒	3628800
☐	362880

Q NO 20:

If all the points in a scatter diagram lie on the least squares regression line, then the coefficient of correlation:	
Select the correct option	
☐	-1 to +1
☐	-1
☒	1
☐	0

Q NO 21:

In scatter diagram, the variable plotted along Y-axis is:	
Select the correct option	
☐	Independent variable
☐	Discrete variable
☐	Continuous variable
☒	Dependent variable

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 22:

Smaller standard error of estimate shows:

Select the correct option

☐	Difference is additive
☐	Data points are very far to the line
☒	Data points are close to the line
☐	There is no difference between line and points

Q NO 23:

When an event is as likely to occur as other, it is called:

Select the correct option

☒	Equally likely event
☐	Mutually exclusive event
☐	Normal event
☐	Not mutually exclusive event

Q NO 24:

Correlation coefficient between two variables is calculated as 0.40, it represents:

Select the correct option

☐	High linear relationship between variables
☒	Weak linear relationship between variables
☐	Square linear relationship between variables
☐	Zero relationship between variables

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 25:

In a class, there are 15 boys and 10 girls. Three students are selected at random. The probability that 1 girl and 2 boys are selected, is:

Select the correct option

☐	1/50
☐	27/112
☐	3/25
☒	21/46

Q NO 26:

In case of positively skewed distribution:

Select the correct option

☐	None of these
☒	$Q1+Q2-2median>0$
☐	$Q1+Q2-2median<0$
☐	$Q1+Q2-2median=0$

Q NO 27:

A card is drawn from a pack of 52 cards. The probability of getting a queen of club or a king of heart is:

Select the correct option

☐	1/26
☐	1/13
☐	2/13
☒	1/52

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 28:

In a group frequency distribution, corrected moments are calculated by the method of:

Select the correct option

☐	Continuity correction
☒	Pearson's correction
☐	Bowley's correction
☐	Sheppard's correction

Q NO 29:

Bowley's coefficient of skewness for a certain data is ZERO. What is the shape of the distribution of data?

Select the correct option

☒	Symmetrical
☐	Uniform
☐	Bi-modal
☐	Asymmetrical

Q NO 30:

What is probability of drawing two clubs from a well shuffled pack of 52 cards?

Select the correct option

☐	1/26
☒	1/17
☐	13/51
☐	13/17

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 31:

Order of the power set of a set of order n is

Select the correct option

n2

n

2^nn

2n

Reload Math Equations

Q NO 32:

Find the number of subsets of the following set.
{x | x is a day of the week}

Select the correct option

14

49

128

7

Q NO 33:

Third moment about mean provides information about the_____ of the distribution.

Select the correct option

Kurtosis

Dispersion

Centre

Symmetry

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 34:

In a linear regression, $Y=a+bX$, the variable "Y" will always:

Select the correct option

☒	Quantitative variable
☐	Qualitative variable
☐	A random variable
☐	A non-random variable

Q NO 35:

If we calculate the probability of an event and it turns out to be -0.7 , we know that:

Select the correct option

☐	we made a mistake
☐	the event is probably going to happen
☐	. the probability of it not happening is 0.3
☒	the event is probably not going to happen

Q NO 36:

In regression line $Y=a+bX$, Y is called:

Select the correct option

☐	Regressor
☒	Dependent variable
☐	Explanatory variable
☐	Independent variable

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 37:

If $A = \{1,2,3,4\}$ and $B = \{3,4,5,6\}$ then $A - B$ will be:

Select the correct option

☐	$\{1,2,3,4,5,6\}$
☐	$\{3,4\}$
☐	$\{3,2,1\}$
☒	$\{1,2\}$

Q NO 38:

Positive correlation COEFFICIENT "r" will fall within the range:

Select the correct option

☐	$-1 < r < 0$
☐	All of these
☐	$-1 < r < 1$
☒	$0 < r < 1$

Q NO 39:

In regression analysis, the variable that is being predicted is the

Select the correct option

☐	Intervening variable
☐	None of these
☒	Dependent variable
☐	Independent variable

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 40:

In a coin tossing example, we have only two possible outcomes, a head or a tail; this is an example of :

Select the correct option

☒ Mutually exclusive events

☐ None of these

☐ Both of these

☐ Equally likely events

Q NO 41:

Which of the following method of skewness based on quartiles?

Select the correct option

☐ Pearson

☐ Sheppred

☒ Bowleys

☐ Fisher

Q NO 42:

Bowley's coefficient of skewness is expressed in terms of:

Select the correct option

☐ Different units

☐ Independent of units

☒ Same units

☐ Square of units

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 43:

In simple linear regression, which of the following statements indicates there is no linear relationship between the variables x and y?

Select the correct option

☐	Coefficient of determination is -1.0
☒	coefficient of correlation is 0
☐	none of the above
☐	sum of square of errors is 0

Q NO 44:

In how many ways can the letters of the word 'LEADER' be arranged?

Select the correct option

☐	72
☒	360
☐	140
☐	5040

Q NO 45:

A graph of plotted points which shows the relationship between two sets of data is known as:

Select the correct option

☐	Venn diagram
☐	Polygon curve
☐	Histogram diagram
☒	Scatter diagram

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 46:

The deviation of a distribution from symmetry is called:

Select the correct option

☐	Dispersion
☒	Skewness
☐	Kurtosis
☐	Flatness

Q NO 47:

If we calculate the probability of an event and it turns out to be -0.7 , we know that:

Select the correct option

☒	we made a mistake
☐	the event is probably not going to happen
☐	. the probability of it not happening is 0.3
☐	the event is probably going to happen

Q NO 48:

If a box contains two red and three yellow balloons then probability of yellow balloons will be equal to:

Select the correct option

☐	$\frac{2}{5}$
☐	$\frac{1}{5}$
☐	$\frac{4}{5}$
☒	$\frac{3}{5}$

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 49:

When two coins are tossed simultaneously, what are the chances of getting at least one tail?

Select the correct option

☒	3/4
☐	1/4
☐	4/5
☐	1/5

Q NO 50:

In how many ways can a group of 5 men and 2 women be made out of a total of 7 men and 3 women?

Select the correct option

☒	63
☐	54
☐	86
☐	156

Q NO 51:

If $A = \{10, 11\}$ then which of the following is power set of A?

Select the correct option

☐	$\{\{10\}, \{11\}, \{10, 11\}\}$
☐	$\{\{\}, \{10, 11\}\}$
☒	$\{\{\}, \{10\}, \{11\}, \{10, 11\}\}$
☐	$\{\{10\}, \{11\}, \{10, 11\}, \{11, 10\}\}$

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 52:

From the following table, what is lower class boundry when mode is calculated?

Class Boundaries	Frequency
29.95 - 32.95	8
32.95 - 35.95	87
35.95 - 38.95	110
38.95 - 41.95	104
41.95 - 44.95	101

Select the correct option

☐

38.95

☐

29.95

☐

32.95

☒

35.95

Q NO 53:

The repondent refuses to answer any of the question is called

Select the correct option

☐

Sample Information

☐

Partial non-response

☒

Total non-response

☐

Target Population

Q NO 54:

If the grading of diabetes is classified as mild, moderate and severe the scale of measurement used is:

Select the correct option

☒

Nominal

☐

Interval

☐

Ordinal

☐

Ratio

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 55:

In symmetrical distribution:

Select the correct option

☐	mean<median<mode
☐	Mean>median>mode
☒	mean=median=mode
☐	mean=median=mode

Q NO 56:

Statistics deals with

Select the correct option

☒	Aggregates of facts
☐	Isolated items
☐	Individuals
☐	Observations

Q NO 57:

The number of classes in a frequency distribution is obtained by dividing the range of variable by the:

Select the correct option

☐	Mid-point
☐	Total frequency
☒	Class interval
☐	Relative frequency

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 58:

The free-hand frequency curve is actually a

Select the correct option

☐	Probabilistic concept
☒	Mathematical concept
☐	Scientific concept
☐	Theoretically concept

Q NO 59:

For a certain distribution if $\sum(x - 2) = 18, \sum(x - 24) = 0, \sum(x - 28) = -24$ then arithmetic mean is

Select the correct option

Reload Math Equations

☐	28
☐	21
☒	24
☐	0

Q NO 60:

Which of the following is Not a common measure of central tendency?

Select the correct option

☐	Mean
☒	Range
☐	Median
☐	Mode

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 61:

The extremely positive skewed curve is also known as:

Select the correct option

☐	Reverse J-shaped curve
☐	U-shaped curve
☒	J-shaped curve
☐	Frequency curve

Q NO 62:

A circle in which sectors represents various quantities is called:

Select the correct option

☐	Frequency Polygon
☐	Component Bar Chart
☒	Pie Chart
☐	Histogram

Q NO 63:

Relationships among the averages

Select the correct option

☐	$HM > GM > AM$
☐	$GM < HM < AM$
☐	None of the above
☒	$HM < GM < AM$

Learning With Mickey ch

Q NO 64:

In case of a frequency distribution, the 7th decile is given by the formula:

Select the correct option

☐	$l + \frac{f}{h} \left(\frac{7n}{10} - c \right)$
☒	$l + \frac{h}{f} \left(\frac{7n}{10} - c \right)$
☐	$l + \frac{7h}{h} \left(\frac{n}{10} - c \right)$
☐	$l + \frac{h}{f} \left(\frac{n}{10} - 10c \right)$

Q NO 65:

Histogram can be drawn only for:

Select the correct option

☒	Continuous frequency distribution
☐	Relative frequency distribution
☐	Discrete frequency distribution
☐	Continuous frequency distribution

Q NO 66:

Selection of a football team for FIFA World Cup is called as?

Select the correct option

☒	purposive sampling
☐	systematic sampling
☐	random sampling
☐	cluster sampling

Whatsapp#0333-6166150

Learning With Mickey ch

Q NO 67:

Find the median of the set of numbers: 1,2,3,4,5,6,7,8,9 and 10.

55

Select the correct option

☐	55
☐	10
☐	1
☒	5.5

Q NO 68:

What is the mean of this set of numbers: 4, 6, 7, 9, 2000000?

Select the correct option

☐	4
☒	400,005.2
☐	7
☐	7.5

Q NO 69:

A Histogram contains a set of:

Select the correct option

☐	Adjacent squares
☒	Adjacent rectangles
☐	Non Adjacent rectangles
☐	Adjacent triangles