

DOWNLOAD MIDTERM

PAST PAPERS BY WAQAR SIDDHU

More in PDF From

VU Answer

Get All Solutions.

Which of the following statement(s) is/are true about software design?

- (a) Common coupling occurs when some global data repository is shared by two or more modules.
- (b) Polymorphism is a design principle that helps the code to be flexible and reused.
- (c) Software reuse injects more reliability to code.

Answer ([Please click here to Add Answer](#))



As per Peter Coad methodology, identify the transaction object(s) from the list below.

- 1) Sale
- 2) Purchase
- 3) Computer
- 4) Cashier

Answer ([Please click here to Add Answer](#))



Correct answer solved by hadi
Cell No:03228043306
Email: usmanraj20@gmail.com




What is the difference between Aggregation and Association?

Answer ([Please click here to Add Answer](#))



Consider the following diagram:



Answer ([Please click here to Add Answer](#))





A client sends an authentication request (with username and password) to server; server verifies the request and returns a response to the client.

Draw a Sequence level diagram of the above scenario.

Answer ([Please click here to Add Answer](#))



Apply Cohesion on the following code.

```
Class Reserv
```

```
{
```

```
private:
```


```
int roomno;
```

```
string type;
```

Answer ([Please click here to Add Answer](#))



Identify the object(s) from the following sequence diagram:




Answer ([Please click here to Add Answer](#))



Answer: Object: Student and Application.

As a software designer, you are assigned to prepare the Class diagram for the object Model. What is the notation for showing Inheritance relationship?


Answer



Define following:-

- 1) Synchronous Messages
- 2) Asynchronous messages

Answer ([Please click here to Add Answer](#))



Asynchronous messages are "signals," denoted by a half arrow. They do not block the caller. Asynchronous messages typically perform the following actions:

- ❖ *Create a new thread*
- ❖ *Create a new object*

Communicate with a thread that is already running

Synchronous Messages:-

Synchronous messages are "call events" and are denoted by the full arrow. They represent nested flow of control which is typically implemented as an operation call. In case of a synchronous message, the caller waits for the called routine to complete its operation before moving forward.

Ali is considered as an object. What are the characteristics which decide Ali is an Object?

Answer ([Please click here to Add Answer](#))



*Answer: Ali could be a person, a student, or employee.
he will have characteristic which tell his class for which class of object it is.*

Consider the following five code fragments.


1	2	3
<pre>class File { void OpenFile () { ... } void SearchIndex () { ... } void CloseFile () { ... } }</pre>	<pre>class AreaFun { double CircleArea() { ... } double RectangleArea() { ... } } double TriangleArea() { ... } }</pre>	<pre>class MyClass { void OpenFile () { ... } void SearchIndex () { ... } void InitPrinter () { ... } void Print index { ... } }</pre>
4	5	
<pre>class POST { void CheckPower () { ... } void InitializeDisc () { ... } void LoadBootstrap () { ... } }</pre>	<pre>Class MakeSoup { void BoilWater () { ... } Void AddIngredients () { ... } void MixIngredients () { ... } void ServeSoup () { ... } }</pre>	

Which of the above code fragments show the weakest level of cohesion? Brief it with reason.

answer: 3

Suppose you were analyzing a Requirement statement, How will you determine that an object belongs to a certain class?

Answer (Please [click here](#) to Add Answer)



analyzed on the basis of their characteristics , behaviour and states. things with same (all these) will be in same class. if we need many items of same (all these things) we will define a class for them.

Correct answer solved by hadi
Cell No:03228043306
Email: usmanraj20@gmail.com

Made By: Waqar Siddhu

Your are asked to develop object oriented design for a system. Your concern about decomposition would be based on function or data ?

Answer ([Please click here to Add Answer](#))



both

Early design decisions can vary in software development. Do you agree or not ? Justify your choice.

Answer ([Please click here to Add Answer](#))



Ali is considered as an object. What are the characteristics which decide Ali is an Object?

Answer ([Please click here to Add Answer](#))



Differentiate between a sub-system and module.

Answer ([Please click here to Add Answer](#))



In textual analysis we analyze the text to identify the classes, objects and relationships among objects and classes. What are the meanings of these terms in textual analysis?

- 0. Proper Noun
- 1. Improper Noun
- 2. Being Verb
- 3. Having Verb

Answer ([Please click here to Add Answer](#))



Using the architecture of a house or building, draw a comparison with software architecture.

Answer ([Please click here to Add Answer](#))

