

STA301 FINAL TERM SOLVED QUIZ NO 3

(VISIT VURANK FOR MORE)

Quiz - Mozilla Firefox

quiz.vu.edu.pk/QuizQuestion.aspx?ver=12508e0a-d2ba-4975-aa5d-2ee9901327e9

Time Left 57 sec(s)

Start Time: 05:01 PM

Question # 1 of 10 (Start time: 05:01:36 PM) Total Marks: 1

The probability of success changes from trial to trial, is the property of:

Select correct option:

☐	Binomial experiment
☒	Hypergeometric experiment
☐	Both binomial & hypergeometric experiment
☐	Poisson experiment

[Click here to Save Answer & Move to Next Question](#)

Quiz - Mozilla Firefox
quiz.vu.edu.pk/QuizQuestion.aspx?ver=12508e0a-d2ba-4975-aa5d-2ee901327e9

Time Left 57 sec(s)

Quiz Start Time: 05:01 PM

Question # 1 of 10 (Start time: 05:01:36 PM) Total Marks: 1

The probability of success changes from trial to trial, is the property of:

Select correct option:

☐	Binomial experiment
☒	Hypergeometric experiment
☐	Both binomial & hypergeometric experiment
☐	Poisson experiment

Click here to Save Answer & Move to Next Question

Quiz - Mozilla Firefox
quiz.vu.edu.pk/QuizQuestion.aspx?ver=2003cbbe-a969-4dd7-b811-02bd6fd01db2

Time Left 42 sec(s)

Quiz Start Time: 05:01 PM

Question # 2 of 10 (Start time: 05:02:43 PM) Total Marks: 1

The number of telephone calls that pass through a switchboard has a Poisson distribution with mean equal to two per minute. The probability that no telephone call passes through the switch board in a minutes is:

Select correct option:

☐	0.2707
☒	0.0517
☐	0.0183
☐	0.1353

Click here to Save Answer & Move to Next Question

Quiz - Mozilla Firefox
quiz.vu.edu.pk/QuizQuestion.aspx?ver=bec32ab5-eb3e-4b5a-a2d5-8fc07e601b68

Time Left 53 sec(s)

Quiz Start Time: 05:01 PM

Question # 3 of 10 (Start time: 05:03:55 PM) Total Marks: 1

If X is a discrete random variable and $f(x)$ is the probability of X , then the expected value of this random variable is equal to:

Select correct option:

☐	$\sum [f(x) \cdot x]$
☐	$\sum [x \cdot 3]$
☐	$\sum x f(x)$
☒	$\sum f(x)$

Click here to Save Answer & Move to Next Question

Quiz - Mozilla Firefox
quiz.vu.edu.pk/QuizQuestion.aspx?ver=715ee3a2-c71a-4de3-9157-aecc3ddb9a9e

Time Left 38 sec(s)

Quiz Start Time: 05:01 PM

Question # 4 of 10 (Start time: 05:06:42 PM) Total Marks: 1

In hyper geometric distribution formula, N = number of units in the population, n = number of units in the sample, and k is defined as:

Select correct option:

☐	number of failures in the sample
☐	number of failures in population
☒	number of successes in sample
☐	number of successes in population

Click here to Save Answer & Move to Next Question

Quiz - Mozilla Firefox

quiz.vu.edu.pk/QuizQuestion.aspx?ver=262cb89f-43e5-48c6-a8b0-125075c1b64b

Time Left 56 sec(s)

Quiz Start Time: 05:01 PM

Question # 5 of 10 (Start time: 05:07:41 PM) Total Marks: 1

If $\mu = 3.82$ and $S.D(\hat{x}) = 1.2$, then $C.V(\hat{x})$ will be:

Select correct option:

- ☐ 20.482
- ☐ 24.896
- ☒ 31.412
- ☐ 26.451

Click here to Save Answer & Move to Next Question

Quiz - Mozilla Firefox

quiz.vu.edu.pk/QuizQuestion.aspx?ver=ef69a675-aefd-42c1-b1e4-1191d8727967

Time Left 61 sec(s)

Quiz Start Time: 05:01 PM

Question # 6 of 10 (Start time: 05:08:24 PM) Total Marks: 1

Suppose X is equal to the number of heads, when you throw a coin three times. The possible values of X are:

Select correct option:

- ☒ 1,2,3
- ☐ 0,1,2,3
- ☐ 0,1,2,3,.....
- ☐ 1,2,3,.....

Click here to Save Answer & Move to Next Question

Quiz - Mozilla Firefox

quiz.vu.edu.pk/QuizQuestion.aspx?ver=143c6a9f-3d84-4ed4-9802-aa08d654d0f3

Time Left 67 sec(s)

Quiz Start Time: 05:01 PM

Question # 7 of 10 (Start time: 05:09:02 PM)

Total Marks: 1

If we have $f(x) = 4x$, $0 \leq x \leq 1$, then $f(x)$ is a:

Select correct option:

☐	Continuous random variable
☐	Distribution function
☒	Probability density function
☐	Probability distribution

Click here to Save Answer & Move to Next Question



Quiz - Mozilla Firefox
quiz.vu.edu.pk/QuizQuestion.aspx?ver=c5acf44b-57cb-43d6-a43a-74ff92d31521

Time Left 67 sec(s)

Quiz Start Time: 05:01 PM

Question # 8 of 10 (Start time: 05:09:32 PM) Total Marks: 1

Density function of normal distribution attains its maximum value when the value of random variable X is:

Select correct option:

☒	$\bar{X}$ = Mean
☐	$\bar{X}$ = Standard Deviation
☐	$\bar{X}$ = Variance
☐	All above

Click here to Save Answer & Move to Next Question

Quiz - Mozilla Firefox
quiz.vu.edu.pk/QuizQuestion.aspx?ver=8db0140e-34a8-4ba8-a68a-ae1fc2d59bc5

Time Left 41 sec(s)

Quiz Start Time: 05:01 PM

Question # 9 of 10 (Start time: 05:10:02 PM) Total Marks: 1

Three unbiased coins are tossed. The sample space is: $S = \{TTT, TTH, THT, HTT, THH, HTH, HHT, HHH\}$. What is the probability of getting at most two heads?

Select correct option:

☐	1/4
☒	3/4
☐	1/2
☐	7/8

Click here to Save Answer & Move to Next Question

Quiz - Mozilla Firefox

quiz.vu.edu.pk/QuizQuestion.aspx?ver=3c04913d-48a2-4e05-a21e-86ba9231a27e

Time Left 64 sec(s)

Quiz Start Time: 05:01 PM

Question # 10 of 10 (Start time: 05:10:59 PM) Total Marks: 1

From the following table, x 0 1 2 3 f(x) 0.26 0.49 0.22 0.02 E (2<+1) will be:

Select correct option:

☐	2
☐	1.98
☐	2.98
☐	0.99

[Click here to Save Answer & Move to Next Question](#)



(VISIT VURANK FOR MORE)