4G 4G 2:40 ··· Vo)) LTE1 69%

vulms.vu.edu.pk/

BC190408559: AIMAN RASHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 10 of 10 (Start time: 02:40:14 PM, 05 February 2023)

Beeta-pleated sheets are the examples of .....

Select the correct option

○	3' OR 3-D OR Tertiary Structure of proteins
○	4' OR 4-D OR Quaternary Structure of proteins
○	1' OR 1-D OR Primary Structure of proteins
◉	2' OR 2-D OR Secondary Structure of proteins

4G 4G 2:40 ··· Vo) LTE1 69%
vulms.vu.edu.pk/

BC190408559: AIMAN RASHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 9 of 10 (Start time: 02:40:02 PM, 05 February 2023)

Which of the following statements is un-true about proteins?

Select the correct option

○	Proteins properties are linked to the properties of amino acids.
○	Proteins spontaneously fold to take 3D forms
○	Proteins structures are organized into 1', 2', 3', 4' modular conformations
◉	Proteins are made by transcription of amino acids

4G 4G 2:40 ···
Vo)) LTE1 69%
vulms.vu.edu.pk/

BC190408559: AIMAN RASHEED

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start Tim

Question # 8 of 10 (Start time: 02:39:53 PM, 05 February 2023)

Proteins are made-up of amino acids; these amino acids are linked together by which of the following bonds?

Select the correct option

- ○ Ionic bond
- ◉ Peptide bond
- ○ Hydrogen bond
- ○ Disulfide bond

Click to Save Answ

4G 4G 2:39 ··· Vo) LTE1 69%

vulms.vu.edu.pk/

BC190408559: AIMAN RASHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 7 of 10 (Start time: 02:39:44 PM, 05 February 2023)

Proteins are made by ..... of amino acids.

Select the correct option

○	Translation
○	None of these
◉	Polymerization
○	Transcription

4G 4G 2:39 ··· Vo)) LTE1 69%

vulms.vu.edu.pk/

BC190408559: AIMAN RASHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 6 of 10 (Start time: 02:39:36 PM, 05 February 2023)

How many bonded atoms are required to constitute a dihedral angle, such as phi or psi?

Select the correct option

○	2
○	3
●	4
○	1

4G 4G 2:39 ···
Vo)) LTE1 70%
vulms.vu.edu.pk/

BC190408559: AIMAN RASHEED

Time Left 87 sec(s)

BIF401 - Bioinformatics I (Quiz No. 2)

Quiz Start Time: 02:38 PM, 05 February 2023

Question # 5 of 10 (Start time: 02:39:23 PM, 05 February 2023)

Total Marks: 1

Which of the following statements is un-true about 2' (Secondary) structure of proteins?

Select the correct option

Reload Math Equations

- (●) 2' Structures of proteins are formed as a result of peptides bond formation between N and C termini in a protein backbone
- ( ) Hydrogen bonds are the reason of 2' structures of proteins
- ( ) 2' structures of proteins include Alpha helices and Beta sheets
- ( ) 2' Structures of proteins are formed as a result of Hydrogen bond formation between N and C termini in a protein backbone

Click to Save Answer & Move to Next Question

4G 4G 2:39 ··· Vo) LTE1 70%

vulms.vu.edu.pk/

BC190408559: AIMAN RASHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 4 of 10 (Start time: 02:39:15 PM, 05 February 2023)

1 Angstrom is a unit of length equal to . . . . . .

Select the correct option

○	10^{10}
◉	10^{-10}
○	1^{10}
○	1^{-10}

4G 4G 2:39 ··· Vo) LTE1 70%

vulms.vu.edu.pk/

BC190408559: AIMAN RASHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 3 of 10 (Start time: 02:39:06 PM, 05 February 2023)

Which of the following is not the function of proteins?

Select the correct option

○	Helps in transporting oxygen in the blood
●	Carries genetic information
○	Helps in digesting food
○	Fight against the invading pathogens

≡ ⌂ ↩

4G 4G 2:39 ··· Vo)) LTE1 70%

vulms.vu.edu.pk/

BC190408559: AIMAN RASHEED

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start Time

Question # 2 of 10 (Start time: 02:38:51 PM, 05 February 2023)

Which of the following statements are true about quaternary structure of proteins?

Select the correct option

- (●) 4' (Quaternary) structure of proteins are formed by peptide chains that make-up the protein
- ( ) Proteins comprised of only single chain have a quaternary structure
- ( ) 4' Structures of proteins are formed as a result of hydrophobic interactions between non-polar R-groups
- ( ) Combinations of Alpha helices, Beta sheets, coils and loops help form 3' structures

Click to Save Answe

4G 4G 2:38 ··· Vo) LTE1 70%

vulms.vu.edu.pk/

BC190408559: AIMAN RASHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 1 of 10 (Start time: 02:38:43 PM, 05 February 2023

Lysine is represented by one-letter code i.e.,

Select the correct option

◉	K
○	I
○	Y
○	L

4G 4G 2:29 ···
Vo)) LTE1 71%
vulms.vu.edu.pk/

BC190413973: MUQADDAS PERVEEN

Time Left 87 sec(s)

BIF401 - Bioinformatics I (Quiz No. 2)

Quiz Start Time: 02:27 PM, 05 February 2023

Question # 10 of 10 (Start time: 02:29:14 PM, 05 February 2023)

Total Marks: 1

Which of the following statements is un-true about 2' (Secondary) structure of proteins?

Select the correct option

Reload Math Equations

- [ ] Hydrogen bonds are the reason of 2' structures of proteins
- [ ] 2' Structures of proteins are formed as a result of Hydrogen bond formation between N and C termini in a protein backbone
- [x] 2' Structures of proteins are formed as a result of peptides bond formation between N and C termini in a protein backbone
- [ ] 2' structures of proteins include Alpha helices and Beta sheets

Click to Save Answer & Move to Next Question

4G 4G 2:29 ··· Vo) LTE1 71%
vulms.vu.edu.pk/

BC190413973: MUQADDAS PERVEEN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 9 of 10 (Start time: 02:29:07 PM, 05 February 2023)

Lysine is represented by one-letter code i.e.,

Select the correct option

◉	K
○	I
○	L
○	Y

4G 4G 2:29 ··· Vo) LTE1 71%
vulms.vu.edu.pk/

BC190413973: MUQADDAS PERVEEN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 8 of 10 (Start time: 02:28:58 PM, 05 February 2023)

Which of the following statements is un-true about proteins?

Select the correct option

◉	Proteins are made by transcription of amino acids
○	Proteins properties are linked to the properties of amino acids.
○	Proteins spontaneously fold to take 3D forms
○	Proteins structures are organized into 1', 2', 3', 4' modular conformations

4G 4G 2:28 ···
Vo)) LTE1 71%
vulms.vu.edu.pk/

BC190413973: MUQADDAS PERVEEN

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start Time

Question # 7 of 10 (Start time: 02:28:47 PM, 05 February 2023)

Proteins are made-up of amino acids; these amino acids are linked together by which of the following bonds?

Select the correct option

- ○ Disulfide bond
- ◉ Peptide bond
- ○ Ionic bond
- ○ Hydrogen bond

Click to Save Answe

4G 4G 2:28 ··· Vo) LTE1 71%

vulms.vu.edu.pk/

BC190413973: MUQADDAS PERVEEN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 6 of 10 (Start time: 02:28:39 PM, 05 February 2023)

How many bonded atoms are required to constitute a dihedral angle, such as phi or psi?

Select the correct option

◉	4
○	1
○	3
○	2

4G 4G 2:28 ··· Vo) LTE1 71%
vulms.vu.edu.pk/

BC190413973: MUQADDAS PERVEEN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 5 of 10 (Start time: 02:28:31 PM, 05 February 2023)

1 Angstrom is a unit of length equal to . . . . . .

Select the correct option

- ○ 10^{10}
- ○ 1^{10}
- ○ 1^{-10}
- ◉ 10^{-10}

4G 4G 2:28 ··· Vo) LTE1 72%
vulms.vu.edu.pk/

BC190413973: MUQADDAS PERVEEN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 4 of 10 (Start time: 02:28:22 PM, 05 February 2023)

At isoelectric pH, an amino acid exists as

Select the correct option

◉	Zwitterion
○	None of these
○	Anion
○	Cation

4G 4G 2:28 ···
Vo)) LTE1 72%
vulms.vu.edu.pk/

BC190413973: MUQADDAS PERVEEN

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start Ti

Question # 3 of 10 (Start time: 02:28:13 PM, 05 February 2023)

Which of the following statements are true about 3-D (Tertiary) structure of proteins?

Select the correct option

- ○ 3' Structures of proteins are formed as a result of hydrophobic interactions between polar R-groups
- ○ Primary structure of proteins determines the tertiary structure
- ◉ Combinations of Alpha helices, Beta sheets, coils and loops help form 3' structures
- ○ 3' structures are formed by different peptide chains that make up the proteins

Click to Save Ans

4G 4G 2:28 ··· Vo)) LTE1 72%

vulms.vu.edu.pk/

BC190413973: MUQADDAS PERVEEN

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start Time:

Question # 2 of 10 (Start time: 02:27:59 PM, 05 February 2023)

Which of the following statements are true about quaternary structure of proteins?

Select the correct option

- ○ 4' Structures of proteins are formed as a result of hydrophobic interactions between non-polar R-groups
- ◉ 4' (Quaternary) structure of proteins are formed by peptide chains that make-up the protein
- ○ Combinations of Alpha helices, Beta sheets, coils and loops help form 3' structures
- ○ Proteins comprised of only single chain have a quaternary structure

Click to Save Answer

4G 4G 2:27 ··· Vo) LTE1 72%
vulms.vu.edu.pk/

BC190413973: MUQADDAS PERVEEN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 1 of 10 (Start time: 02:27:51 PM, 05 February 2023)

Beeta-pleated sheets are the examples of .....

Select the correct option

○	1' OR 1-D OR Primary Structure of proteins
○	4' OR 4-D OR Quaternary Structure of proteins
○	3' OR 3-D OR Tertiary Structure of proteins
◉	2' OR 2-D OR Secondary Structure of proteins

4G 4G 2:24 Vo) LTE1 73%
vulms.vu.edu.pk/

BC190408762: AZKA WAHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 10 of 10 (Start time: 02:24:10 PM, 05 February 2023)

The 1-D (Primary) structure of proteins can be determined by .....

Select the correct option

○	Nuclear Magnetic Resonance (NMR)
○	Edman Degradation
○	Tandem Mass Spectrometry
●	Both Edman Degradation & NMR

4G 4G 2:23 Vo) LTE1 73%
vulms.vu.edu.pk/

BC190408762: AZKA WAHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 9 of 10 (Start time: 02:23:50 PM, 05 February 2023)

Proteins are made by ..... of amino acids.

Select the correct option

○	Translation
○	Transcription
○	None of these
◉	Polymerization

4G 4G 2:23 Vo) LTE1 73%
vulms.vu.edu.pk/

BC190408762: AZKA WAHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 8 of 10 (Start time: 02:23:43 PM, 05 February 2023)

Lysine is represented by one-letter code i.e.,

Select the correct option

○	L
●	K
○	I
○	Y

4G 4G 2:23 Vo) LTE1 73%

vulms.vu.edu.pk/

BC190408762: AZKA WAHEED

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start Tim

Question # 7 of 10 (Start time: 02:23:27 PM, 05 February 2023)

Which of the following statements are true about quaternary structure of proteins?

Select the correct option

- [ ] 4' Structures of proteins are formed as a result of hydrophobic interactions between non-polar R-groups
- [ ] Combinations of Alpha helices, Beta sheets, coils and loops help form 3' structures
- [x] 4' (Quaternary) structure of proteins are formed by peptide chains that make-up the protein
- [ ] Proteins comprised of only single chain have a quaternary structure

Click to Save Answe

4G 4G 2:23 Vo) LTE1 73%
vulms.vu.edu.pk/

BC190408762: AZKA WAHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 6 of 10 (Start time: 02:23:13 PM, 05 February 2023)

Which of the following statements is true about proteins?

Select the correct option

○	Proteins are polymers of di-sulfide bridges
○	Proteins are polymers of peptide bonds
●	Proteins are polymers of amino acids
○	Proteins are polymers of glucose

4G 4G 2:23 Vo)) LTE1 73%

vulms.vu.edu.pk/

BC190408762: AZKA WAHEED

Time Left 86 sec(s)

BIF401 - Bioinformatics I (Quiz No. 2)

Quiz Start Time: 02:21 PM, 05 February 2023

Question # 5 of 10 (Start time: 02:22:58 PM, 05 February 2023)

Total Marks: 1

Which of the following statements is un-true about 2' (Secondary) structure of proteins?

Select the correct option

Reload Math Equations

- Hydrogen bonds are the reason of 2' structures of proteins
- 2' structures of proteins include Alpha helices and Beta sheets
- 2' Structures of proteins are formed as a result of Hydrogen bond formation between N and C termini in a protein backbone
- (●) 2' Structures of proteins are formed as a result of peptides bond formation between N and C termini in a protein backbone

Click to Save Answer & Move to Next Question

4G 4G 2:22 Vo) LTE1 73%
vulms.vu.edu.pk/

BC190408762: AZKA WAHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 4 of 10 (Start time: 02:22:44 PM, 05 February 2023)

At isoelectric pH, an amino acid exists as

Select the correct option

○	Anion
○	None of these
○	Cation
●	Zwitterion

4G 4G 2:22 Vo) LTE1 73%
vulms.vu.edu.pk/

BC190408762: AZKA WAHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 3 of 10 (Start time: 02:22:32 PM, 05 February 2023)

Which of the following is not the function of proteins?

Select the correct option

○	Helps in digesting food
●	Carries genetic information
○	Fight against the invading pathogens
○	Helps in transporting oxygen in the blood

4G 4G 2:22 Vo) LTE1 73%
vulms.vu.edu.pk/

BC190408762: AZKA WAHEED

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Star

Question # 2 of 10 (Start time: 02:22:15 PM, 05 February 2023)

Which of the following statements are true about 3-D (Tertiary) structure of proteins?

Select the correct option

○	3' structures are formed by different peptide chains that make up the proteins
◉	Combinations of Alpha helices, Beta sheets, coils and loops help form 3' structures
○	3' Structures of proteins are formed as a result of hydrophobic interactions between polar R-groups
○	Primary structure of proteins determines the tertiary structure

Click to Save A

4G 4G 2:22 Vo) LTE1 73%
vulms.vu.edu.pk/

BC190408762: AZKA WAHEED

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 1 of 10 (Start time: 02:21:58 PM, 05 February 2023)

Which of the following statements is un-true about proteins?

Select the correct option

○	Proteins structures are organized into 1', 2', 3', 4' modular conformations
○	Proteins properties are linked to the properties of amino acids.
●	Proteins are made by transcription of amino acids
○	Proteins spontaneously fold to take 3D forms

12:23 ... 79%

vulms.vu.edu.pk/

BC190408121: MUHAMMAD NAVEED AHMAD

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 10 of 10 (Start time: 12:21:44 PM, 05 February 2023)

At isoelectric pH, an amino acid exists as

Select the correct option

○	None of these
●	Zwitterion
○	Cation
○	Anion

4G 4G 12:21 ... Vo)) LTE1 4G 79%
vulms.vu.edu.pk/

BC190408121: MUHAMMAD NAVEED AHMAD

BIF401 - Bioinformatics I (Quiz No. 2) Quiz

Question # 9 of 10 (Start time: 12:21:34 PM, 05 February 2023)

Which of the following statements is un-true about 1' (Primary) structure of proteins?

Select the correct option

- ○ The Primary OR 1' structure of a protein determines its initial properties.
- ◉ The 1-D (Primary) structure of proteins can be determined by Nuclear Magnetic Resonance (NMR)
- ○ The 1-D (Primary) structure of proteins can be determined by Edman Degradation
- ○ The sequence of amino acids joined by a peptide bond

Click to Sa

4G 4G 12:21 ··· Vo)) LTE1 4G 79%

vulms.vu.edu.pk/

BC190408121: MUHAMMAD NAVEED AHMAD

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 8 of 10 (Start time: 12:21:26 PM, 05 February 2023)

How many bonded atoms are required to constitute a dihedral angle, such as phi or psi?

Select the correct option

○	2
●	4
○	3
○	1

4G 4G 12:21 ··· Vo)) LTE1 4G 79%

vulms.vu.edu.pk/

BC190408121: MUHAMMAD NAVEED AHMAD

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start

Question # 7 of 10 (Start time: 12:21:15 PM, 05 February 2023)

Which of the following statements are true about 3-D (Tertiary) structure of proteins?

Select the correct option

○	Primary structure of proteins determines the tertiary structure
○	3' structures are formed by different peptide chains that make up the proteins
●	Combinations of Alpha helices, Beta sheets, coils and loops help form 3' structures
○	3' Structures of proteins are formed as a result of hydrophobic interactions between polar R-groups

Click to Save A

4G 4G 12:21 ... Vo)) LTE1 4G 79%
vulms.vu.edu.pk/

BC190408121: MUHAMMAD NAVEED AHMAD

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 6 of 10 (Start time: 12:21:06 PM, 05 February 2023)

The 1-D (Primary) structure of proteins can be determined by .....

Select the correct option

○	Nuclear Magnetic Resonance (NMR)
○	Edman Degradation
●	Both Edman Degradation & NMR
○	Tandem Mass Spectrometry

4G 4G 12:21 ··· Vo)) LTE1 4G 79%
vulms.vu.edu.pk/

BC190408121: MUHAMMAD NAVEED AHMAD

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 5 of 10 (Start time: 12:20:54 PM, 05 February 2023)

Which of the following is responsible for determining a protein's 3D shape?

Select the correct option

○	Peptide bond
○	Interaction with molecular chaperons
●	Amino acid sequence
○	Interaction with other polypeptides

4G 4G 12:20 ··· Vo)) LTE1 4G 79%

vulms.vu.edu.pk/

BC190408121: MUHAMMAD NAVEED AHMAD

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 4 of 10 (Start time: 12:20:42 PM, 05 February 2023)

Beeta-pleated sheets are the examples of .....

Select the correct option

○	3' OR 3-D OR Tertiary Structure of proteins
○	4' OR 4-D OR Quaternary Structure of proteins
●	2' OR 2-D OR Secondary Structure of proteins
○	1' OR 1-D OR Primary Structure of proteins

4G 4G 12:20 ··· Vo)) LTE1 4G 79%
vulms.vu.edu.pk/

BC190408121: MUHAMMAD NAVEED AHMAD

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 3 of 10 (Start time: 12:18:52 PM, 05 February 2023)

Which of the following is not the function of proteins?

Select the correct option

○	Helps in transporting oxygen in the blood
●	Helps in digesting food
○	Fight against the invading pathogens
○	Carries genetic information

4G 4G 12:18 ··· Vo)) LTE1 4G 80%
vulms.vu.edu.pk/

BC190408121: MUHAMMAD NAVEED AHMAD

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 2 of 10 (Start time: 12:18:44 PM, 05 February 2023)

Lysine is represented by one-letter code i.e.,

Select the correct option

○	I
○	L
○	Y
●	K

4G 4G 12:18 ... Vo)) LTE1 4G 80%
vulms.vu.edu.pk/

BC190408121: MUHAMMAD NAVEED AHMAD

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 1 of 10 (Start time: 12:18:30 PM, 05 February 2023)

Which of the following statements is un-true about proteins?

Select the correct option

○	Proteins spontaneously fold to take 3D forms
○	Proteins properties are linked to the properties of amino acids.
○	Proteins structures are organized into 1', 2', 3', 4' modular conformations
◉	Proteins are made by transcription of amino acids

4G 4G 11:49 ··· Vo)) LTE1 4G 86%

vulms.vu.edu.pk/

BC190408041: HUSNA BIBI

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start

Question # 10 of 10 (Start time: 11:49:07 AM, 05 February 2023)

Which of the following statements is un-true about 1' (Primary) structure of proteins?

Select the correct option

- ( ) The sequence of amino acids joined by a peptide bond
- ( ) The 1-D (Primary) structure of proteins can be determined by Edman Degradation
- (•) The 1-D (Primary) structure of proteins can be determined by Nuclear Magnetic Resonance (NMR)
- ( ) The Primary OR 1' structure of a protein determines its initial properties.

Click to Save Ar

4G 4G 11:49 ··· Vo)) LTE1 4G 86%
vulms.vu.edu.pk/

BC190408041: HUSNA BIBI

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 9 of 10 (Start time: 11:48:59 AM, 05 February 2023)

1 Angstrom is a unit of length equal to .....

Select the correct option

○	1^{10}
○	1^{-10}
○	10^{10}
◉	10^{-10}

4G 4G 11:48 ··· Vo)) LTE1 4G 86%
vulms.vu.edu.pk/

BC190408041: HUSNA BIBI

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 8 of 10 (Start time: 11:48:49 AM, 05 February 2023)

The 1-D (Primary) structure of proteins can be determined by .....

Select the correct option

◉	Both Edman Degradation & NMR
○	Tandem Mass Spectrometry
○	Nuclear Magnetic Resonance (NMR)
○	Edman Degradation

4G 4G 11:48 ··· Vo)) LTE1 4G 86%

vulms.vu.edu.pk/

BC190408041: HUSNA BIBI

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Star

Question # 7 of 10 (Start time: 11:48:02 AM, 05 February 2023)

Which of the following statements are true about 3-D (Tertiary) structure of proteins?

Select the correct option

○	3' structures are formed by different peptide chains that make up the proteins
○	3' Structures of proteins are formed as a result of hydrophobic interactions between polar R-groups
●	Combinations of Alpha helices, Beta sheets, coils and loops help form 3' structures
○	Primary structure of proteins determines the tertiary structure

Click to Save

≡ ⌂ ↩

11:47 86%
vulms.vu.edu.pk/

BC190408041: HUSNA BIBI

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 6 of 10 (Start time: 11:47:49 AM, 05 February 2023)

Which of the following statements is true about proteins?

Select the correct option

○	Proteins are polymers of peptide bonds
◉	Proteins are polymers of amino acids
○	Proteins are polymers of di-sulfide bridges
○	Proteins are polymers of glucose

4G 4G 11:47 ··· Vo)) LTE1 4G 86%

vulms.vu.edu.pk/

BC190408041: HUSNA BIBI

Time Left 84 sec(s)

BIF401 - Bioinformatics I (Quiz No. 2)

Quiz Start Time: 11:45 AM, 05 February 2023

Question # 5 of 10 (Start time: 11:47:37 AM, 05 February 2023)

Total Marks: 1

Which of the following statements is un-true about 2' (Secondary) structure of proteins?

Select the correct option

Reload Math Equations

- 2' Structures of proteins are formed as a result of Hydrogen bond formation between N and C termini in a protein backbone
- Hydrogen bonds are the reason of 2' structures of proteins
- 2' structures of proteins include Alpha helices and Beta sheets
- (●) 2' Structures of proteins are formed as a result of peptides bond formation between N and C termini in a protein backbone

Click to Save Answer & Move to Next Question

11:47 ··· 86%

vulms.vu.edu.pk/

BC190408041: HUSNA BIBI

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 4 of 10 (Start time: 11:47:20 AM, 05 February 2023)

Which of the following statements is un-true about proteins?

Select the correct option

◉	Proteins are made by transcription of amino acids
○	Proteins structures are organized into 1', 2', 3', 4' modular conformations
○	Proteins properties are linked to the properties of amino acids.
○	Proteins spontaneously fold to take 3D forms

11:47 86%
vulms.vu.edu.pk/

BC190408041: HUSNA BIBI

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 3 of 10 (Start time: 11:47:10 AM, 05 February 2023)

Beeta-pleated sheets are the examples of .....

Select the correct option

○	4' OR 4-D OR Quaternary Structure of proteins
◉	2' OR 2-D OR Secondary Structure of proteins
○	1' OR 1-D OR Primary Structure of proteins
○	3' OR 3-D OR Tertiary Structure of proteins

4G 4G 11:47 ··· Vo)) LTE1 4G 86%

vulms.vu.edu.pk/

BC190408041: HUSNA BIBI

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start Tim

Question # 2 of 10 (Start time: 11:46:47 AM, 05 February 2023)

Which of the following statements are true about quaternary structure of proteins?

Select the correct option

- (●) 4' (Quaternary) structure of proteins are formed by peptide chains that make-up the protein
- ( ) Combinations of Alpha helices, Beta sheets, coils and loops help form 3' structures
- ( ) 4' Structures of proteins are formed as a result of hydrophobic interactions between non-polar R-groups
- ( ) Proteins comprised of only single chain have a quaternary structure

Click to Save Answe

11:45 86%
vulms.vu.edu.pk/

BC190408041: HUSNA BIBI

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 1 of 10 (Start time: 11:45:27 AM, 05 February 2023)

Proteins are made by ..... of amino acids.

Select the correct option

○	Translation
○	None of these
○	Transcription
◉	Polymerization

4G 4G 11:01 90%
vulms.vu.edu.pk/

BC190412716: SYED MUHAMMAD USMAN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 10 of 10 (Start time: 11:00:11 AM, 05 February 2023)

Proteins are made by ..... of amino acids.

Select the correct option

◉	Polymerization
○	None of these
○	Transcription
○	Translation

4G 4G 11:00 Vo) LTE1 90%
vulms.vu.edu.pk/

BC190412716: SYED MUHAMMAD USMAN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 9 of 10 (Start time: 11:00:02 AM, 05 February 2023)

Which of the following statements is true about proteins?

Select the correct option

◉	Proteins are polymers of amino acids
○	Proteins are polymers of peptide bonds
○	Proteins are polymers of glucose
○	Proteins are polymers of di-sulfide bridges

4G 4G 10:59 Vo) LTE1 90%
vulms.vu.edu.pk/

BC190412716: SYED MUHAMMAD USMAN

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start Time: 1(

Question # 8 of 10 (Start time: 10:59:45 AM, 05 February 2023)

Which of the following statements are true about quaternary structure of proteins?

Select the correct option

- (●) 4' (Quaternary) structure of proteins are formed by peptide chains that make-up the protein
- ( ) 4' Structures of proteins are formed as a result of hydrophobic interactions between non-polar R-groups
- ( ) Proteins comprised of only single chain have a quaternary structure
- ( ) Combinations of Alpha helices, Beta sheets, coils and loops help form 3' structures

Click to Save Answer &

4G 4G 10:59 Vo)) LTE1 90%
vulms.vu.edu.pk/

BC190412716: SYED MUHAMMAD USMAN

Time Left

BIF401 - Bioinformatics I (Quiz No. 2)

Quiz Start Time: 10:54 AM, 05 Febru

Question # 7 of 10 (Start time: 10:59:29 AM, 05 February 2023)

Toto

Which of the following statements is un-true about 2' (Secondary) structure of proteins?

Select the correct option

Reload Math Eq

- [ ] 2' Structures of proteins are formed as a result of Hydrogen bond formation between N and C termini in a protein backbone
- [ ] 2' structures of proteins include Alpha helices and Beta sheets
- [x] 2' Structures of proteins are formed as a result of peptides bond formation between N and C termini in a protein backbone
- [ ] Hydrogen bonds are the reason of 2' structures of proteins

Click to Save Answer & Move to Next Que

4G 4G 10:59 Vo) LTE1 90%
vulms.vu.edu.pk/

BC190412716: SYED MUHAMMAD USMAN

BIF401 - Bioinformatics I (Quiz No. 2) Quiz St

Question # 5 of 10 (Start time: 10:59:05 AM, 05 February 2023)

Which one of the following bonds, is the reason of 2-D (2' OR Secondary) structure formation of protein?

Select the correct option

- ○ Peptides bond
- ◉ Hydrogen bond
- ○ Covalent bond
- ○ Ionic bond

Click to Sav

4G 4G 10:58 Vo) LTE1 90%

vulms.vu.edu.pk/

BC190412716: SYED MUHAMMAD USMAN

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start Tim

Question # 4 of 10 (Start time: 10:58:27 AM, 05 February 2023)

Proteins are made-up of amino acids; these amino acids are linked together by which of the following bonds?

Select the correct option

- ○ Disulfide bond
- ○ Ionic bond
- ◉ Peptide bond
- ○ Hydrogen bond

Click to Save Answ

≡ ⌂ ↩

4G 4G 10:58 90%
vulms.vu.edu.pk/

BC190412716: SYED MUHAMMAD USMAN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 3 of 10 (Start time: 10:57:49 AM, 05 February 2023)

The 1-D (Primary) structure of proteins can be determined by .....

Select the correct option

◉	Both Edman Degradation & NMR
○	Edman Degradation
○	Nuclear Magnetic Resonance (NMR)
○	Tandem Mass Spectrometry

10:57 90%
vulms.vu.edu.pk/

BC190412716: SYED MUHAMMAD USMAN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 2 of 10 (Start time: 10:56:18 AM, 05 February 2023)

Which of the following is responsible for determining a protein's 3D shape?

Select the correct option

○	Interaction with other polypeptides
○	Interaction with molecular chaperons
○	Peptide bond
●	Amino acid sequence

10:56 90%
vulms.vu.edu.pk/

BC190412716: SYED MUHAMMAD USMAN

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 1 of 10 (Start time: 10:54:25 AM, 05 February 2023)

At isoelectric pH, an amino acid exists as

Select the correct option

○	Cation
○	Anion
○	Zwitterion
◉	None of these

10:44 92%
vulms.vu.edu.pk/

BC190413291: USWA TARIQ

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 10 of 10 (Start time: 10:43:59 AM, 05 February 2023)

Which of the following is responsible for determining a protein's 3D shape?

Select the correct option

○	Interaction with molecular chaperons
○	Peptide bond
●	Amino acid sequence
○	Interaction with other polypeptides

10:43 92%
vulms.vu.edu.pk/

BC190413291: USWA TARIQ

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 9 of 10 (Start time: 10:43:39 AM, 05 February 2023)

How many bonded atoms are required to constitute a dihedral angle, such as phi or psi?

Select the correct option

- (●) 4
- ( ) 3
- ( ) 1
- ( ) 2

4G 4G 10:43 92%
vulms.vu.edu.pk/

BC190413291: USWA TARIQ

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Sta

Question # 8 of 10 (Start time: 10:43:00 AM, 05 February 2023)

Which one of the following bonds, is the reason of 2-D (2' OR Secondary) structure formation of protein?

Select the correct option

○	Peptides bond
●	Hydrogen bond
○	Covalent bond
○	Ionic bond

Click to Save

10:42 92%
vulms.vu.edu.pk/

BC190413291: USWA TARIQ

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 7 of 10 (Start time: 10:42:45 AM, 05 February 2023)

Which of the following statements is true about proteins?

Select the correct option

○	Proteins are polymers of glucose
○	Proteins are polymers of peptide bonds
○	Proteins are polymers of di-sulfide bridges
●	Proteins are polymers of amino acids

10:42 92%
vulms.vu.edu.pk/

BC190413291: USWA TARIQ

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 6 of 10 (Start time: 10:42:36 AM, 05 February 2023)

Lysine is represented by one-letter code i.e.,

Select the correct option

○	I
◉	K
○	Y
○	L

4G 4G 10:42 92%
vulms.vu.edu.pk/

BC190413291: USWA TARIQ

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 5 of 10 (Start time: 10:42:08 AM, 05 February 2023)

Which of the following statements is un-true about proteins?

Select the correct option

◉	Proteins are made by transcription of amino acids
○	Proteins structures are organized into 1', 2', 3', 4' modular conformations
○	Proteins spontaneously fold to take 3D forms
○	Proteins properties are linked to the properties of amino acids.

4G 4G 10:42 92%
vulms.vu.edu.pk/

BC190413291: USWA TARIQ

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 4 of 10 (Start time: 10:41:54 AM, 05 February 2023)

1 Angstrom is a unit of length equal to .....

Select the correct option

○	10^{10}
●	10^{-10}
○	1^{10}
○	1^{-10}

4G 4G 10:40 92%
vulms.vu.edu.pk/

BC190413291: USWA TARIQ

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Sta

Question # 2 of 10 (Start time: 10:40:17 AM, 05 February 2023)

Which of the following statements is un-true about 1' (Primary) structure of proteins?

Select the correct option

○	The sequence of amino acids joined by a peptide bond
○	The Primary OR 1' structure of a protein determines its initial properties.
○	The 1-D (Primary) structure of proteins can be determined by Edman Degradation
●	The 1-D (Primary) structure of proteins can be determined by Nuclear Magnetic Resonance (NMR)

Click to Save

4G 4G 10:40 Vo) LTE1 92%
vulms.vu.edu.pk/

BC190413291: USWA TARIQ

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 1 of 10 (Start time: 10:39:26 AM, 05 February 2023)

Beeta-pleated sheets are the examples of .....

Select the correct option

○	1' OR 1-D OR Primary Structure of proteins
○	4' OR 4-D OR Quaternary Structure of proteins
○	3' OR 3-D OR Tertiary Structure of proteins
◉	2' OR 2-D OR Secondary Structure of proteins

4G 4G 9:29 Vo) LTE1 97%
vulms.vu.edu.pk/

BC190408807: RIMSHA MUSTAFA

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 10 of 10 (Start time: 09:28:34 AM, 05 February 2023)

How many bonded atoms are required to constitute a dihedral angle, such as phi or psi?

Select the correct option

○	2
○	3
●	4
○	1

4G 4G 9:26 Vo)) LTE1 97%

vulms.vu.edu.pk/

BC190408807: RIMSHA MUSTAFA

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Start Tim

Question # 8 of 10 (Start time: 09:24:30 AM, 05 February 2023)

Which of the following statements are true about quaternary structure of proteins?

Select the correct option

- [ ] Proteins comprised of only single chain have a quaternary structure
- [ ] 4' Structures of proteins are formed as a result of hydrophobic interactions between non-polar R-groups
- [x] 4' (Quaternary) structure of proteins are formed by peptide chains that make-up the protein
- [ ] Combinations of Alpha helices, Beta sheets, coils and loops help form 3' structures

Click to Save Answ

9:24 97%
vulms.vu.edu.pk/

BC190408807: RIMSHA MUSTAFA

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 7 of 10 (Start time: 09:23:43 AM, 05 February 2023)

Lysine is represented by one-letter code i.e.,

Select the correct option

- ○ I
- ○ Y
- ○ L
- ◉ K

4G 4G 9:23 Vo) LTE1 97%

vulms.vu.edu.pk/

BC190408807: RIMSHA MUSTAFA

Time L

BIF401 - Bioinformatics I (Quiz No. 2)

Quiz Start Time: 09:17 AM, 05 Feb

Question # 6 of 10 (Start time: 09:22:51 AM, 05 February 2023)

To

Which of the following statements is un-true about 2' (Secondary) structure of proteins?

Select the correct option

Reload Math

- Hydrogen bonds are the reason of 2' structures of proteins
- 2' Structures of proteins are formed as a result of Hydrogen bond formation between N and C termini in a protein backbone
- 2' Structures of proteins are formed as a result of peptides bond formation between N and C termini in a protein backbone
- 2' structures of proteins include Alpha helices and Beta sheets

Click to Save Answer & Move to Next Q

4G 4G 9:22 Vo) LTE1 97%
vulms.vu.edu.pk/

BC190408807: RIMSHA MUSTAFA

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 5 of 10 (Start time: 09:22:22 AM, 05 February 2023)

1 Angstrom is a unit of length equal to .....

Select the correct option

○	10^{10}
○	1^{-10}
○	1^{10}
●	10^{-10}

4G 4G 9:22 Vo)) LTE1 97%
vulms.vu.edu.pk/

BC190408807: RIMSHA MUSTAFA

BIF401 - Bioinformatics I (Quiz No. 2) Quiz S

Question # 4 of 10 (Start time: 09:21:37 AM, 05 February 2023)

Which of the following statements is un-true about 1' (Primary) structure of proteins?

Select the correct option

◉	The 1-D (Primary) structure of proteins can be determined by Nuclear Magnetic Resonance (NMR)
○	The Primary OR 1' structure of a protein determines its initial properties.
○	The sequence of amino acids joined by a peptide bond
○	The 1-D (Primary) structure of proteins can be determined by Edman Degradation

Click to Sa

4G 4G 9:21 Vo)) LTE1 97%

vulms.vu.edu.pk/

BC190408807: RIMSHA MUSTAFA

BIF401 - Bioinformatics I (Quiz No. 2) Quiz Sta

Question # 3 of 10 (Start time: 09:20:43 AM, 05 February 2023)

Which one of the following bonds, is the reason of 2-D (2' OR Secondary) structure formation of protein?

Select the correct option

- (●) Hydrogen bond
- ( ) Peptides bond
- ( ) Covalent bond
- ( ) Ionic bond

Click to Save

4G 4G 9:20 Vo) LTE1 98%
vulms.vu.edu.pk/

BC190408807: RIMSHA MUSTAFA

BIF401 - Bioinformatics I (Quiz No. 2)

Question # 2 of 10 (Start time: 09:19:08 AM, 05 February 2023)

The 1-D (Primary) structure of proteins can be determined by .....

Select the correct option

○	Edman Degradation
○	Tandem Mass Spectrometry
◉	Both Edman Degradation & NMR
○	Nuclear Magnetic Resonance (NMR)