MUHAMMAD IMRAN

BIF501-Bioinformatics-II

Quiz No.2

Topics 161 to 190.

1. Some form of RNA can form secondary structures by “pairing up” …… with _____ **itself**
2. tRNA is type of ……. RNA _____ **non-coding**
3. …….is a process of organizing similar objects_____ **clustering**
4. A-U is ……..Base Pairs_____ **Canonical**
5. Blast program is used in _____ **bioinformatics**
6. ……. Regression is a ……. Approach to modeling the relationship between a scalar response and one or more explanatory variables. _____ **linear , linear**
7. …… is the last step in newly drug discovery_____ **phase 4 clinical studies**
8. …… region in sequence such as those in RNA that will from secondary structure are an example of such context free sequence. _____ **complementary**
9. ……. Is the first step in newly drug discovery. _____ **Drug discovery and target validation**
10. Virtual screening is a step followed in. _____ **Computer Aided Drug Designing**
11. …… IS used to lead generation and lead optimization. _____ **ASINEX**
12. The technique of pairwise alignment reconstructs alignment of …… sequence _____ **more than two**
13. Forensic science usually do experiments on …….. DNA _____ **nucleic**
14. Through a single scoring matrix evaluation of all different possible configuration is done _____ **false**
15. …….. algorithm is use for protein structure prediction _____ **chou fasman**
16. Isobaric tags are _____ **identical mass**
17. What is protea typic peptide _____
18. …… are found by characterizing natural products employing combination chemistry or by molecular modeling as In rational drug design. _____ **all of the above**
19. Mass spectrometry is used to sequence ……. Length proteins. _____ **larger**
20. Responsible for protecting the public health by ensuring the safety efficacy and security of human and veterinary drugs biological products and medical devices and by ensuring the safety of our nations food supply cosmetic and products the emit radiation. _____ **the food and drug administration**
21. The second step in newly drug discovery. _____ **Preclinical testing**
22. RNA secondary structure can be predicted by. _____
23.

BEST OF LUCK