

Question # 3 of 10 (Start time: 04:06:56 PM, 13 November 2025)

How many entities are involved in a ternary relationship?

Select the correct option

☐	3 or more
☐	More than 3
☒	exactly 3
☐	less than 3

Question # 4 of 10 (Start time: 04:07:12 PM, 13 November 2025)

Which of the following is used to achieve information hiding?

Select the correct option

☐	Aggregation
☐	Inheritance
☐	Composition
☒	Encapsulation

Question # 10 of 10 (Start time: 04:09:09 PM, 13 November 2025)

Which of the following option is false?

Select the correct option

☒	Data members can't be inherited
☐	Private members can be accessed using friend functions
☐	Member functions can be made private
☐	Public members are accessible from other classes also

Question # 1 of 10 (Start time: 04:06:11 PM, 13 November 2025)

Which of the following concept deals with the security of data?

Select the correct option

☐	Inheritance
☐	Polymorphism
☐	Generalization
☒	Data Hiding

Question # 2 of 10 (Start time: 04:06:24 PM, 13 November 2025)

Following code is equivalent to which option.

```
class Shape  
{  
    string type;  
};
```

Select the correct option

☒	class Shape { private: string type; };
☐	class Shape { protected: string type; };
☐	class Shape { public: string type; };
☐	class Shape public: { public: string type; };

Question # 9 of 10 (Start time: 04:08:44 PM, 13 November 2025)

Which of the following is correct way of declaring the attribute as a public?

Select the correct option

☐	<code>class Student public: { char *name;};</code>
☐	<code>class Student { char *name;};</code>
☒	<code>class Student { public: char *name;};</code>
☐	<code>class public Student { char *name;};</code>

Question # 8 of 10 (Start time: 04:08:31 PM, 13 November 2025)

There are two classes Cat and Dog.

Behaviors of Cat class are eat() and meow().

Behaviors of Dog class are eat() and bark().

Which of the above behavior(s) could be extracted from this scenario as Generalization to create a new class?

Select the correct option

☐	meow(), bark()
☐	bark()
☐	meow()
☒	eat()

Question # 7 of 10 (Start time: 04:08:18 PM, 13 November 2025)

_____ is a concept to extract common behaviours by using Bottom to Top approach.

Select the correct option

☐	Specialization
☒	Generalization
☐	Extension
☐	Sub-typing

Question # 6 of 10 (Start time: 04:07:58 PM, 13 November 2025)

Which of the given option is not correct for destructor?

Select the correct option

☐	Destructor is a function with the same name as that of class but preceded with a tilde ~
☒	Destructor is a function with the same name as that of class, but preceded with a tilde 'void ~'
☐	Destructor is used to free the memory allocated through dynamic allocation.
☐	Destructor is used to free the memory allocated through new operator.

Question # 5 of 10 (**Start time: 04:07:45 PM, 13 November 2025**)

Which of the following can be the attribute of the Employee class?

Select the correct option

☐	Course
☐	GPA
☐	Roll Number
☒	Salary