



ALL PAID SERVICE

OUR CAPABILITIES :

- ✓ LMS Handling
- ✓ Quizes solution
- ✓ Assignments
- ✓ Mid and Final Term Notes
- ✓ Project CS 619
- ✓ GDB

INBOX NOW

CONTACT DETAILS:

0328-4090195
rts849@outlook.com

Talha Sajid



1.. An alternative method is the longest-matching strategy. This method involves firing the conclusion that was derived from the _____.

- a) Complex rule
- b) Longest rule**
- c) Forward chain rule
- d) Shortest rule

2. General games involves.

- a) single-agent
- b) multi-agent
- c) only single-agent and multi-agent**
- d) neither single-agent nor multi-agent

3. _____ is the part of the system that controls the process of deriving conclusions.

- a) An interpreter, or inference engine**
- b) A database of facts
- c) A knowledge base
- d) An object

4. Adversarial search problems uses .

- a) competitive environment**
- b) cooperative environment
- c) neither competitive nor cooperative environment

d) an only competitive and cooperative environment

5. How many types of facts are there in formal knowledge representation?

- a) 6
- b) 5**
- c) 4
- d) 7

6. Genetic algorithm start with the population of randomly generated, attempted solutions to a problem and repeatedly do the following except _.

- a) evaluate each attempted solutions
- b) keep the best solutions
- c) produce next generation using inheritance and mutation.
- d) perform non parallel search**

7. _____ has the same notion of having something or some attribute from a parent.

- a) Mutation
- b) Gene
- c) Crossover
- d) Inheritance**

8. What is Artificial Intelligence?

- a) Putting your intelligence into Computer
- b) Programming with your intelligence
- c) Making a Machine intelligent**
- d) Playing a Game

9. To create intelligent machines we first need to understand how the real

.

- a) introspection of mind
- b) psychological experiment
- c) brain functions**
- d) human body works

10. R1/XCON expert system was developed by?

- a) Digital Computer Corporation
- b) Digital Equipment Corporation**
- c) Computer accessories company
- d) DELL

11. In Depth-First Search, how many times a node is visited?

- a) Once
- b) Twice
- c) Equivalent to number of in degree of the node**
- d) Thric

12. The ability to understand things without explicitly programmed a computer is called?

- a) Fuzzy logic
- b) Deep learning
- c) Machine learning
- d) Artificial Intelligence**

13. Every graph can be converted into a .

- a) Tree**
- b) statement
- c) problem
- d) repeated cycle

14. "If you find the goal, exit, otherwise repeat DFS to the next lower level". The statement refers to:

- a) Depth first search
- b) Breadth first search
- c) Progressive Deepening**
- d) None progressive depending

15. Performance of an expert system is as compared to a human expert.

- a) High**
- b) Low
- c) Medium
- d) Average

16. Hit and trial is a classical approach to solve the _____ problems easily.

- a) Trivial**
- b) medium
- c) complex
- d) structured

17. A function by which we can tell which board position is nearer to our goal is called.

- a) Alternative function
- b) Recursive function
- c) Best function
- d) Fitness function**

18. The searching technique in which we purely use a hit and trial approach and will check all combinations till one takes it to the exact solution is referred to as _____.

- a) Blind/uninformed**
- b) Informed/heuristic
- c) Path/non-optimal

d) Optimal path

19. Genetic algorithm start with the population of randomly generated, attempted solutions to a problem and repeatedly do the following except_____.

- a) Keep the best solutions
- b) Perform non parallel search**
- c) Evaluate each attempted solutions
- d) Produce next generation using inheritance and mutation.

20. Graphs and Networks allow between objects/entities to be incorporated.

- a) Relationships**
- b) pictures
- c) representation
- d) communication

21. _____ is the type of knowledge that can be described as the knowledge about knowledge.

- a) Meta knowledge**
- b) Fuzzy knowledge
- c) Uncertain knowledge
- d) Declarative knowledge

22. In Genetic algorithm has the same notion of having something or some attribute from a parent while refers to a small random change.

- a) inheritance, mutation**
- b) DFS, BFS
- c) A*, Dynamic programing
- d) subtraction, multiplication

23. Back-propagation learning algorithm was invented by _.

Contact us on WhatsApp



0328-4090195

a) Bryson and Ho

- b) John McCarthy
- c) Marvin Minsky
- d) Alan Turing

24. The ability to learn and recognize things automatically called?

- a) Fuzzy logic
- b) Intelligence**
- c) Problem solving
- d) Defining the problem

25. The simple idea behind is that if we can reach a specific node through more than one different paths then we shall take the path with the minimum cost.

a) Dynamic programming

- b) Estimates
- c) Progressive deepening
- d) Beam search

26. Most of the solution spaces for problems can be represented in a ____.

- a) Tree
- b) Table
- c) Graph**
- d) Demo

27. Which of the following is NOT one of the steps of simple search algorithm?

- a) Initialize priority queue.
- b) Check if the priority queue is empty.
- c) If node picked from priority queue is goal node then return.
- d) Copy visited queue to priority queue.**



28. If Alpha implies beta is true and beta is known to be not true, then alpha could not have been true. This rule refers to:

- a) **Modus tolens**
- b) Modus ponens
- c) And-Elimination
- d) And-Introduction

29. The rules that define how conflict resolution will be used, and how other aspects of the system itself will run, are called _.

- a) Meta rules
- b) **Conflict resolution rules**
- c) Forward chain rules
- d) backward chain rules

30. The initial state and the legal moves for each side define the _____ for the game.

- a) Forest
- b) Search tree
- c) **Game Tree**
- d) State-space search

31. Identify the TRUE statement regarding “Heuristics”:

- a) Heuristics always give us good guess to reach to goal state.
- b) **Heuristics don't always give us good guess to reach to goal state.**
- c) Heuristics never give us good guess to reach to goal state.
- d) Both “heuristic” and “algorithm” are same thing.

32. In AI cycle _____ are closely coupled components; each is intrinsically tied to the other.

- a) **Reasoning**
- b) Learning and planning

- c) Learning and execution
- d) Perception and planning

33. What is the other name of the informed search strategy?

- a) Online search
- b) Simple search
- c) Heuristic search**
- d) None of the mentioned

34. "In context of Hill climbing algorithm, a person may reach the portion of a mountain which is totally flat, whatever step he takes gives him no improvement in height hence he gets stuck." The above statement refers to:

- a) Foothill problem
- b) Plateau problem**
- c) Ridge problem
- d) Slope problem

35. The problem is to place 8 queens on a chess board by using genetic algorithm, so that none of them can attack the other. A chess board can be considered as a plain board with _____ columns and _____ rows.

- a) Eight, six
- b) Eight, nine
- c) Eight, eight**
- d) Eight, seven

36. The conference that launched the AI revolution in 1956 was held at?

- a) Harvard
- b) Dartmouth**
- c) New York
- d) Stanford

37. There are many techniques to solve our problem of optimal search without using a brute force technique; one such procedure is called _____.

- a) Depth first method
- b) Branch and Bound**
- c) Breadth first method
- d) Progressive deepening

38. Cost of a human expert is as compared to an expert system

- a) High**
- b) Low
- c) Medium
- d) Average

39. There are many techniques to solve our problem of optimal search without using a brute force technique; one such procedure is called _____.

- a) Depth first method
- b) Branch and Bound**
- c) Breadth first method
- d) Progressive deepening

40. An expert system models the following aspect(s) of human expert

- a) Operators
- b) Knowledge and reasoning**
- c) Implications
- d) Operations

41. _____ is a description of valid statements, the expressions that are legal in that language.

- a) Syntax**
- b) Operator
- c) Behavior

d) Semantics

42. To create intelligent machines we first need to understand how the real .

- a) **Brain functions**
- b) Human body works
- c) Introspection of mind
- d) Psychological experiment

43. The machine has __, it would have used its Knowledge to counter for this new situation in its environment.

- a) **strong intelligence**
- b) weak intelligence
- c) efficient algorithms
- d) inference system

44. AI actually tries to recreate the functions of the inside of the brain as opposed to simply emulating behavior

- a) Weak
- b) **Strong**
- c) Weak and Strong
- d) Intermediate

45. “In context of Hill climbing algorithm, a person may reach the portion of a mountain which is totally flat, whatever step he takes gives him no improvement in height hence he gets stuck.” The above statement refers to:

- a) **Plateau problem**
- b) Simple problem
- c) Logic problem
- d) None of the these

46. The conference that launched the AI revolution in 1956 was held at?

- a) Stanford
- b) Harvard
- c) New York
- d) Dartmouth**

47. Solving the problem through genetic algorithm on the number of iterations is usually used to end the process in finite time.

- a) upper limit**
- b) lower limit
- c) middle limit
- d) no limit

48. The expert system models the following aspect(s) of human expert

- a) Knowledge
- b) Reasoning
- c) Both**
- d) None of these

49. The machine has _____, it would have used its knowledge to counter for this new situation in its environment

- a) Inference system
- b) Weak intelligence
- c) Strong intelligence**
- d) Efficient algorithms

50. _____ AI actually tries to recreate the functions of the inside of the brain as opposed to simply emulating behavior.

- a) Weak
- b) Strong**

- c) Intermediate
- d) Weak and Strong

51. Implication can also be represented as $(A \rightarrow B) = ?$

- a) $\neg A \vee B$
- b) $\sim A \wedge B$
- c) $A \vee \sim B$
- d) $A \wedge \sim B$

52. General games involves _____.

- a) Multi-agent
- b) Single-agent
- c) Only single-agent and multi-agent
- d) Neither single-agent nor multi-agent

53. Adversarial search problems uses _____.

- a) Competitive environment
- b) Cooperative environment
- c) Neither competitive nor cooperative environment
- d) An only competitive and cooperative environment

54. IF A THEN B This can be considered to have a similar logical meaning as the following:

- a) $A \rightarrow B$
- b) $A \leftrightarrow B$
- c) $B \leftrightarrow A$
- d) $A \leftarrow B$

55. What is artificial intelligence?

- a) Playing a Game
- b) Making a machine intelligent**
- c) Programming with your intelligence
- d) Putting your intelligence into Computer

56. The Breadth-First Search traversal of a graph will result into?

- a) Tree**
- b) Arrays
- c) Linked List
- d) Graph with back edges

57. R1/XCON expert system was developed by?

- a) DELL
- b) Digital Computer Corporation
- c) Digital Equipment Corporation**
- d) Computer accessories company

58. A function by which we can tell which board position is nearer to our goal is called.

- a) Best function
- b) Fitness function**
- c) Recursive function
- d) Alternative function

59. Graphs and Networks allow _____ between objects/entities to be incorporated.

- a) Pictures
- b) Relationships**
- c) Representation
- d) Communication

60. Back-propagation learning algorithm was invented by _.

- a) Alan Turing
- b) Bryson and ho**
- c) John McCarthy
- d) Marvin Minsky

61. The simplest way to perform _____ is to combine the head of one individual to the tail of the other.

- a) DFS
- b) BFS
- c) Mutation
- d) Crossover**

62. Which of the following is not the main phase of the linear sequence?

- a) System evaluation
- b) Planning
- c) Code
- d) Requirement engineering**

63. Some essential components of problem solving are Problem Statement, _____, Solution Space and Operators.

- a) Complex State
- b) Initial State
- c) Intermediate
- d) Goal State**

64. The simplest way to perform is to combine the head of one individual to the tail of the other.

- a) mutation
- b) crossover**
- c) DFS
- d) BFS

65. Which of the following is true?

- a) A graph may contain no edges and many vertices
- b) A graph may contain many edges and no vertices**
- c) A graph may contain no edges and no vertices
- d) A graph may contain no vertices and many edges

66. Variation in the offspring's(children) of the individuals are due to_____.

- a) Mutation
- b) Inheritance
- c) Both mutation and inheritance**
- d) Crossover

67. Which of the following, is not a component of an expert system?

- a) Inference engine
- b) Knowledge-base
- c) User interface
- d) Template**

68. In CLIPS, the Defrule construct is used to add _.

- a) Rules**
- b) facts
- c) principles
- d) agenda

69. In search, rather than trying all possible search paths, we focus on paths that seem to be getting closer to goal state using some kind of “guide”.

- a) **Heuristic**
- b) Uninformed
- c) Depth
- d) Progressive deepening

70. Which of the following is not considered being trait(s) of an expert?

- a) They possess specialized knowledge in certain area
- b) They possess experience the given area
- c) They can provide, upon elicitation, an explanation of their decisions
- d) **They possess long term memory**

71. Which of the following is NOT one of the expert systems?

- a) Dendral
- b) Mycin
- c) R1/XCON AL-JUNAID INSTITUTE OF GROUP
- d) **XOR**

72. are able to override the normal rules in expert systems.

- a) **Meta rules**
- b) Conflict resolution rules
- c) Forward chain
- d) Backward chain rules

73. Which of the following command is used to see the added facts in CLIPS?

- a) (fact)
- b) Fact
- c) **(facts)**
- d) Deftemplate

74. Ability to tackle ambiguous and fuzzy problems demonstrate

- a) Intelligence**
- b) Non intelligence behavior
- c) Deep learning
- d) Machine leaning

75. Which approach is used by the Best First Search algorithm while searching?

- a) Divide and Conquer
- b) Heuristic
- c) Greedy**
- d) Combinatorial

76. We use graphs to represent problems and their _.

- a) solution spaces**
- b) knowledge base
- c) parameters
- d) nodes and vertices

77. "I have never seen horses eating meat, so I can conclude that horses never eat meat". The given statement refers to:

- a) Inductive reasoning**
- b) Abductive reasoning
- c) Common-sense reasoning
- d) Non-monotonic reasoning

78. The state that represents the solution of the problem is called _.

- a) Solution space
- b) Goal space**

- c) Problem statement
- d) Knowledge base

79. Speed of an expert system is as compared to a human expert.

- a) High**
- b) Low
- c) Medium
- d) Average

80. “The process of working with knowledge, facts and problem solving strategies to draw conclusions”. The above statement refers to:

- a) Reasoning**
- b) Object-attribute-value triplet
- c) Refutation
- d) Conversion

81. is the part of the system that controls the process of deriving conclusions.

- a) A knowledge base**
- b) A database of facts
- c) An interpreter, or inference engine
- d) An object

82. The travelling inside a solution space requires something called as .

- a) Operands
- b) Inner solution
- c) Space solution
- d) Operators**

83. In the sequence 2 6 8 3 4 5 3 1, where will the value of Q5 placed in eight queen problem?

- a) 2 nd row and 1st column
- b) 7 th row and 6th column
- c) 4th row and 5th column**
- d) 3rd row and 2th column

84. Identify the TRUE statement about alpha-beta pruning:

- a) It reduces both the tree branches that must be generated and the number of evaluations**
- b) It decides about branching factor in a tree
- c) It is core of progressive deepening search
- d) Beta is the maximum upper bound of possible solutions

85. has the same notion of having something or some attribute from a parent.

- a) Mutation
- b) Crossover
- c) Inheritance**
- d) Gene

86. Which statement is wrong about heuristic search?

- a) to discover something or an idea embedded in a program
- b) to search and measure how far a node in a search tree seems to be from a goal
- c) to compare two nodes in a search tree to see if one is better than another
- d) give no optimal solution**

87. .“In context of Hill climbing algorithm, situation may arise when a step in one direction takes you lower, on the other hand when you step in some other

direction it gives you no improvement.” The above statement refers to:

- a) Foothill problem
- b) Plateau problem
- c) Ridge problem**
- d) Slope problem

88. Variable rule is matched with known facts and different possibilities for the variables are tested, to determine the truth of the fact, such rules are also called as .

- a) Uncertain rules
- b) directive rules
- c) fuzzy rules
- d) Pattern-matching rules**

89. A natural language generation program must decide .

- a) What to say
- b) When to say something
- c) Why it is being used
- d) Both what to say & when to say something**

90. Focused area of expertise” in human experts in referred to as in expert systems.

- a) Domain**
- b) Knowledge
- c) Reasoning
- d) Inference engine

91. If Alpha implies beta is true and beta is known to be not true. Then alpha could not have been true. This rule refers as:

- a) Modus ponens
- b) Modus tollens**

- c) And-Introduction
- d) And-Elimination

92. A computer vision technique that relies on image templates is .

- a) Edge detection
- b) Model-based vision
- c) Robot vision
- d) None of the mentioned**

93. The searching technique in which we purely use a hit and trial approach and will check all combinations till one takes it to the exact solution is referred to as.

- a) Blind/uninformed**
- b) Informed/heuristic
- c) Path/non-optimal
- d) Optimal path

94. Which of the following is not considered being trait(s) of an expert?

- a) They possess long term memory Page 111**
- b) They possess experience the given area
- c) They possess specialized knowledge in certain area
- d) They can provide, upon elicitation, an explanation of their decisions

95. Which of the following is NOT one of the expert systems?

- a) XOR**
- b) Mycin
- c) Dendral
- d) R1/XCON

96. -----are able to override the normal rules in expert systems.

a) Meta rules

- b) Forward chain
- c) Backward chain rules
- d) Conflict resolution rules

97. Ability to tackle ambiguous and fuzzy problems demonstrate.

a) Intelligence

- b) Deep learning
- c) Machine leaning
- d) Non-intelligence

98. Facts are the atomic units of knowledge. They represent the following type of knowledge.

- a) Common knowledge
- b) Meta knowledge
- c) Procedural knowledge
- d) Declarative knowledge**

99. Genetic algorithm use _____.

- a) Pipelining
- b) Heuristic approach
- c) Parallel approach**
- d) Sequential approach

100. Says that from "Alpha" and from "Beta" you can conclude "Alpha and Beta".

- a) Modus tolens
- b) Modus ponens
- c) And-Elimination
- d) And-Introduction**

101. Predicate calculus allows us to use quantifiers for statements, the symbol for the universal quantifier is represented as___.

- a) $\forall$
- b) $\exists$
- c) $\therefore$
- d) $\because$

102. In eight queen problem after performing mutation we flip bits at random and new board position is represented in binary as follows 0100 0101 1000 0010 0111 0001 0011 0101 Which of the following represent the new board position of individuals?

- a) 4 3 8 2 7 1 3 5
- b) 4 5 3 2 7 1 3 5
- c) 4 5 8 2 7 1 3 5
- d) 4 5 8 2 2 1 3 5

103. Intelligence is the ability to _____.

- a) Think
- b) Learn
- c) Plan and Schedule
- d) All of the above

104. In optimal path search we try to find the _____ solution

- a) Best
- b) Worst
- c) Least
- d) Least but not worst

105. Alpha beta pruning relates to:

- a) Depth first search
- b) Breadth first search
- c) Minmax procedure**
- d) Progressive deepening

106. The foothill problem occurs whenever there are _____ peaks.

- a) High
- b) Deep
- c) Primary
- d) Secondary**

107. A statement in conjunctive normal form (CNF) consists of _____

- a) Ors
- b) ANDS
- c) ANDs of Ors.**
- d) Ord of ANDS

108. In ____ search(es), we only have one agent searching solution space to

- a) Find goal state
- b) None of these
- c) Depth first search
- d) All of the given**

109. Solving 32-bit computer words using genetic algorithm we want a string in which all the bits are ones. We count the 1 bits in each word and exit if any of the words having all 32 bits set to 1 by using _____.

- a) Mutation
- b) Search space
- c) Initial population
- d) Evaluation function**

110. In the linear model which is not the step of the planning phase?

- a) Resource allocation
- b) Feasibility assessment
- c) Knowledge engineering**
- d) Task phasing and scheduling

111. Which of the following is NOT one of the drawbacks of depth first search?

- a) Requires the tree to be a complete tree
- b) Does not guarantee finding the shallowest goal
- c) Cut-off depth is similar so time complexity is more**
- d) Can run forever in search spaces with infinite length paths

112. In eight queen problem for the given sequence 1 6 5 3 2 5 3 7 the position of Q4 queen is at _____.

- a) Eighth column and second
- b) First column and third row
- c) Fourth column and third row**
- d) Second column and third row

113. Reasoning in backward chaining is known as:

- a) Data-driven reasoning
- b) Rule-driven reasoning
- c) Goal-driven reasoning**
- d) Intelligence-driven reasoning

114. _____ uses evolutionary techniques, based on function optimization and intelligence, to develop a solution.

- a) Genetic algorithm**

- b) Dynamic algorithm
- c) Sequential algorithm
- d) Conventional algorithm

115. Expert system technique where a hypothesis is given at the beginning and the inference engine proceeds to ask the user questions about selected facts until the hypothesis is either confirmed or denied

- a) Data mining
- b) Forward chaining
- c) Backward chaining**
- d) Network Knowledge

116. The component of the system that performs inference is called:

- a) Inference class
- b) Inference object
- c) Inference engine**
- d) Inference manager

117. To which depth does the alpha-beta pruning can be applied?

- a) 10 states
- b) 20 states
- c) 30 states
- d) Any depth**

118. ____ combine predicates and quantifiers to represent information

- a) Objects
- b) Subject
- c) Formulae**
- d) Constants

119. A fact or proposition is divided into two parts and are represented as ____

- a) Object and logic
- b) Algebra and calculus
- c) Reasoning and variable
- d) Predicate and argument**

120. Performance of an expert system is _____ as compared to a human expert.

- a) High**
- b) Low
- c) Medium
- d) Average

121. In Genetic algorithm _____ has the same notion of having something or some attribute from a parent while _____ refers to a small random change.

- a) DFS, BFS
- b) Inheritance, mutation**
- c) A*, Dynamic programming
- d) Subtraction, multiplication

122. Which of the following is NOT one of the steps of simple search algorithm?

- a) Initialize priority queue.
- b) Check if the priority queue is empty.
- c) Copy visited queue to priority queue.**
- d) If node picked from priority queue is goal node, then return.

123. Identify the TRUE statement regarding “Heuristics”:

- a) Both “heuristic” and “algorithm” are same thing.
- b) Heuristics never give us good guess to reach to goal state.
- c) Heuristics always give us good guess to reach to goal state.
- d) Heuristics don't always give us good guess to reach to goal state.**

124. "In context of Hill climbing algorithm, you might just reach local maxima and think that you have reached the global maxima, so getting stuck in the middle of searching the solution space." The above statement refers to:

- a) Slope problem
- b) Ridge problem
- c) Plateau problem
- d) Foothill problem**

125. CLIPS stands for:

- a) C Linguist Integrated Production System
- b) C# Language Integrated Production System
- c) C Language Integrated Production System**
- d) COBOL Language Integrated Production System

126. underestimates and dynamic programming.

- a) A* Procedure**
- b) Progressive deepening
- c) Beam search
- d) Linear search

127. In searches we are concerned with finding any one solution to our problem.

- a) Non optimal**
- b) Optimal path
- c) Contrary path
- d) Shortest path

128. In we may have multiple agents searching for solutions in the same solution space.

- a) Adversarial Search page 62 HO**
- b) Depth first search

Contact us on WhatsApp  0328-4090195

- c) Breadth first search
- d) Progressive deepening

129. "The branch of computer science that is concerned with the automation of intelligent behavior" this definition of AI is from.

- a) Charniak and McDermott
- b) Winston
- c) Luger and Subblefiled**
- d) Bellman

130. The plateau comes up when there is a mostly flat area the peaks.

- a) Separating**
- b) Joining
- c) Over
- d) None of the given

131. Another expert system named was developed by Digital Equipment Corporation, as a computer configuration assistant.

- a) R1/XCON**
- b) MYCIN
- c) Dendral
- d) R3/XCON

132. Procedures that search the solution space in an uninformed manner are usually costly with respect to _____.

- a) Time
- b) Space
- c) Time and space both**
- d) None of the given

133. Usually a graph is chosen to represent a fuzzy set.

- a) Triangular**
- b) Circular
- c) Conical
- d) None of the given

134. Reasoning in fuzzy logic is just a matter of generalizing the familiar logic.

- a) Boolean**
- b) Complex
- c) Cognitive
- d) Supervised

135. Reasoning is based on forming, or inducing a 'generalization' from a limited set of observations.

- a) Deductive
- b) Abductive
- c) Analogical
- d) Inductive**

136. Identify the correct step used to start design of an expert system.

- a) Feasibility study**
- b) Problem reorganization
- c) Scope study
- d) Rapid prototyping

137. If the antecedent is only partially true, then the output fuzzy set is truncated according to the method

- a) Intrinsic
- b) Implication**
- c) Boolean

d) None of the given

138. The degree of truth that we have been talking about is specifically driven out by a function called the function.

a) Membership

b) Ordinary

c) Fuzzy

d) Inline

139. Reasoning in forward chaining is known as:

a) Data-driven reasoning

b) Rule-driven reasoning

c) Intelligence-driven reasoning

d) Goal-driven reasoning

140. A tule, which takes a set of inputs and gives advice, as a result, is called

a) Recommendation Rule

b) Directive Rule

c) Relation Rule

d) None of the given options

141. IF temperature is below 0 THEN weather is cold The above rule is used to represent

a) Recommendations

b) Directives

c) Relations

d) None of the given options

142. Semantic networks are graphs, with nodes representing and arcs representing between objects.

- a) objects, relationships**
- b) relationships, distance
- c) objects, distance
- d) distance, relationships

143. What is the correct order for solving a problem using GA

I. Choose the best individuals from the population for crossover

II. Choose initial population

III. Evaluate the fitness of each individual

- a) I, II, III
- b) I, III, II
- c) II, I, III
- d) II, III, I**

144. According to Haugeland intelligence systems are _.

- a) think like humans**
- b) act like humans
- c) behave like an abnormal man
- d) behave like humans

145. In CLIPS, the command is used for debugging programs.

- a) FACT
- b) WATCH**
- c) CLEAR
- d) DEBUG

146. Which of the following is a valid example which represents a suitable antecedent in a rule?

- a) IF $x > 3$
- b) IF name is "Bob"
- c) IF weather is cold
- d) All of the given options**

147. From discipline of we have the tools and techniques to investigate the human mind and ways to represent the resulting theories

- a) Computer Science
- b) Biology
- c) Mathematics
- d) Psychology**

148. Intelligence is the characteristic of

- a) Living being**
- b) All things
- c) None of them
- d) All of them

149. For $[5, 7]$ and the data points (1, 10) and (2, 13), then what will be the value of badness?

- a) 12
- b) 20**
- c) 22
- d) 24

150. Which of the following is not a search strategy?

- a) Blind/uninformed search
- b) Informed/heuristic search
- c) Any path search

d) Leaf path search

151. is a genetic operator used to maintain genetic diversity from one generation of a population of genetic algorithm chromosomes to the next.

- a) Inheritance
- b) Mutation**
- c) Gene
- d) Crossover

152. Resolution requires all sentences to be converted into a special form called:

- a) Conjunctive normal form (CNF)**
- b) Third Normal form
- c) De-normalized Normal form
- d) 1 st Normal form

153. What are the components of a rule?

- a) Else and Then
- b) Premise and Conclusion**
- c) Then and Break
- d) If and Else

154. A “circle” symbol in a tree structure is called.

- a) Node**
- b) Edge
- c) Ancestor
- d) Descendant

155. Which expert system was design for chemical analysis of Martian soil for space mission?

- a) MYCIN
- b) Dendral**
- c) R1/XCON
- d) PXDES

156. Branch and bound is a.

- a) Data structure
- b) Problem-solving technique**
- c) Sorting algorithm
- d) Type of tree

157. In Adversarial search the goals of the adversaries are usually to each other

- a) Contrary**
- b) Same
- c) None

158. Semantic networks are computationally expensive at

- a) Runtime**
- b) Compile Time
- c) Start Time
- d) End Time

159. Which searching technique gives us a better solution every time.

- a) blind/uninformed
- b) informed/heuristic**
- c) path/non-optimal
- d) optimal path

160. In AI cycle are closely coupled components; each is intrinsically tied to the other.

- a) knowledge representation and reasoning
- b) learning and execution
- c) perception and planning
- d) learning and planning

161. Which one of the problem is more subtle, and consequently, is more frustrating:

- a) Foothill problem
- b) Plateau
- c) Ridge
- d) Box

162. Which of the following, is not a component of an expert system?

- a) Template
- b) User interface
- c) Inference engine
- d) Knowledge-base

163. In _____ search, rather than trying all possible search paths, we focus on paths that seem to be getting closer to goal state using some kind of “guide”.

- a) Depth
- b) Heuristic
- c) Uninformed
- d) Progressive deepening

164. What will be the output when we will remove arrow?

- a) $A \rightarrow B$
- b) $\sim A \vee \sim B$
- c) $\sim A \vee B$

d) $A \vee \sim B$

165. If Ali is 2 years younger than Umar and Umar is 23 years old. How old is Ali?

a) Ali is 22 years old.

b) Ali is 21 years old.

c) Ali is 23 years old.

d) All is 20 years old.

166. Identify the TRUE statement about alpha-beta pruning:

a) It decides about branching factor in a tree

b) It is core of progressive deepening search

c) Beta is the maximum upper bound of possible solutions

d) It reduces both the tree branches that must be generated and the number of evaluations

167. Forward chaining is known as:

a) Data-driven reasoning

b) Rule-driven reasoning

c) Goal-driven reasoning

d) Intelligence-driven reasoning

168. In context of tree, an arrow from one node to other is called:

a) Root

b) Edge

c) Ancestor

d) Descendant

169. Psychological experiments deal with the stud of .

a) Introspection

- b) Study of the mind
- c) Science of mental life**
- d) Science of human body life

170. Which of the following best represents the term perceptron?

- a) An auto-associative neural network
- b) A neural network that contains feedback
- c) A double layer auto-associative neural network
- d) A single layer feed-forward neural network with preprocessing**

171. Backward chaining is more focused and tries to avoid exploring path of reasoning.

- a) Different
- b) Searching
- c) Necessary
- d) Unnecessary**

172. Variable rule is matched with known facts and different possibilities for the variables are tested, to determine the truth of the fact, such rules are also called as _____.

- a) Fuzzy rules
- b) Uncertain rules
- c) Directive rules
- d) matching rules**

173. The process continues recursively until a premise is found that is not supported by a rule. i.e. a premise is called a if it cannot be concluded by any rule.

- a) Antique
- b) Primitive Page 126**
- c) Elementary
- d) All of the above

174. In searches we are concerned with finding any one solution to our problem.

- a) Shortest path
- b) Non optimal**
- c) Optimal path
- d) Contrary path

175. In CLIPS, the command is used for debugging programs.

- a) FACT
- b) CLEAR
- c) DEBUG
- d) WATCH**

176. $A \vee (B \wedge C) = \text{Note:}$

" $\vee$ " represents OR operator

" $\wedge$ " represents AND operator

- a) $(A \vee B) \wedge (A \vee C)$**
- b) $(A \wedge B) \wedge (A \wedge C)$
- c) $(A \vee B) \vee (A \vee C)$
- d) $(A \vee C) \vee (A \vee B)$

177. Which particular generation of computers is associated with artificial intelligence?

- a) Fifth**
- b) Third
- c) Second
- d) Fourth

178. logic lets us define more realistically the true functions that define

- a) Fuzzy**
- b) real world

- c) Classical
- d) Boolean

179. In the worst case of semantic network, we may need to traverse the entire network and then discover that the requested info

- a) Exists
- b) Is correct
- c) Is incorrect
- d) Does not exist**

180. In Adversarial search the goals of the adversaries are usually to each other

- a) Same
- b) None
- c) Contrary**
- d) Different

181. Are closely coupled components; each is intrinsically tied to the other.

- I. Knowledge representation
- II. Reasoning
- III. Planning
- IV. Execution

- a) i & ii**
- b) ii & iii
- c) ii & iii
- d) iii & iv

182. In Basic Genetic Algorithm the term mutation refers to a small random

- a) Change**
- b) Operator
- c) Number

d) Operand

183. From discipline we have information about the network structure of a human brain and all the theories on functionalities of different human organs.

a) Biology

b) Psychology

c) Mathematics

d) Computer Science

184. Classical way of problem solving

a) GA

b) Test

c) None

d) Generate and Test

185. In the statement "IF A THEN B", B is called

a) Antecedent

b) Consequent

c) Both

d) None of these

186. Eight queen problem illustrates that placement of 8 queens on a chess board so that none of them can the other.

a) Breed

b) Attack

c) Mutate

d) Generate

187. Which value is assigned to alpha and beta in the alpha-beta pruning?

- a) Alpha = max
- b) Beta = min
- c) Both Alpha = max & Beta = min**
- d) Alpha = max

188. Genetic Algorithm is a in which multiple search paths are followed in parallel.

- a) search method**
- b) data structure
- c) sorting algorithm
- d) type of tree

189. Which values are independent in the minimax search algorithm?

- a) Pruned leaves x and y**
- b) Each state are dependent
- c) Root is independent
- d) Non pruned leaves

190. We can get solution given some parameters using Genetic Algorithm.

- a) Optimal**
- b) Formal
- c) Complex
- d) Structured

191. The domain of intelligence in which machines that act intelligently and they have real conscious minds is called .

- a) strong AI**
- b) weak AI
- c) both of the above
- d) none of the above

192. queen is at _____.

- a) Fourth column and third row
- b) Second column and third row
- c) First column and third row
- d) Eighth column and second

193. The expression 'the cat drove the car' is correct, but non-sensible.

- a) logically, inductively
- b) deductively, inductively
- c) syntactically, semantically
- d) Monotonically, non-monotonically

194. In intelligence to solve the trivial problems we use approach

- a) Trial and error
- b) Hit and trial
- c) Dynamic programming
- d) Divide and conquer

195. In Line fitting problem using genetic algorithm usual way to compute the goodness to fit the polynomial on the given data points can be computed as _____.

- a) $(\text{actual } y - \text{predicted } y)^2$
- b) $(\text{actual } y)^2$
- c) $y = mx + c$
- d) $y = mx$

196. Which search is equal to min max search but eliminates the branches that can't influence the final decision?

- a) Depth-first search
- b) Breadth-first search

c) Alpha-beta pruning

d) Beam search

197. In eight queen problem the given sequence 2 6 8 3 4 5 3 1 illustrates that in column the queen is placed in the row.

a) sixth, second

b) first, fifth

c) second, sixth

d) third, fifth

198. Which of the following is not the example of uninformed search?

a) Depth first search

b) First path search

c) Breadth first search

d) Progressive deepening

199. Psychological experiments deal with the study of .

a) introspection

b) study of the mind

c) science of mental life

d) science of human body life

200. The component of the system that performs inference is called:

a) Beam search

b) Inference object

c) Inference manager

d) inference class

201. Which of the following best represents the term perceptron?

a) A single layer feed-forward neural network with pre-processing

- b) An auto-associative neural network
- c) A double layer auto-associative neural network
- d) A neural network that contains feedback

202. An alternative method is the longest-matching strategy. This method involves firing the conclusion that was derived from the .

a) Longest rule

- b) Shortest rule
- c) Complex rule
- d) Forward chain rule

203. Which of the following is/are considered being trait(s) of an expert?

- a) They possess experience the given area
- b) They possess specialized knowledge in certain area
- c) They can provide, upon elicitation, an explanation of their decisions

d) All of the given options

204. The values of the set membership is represented by _____ Set Table

Degree of truth

205. Relationships between objects and concepts represent which type of knowledge?

- a) Meta
- b) Heuristic
- c) Structure**
- d) Declarative

206. Identify the TRUE statement egarding “Heuristics”:

Contact us on WhatsApp  0328-4090195

- a) Both “heuristic” and “algorithm” are same thing.
- b) Heuristics never give us good guess to reach to goal state.
- c) Heuristics always give us good guess to reach to goal state.
- d) Heuristics don't always give us good guess to reach to goal state.**

207. The domain of intelligence in which machines can be made to act as if they are intelligent is called _____.

- a) Weak AI**
- b) Strong AI
- c) Intermediate AI
- d) Strong AI & weak AI

Best of Luck

For Free help, more Mid/Final term Files and for Exam Preparation : [You Can Join:](#)

Contact us on WhatsApp  0328-4090195