STAT404

Subscribe

Question # 1 of 30

SOLVED BY: WAQAR HUSSAIN

The point where regression line cuts the y-axis is called

Select the correct option

- Slop
- Intercept
- Origin
- Centroid

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 2 of 30

SOLVED BY: WAQAR HUSSAIN

Which one is the correct symbol used for POPULATION regression coefficient?

Select the correct option

- r
- $\beta(beta)$
- R
- $\rho(rho)$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 3 of 30

SOLVED BY: WAQAR HUSSAIN

Which test is used to check the hypothesis that $\rho(rho)$ is equal to some specific value?

Select the correct option

- t-test
- z-test
- f-test
- chi-test

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 4 of 30

SOLVED BY: WAQAR HUSSAIN

Which one is the correct symbol used for SAMPLE regression coefficient?

Select the correct option

- a
- $\rho(rho)$
- $a(alpha)$
- r

for More Quiz Subscribe our Channel TALENT JAKARTA

STAT404

Subscribe

Question # 5 of 30

SOLVED BY: WAQAR HUSSAIN

What is the value of y- intercept in the regression line $Y = 2X + 3$?

Select the correct option

- 2
- 5
- 6
- 3

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 6 of 30

SOLVED BY: WAQAR HUSSAIN

Which one is the first step in the hypothesis testing procedure?

Select the correct option

- Level of significance
- Stating Hypothesis
- Critical region
- Test statistics

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 7 of 30

SOLVED BY: WAQAR HUSSAIN

Which one is the correct symbol for y-intercept, when regression line is calculated by using the sample data?

Select the correct option

- ○ $\hat{y}$
- ○ a
- ○ $\rho(r$
- ○ $\beta(beta)$

Difference between Population & Sample Regression

- Population Regression

$$Y = \alpha + \beta X + \varepsilon$$

- Sample Regression

$$Y = a + bX + e$$

STAT404

Subscribe

Question # 7 of 30

SOLVED BY: WAQAR HUSSAIN

Which one is the correct symbol for y-intercept, when regression line is calculated by using the sample data?

Select the correct option

- $\hat{y}$
- a
- $\rho(rho)$
- $\beta(beta)$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 8 of 30

SOLVED BY: WAQAR HUSSAIN

Suppose you need to test $H_o: \rho = o$. Which other hypothesis testing is will give you same result?

Select the correct option

- $H_o: \alpha = o$
- $H_o: \beta = o$
- $H_o: z = o$
- $H_o: r = o$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 9 of 30

SOLVED BY: WAQAR HUSSAIN

What is the value of y-intercept in the regression line $Y = -1 + 2X$?

Select the correct option

- $|-1|$
- -2
- -1
- 2

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 10 of 30

SOLVED BY: WAQAR HUSSAIN

Suppose you need to test $H_o: \beta = o$. Which other hypothesis testing is will give you same result?

Select the correct option

- $H_o: \rho = o$
- $H_o: \alpha = o$
- $H_o: z = o$
- $H_o: t = o$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 11 of 30

SOLVED BY: WAQAR HUSSAIN

Which symbol is used to denote the level of significance in hypothesis testing?

Select the correct option

- Step 2

  We set the level of significance (alpha) $\alpha = 0.05$ (5%)

- $\rho(rho)$

- $\alpha(alpha)$

STAT404

Subscribe

Question # 11 of 30

SOLVED BY: WAQAR HUSSAIN

Which symbol is used to denote the level of significance in hypothesis testing?

Select the correct option

- r
- a
- $\rho(rho)$
- $\alpha(alpha)$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 12 of 30

SOLVED BY: WAQAR HUSSAIN

There is No linear relationship between X and Y. Which hypothesis should you test?

Select the correct option

- $Ho: a = 0$
- $Ho: y = 0$
- $Ho: \rho = 0$
- $Ho: r = 0$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 13 of 30

SOLVED BY: WAQAR HUSSAIN

In hypothesis testing simple correlation coefficient, if sample size is 15 then what is value of degree of freedom?

Select the correct option

- 14
- 13
- 15
- 16

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 14 of 30

SOLVED BY: WAQAR HUSSAIN

The point where regression line cuts the axis is called

Select the correct option

- Slop
- Intercept
- Origin
- Centroid

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 15 of 30

SOLVED BY: WAQAR HUSSAIN

In hypothesis testing of simple correlation coefficient, t-test is applicable for _____

Select the correct option

- large sample size only
- small sample size only
- moderate sample size only
- any sample size

STAT404

Subscribe

Question # 16 of 30

SOLVED BY: WAQAR HUSSAIN

In hypothesis testing simple correlation coefficient, if sample size is 12 then what is value of degree of freedom?

Select the correct option

- 10
- 11
- 9
- 12

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 17 of 30

SOLVED BY: WAQAR HUSSAIN

Which test is used to check the hypothesis that $\rho = 0$?

Select the correct option

- t-test
- z-test
- f-test
- chi-test

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 18 of 30

SOLVED BY: WAQAR HUSSAIN

Which one is the correct symbol used for SAMPLE correlation coefficient?

Select the correct option

- a
- $\rho(r$
- r
- $a(a_{rho})$

Notations:

Sample Correlation Coefficient	Population Correlation Coefficient
English letter "r"	Greek small letter "ρ" (rho)

STAT404

Subscribe

Question # 18 of 30

SOLVED BY: WAQAR HUSSAIN

Which one is the correct symbol used for SAMPLE correlation coefficient?

Select the correct option

- a
- $\rho(rho)$
- r
- $a(alpha)$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 19 of 30

SOLVED BY: WAQAR HUSSAIN

Which one is the correct symbol used for POPULATION correlation coefficient?

Select the correct option

- r
- a
- $\beta(beta)$
- $\rho(rho)$

STAT404

Subscribe

Question # 19 of 30

SOLVED BY: WAQAR HUSSAIN

Which one is the correct symbol used for POPULATION correlation coefficient?

Select the correct option

- r
- a
- $\beta(beta)$
- $\rho(rho)$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 20 of 30

SOLVED BY: WAQAR HUSSAIN

If the FIRST DIFFERENCES of log Y and log X are approximately constant, then what is the most appropriate line/curve to fit?

Select the correct option

- A straight line
- An exponential curve
- A Geometric curve
- Second degree parabola

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 21 of 30

SOLVED BY: WAQAR HUSSAIN

Standard deviation of regression is also known as

Select the correct option

- Standard Error of Estimate
- Coefficient of variation
- Correlation coefficient
- Sampling error of estimate

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 22 of 30

SOLVED BY: WAQAR HUSSAIN

What is the value of y-intercept in the regression line $Y = -2 - 3X$?

Select the correct option

- 2
- −2
- −3
- −3X

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 23 of 30

SOLVED BY: WAQAR HUSSAIN

What is the value of y-intercept in the regression line $Y = -2 - 4X$?

Select the correct option

- 2
- 4
- −2
- −4

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 24 of 30

SOLVED BY: WAQAR HUSSAIN

Which one is the correct symbol for y-intercept of population regression line?

Select the correct option

- $\alpha(alpha)$
- r
- a
- $\rho\ (rho)$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 25 of 30

SOLVED BY: WAQAR HUSSAIN

For which case, the sampling distribution of correlation coefficient 'r' is symmetrical?

Select the correct option

- $p > 0$
- $p > 0$
- $p \neq 0$
- $p = 0$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 26 of 30

SOLVED BY: WAQAR HUSSAIN

In hypothesis testing of simple correlation coefficient, t-test is applicable

Select the correct option

- For any sample size
- For large sample size only
- For small sample size only
- For moderate sample size only

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 27 of 30

SOLVED BY: WAQAR HUSSAIN

This equation $Y = a + bX + cX^2$ is called as

Select the correct option

- Equation of straight line
- Equation of third degree
- Equation of second degree parabola
- Equation of exponential curve

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 28 of 30

SOLVED BY: WAQAR HUSSAIN

How many normal equation will be formed for this equation? $Y = a + bX + cX^2$

Select the correct option

- 3
- 2
- 1
- 4

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 29 of 30

SOLVED BY: WAQAR HUSSAIN

The degree of scatter (dispersion) of the observed values about the regression line is measured by method known as

Select the correct option

- Standard Error of Estimate
- Coefficient of variation
- Correlation coefficient
- Sampling error of estimate

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 30 of 30

SOLVED BY: WAQAR HUSSAIN

If the SECOND DIFFERENCES of Y are approximately constant, then what is the most appropriate line/curve to fit?

Select the correct option

- A straight line
- Second degree parabola
- An exponential curve
- Third degree parabola

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 2 of 30

SOLVED BY: WAQAR HUSSAIN

What value of level of significance is most frequently used in hypothesis testing?

Select the correct option

- 1%
- 5%
- 10%
- 20%

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 3 of 30

SOLVED BY: WAQAR HUSSAIN

The multiple correlation coefficient R:

Select the correct option

- Can vary within the range from −1 to +1, inclusive
- Can vary within the range from 0 to +1, inclusive
- Can be less than the 0
- Cannot achieve an absolute value of unity

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 4 of 30

SOLVED BY: WAQAR HUSSAIN

How many dependent variable(s) may appear in a multiple regression?

Select the correct option

- 1
- 0
- 2
- 3

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 5 of 30

SOLVED BY: WAQAR HUSSAIN

The equation of second order degree is also known as

Select the correct option

- Straight line
- Hyperbola
- Normal curve
- Parabola

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 6 of 30

SOLVED BY: WAQAR HUSSAIN

The reciprocal of 23 is

Select the correct option

- 0.23
- 0.04
- 5
- 32

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 7 of 30

SOLVED BY: WAQAR HUSSAIN

If the graph of the values of X and Y gives a curve with only one bend then what equation we should fit?

Select the correct option

- Bell shape line
- Quadratic Line
- Cubic line
- Linear line

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 8 of 30

SOLVED BY: WAQAR HUSSAIN

The equation $\frac{1}{y} = a + bX$, can be converted into linear form by using

Select the correct option

- Log of values
- Reciprocal of values
- Delta of values
- Exponential of value

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 9 of 30

SOLVED BY: WAQAR HUSSAIN

For the equation $\frac{1}{Y} = a + bX$, we should fit?

Select the correct option

- Reciprocal curve
- Exponential curve
- A straight line
- Second degree parabola

for more Quiz Subscribe our Channel: TALEEM JAKARTA

STAT404

Subscribe

Question # 10 of 30

SOLVED BY: WAQAR HUSSAIN

The technique that is used to convert nonlinear form of equation to the linear form of normal equation is called?

Select the correct option

- Transformation technique
- Matrix technique
- Correlation technique
- Regression technique

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 11 of 30

SOLVED BY: WAQAR HUSSAIN

If the THIRD DIFFERENCES of Y are approximately constant, then what is the most appropriate line/curve to fit?

Select the correct option

- An exponential curve
- Second degree parabola
- Third degree parabola
- A straight line

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 12 of 30

SOLVED BY: WAQAR HUSSAIN

If the FIRST DIFFERENCES of log Y are approximately constant, then what is the most appropriate line/curve to fit?

Select the correct option

- A straight line
- Second degree parabola
- An exponential curve
- Third degree parabola

for More Quiz Subscribe our Channel: TALEEM MAKAN

STAT404

Subscribe

Question # 13 of 30

SOLVED BY: WAQAR HUSSAIN

If the FIRST DIFFERENCES of reciprocals of Y are approximately constant, then what is the most appropriate line/curve to fit?

Select the correct option

- An exponential curve
- A straight line
- Second degree parabola
- Third degree parabola

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 14 of 30

SOLVED BY: WAQAR HUSSAIN

If the SECOND DIFFERENCES of Y are approximately constant, then what is the most appropriate line/curve to fit?

Select the correct option

- A straight line
- Second degree parabola
- An exponential curve
- Third degree parabola

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 15 of 30

SOLVED BY: WAQAR HUSSAIN

The degree of scatter (dispersion) of the observed values about the regression line is measured by method known as

Select the correct option

- Coefficient of variation
- Correlation coefficient
- Sampling error of estimate
- Standard Error of Estimate

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 16 of 30

SOLVED BY: WAQAR HUSSAIN

How many independent variables are involved in this equation?

$Y = a + bX + cX^2$

Select the correct option

- 0
- 2
- 1
- 3

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 17 of 30

SOLVED BY: WAQAR HUSSAIN

How many normal equation will be formed for this equation?

$Y = a + bX + cX^2$

Select the correct option

- 3
- 1
- 2
- 4

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 20 of 30

SOLVED BY: WAQAR HUSSAIN

For which case, the sampling distribution of correlation coefficient 'r' is symmetrical?

Select the correct option

- $p > 0$
- $p > 0$
- $p = 0$
- $p \neq 0$

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 21 of 30

SOLVED BY: WAQAR HUSSAIN

What is the value of y-intercept in the regression line $Y = -5 - 3X$?

Select the correct option

- −5
- 5
- −3
- 3

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 22 of 30

SOLVED BY: WAQAR HUSSAIN

Standard deviation of regression is also known as

Select the correct option

- Coefficient of variation
- Standard Error of Estimate
- Correlation coefficient
- Sampling error of estimate

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 23 of 30

SOLVED BY: WAQAR HUSSAIN

What is the value of y-intercept in the regression line $Y = -4 - 5X$?

Select the correct option

- 5
- 4
- −5
- −4

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 24 of 30

SOLVED BY: WAQAR HUSSAIN

If the FIRST DIFFERENCES of log Y and log X are approximately constant, then what is the most appropriate line/curve to fit?

Select the correct option

- A Geometric curve
- A straight line
- An exponential curve
- Second degree parabola

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 25 of 30

SOLVED BY: WAQAR HUSSAIN

Which test is used to check the hypothesis that $\rho = 0$?

Select the correct option

- z-test
- f-test
- chi-test
- t-test

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 26 of 30

SOLVED BY: WAQAR HUSSAIN

In hypothesis testing simple correlation coefficient, if sample size is 12 then what is value of degree of freedom?

Select the correct option

- 9
- 10
- 11
- 12

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT404

Subscribe

Question # 30 of 30

SOLVED BY: WAQAR HUSSAIN

The coefficient of correlation

Select the correct option

- is the square of the coefficient of determination
- is the square root of the coefficient of determination
- is the same as r–square
- can never be negative

For More Quiz Subscribe our Channel: TALEEMI MARKAZ