PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

CS304P LAB QUIZ#5

LATEST ATTEMPT BY

@STUDYWITHHAMZA25

PAID QUIZ CONTACT

03147094561

MARKS GURANTEE 80%TO100%

LMS HANDLING SERVICES AVAILABLE

JOIN WHATSAPP GROUP FOR LATEST SOLUTIONS

https://www.youtube.com/@studywithhamza25

Click Youtube Button To

Subscribe My Channel

WHATSAPP GROUP1

JOIN NOW

WHATSAPP GROUP 2

JOIN NOW

JOIN WHATSAPP CHANNEL

JOIN NOW

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

1. Which of the following is a weak relationship?

a. Inheritance

b. Composition

c. Aggregation. @studywithhamza25

d. Association

2. Which of the following is true about the aggregation?

a. Aggregation is a weak relationship.

The aggregation is a relationship between container and contained objects. @studywithhamza25

b.

c. The life of the sub-object is dependent on the life of the master class.

d. All of the given options

3. Which of the following offers a programmer the facility of using a specific class object into other classes?

a. Polymorphism

b. Inheritance

c. Abstraction

d. Composition . @studywithhamza25

4. Why do we need relationships between classes?

a. To enhance the communication between classes

b. All of the given option. @studywithhamza25

c. To use the functionality of one class into derived classes

d. To increase code re-usability

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

5. Which of the following creates the strongest relationship between two objects?

a. Aggregation
b. Composition
c. Inheritance. @studywithhamza25

d. Association

6. What is the purpose of new operator?

a. Used to declare any new thing in a program
b. Used as return type when an object is created
c. Allocates memory for an object or array and returns a particular pointer. @studywithhamza25
d. Allocates memory for an object or array

7. Which of the following is true about the friend functions?

a. All of the given options. @studywithhamza25
b. Access specifiers has no impact on friend functions or classes
c. Friend functions can be placed anywhere in the class
d. Prototypes of friend functions appear in the class definition.

8. A doctor can see patients. This type of relationship is known as _____.

a. Two-way Association. @studywithhamza25
b. One-way Association
c. Binary Association
d. Ternary Association

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

9. In C++, if new operator is used, when is the constructor called?

a. After the allocation of memory

b. Depends on code

c. Constructor is called to allocate memory

d. Before the allocation of memory. @studywithhamza25

10. When an object of a class is the data member of another class, it is called as _____.

a. inheritance

b. Association

c. aggregation

d. composition. @studywithhamza25

11. In the call by reference method, which operator is used to get the address of a variable?

a. %

b. &

c. @

d. #

12. Which of the following two arrays are copy-able?

a. int a[4], int b[5]

b. int a[5], float b[5]

c. float a[4], int b[5]

d. int a[5], int b[5] . @studywithhamza25

13. Which of the following is the correct way to initialize all the elements of array with 0?

a. int arr[5]=All_Zero;

b. int arr[5]={5(0)};

c. int arr[5]={5&0}

d. int arr[5]={0};. @studywithhamza25

14. The size variable in the following program is a _____ variable.

```
#include<iostream>
...
int size;
...
int main ()
{
...
}
```

Study With Hamza
SUBSCRIBE
EDUCATION A WAY OF LIGHT
@studywithhamza25
@hamzabahtti25
03147094561
03217769365

a. Local

b. Static

c. Constant

d. Global. @studywithhamza25

15. Which of the following is the correct method to declare an array?

a. data type array name [size]; . @studywithhamza25

b. array name data type [size];

c. [size] array name data type;

d. array name [size] data type;

16.
```
#include<iostream>
#include <stdio.h>
using namespace std;
void test() {
static int count = 0;
count++;
cout<<" "<<count;
}
int main() {
test(); test(); test();
return 0;
}
```

What will be the correct output of above code?

a. 1 2 3

. @studywithhamza25
Study With Hamza
EDUCATION A WAY OF LIGHT
03147094561
@hamzabahtti25

b. 111

c. 112

d. 333

17. Which of the given option is not correct for destructor?

a. Destructor is a function with the same name as that of class but preceded with a tilde ~

b. Destructor is used to free the memory allocated through dynamic allocation.

c. Destructor is used to free the memory allocated through new operator.

d. Destructor is a function with the same name as that of class, but preceded with a tilde 'void ~. @studywithhamza25

18. Which statement is true about life of a static data member?

a. Static members are destroyed dynamically.

b. They remains in memory even if all objects are destroyed. . @studywithhamza25

c. Static data members are destroyed when single object of a class is destroyed.

d. Static data member exists only within the scope of the class constructor.

19. People own Book. This type of relationship is known as _____.

a. Ternary Association

b. Two-way Association

c. Binary Association. @studywithhamza25

d. One-way Association

20. Interaction of different objects in OO model is known as _____.

a. Abstraction

b. Inheritance

c. Association. @studywithhamza25

d. Encapsulation

21. Which of the following is correct way of declaring the attribute as a public?

a. class Student { char *name;};

b. class public Student { char *name;};

c. class Student { public: char *name;}; . @studywithhamza25

d. class Student public: { char *name;};

22. Car carries passengers.

a. Bus carries passengers.

b. Truck carries luggage.

c. Harvester harvests the crops.

d. Car, Bus, Harvester and Truck are derived from which class?

e. Vehicle. @studywithhamza25

f. Navy Ships

g. Passenger Transport

h. Public Transport

Study With Hamza
@studywithhamza25
03147094561
03217769365
@hamzabahtti25

23. Chair is a(an) _____ object and patent is a(an) _____ object.

a. Tangible, Intangible. @studywithhamza25

b. Intangible. Tangible

c. Tangible, Tangible

d. Intangible, Intangible

24. Static data members are shared ¬¬¬¬¬by _____ of the class.

a. Public data members
b. Private data members
c. Protected data members
d. All types of data members. @studywithhamza25

25. Which of the following option correctly declares a static variable ‘x’ ?

a. int x static;
b. int static x;
c. static int x; . @studywithhamza25
d. static x int;

26. Which statement is true about life of a static data member?

a. Static data members are destroyed when single object of a class is destroyed.
b. Static members are destroyed dynamically.
c. Static data member exists only within the scope of the class constructor.
d. They remains in memory even if all objects are destroyed. . @studywithhamza25

27. Which of the following option correctly declares a static variable ‘x’ ?

a. int static x;
b. static x int;
c. int x static;
d. static int x; . @studywithhamza25

28. Static data members are shared by _____ of the class.

a. Private data members
b. Public data members
c. Protected data members
d. All types of data members. @studywithhamza25

29. "Static data member is declared ___ the class, but they are defined ___ the class."

a. Choose the correct sequence of data member declaration and definition.
b. Outside, Outside
c. Inside, Inside
d. Inside, Outside. @studywithhamza25

e. Outside, Inside

30. Which statement is not true for static member functions?

Hamza
SUBSCRIBE
@studywithhamza25
03147094561
03217769365

a. Access mechanism for static member functions is same as that of static data members.
b. They cannot access any non-static members.
c. They are capable to access static as well as non-static member functions. . @studywithhamza25

d. They are used to access static data members.

31. Which of the following option correctly declares a static variable 'x' ?

a. static int x; . @studywithhamza25
b. int x static;
c. static x int;
d. int static x;

32. Which statement is true about life of a static data member?

a. Static members are destroyed dynamically.

b. Static data members are destroyed when single object of a class is destroyed.

c. They remains in memory even if all objects are destroyed. . @studywithhamza25

d. Static data member exists only within the scope of the class constructor.

33. Which of the following keyword should be used to declare a static variable?

a. stat

b. static. @studywithhamza25

c. const

d. global

34. Static data members are shared by _____ of the class.

a. Protected data members

b. Public data members

c. Private data members. @studywithhamza25

d. All types of data members

35. Which statement is not true for static member functions?

a. They are used to access static data members.

b. They cannot access any non-static members.

c. They are capable to access static as well as non-static member functions. . @studywithhamza25

Hamza
@studywithhamza25
03147094561
03217769365

d. Access mechanism for static member functions is same as that of static data members.

36. Which of the following keyword should be used to declare a static variable?

a. static. @studywithhamza25

b. stat

c. const

d. global

37. How many entities are involved in a ternary relationship?

a. exactly 3. @studywithhamza25

b. less than 3

c. More than 3

d. 3 or more

EDUCATION A WAY OF LIGHT
03147094561
03217769365

38. There are two classes Cat and Dog.
Behaviors of Cat class are eat() and meow().
Behaviors of Dog class are eat() and bark().
Which of the above behavior(s) could be extracted from this scenario as Generalization to create a new class?

a. eat()

b. meow()

c. bark()

d. meow(), bark(). @studywithhamza25

39. Which of the following is the default access specifier for members of a class?

a. public

b. protected and public

c. protected and private

d. private. @studywithhamza25

40. Which of the following class cannot exist standalone in an object model?

a. Friend Class

b. Derived Class

c. Concrete Class

d. Abstract Class. @studywithhamza25

41. Interaction of different objects in OO model is known as _____.

a. Inheritance

b. Encapsulation

c. Abstraction

d. Association. @studywithhamza25

03147094561
@hamzabahtti25

42. Following code is equivalent to which option.

```
class Shape
{
string type;
};
```

a. class Shape { private: string type; };

b. class Shape public: { public: string type; };

c. class Shape { public: string type; };. @studywithhamza25

d. class Shape { protected: string type; };

43. Which of the following option is false?

a. Data members can't be inherited. @studywithhamza25

b. Public members are accessible from other classes also
c. Private members can be accessed using friend functions
d. Member functions can be made private

.

44. Car carries passengers
Bus carries passengers.
Truck carries luggage.
Harvester harvests the crops.
Car, Bus, Harvester and Truck are derived from which class?

a. Navy Ships
b. Vehicle. @studywithhamza25
c. Public Transport
d. Passenger Transport

WAY OF LIGHT
withhamza25
03147094561
03217769365

45. Which of the following concept deals with the security of data?

a. Generalization
b. Polymorphism
c. Data Hiding. @studywithhamza25
d. Inheritance

46. Which of the following keyword should be used to declare a static variable?

a. global
b. const
c. static . @studywithhamza25
d. stat

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

47. Following code is equivalent to which option.

```
class Shape
{
string type;
};
```

a. class Shape { public: string type; }; @studywithhamza25
b. class Shape public: { public: string type; };
c. class Shape { protected: string type; };
d. class Shape { private: string type; };

48. How many entities are involved in a ternary relationship?

a. less than 3
b. 3 or more
c. exactly 3 @studywithhamza25
d. More than 3

@studywithhamza25 03217769365 @hamzabahtti25

49. Which of the following is correct way of declaring the attribute as a public?

a. class Student public: { char *name;};
b. class Student { public: char *name;}; @studywithhamza25
c. class Student { char *name;};
d. class public Student { char *name;};

50. Interaction of different objects in OO model is known as _____.

a. Inheritance
b. Encapsulation
c. Abstraction
d. Association. @studywithhamza25

51. There are two classes Cat and Dog.

Behaviors of Cat class are eat() and meow().

Behaviors of Dog class are eat() and bark().

Which of the above behavior(s) could be extracted from this scenario as Generalization to create a new class?

a. bark()
b. eat(). @studywithhamza25
c. meow(), bark()
d. meow()

EDUCATION A WAY OF LIGHT
@studywithhamza25
03147094561
03217769365
@hamzabahtti25

52. Chair is a(an) _____ object and patent is a(an) _____ object.

a. Intangible. Tangible
b. Tangible, Intangible. @studywithhamza25
c. Tangible, Tangible
d. Intangible, Intangible

53. Which of the following best defines static data members of a class?

a. Data member which is common to all the classes in a program
b. Data member which is allocated for each object separately

c. Data member with global scope

d. Data member which is common to all the objects of a class. @studywithhamza25

54. Which of the following option correctly declares a static variable 'x' ?

a. int x static;

b. static int x; . @studywithhamza25

c. static x int;

d. int static x;

55. Which of the following concept deals with the security of data?

a. Inheritance

b. Data Hiding. @studywithhamza25

c. Generalization

d. Polymorphism

@studywithhamza25 03147094561 03217769365

56. Which of the following is true about the aggregation?

a. The life of the sub-object is dependent on the life of the master class.

b. Aggregation is a weak relationship.

c. The aggregation is a relationship between container and contained objects. . @studywithhamza25

d. All of the given options

57. Which of the following is true about the friend functions?

a. Prototypes of friend functions appear in the class definition. . @studywithhamza25

b. All of the given options

c. Friend functions can be placed anywhere in the class
d. Access specifiers has no impact on friend functions or classes

58. What is the purpose of new operator?
a. Allocates memory for an object or array
b. Allocates memory for an object or array and returns a particular pointer. @studywithhamza25
c. Used to declare any new thing in a program
d. Used as return type when an object is created

59. Which of the following offers a programmer the facility of using a specific class object into other classes?
a. Inheritance
b. Composition . @studywithhamza25
c. Abstraction
d. Polymorphism

60. In C++, if new operator is used, when is the constructor called?
a. Before the allocation of memory
b. Constructor is called to allocate memory
c. Depends on code
d. After the allocation of memory. @studywithhamza25

61. The relationship between container and contained objects is called _____.
a. Aggregation
b. Composition . @studywithhamza25
c. Inheritance
d. Association

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

62. When an object of a class is the data member of another class, it is called as _____

a. composition. @studywithhamza25

b. inheritance

c. aggregation

d. Association

63. Which of the following creates the strongest relationship between two objects?

a. Aggregation

b. Inheritance. @studywithhamza25

c. Composition

d. Association

64. A doctor can see patients. This type of relationship is known as _____.

a. Binary Association

b. Two-way Association. @studywithhamza25

c. One-way Association

d. Ternary Association

https://www.youtube.com/@studywithhamza25

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

SUBSCRIBE MY YOUTIBE CHANNEL

Click Youtube Button To Subscribe My Channel



SUBSCRIBE NOW

THANK YOU!