

DOWNLOAD SOLVED FINAL

PAST PAPERS BY WAQAR SIDDHU

More in PDF From

VU Answer

Get All Solutions.

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

The operand of PUSH is called

Answer (Please select your correct option)

VuAnswers.com

- Source operand
- Destination operand
- Stack operand
- Data operand

Made by: Waqar Siddhu

The clear screen operation initializes whole block of video memory to

Answer (Please select your correct option)

VuAnswers.com

- 0417
- 0741
- 0714
- 0174

Made by: Waqar Siddhu

Which of the following IRQs is connected to serial port COM 2?

Answer (Please select your correct option)

VuAnswers.com

- IRQ 0
- IRQ 1
- IRQ 2
- IRQ 3

Made by: Waqar Siddhu

Which of the following IRQs is connected to serial port COM 1?

Answer (Please select your correct option)

- IRQ 4
- IRQ 5
- IRQ 6
- IRQ 7

VuAnswers.com

Made by: Waqar Siddhu

Which of the following IRQs is used for sound card or network card?

Answer (Please select your correct option)

VuAnswers.com

- IRQ 4
- IRQ 5
- IRQ 6
- IRQ 7

Made by: Waqar Siddhu

The programmable interval timer (PIT) has input frequency of

Answer (Please select your correct option)

VuAnswers.com

- [x] 1.193MHZ
- [ ] 2.193MHZ
- [ ] 3.193MHZ
- [ ] 4.193MHZ

Made by: Waqar Siddhu

By executing which of the following instruction, the value in AX register becomes the half of previously stored value ?

Answer (Please select your correct option)

VuAnswers.com

- Shl AX , 1
- Shr AX, 1
- NOT AX
- AND AX, 0xFFFF

Made by: Waqar Siddhu

8088 processor divides interrupts into _____ classes.

Answer (Please select your correct option)

- 2
- 3
- 4
- 5

VuAnswers.com

Made by: Waqar Siddhu

In A4FB:4872 Segment:offset pair the physical address is (both segment and offset are in hexadecimal):

Answer (Please select your correct option)

VuAnswers.com

- A4FB0
- 04872
- A9822
- A4872

Made by: Waqar Siddhu

When the instruction "CMP AX,BX" executes and after execution ZF is set, it indicates that

Answer (Please select your correct option)

VuAnswers.com

- AX is greater
- BX is greater
- Both AX and BX are equal
- ZF has no relation with CMP

Made by: Waqar Siddhu

Traditionally all the mathematical and logical operations are performed in _____

Answer (Please select your correct option)

VuAnswers.com

- Code Segment register
- Data Segment register
- Accumulator register
- Stack segment register

Made by: Waqar Siddhu

Stack is a data structure which behaves as

first in last out manner 59

Answer (Please select your correct option)

VuAnswers.com

- First in first out manner
- Last in first out manner
- All in no out manner
- Last in last out manner

Made by: Waqar Siddhu

Segment wraparound occurs when during the effective address calculation _____ is generated.

Answer (Please select your correct option)

VuAnswers.com

- carry
- error
- zero
- parity

Made by: Waqar Siddhu

The bits of _____ register work independently. If combined all these bits then they are meaningless.

Answer (Please select your correct option)

VuAnswers.com

- Accumulator (AX)
- Instruction Pointer (IP)
- Flag
- Base

Made by: Waqar Siddhu

IBM PC has separate memory address space and peripheral address space. Memory address space is selected when _____ instruction is given to the processor.

Answer (Please select your correct option)

VuAnswers.com

- MOV
- DEC
- IN
- ADD

Made by: Waqar Siddhu

INT 10 is used for _____ services.

Answer (Please select your correct option)

- BIOS video
- DOS video
- RAM
- Disk

VuAnswers.com

Made by: Waqar Siddhu

_____ are not used in mathematical operations.

Answer (Please select your correct option)

VuAnswers.com

- Carry, Interrupt and Trap flag
- Direction, Interrupt and Trap flag
- Direction, Overflow and Trap flag
- Direction, Interrupt and Sign flag

Made by: Waqar Siddhu

VESA stands for _____

Answer (Please select your correct option)

VuAnswers.com

- Variable Electronics Standards Association
- Video Electronics Standards Association
- Video Energy Standards Association
- Vega Energy Standards Association

Made by: Waqar Siddhu

In Computer Architecture, the Protected mode is different from _____

Answer (Please select your correct option)

VuAnswers.com

- Programming mode
- Real time mode
- Visualization mode
- Memory mode

not sure

Made by: Waqar Siddhu

In Assembly language programming, how many prevalent Calling Conventions do exist ?

Answer (Please select your correct option)

VuAnswers.com

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

In Computer Architecture, RISC stands for _____

Answer (Please select your correct option)

VuAnswers.com

- Reversed Instruction Set Computer
- Reversed Instruction System Computer
- Reduced Instruction Set Computer
- Reduced Instruction System Computer

Made by: Waqar Siddhu

In Computer Architecture, CISC stands for _____

Answer (Please select your correct option)

VuAnswers.com

- [x] Complex Instruction Set Computer
- [ ] Complex Instruction System Computer
- [ ] Correct Instruction Set Computer
- [ ] Correct Instruction System Computer

Made by: Waqar Siddhu

Which byte of the DOS input buffer holds the number of characters actually read on return?

Answer (Please select your correct option)

VuAnswers.com

- First Byte
- Second Byte
- Third Byte
- Last Byte

Made by: Waqar Siddhu

In multi-tasking environment, which is called scheduler for saving and restoring the registers?

Answer (Please select your correct option)

VuAnswers.com

- INT 10
- INT 09
- INT 08
- INT 07

Made by: Waqar Siddhu

The thread registration code initializes the PCB and adds it to the linked list. so that which will give it a turn?

Answer (Please select your correct option)

VuAnswers.com

- (●) scheduler
- ( ) linker
- ( ) debugger
- ( ) assembler

Made by: Waqar Siddhu

In multi-tasking programming, all threads are

Answer (Please select your correct option)

- Independent to each other
- Dependent on each other
- Not executed
- Not scheduled

VuAnswers.com

Made by: Waqar Siddhu

"INT 10 Video - Scroll Up Window" is a type of video services used in which mode?

Answer (Please select your correct option)

- Graphics
- Text
- Audio
- Numeric

VuAnswers.com

Made by: Waqar Siddhu

BIOS sees the disks as

Answer (Please select your correct option)

VuAnswers.com

- logical storage device
- raw storage device
- in the form of sectors only
- in the form of tracks only

Made by: Waqar Siddhu

Which of the following gives more logical view of the storage medium ?

Answer (Please select your correct option)

- DOS
- RAM
- ROM
- BIOS

VuAnswers.com

Made by: Waqar Siddhu

In device attribute word, which of the following bit decides whether it is a character device or a block device ?

Answer (Please select your correct option)

VuAnswers.com

- Bit 12
- Bit 13
- Bit 14
- Bit 15

Made by: Waqar Siddhu

The serial port connection is a ---------- connector

Answer (Please select your correct option)

- 9 pin DB-9
- 8 pin DB-9
- 3 pin DB-9
- 9 pin DB-5

VuAnswers.com

Made by: Waqar Siddhu

In 9 pin DB-9, which pin number is assigned to TD (Transmitted Data) ?

Answer (Please select your correct option)

VuAnswers.com

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

In 9 pin DB-9, RI (Ring Indicator) is assigned on pin number _____

Answer (Please select your correct option)

VuAnswers.com

- 7
- 8
- 9
- 6

Made by: Waqar Siddhu

8088 is a .....

Answer (Please select your correct option)

- 16 bit processor
- 32 bit processor
- 64 bit processor
- 128 bit processor

VuAnswers.com

Made by: Waqar Siddhu

The table index (TI) is set to _____ to access the GDT (Global Descriptor Table).

Answer (Please select your correct option)

VuAnswers.com

- 1
- 0
- -1
- -2

Made by: Waqar Siddhu

In 68K processors there is a ..... program counter (PC) that holds the address of currently executing instruction.

Answer (Please select your correct option)

VuAnswers.com

- 8 bit
- 16 bit
- 32 bit
- 64 bit

Made by: Waqar Siddhu

In 68K processors there is a 32 bit ..... that holds the address of currently executing instruction.

Answer (Please select your correct option)

VuAnswers.com

- Program counter
- Stack pointer
- Register
- Stack

Made by: Waqar Siddhu

An 8 x 16 font is stored in _____ bytes.

Answer (Please select your correct option)

VuAnswers.com

- 2
- 4
- 8
- 16

Made by: Waqar Siddhu

Which of the following interrupts is Non Maskable Interrupt (NMI).

Answer (Please select your correct option)

VuAnswers.com

- [x] INT 2
- [ ] INT 3
- [ ] INT 0
- [ ] INT 1

Made by: Waqar Siddhu

_____ number of pin(s) of a processor is/are used by the external hardware to generate an interrupt.

Answer (Please select your correct option)

VuAnswers.com

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

After the execution of "PUSH AX" statement

VuAnswers.com

Answer (Please select your correct option)

- AX register will reside on the stack
- A copy of AX will go on the stack
- The value of AX disappear after moving on stack
- Stack will send an acceptance message

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following IRQs is connected to serial port COM 1?

VuAnswers.com

Answer (Please select your correct option)

- IRQ 4
- IRQ 5
- IRQ 6
- IRQ 7

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

An End of Interrupt (EOI) signal is sent by

VuAnswers.com

Answer (Please select your correct option)

- Handler
- Processor
- IRQ
- PIC

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

The programmable interval timer (PIT) has input frequency of

VuAnswers.com

Answer (Please select your correct option)

- 1.193MHZ
- 2.193MHZ
- 3.193MHZ
- 4.193MHZ

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following interrupt is of highest priority interrupt?

VuAnswers.com

Answer (Please select your correct option)

- Key board interrupt
- Timer interrupt
- INT 2
- INT 3

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

The actual physical address represented by the segment-offset pair "AB01:FFFF" will be:

VuAnswers.com

Answer (Please select your correct option)

- 1AB00
- 001AB
- BB00F
- F00BB

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

Suppose DH contains 10001010 and CL contains 3, what is the value of DH after the following instruction:
SHL DH, CL.

VuAnswers.com

Answer (Please select your correct option)

- [x] 01010000
- [ ] 10001010
- [ ] 00010100
- [ ] 01010111

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

When two devices in the system want to use the same IRQ line then what will happen?

VuAnswers.com

Answer (Please select your correct option)

- An IRQ Collision
- An IRQ Conflict
- An IRQ Crash
- An IRQ Blockage

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

After the execution of STOSW, the CX will be

VuAnswers.com

Answer (Please select your correct option)

- Decremented by 1
- Decremented by 2
- Incremented by 1
- Incremented by 2

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following is true ?

VuAnswers.com

Answer (Please select your correct option)

- [x] In general the memory cell cannot be wider than data bus
- [ ] Control bus is unidirectional
- [ ] Memory can use the address bus to refer to certain register in processor
- [ ] There is no relation between memory and data bus

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

Traditionally all the mathematical and logical operations are performed in _____

VuAnswers.com

Answer (Please select your correct option)

- Code Segment register
- Data Segment register
- Accumulator register
- Stack segment register

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

Relating to the stack in 8088 architecture which of the following statement is true ?

VuAnswers.com

Answer (Please select your correct option)

- Single word can not be pushed on the stack
- Single word can not be popped from the stack
- Single byte can not be popped from the stack
- Single quad can be popped from the stack

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

The second byte of the word designated for one screen location holds

VuAnswers.com

Answer (Please select your correct option)

- The dimensions of the screen
- Character position on the screen
- Character color on the screen
- ASCII code of the character

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

INT 10 is used for _____ services.

VuAnswers.com

Answer (Please select your correct option)

- BIOS video
- DOS video
- RAM
- Disk

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

In graphics mode a location in video memory corresponds to a _____ on the screen.

VuAnswers.com

Answer (Please select your correct option)

- line
- dot
- circle
- rectangle

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

The value of AH register in the write Graphics pixel service is _____

VuAnswers.com

Answer (Please select your correct option)

- 0Ch
- 0Bh
- 1Ch
- 2Ch

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

The space where the current state of a task is stored is called _____

VuAnswers.com

Answer (Please select your correct option)

- control block
- Process control block
- stack
- hard disk

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

INT 21 service 01H is used to read character from standard input with echo. It returns the result in _____ register.

VuAnswers.com

Answer (Please select your correct option)

- al
- bl
- cl
- bh

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

VESA VBE 2.0 is a standard for _____

VuAnswers.com

Answer (Please select your correct option)

- Ultra resolution mode
- High resolution mode
- Medium resolution mode
- Low resolution mode

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

VESA stands for _____

VuAnswers.com

Answer (Please select your correct option)

- Variable Electronics Standards Association
- Video Electronics Standards Association
- Video Energy Standards Association
- Vega Energy Standards Association

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

VBE stands for _____, as proposed by VESA (an organization).

VuAnswers.com

Answer (Please select your correct option)

- (●) Video BIOS Extensions
- ( ) Video BIOS Emergence
- ( ) Video Binary Extensions
- ( ) Video Blocked Extensions

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

IDTR is a _____ register.

VuAnswers.com

Answer (Please select your correct option)

- 16 bit
- 20 bit
- 32 bit
- 48 bit

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

In Computer Architecture, the Protected mode is different from _____

VuAnswers.com

Answer (Please select your correct option)

- Programming mode
- Real time mode
- Visualization mode
- Memory mode

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

Which byte of the DOS input buffer holds the number of characters actually read on return?

VuAnswers.com

Answer (Please select your correct option)

- First Byte
- Second Byte
- Third Byte
- Last Byte

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

What is the size of a Sector of a standard 1.44MB Floppy disk having 80 tracks and 18 Sectors/track?

VuAnswers.com

Answer (Please select your correct option)

- 128 Bytes
- 256 Bytes
- 512 Bytes
- 1024 Bytes

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

In multi-tasking environment, which is called scheduler for saving and restoring the registers?

VuAnswers.com

Answer (Please select your correct option)

- INT 10
- INT 09
- INT 08
- INT 07

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

Threads can have function calls, parameters and which type of variables?

VuAnswers.com

Answer (Please select your correct option)

- global
- local
- legal
- illegal

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

Technically IAPX88 stands for "_____Advanced Processor Extensions 88."

VuAnswers.com

Answer (Please select your correct option)

- [x] Intel
- [ ] Integrated
- [ ] Intra
- [ ] Internal

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

In Left-Shift-Operation, the left most bit _____

VuAnswers.com

Answer (Please select your correct option)

- will be dropped
- will go into CF
- will be moved to the right-most position
- will always be 1

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

The serial port connection is a ---------- connector

VuAnswers.com

Answer (Please select your correct option)

- [x] 9 pin DB-9
- [ ] 8 pin DB-9
- [ ] 3 pin DB-9
- [ ] 9 pin DB-5

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to CTS (Clear To Send) ?

VuAnswers.com

Answer (Please select your correct option)

- 6
- 7
- 8
- 9

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to CD (Carrier Detect) ?

VuAnswers.com

Answer (Please select your correct option)

- (●) 1
- ( ) 2
- ( ) 3
- ( ) 4

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following BIOS INT provides serial port services

VuAnswers.com

Answer (Please select your correct option)

- INT14
- INT11
- INT12
- INT13

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

8088 is a .....

VuAnswers.com

Answer (Please select your correct option)

- (●) 16 bit processor
- ( ) 32 bit processor
- ( ) 64 bit processor
- ( ) 128 bit processor

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

A 32 bit address register can access up to ..... of memory, so memory access has increased a lot.

VuAnswers.com

Answer (Please select your correct option)

- 2GB
- 4GB
- 6GB
- 8GB

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

The table index (TI) is set to _____ to access the GDT (Global Descriptor Table).

VuAnswers.com

Answer (Please select your correct option)

- 1
- 0
- -1
- -2

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

In 68K processors there is a ..... program counter (PC) that holds the address of currently executing instruction.

VuAnswers.com

Answer (Please select your correct option)

- 8 bit
- 16 bit
- 32 bit
- 64 bit

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

In 68K processors there is a 32 bit ..... that holds the address of currently executing instruction.

VuAnswers.com

Answer (Please select your correct option)

- [x] Program counter
- [ ] Stack pointer
- [ ] Register
- [ ] Stack

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

Programmable Interrupt Controller (PIC) has

VuAnswers.com

Answer (Please select your correct option)

- One input signals and eight output signals
- One input signal and one output signal
- Eight input signals and one output signals
- Eight input signals and eight output signals

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following interrupt is used in debugging with the help of trap flag?

VuAnswers.com

Answer (Please select your correct option)

- INT 0
- INT 1
- INT 2
- INT 3

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

In an indirect addressing mode the address of memory cell

Answer (Please select your correct option)

VuAnswers.com

- is placed in a register
- is directly accessed by instruction
- is constant
- is variable

Made by: Waqar Siddhu

In an indirect addressing mode the address of memory cell

Answer (Please select your correct option)

VuAnswers.com

- is placed in a register
- is directly accessed by instruction
- is constant
- is variable

Made by: Waqar Siddhu

In STOSB instruction, when DF is clear, SI is

Answer (Please select your correct option)

- Incremented by 1
- Incremented by 2
- Decremented by 1
- Decremented by 2

VuAnswers.com

Made by: Waqar Siddhu

IBM AT has how many PICs (Programmable interrupt controller)

Answer (Please select your correct option)

VuAnswers.com

1

2

3

4

Made by: Waqar Siddhu

Processor informs the memory that it wants to read data, using :

Answer (Please select your correct option)

VuAnswers.com

- Address bus
- Data bus
- Control bus
- It informs without using any bus

Made by: Waqar Siddhu

Memory cell width refers to _____

Answer (Please select your correct option)

- Number of bits in a cell
- The maximum value that can be stored in a cell including sign-bit
- The maximum value that can be stored in a cell excluding sign-bit
- Address of that cell

VuAnswers.com

Made by: Waqar Siddhu

In MUL instruction if the source operand is a byte then it is multiplied by register

Answer (Please select your correct option)

VuAnswers.com

- AX
- AL
- CX
- DL

Made by: Waqar Siddhu

In the word designated for one screen location, the higher address contains

Answer (Please select your correct option)

- The character code
- The attribute byte
- The parameters
- The dimensions

VuAnswers.com

Made by: Waqar Siddhu

"mov [bx], ax" moves the two bytes contents of the AX register to the address contained in BX register in the current

Answer (Please select your correct option)

VuAnswers.com

- Stack segment
- Code segment
- Data segment
- Extra segment

Made by: Waqar Siddhu

CALL instruction transfer the control

Answer (Please select your correct option)

VuAnswers.com

- Permanently X
- Temporarily
- Permanently when CALL is NEAR
- Permanently when CALL is FAR

Made by: Waqar Siddhu

A 32 bit processor has an accumulator of _____

Answer (Please select your correct option)

VuAnswers.com

- 8 bits
- 16 bits
- 32 bits
- 64 bits

Made by: Waqar Siddhu

The parallel port connector is called _____

Answer (Please select your correct option)

- DB-25
- BD-25
- DB-24
- BD-24

VuAnswers.com

Made by: Waqar Siddhu

The Single step interrupt is _____

Answer (Please select your correct option)

VuAnswers.com

- Hardware interrupt
- Like divide by zero interrupt
- Like divide by 1 interrupt
- Like divide by 2 interrupt

Made by: Waqar Siddhu

_____ are not used in mathematical operations.

Answer (Please select your correct option)

VuAnswers.com

- Carry, Interrupt and Trap flag
- Direction, Interrupt and Trap flag
- Direction, Overflow and Trap flag
- Direction, Interrupt and Sign flag

Made by: Waqar Siddhu

In graphics mode a location in video memory corresponds to a _____ on the screen.

Answer (Please select your correct option)

VuAnswers.com

- line
- dot
- circle
- rectangle

Made by: Waqar Siddhu

In DOS input buffer, the number of characters actually read on return is stored in _____ byte.

Answer (Please select your correct option)

VuAnswers.com

- third
- fourth
- first
- second

Made by: Waqar Siddhu

VESA VBE 2.0 is a standard for _____

Answer (Please select your correct option)

VuAnswers.com

- Ultra resolution mode
- High resolution mode
- Medium resolution mode
- Low resolution mode

Made by: Waqar Siddhu

VBE stands for _____, as proposed by VESA (an organization).

Answer (Please select your correct option)

- Video BIOS Extensions
- Video BIOS Emergence
- Video Binary Extensions
- Video Blocked Extensions

VuAnswers.com

Made by: Waqar Siddhu

IDTR is a _____ register.

Answer (Please select your correct option)

VuAnswers.com

- 16 bit
- 20 bit
- 32 bit
- 48 bit

Made by: Waqar Siddhu

In Computer Architecture, the Protected mode is different from _____

Answer (Please select your correct option)

VuAnswers.com

- Programming mode
- Real time mode
- Visualization mode
- Memory mode

Made by: Waqar Siddhu

In Assembly language programming, how many prevalent Calling Conventions do exist ?

Answer (Please select your correct option)

VuAnswers.com

1

2

3

4

Made by: Waqar Siddhu

In NASM, an imported symbol is declared with the _____ while and exported symbol is declared with the _____

Answer (Please select your correct option)

VuAnswers.com

- Global directive, External directive
- External directive, Global directive
- Home Directive, Foreign Directive
- Foreign Directive, Home Directive

Made by: Waqar Siddhu

In Computer Architecture, RISC stands for _____

Answer (Please select your correct option)

VuAnswers.com

- Reversed Instruction Set Computer
- Reversed Instruction System Computer
- Reduced Instruction Set Computer
- Reduced Instruction System Computer

Made by: Waqar Siddhu

In Computer Architecture, CISC stands for _____

Answer (Please select your correct option)

- Complex Instruction Set Computer
- Complex Instruction System Computer
- Correct Instruction Set Computer
- Correct Instruction System Computer

VuAnswers.com

Made by: Waqar Siddhu

Threads can have function calls, parameters and which type of variables?

Answer (Please select your correct option)

VuAnswers.com

- global
- local
- legal
- illegal

Made by: Waqar Siddhu

"INT 10 Video - Scroll Up Window" is a type of video services used in which mode?

Answer (Please select your correct option)

VuAnswers.com

- Numeric
- Graphics
- Text
- Audio

Made by: Waqar Siddhu

The first possible segment base value is _____.

Answer (Please select your correct option)

- 0000
- 0001
- 0010
- 0100

VuAnswers.com

Made by: Waqar Siddhu

BIOS sees the disks as

Answer (Please select your correct option)

VuAnswers.com

- logical storage device
- raw storage device
- in the form of sectors only
- in the form of tracks only

Made by: Waqar Siddhu

In device attribute word, which of the following bit decides whether it is a character device or a block device ?

Answer (Please select your correct option)

VuAnswers.com

- Bit 12
- Bit 13
- Bit 14
- Bit 15

Made by: Waqar Siddhu

In 9 pin DB-9, which pin number is assigned to DSR (Data Set Ready) ?

Answer (Please select your correct option)

VuAnswers.com

- 4
- 5
- 6
- 7

Made by: Waqar Siddhu

In 9 pin DB-9, which pin number is assigned to RTS (Request To Send) ?

Answer (Please select your correct option)

VuAnswers.com

- 5
- 6
- 7
- 8

Made by: Waqar Siddhu

In 9 pin DB-9, which pin number is assigned to RD (Received Data) ?

Answer (Please select your correct option)

VuAnswers.com

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

In 9 pin DB-9, which pin number is assigned to TD (Transmitted Data) ?

Answer (Please select your correct option)

VuAnswers.com

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

Which of the following BIOS INT provides serial port services

Answer (Please select your correct option)

- INT14
- INT11
- INT12
- INT13

VuAnswers.com

Made by: Waqar Siddhu

A 32 bit address register can access up to ..... of memory, so memory access has increased a lot.

Answer (Please select your correct option)

VuAnswers.com

- 2GB
- 4GB
- 6GB
- 8GB

Made by: Waqar Siddhu

The segment address of interrupt n will be at

Answer (Please select your correct option)

- nx4
- nx4+1
- nx4+2
- nx4+3

not sure

VuAnswers.com

Made by: Waqar Siddhu

An 8 x 16 font is stored in _____ bytes.

Answer (Please select your correct option)

VuAnswers.com

- 2
- 4
- 8
- 16

Made by: Waqar Siddhu

Which of the following interrupts is Non Maskable Interrupt (NMI).

Answer (Please select your correct option)

- INT 2
- INT 3
- INT 0
- INT 1

VuAnswers.com

Made by: Waqar Siddhu

Which of the following is a special type of interrupt that returns to the same instruction instead of the next instruction?

Answer (Please select your correct option)

- Divide overflow interrupt
- Debug interrupt
- Arithmetic overflow interrupt
- Change of sign interrupt

VuAnswers.com

Made by: Waqar Siddhu

In Programmable Interrupt Controller, which one of the following ports is referred as interrupt mask register?

Answer (Please select your correct option)

VuAnswers.com

- 19
- 20
- 21
- 22

Made by: Waqar Siddhu

Which one of the following interrupts is used for arithmetic overflow?

Answer (Please select your correct option)

- INT 4
- INT 1
- INT 2
- INT 3

VuAnswers.com

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

The instruction mov ax, 0

VuAnswers.com

Answer (Please select your correct option)

- will set the ZF
- will not set the ZF
- is a mathematical instruction
- is a logical instruction

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

In STOSB instruction, when DF is set, SI is

VuAnswers.com

Answ... ase select ... r correct option)

- incremented by 1
- Incremented by 2
- Decremented by 1
- Decremented by 2

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

The data on which we want to perform some operations is called

VuAnswers.com

Answer (Please select your correct option)

- Opcode
- Operand
- Operator
- Operation

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

After the execution of instruction "RET 2"

VuAnswers.com

Answer (Please select your correct option)

- SP is incremented by 2
- SP is decremented by 2 not sure
- SP is incremented by 4
- SP is decremented by 4

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

RETF will pop the segment address in the

VuAnswers.com

Answer (Please select your correct option)

- CS register
- DS register
- SS register
- ES register

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

Suppose DH contains 10001010 and CL contains 3, what is the value of DH after the following instruction:
SHL DH, CL

VuAnswers.com

Answer (Please select your correct option)

- 01010000
- 10001010
- 00010100
- 01010111

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

In STOSB instruction, SI is decremented or incremented by

VuAnswers.com

Answer (Please select your correct option)

- 3
- 2
- 1
- 4

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

The OUT instruction uses _____ as source register.

VuAnswers.com

Answer (Please select your correct option)

- AL or AX
- BL or BX
- CL or CX
- DL or DX

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

When two devices in the system want to use the same IRQ line then what will happen?

VuAnswers.com

Answer (Please select your correct option)

- An IRQ Collision
- An IRQ Conflict
- An IRQ Crash
- An IRQ Blockage

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

Which bit of the Attribute Byte (counting from right to left, starting from 0) represents the RED component of background color ?

VuAnswers.com

Answer (Please select your correct option)

- 3
- 4
- 5
- 6

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

Sign flag is set to_____ for positive numbers

VuAnswers.com

Answer (Please select your correct option)

- 0
- +1
- 0 or 1
- 1

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

Computer Architecture and Assembly Language Programming is a course that is designed to study _____

VuAnswers.com

Answer (Please select your correct option)

- Hardware only
- Software only
- Computer system more closely
- Computer Graphics

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

IBM PC has separate memory address space and peripheral address space. Peripheral address space is selected when _____ instructions is given to the processor.

VuAnswers.com

Answer (Please select your correct option)

- IN
- ADD
- MOV
- DEC

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

The parallel port connector is called _____

VuAnswers.com

Answer (Please select your correct option)

- DB-25
- BD-25
- DB-24
- BD-24

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

The Single step interrupt is _____

VuAnswers.com

Answer (Please select your correct option)

- Hardware interrupt
- Like divide by zero interrupt
- Like divide by 1 interrupt
- Like divide by 2 interrupt

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ are not used in mathematical operations.

VuAnswers.com

Answer (Please select your correct option)

- Carry, Interrupt and Trap flag
- Direction, Interrupt and Trap flag
- Direction, Overflow and Trap flag
- Direction, Interrupt and Sign flag

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

In graphics mode a location in video memory corresponds to a _____ on the screen.

VuAnswers.com

Answer (Please select your correct option)

- line
- dot
- circle
- rectangle

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

In DOS input buffer, the number of characters actually read on return is stored in _____ byte.

VuAnswers.com

Answer (Please select your correct option)

- third
- fourth
- first
- second

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

The value of AH register in the write Graphics pixel service is _____

VuAnswers.com

Answer (Please select your correct option)

- 0Ch
- 0Bh
- 1Ch
- 2Ch

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

INT 21 service 01H is used to read character from standard input with echo. It returns the result in _____ register.

VuAnswers.com

Answer (Please select your correct option)

- al
- bl
- cl
- bh

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

VESA (an organization) organizes 16 color bits for every pixel in _____ format.

VuAnswers.com

Answer (Please select your correct option)

- 5:5:5
- 5:6:5
- 5:5:6
- 5:6:6

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

VESA stands for _____

VuAnswers.com

Answer (Please select your correct option)

- Variable Electronics Standards Association
- Video Electronics Standards Association
- Video Energy Standards Association
- Vega Energy Standards Association

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

IDTR is a _____ register.

VuAnswers.com

Answer (Please select your correct option)

- 16 bit
- 20 bit
- 32 bit
- 48 bit

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

In Motorola 68K processors, _____ registers can hold addresses in indirect memory accesses.

VuAnswers.com

Answer (Please select your correct option)

- A0-A7
- B0-B7
- C0-C7
- D0-D7

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

Motorola 68K processors have _____ 32 bit general purpose registers.

VuAnswers.com

Answer (Please select your correct option)

- 32
- 64
- 8
- 16

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

In Computer Architecture, RISC stands for _____

VuAnswers.com

Answer (Please select your correct option)

- Reversed Instruction Set Computer
- Reversed Instruction System Computer
- Reduced Instruction Set Computer
- Reduced Instruction System Computer

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

In Computer Architecture, CISC stands for _____

VuAnswers.com

Answer (Please select your correct option)

- Complex Instruction Set Computer
- Complex Instruction System Computer
- Correct Instruction Set Computer
- Correct Instruction System Computer

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

Video services are exported via

VuAnswers.com

Answer (Please select your correct option)

- INT 7
- INT 10
- INT 9
- INT 8

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

BIOS sees the disks as

VuAnswers.com

Answer (Please select your correct option)

- logical storage device
- raw storage device
- in the form of sectors only
- in the form of tracks only

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following gives more logical view of the storage medium ?

VuAnswers.com

Answer (Please select your correct option)

- DOS
- RAM
- ROM
- BIOS

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to DSR (Data Set Ready) ?

VuAnswers.com

Answer (Please select your correct option)

- 4
- 5
- 6
- 7

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to RTS (Request To Send) ?

VuAnswers.com

Answer (Please select your correct option)

- 5
- 6
- 7
- 8

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to CTS (Clear To Send) ?

VuAnswers.com

Answer (Please select your correct option)

- 6
- 7
- 8
- 9

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to RD (Received Data) ?

VuAnswers.com

Answer (Please select your correct option)

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to TD (Transmitted Data) ?

VuAnswers.com

Answer (Please select your correct option)

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, RI (Ring Indicator) is assigned on pin number _____

VuAnswers.com

Answer (Please select your correct option)

- 6
- 7
- 8
- 9

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

The table index (TI) is set to _____ to access the GDT (Global Descriptor Table).

VuAnswers.com

Answer (Please select your correct option)

- 1
- 0
- -1
- -2

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following interrupt is used in debugging with the help of trap flag?

VuAnswers.com

Answer (Please select your correct option)

- INT 0
- INT 1
- INT 2
- INT 3

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

In Programmable Interrupt Controller, which one of the following ports is referred as interrupt mask register?

VuAnswers.com

Answer (Please select your correct option)

- 19
- 20
- 21
- 22

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

Which one of the following interrupts is used for arithmetic overflow?

VuAnswers.com

Answer (Please select your correct option)

- INT 4
- INT 1
- INT 2
- INT 3

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

The process of sending signals back and forth is called

Answer (Please select your correct option)

VuAnswers.com

- Activity
- Hand-shaking
- Interruption
- Time clicking

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following IRQs is connected to serial port COM 1?

Answer (Please select your correct option)

VuAnswers.com

- IRQ 4
- IRQ 5
- IRQ 6
- IRQ 7

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following interrupt is of highest priority interrupt?

Answer (Please select your correct option)

VuAnswers.com

- Key board interrupt
- Timer interrupt
- INT 2
- INT 3

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

Regarding assembler, which statement is true:

Answer (Please select your correct option)

VuAnswers.com

- Assembler converts mnemonics to the corresponding OPCODE
- Assembler converts OPCODE to the corresponding mnemonics
- Assembler executes the assembly code all at once
- Assembler executes the assembly code step by step

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

CMPS instruction subtracts the source location to the destination location. Source location always lies in

Answer (Please select your correct option)

VuAnswers.com

- ES:SI
- ES:DI
- DS:SI
- DS:DI

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

For the execution of the instruction "DIV BL", the implied dividend will be stored in

Answer (Please select your correct option)

VuAnswers.com

- AX
- BX
- CX
- DX

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

When two devices in the system want to use the same IRQ line then what will happen?

Answer (Please select your correct option)

VuAnswers.com

- An IRQ Collision
- An IRQ Conflict
- An IRQ Crash
- An IRQ Blockage

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

The memory address always move from _____

Answer (~~Please select your~~ correct option)

VuAnswers.com

- processor to memory
- memory to processor
- memory to peripheral
- peripheral to processor

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

After the execution of following two instructions, what will happen ?

```
PUSH AX
POP DX
```

Answer (Please select your correct option)

VuAnswers.com

- The value of DX will be at the top of stack
- The value of AX will be at the top of stack
- The value of DX will be copied into AX
- The value of AX will be copied into DX

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

The second byte of the word designated for one screen location holds

Answer (Please select your correct option)

VuAnswers.com

- The dimensions of the screen
- Character position on the screen
- Character color on the screen
- ASCII code of the character

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

In Shift instructions the destination can be

Answer (Please select your correct option)

VuAnswers.com

- An 8-bit register only
- A register only
- A memory location only
- A register or memory location

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

INT 10 is used for _____ services.

Answer (Please select your correct option)

VuAnswers.com

- BIOS video
- DOS video
- RAM
- Disk

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

In graphics mode a location in video memory corresponds to a _____ on the screen.

Answer (Please select your correct option)

VuAnswers.com

- line
- dot
- circle
- rectangle

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

A thread can not be created _____

Answer (Please select your correct option)

VuAnswers.com

- in static way
- in dynamic way
- in static and dynamic way at the same time
- manually

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

The space where the current state of a task is stored is called _____

Answer (Please select your correct option)

VuAnswers.com

- control block
- Process control block
- stack
- hard disk

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

VESA (an organization) organizes 16 color bits for every pixel in _____ format.

Answer (Please select your correct option)

VuAnswers.com

- 5:5:5
- 5:6:5
- 5:5:6
- 5:6:6

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

VESA stands for _____

Answer (Please select your correct option)

VuAnswers.com

- Variable Electronics Standards Association
- Video Electronics Standards Association
- Video Energy Standards Association
- Vega Energy Standards Association

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

The Physical address of Interrupt Descriptor Table (IVT) is stored in _____

Answer (Please select your correct option)

VuAnswers.com

- GDTR
- LGTD
- IDTR
- IVT

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

IDTR is a _____ register.

Answer (Please select your correct option)

VuAnswers.com

- 16 bit
- 20 bit
- 32 bit
- 48 bit

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

In Motorola 68K processors, _____ registers can hold addresses in indirect memory accesses.

Answer (Please select your correct option)

VuAnswers.com

- A0-A7
- B0-B7
- C0-C7
- D0-D7

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

Motorola 68K processors have _____ 32 bit general purpose registers.

Answer (Please select your correct option)

VuAnswers.com

- 32
- 64
- 8
- 16

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

In Computer Architecture, RISC stands for _____

Answer (Please select your correct option)

VuAnswers.com

- Reversed Instruction Set Computer
- Reversed Instruction System Computer
- Reduced Instruction Set Computer
- Reduced Instruction System Computer

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

In multi-tasking environment, which is called scheduler for saving and restoring the registers?

Answer (Please select your correct option)

VuAnswers.com

- INT 10
- INT 09
- INT 08
- INT 07

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

Threads can have function calls, parameters and which type of variables?

Answer (Please select your correct option)

VuAnswers.com

- global
- local
- legal
- illegal

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

In multi-tasking programming, all threads are

Answer (Please select your correct option)

VuAnswers.com

- Independent to each other
- Dependent on each other
- Not executed
- Not scheduled

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

"Far" jump makes intra _____ control possible

Answer (Please select your correct option)

VuAnswers.com

- Register
- Segment
- Memory
- Code

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

All possible types of Jumps in assembly language are:

Answer (Please select your correct option)

VuAnswers.com

- short, far
- short, near
- short, near, far
- short, near, far, long

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

BIOS sees the disks as

Answer (Please select your correct option)

VuAnswers.com

- logical storage device
- raw storage device
- in the form of sectors only
- in the form of tracks only

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following gives more logical view of the storage medium ?

Answer (Please select your correct option)

VuAnswers.com

- DOS
- RAM
- ROM
- BIOS

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to TD (Transmitted Data) ?

Answer (Please select your correct option)

VuAnswers.com

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to DTR (Data Terminal Ready) ?

Answer (Please select your correct option)

VuAnswers.com

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, RI (Ring Indicator) is assigned on pin number _____

Answer (Please select your correct option)

VuAnswers.com

- 7
- 8
- 9
- 6

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

8088 is a .....

Answer (Please select your correct option)

VuAnswers.com

- 16 bit processor
- 32 bit processor
- 64 bit processor
- 128 bit processor

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

A 32 bit address register can access up to ..... of memory, so memory access has increased a lot.

Answer (Please select your correct option)

VuAnswers.com

- 2GB
- 4GB
- 6GB
- 8GB

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

AX register in extended 32 bit register is renamed as _____

Answer (Please select your correct option)

VuAnswers.com

- AXE
- EAX
- AAX
- XAX

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

The table index (TI) is set to _____ to access the GDT (Global Descriptor Table).

Answer (Please select your correct option)

VuAnswers.com

- 1
- 0
- -1
- -2

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

The segment address of interrupt n will be at

Answer (Please select your correct option)

VuAnswers.com

- nx4
- nx4+1
- nx4+2
- nx4+3

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

Programmable Interrupt Controller (PIC) has

Answer (Please select your correct option)

VuAnswers.com

- One input signals and eight output signals
- One input signal and one output signal
- Eight input signals and one output signals
- Eight input signals and eight output signals

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ number of pin(s) of a processor is/are used by the external hardware to generate an interrupt.

Answer (Please select your correct option)

VuAnswers.com

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

In Programmable Interrupt Controller, Port _____ is referred as a Control port.

Answer (Please select your correct option)

VuAnswers.com

- 19
- 20
- 21
- 22

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

In STOSW instruction, when DF is clear, SI is

Answer (Please select your correct option)

VuAnswers.com

- Incremented by 1
- Incremented by 2 correct
- Decremented by 1
- Decremented by 2

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following IRQs is connected to serial port COM 1?

Answer (Please select your correct option)

VuAnswers.com

- IRQ 4 correct
- IRQ 5
- IRQ 6
- IRQ 7

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following IRQs is used by the parallel port?

Answer (Please select your correct option)

VuAnswers.com

- IRQ 4
- IRQ 5
- IRQ 6
- IRQ 7

correct

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

The programmable interval timer (PIT) has input frequency of

Answer (Please select your correct option)

VuAnswers.com

1. 1.193MHZ correct
2. 2.193MHZ
3. 3.193MHZ
4. 4.193MHZ

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following interrupt is of highest priority interrupt?

Answer (Please select your correct option)

VuAnswers.com

- Key board interrupt
- Timer interrupt

correct

- INT 2
- INT 3

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

By executing which of the following instruction, the value in AX register becomes the half of previously stored value ?

Answer (Please select your correct option)

VuAnswers.com

- Shl AX , 1
- Shr AX, 1 correct
- NOT AX
- AND AX, 0xFFFF

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

In the rotate right operation every bit moves one position to the right and the bit dropped from the right is inserted at the left and:

Answer (Please select your correct option)

VuAnswers.com

- The dropped bit is also copied in CF correct
- The dropped bit is also copied in AF
- The dropped bit is also copied in ZF
- The dropped bit is not copied in any flag

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

In string instructions, CX is always

Answer (Please select your correct option)

VuAnswers.com

- Decremented by 1
- Decremented by 2
- Incremented by 1 correct
- Incremented by 2

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

The word size of the processor is defined by the size of _____

Answer (Please select your correct option)

VuAnswers.com

- Its accumulator register
- Address bus attached correct
- Memory attached
- Control Bus

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ cannot predict which element the _____ needs, at a particular instant of time.

Answer (Please select your correct option)

VuAnswers.com

- Control bus, Memory
- Processor, Control bus
  Processor, Memory
- Memory, Processor

  correct
- Control bus, Memory

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

The time interval between two timer ticks is ____

Answer (Please select your correct option)

VuAnswers.com

- 40ms
- 45ms
- 50ms
- 55ms

correct

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

In DOS input buffer, the number of characters actually read on return is stored in _____ byte.

Answer (Please select your correct option)

VuAnswers.com

- third
- fourth
- first
- second

correct

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

A thread can not be created _____

Answer (Please select your correct option)

VuAnswers.com

- in static way

correct

- in dynamic way
- in static and dynamic way at the same time
- manually

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

The space where the current state of a task is stored is called _____

Answer (Please select your correct option)

VuAnswers.com

- control block
- Process control block

correct

- stack
- hard disk

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

VESA stands for _____

Answer (Please select your correct option)

VuAnswers.com

- Variable Electronics Standards Association
- Video Electronics Standards Association

correct

- Video Energy Standards Association
- Vega Energy Standards Association

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

VBE stands for _____, as proposed by VESA (an organization).

Answer (Please select your correct option)

VuAnswers.com

- Video BIOS Extensions correct
- Video BIOS Emergence
- Video Binary Extensions
- Video Blocked Extensions

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

In Computer Architecture, the Protected mode is different from _____

Answer (Please select your correct option)

VuAnswers.com

- Programming mode
- Real time mode

correct

- Visualization mode
- Memory mode

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

In Assembly language programming, how many prevalent Calling Conventions do exist ?

Answer (Please select your correct option)

VuAnswers.com

1

2

correct

3

4

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

In Motorola 68K processors, _____ registers can hold addresses in indirect memory accesses.

Answer (Please select your correct option)

VuAnswers.com

- A0-A7 correct
- B0-B7
- C0-C7
- D0-D7

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

Motorola 68K processors have _____ 32 bit general purpose registers.

Answer (Please select your correct option)

VuAnswers.com

- 32
- 64
- 8
- 16

correct

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

Which byte of the DOS input buffer holds the number of characters actually read on return?

Answer (Please select your correct option)

VuAnswers.com

- First Byte
- Second Byte
- Third Byte
- Last Byte

correct

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

Threads can have function calls, parameters and which type of variables?

Answer (Please select your correct option)

VuAnswers.com

- global
- local correct
- legal
- illegal

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

In multi-tasking programming, all threads are

Answer (Please select your correct option)

VuAnswers.com

- Independent to each other

correct

- Dependent on each other
- Not executed
- Not scheduled

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

Video services are exported via

Answer (Please select your correct option)

VuAnswers.com

- INT 7
- INT 10 correct
- INT 9
- INT 8

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

The maximum memory, IAPX88 can access is_____.

Answer (Please select your correct option)

VuAnswers.com

- 1 KB
- 64 KB
- 1 MB correct
- 64 MB

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

In direct addressing the memory address is _____ and is given in the instruction.

Answer (Please select your correct option)

VuAnswers.com

- Fixed

correct

- Empty
- A variable
- A register

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

Instruction "mov ax, bl" has a _____ problem.

Answer (Please select your correct option)

VuAnswers.com

- size mismatch

correct

- value mismatch
- operand mismatch
- memory mismatch

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

The jump "JC" is taken when

Answer (Please select your correct option)

VuAnswers.com

- CF=1 correct
- CF=0
- ZF=0
- ZF=1

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following gives more logical view of the storage medium ?

Answer (Please select your correct option)

VuAnswers.com

- DOS
- RAM
- ROM
- BIOS

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

The serial port connection is a ---------- connector

Answer (Please select your correct option)

VuAnswers.com

- 9 pin DB-9
- 8 pin DB-9
- 3 pin DB-9
- 9 pin DB-5

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to RTS (Request To Send) ?

Answer (Please select your correct option)

VuAnswers.com

- 5
- 6
- 7 correct
- 8

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to CTS (Clear To Send) ?

Answer (Please select your correct option)

VuAnswers.com

- 6
- 7
- 8 correct
- 9

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, RI (Ring Indicator) is assigned on pin number _____

Answer (Please select your correct option)

VuAnswers.com

- 6
- 7
- 8
- 9 correct

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

8088 is a .....

Answer (Please select your correct option)

VuAnswers.com

- 16 bit processor
- 32 bit processor
- 64 bit processor
- 128 bit processor

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

AX register in extended 32 bit register is renamed as _____

Answer (Please select your correct option)

VuAnswers.com

- AXE
- EAX
- AAX
- XAX

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

The table index (TI) is set to _____ to access the GDT (Global Descriptor Table).

Answer (Please select your correct option)

VuAnswers.com

- 1
- 0
- -1
- -2

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

In 68K processors there is a ..... program counter (PC) that holds the address of currently executing instruction.

Answer (Please select your correct option)

VuAnswers.com

- 8 bit
- 16 bit
- 32 bit
- 64 bit

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

An 8 x 16 font is stored in _____ bytes.

Answer (Please select your correct option)

VuAnswers.com

- 2
- 4
- 8
- 16

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following interrupt is used in debugging with the help of trap flag?

Answer (Please select your correct option)

VuAnswers.com

- INT 0
- INT 1
- INT 2
- INT 3

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

In Programmable Interrupt Controller, which one of the following ports is referred as interrupt mask register?

Answer (Please select your correct option)

VuAnswers.com

- 19
- 20
- 21
- 22

Made by: Waqar Siddhu

MORE PAST PAPERS BY WAQAR SIDDHU

Provide Solved in PDF Get From

VU Answer

Get All Solutions.

