
For More Visit VU Answer

CS401 Final Term Papers By Waqar (File 8)



For More Visit VU Answer

For More Visit VU Answer

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

Regarding assembler, which statement is true:

Answer (Please select your correct option)

VuAnswers.com

- Assembler converts mnemonics to the corresponding OPCODE
- Assembler converts OPCODE to the corresponding mnemonics
- Assembler executes the assembly code all at once
- Assembler executes the assembly code step by step

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

CMPS instruction subtracts the source location to the destination location. Source location always lies in

Answer (Please select your correct option)

VuAnswers.com

- ES:SI
- ES:DI
- DS:SI
- DS:DI

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

For the execution of the instruction "DIV BL", the implied dividend will be stored in

Answer (Please select your correct option)

VuAnswers.com

- AX
- BX
- CX
- DX

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

When two devices in the system want to use the same IRQ line then what will happen?

Answer (Please select your correct option)

VuAnswers.com

- An IRQ Collision
- An IRQ Conflict
- An IRQ Crash
- An IRQ Blockage

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

The memory address always move from _____

Answer (Please select your correct option)

VuAnswers.com

- processor to memory
- memory to processor
- memory to peripheral
- peripheral to processor

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

After the execution of following two instructions, what will happen ?

```
PUSH AX
POP DX
```

Answer (Please select your correct option)

VuAnswers.com

- The value of DX will be at the top of stack
- The value of AX will be at the top of stack
- The value of DX will be copied into AX
- The value of AX will be copied into DX

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

The second byte of the word designated for one screen location holds

Answer (Please select your correct option)

VuAnswers.com

- The dimensions of the screen
- Character position on the screen
- Character color on the screen
- ASCII code of the character

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

In Shift instructions the destination can be

Answer (Please select your correct option)

VuAnswers.com

- An 8-bit register only
- A register only
- A memory location only
- A register or memory location

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

INT 10 is used for _____ services.

Answer (Please select your correct option)

VuAnswers.com

- BIOS video
- DOS video
- RAM
- Disk

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

In graphics mode a location in video memory corresponds to a _____ on the screen.

Answer (Please select your correct option)

VuAnswers.com

- line
- dot
- circle
- rectangle

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

A thread can not be created _____

Answer (Please select your correct option)

VuAnswers.com

- in static way
- in dynamic way
- in static and dynamic way at the same time
- manually

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

The space where the current state of a task is stored is called _____

Answer (Please select your correct option)

VuAnswers.com

- control block
- Process control block
- stack
- hard disk

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

VESA (an organization) organizes 16 color bits for every pixel in _____ format.

Answer (Please select your correct option)

VuAnswers.com

- 5:5:5
- 5:6:5
- 5:5:6
- 5:6:6

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

VESA stands for _____

Answer (Please select your correct option)

VuAnswers.com

- Variable Electronics Standards Association
- Video Electronics Standards Association
- Video Energy Standards Association
- Vega Energy Standards Association

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

The Physical address of Interrupt Descriptor Table (IVT) is stored in _____

Answer (Please select your correct option)

VuAnswers.com

- GDTR
- LGTD
- IDTR
- IVT

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

IDTR is a _____ register.

Answer (Please select your correct option)

VuAnswers.com

- 16 bit
- 20 bit
- 32 bit
- 48 bit

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

In Motorola 68K processors, _____ registers can hold addresses in indirect memory accesses.

Answer (Please select your correct option)

VuAnswers.com

- A0-A7
- B0-B7
- C0-C7
- D0-D7

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

Motorola 68K processors have _____ 32 bit general purpose registers.

Answer (Please select your correct option)

VuAnswers.com

- 32
- 64
- 8
- 16

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

In Computer Architecture, RISC stands for _____

Answer (Please select your correct option)

VuAnswers.com

- Reversed Instruction Set Computer
- Reversed Instruction System Computer
- Reduced Instruction Set Computer
- Reduced Instruction System Computer

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

In multi-tasking environment, which is called scheduler for saving and restoring the registers?

Answer (Please select your correct option)

VuAnswers.com

- INT 10
- INT 09
- INT 08
- INT 07

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

Threads can have function calls, parameters and which type of variables?

Answer (Please select your correct option)

VuAnswers.com

- **global**
- **local**
- **legal**
- **illegal**

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

In multi-tasking programming, all threads are

Answer (Please select your correct option)

VuAnswers.com

- Independent to each other
- Dependent on each other
- Not executed
- Not scheduled

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

"Far" jump makes intra _____ control possible

Answer (Please select your correct option)

VuAnswers.com

- Register
- Segment
- Memory
- Code

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

All possible types of Jumps in assembly language are:

Answer (Please select your correct option)

VuAnswers.com

- short, far
- short, near
- short, near, far
- short, near, far, long

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

BIOS sees the disks as

Answer (Please select your correct option)

VuAnswers.com

- logical storage device
- raw storage device
- in the form of sectors only
- in the form of tracks only

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following gives more logical view of the storage medium ?

Answer (Please select your correct option)

VuAnswers.com

- DOS
- RAM
- ROM
- BIOS

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to TD (Transmitted Data) ?

Answer (Please select your correct option)

VuAnswers.com

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, which pin number is assigned to DTR (Data Terminal Ready) ?

Answer (Please select your correct option)

VuAnswers.com

1

2

3

4

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

In 9 pin DB-9, RI (Ring Indicator) is assigned on pin number _____

Answer (Please select your correct option)

VuAnswers.com

7

8

9

6

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

8088 is a .....

Answer (Please select your correct option)

VuAnswers.com

16 bit processor

32 bit processor

64 bit processor

128 bit processor

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

A 32 bit address register can access up to ..... of memory, so memory access has increased a lot.

Answer (Please select your correct option)

VuAnswers.com

- 2GB
- 4GB
- 6GB
- 8GB

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

AX register in extended 32 bit register is renamed as _____

Answer (Please select your correct option)

VuAnswers.com

- AXE
- EAX
- AAX
- XAX

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

The table index (TI) is set to _____ to access the GDT (Global Descriptor Table).

Answer (Please select your correct option)

VuAnswers.com

- 1
- 0
- -1
- -2

Made by: Waqar Siddhu

For More Visit VU Answer

For More Visit VU Answer

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

The segment address of interrupt n will be at

Answer (Please select your correct option)

VuAnswers.com

- nx4
- nx4+1
- nx4+2
- nx4+3

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

Programmable Interrupt Controller (PIC) has

Answer (Please select your correct option)

VuAnswers.com

- One input signals and eight output signals
- One input signal and one output signal
- Eight input signals and one output signals
- Eight input signals and eight output signals

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ number of pin(s) of a processor is/are used by the external hardware to generate an interrupt.

Answer (Please select your correct option)


VuAnswers.com

- 1
- 2
- 3
- 4

Made by: Waqar Siddhu


For More Visit VU Answer

For More Visit VU Answer



For More Visit VU Answer

For More Visit VU Answer



For More Visit VU Answer

For More Visit VU Answer


Question No : 46 of 52 Marks: 3 (Budgeted Time 6 Min)

Write the functionality of following bits in IDTR

- P
- DPL
- S

Answer (Please click here to Add Answer)

VuAnswers.com




Made by: Waqar Siddhu

Question No : 47 of 52 Marks: 3 (Budgeted Time 6 Min)

Give the value of the zero flag, the carry flag, and the sign flag after each of the following instructions if AX is initialized with 0x1254 and BX is initialized with 0x0FFF.
a. add ax, 0xEDAB
b. add ax, bx
c. add bx, 0xF001

Answer (Please click here to Add Answer)

VuAnswers.com




Made by: Waqar Siddhu

Question No : 48 of 52 Marks: 3 (Budgeted Time 6 Min)

How many flags that are not used in mathematical operations and also mention their names?

Answer (Please click here to Add Answer)


VuAnswers.com



Made by: Waqar Siddhu


For More Visit VU Answer

For More Visit VU Answer



For More Visit VU Answer

For More Visit VU Answer



For More Visit VU Answer