Professional Online Academy Vu Topper RM

CS401-Assembly Language Programming Update MCQ'S Final Term

Virtual University

Follow Us on YouTube: @vutopperrm

For More Help Contact What's app Me!!!
Number's = # 0322-4021365, 0316-4980094

Rizwan Manzoor
Vu Topper RM



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1 **(Marks:1)** **Vu-Topper RM**

The thread registration code initializes the Process Control Block (PCB) and adds it to the linked list. The _____, then gives it a turn.

A. Linker
B. Scheduler **Page 133**
C. Assembler
D. Interpreter

Question No:2 **(Marks:1)** **Vu-Topper RM**

Which of the following instructions, selects the peripheral address space?

A. In **Page 107**
B. Mov
C. Add
D. Dec

Question No:3 **(Marks:1)** **Vu-Topper RM**

According to the IBM standard, port number(s) for the parallel port is/are _____

A. 378 **Page 107**
B. 380
C. 20 and 21
D. 60 and 64

Question No:4 **(Marks:1)** **Vu-Topper RM**

Which of the following Interrupt Requests (IRQ) is used for a floppy disk drive?

A. IRQ 6 **Page 106**
B. IRQ 7
C. IRQ 8
D. IRQ 9

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:5 **(Marks:1)** **Vu-Topper RM**

Which of the following interrupt requests (IRQ) is connected to serial port COM 1?

A. IRQ 3
B. IRQ 4
C. IRQ 5
D. IRQ 6

Question No:6 **(Marks:1)** **Vu-Topper RM**

Which of the following IRQs is used by the parallel port?

A. IRQ 5
B. IRQ 4
C. IRQ 6
D. IRQ 7 **Page 106**

Question No:7 **(Marks:1)** **Vu-Topper RM**

When two devices in a system want to use the same Interrupt Request (IRQ) line, is referred as IRQ _____.

A. Crash
B. Conflict **Page 106**
C. Collision
D. Blockage

Question No:8 **(Marks:1)** **Vu-Topper RM**

Which of the following is the priority of interrupt request (IRQ) 0?

A. High
B. Low
C. Highest
D. Medium

Question No:9 **(Marks:1)** **Vu-Topper RM**

Which of the following is the number of pin(s) outside the processor for generating interrupts by the external hardware?

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. 4
B. 3
C. 1
D. 2

Question No:10 **(Marks:1)** **Vu-Topper RM**
Programmable Interrupt Controller (PIC) has _____ input signal(s) and _____ output signal(s).
A. one, one
B. eight, one **Page 104**
C. one, eight
D. eight, eight

Question No:11 **(Marks:1)** **Vu-Topper RM**
The Programmable Interval Timer (PIT) has an input frequency of _____.
A. 1.193MZH **Page 122**
B. 2.192MHZ
C. 3.196MHZ
D. 4.198MHZ

Question No:12 **(Marks:1)** **Vu-Topper RM**
Which of the following instruction is used to return from an interrupt service routine?
A. Ret
B. Iret **Page 96**
C. Reti
D. Intr

Question No:13 **(Marks:1)** **Vu-Topper RM**
Which of the following interrupts is used for exporting parallel port services?
A. INT 08

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. INT 15
C. INT 16
D. INT 17

Question No:14 (Marks:1) Vu-Topper RM
Which of the following flags can be used in mathematical operations?
A. Trap flag
B. Carry flag Page 125
C. Direction flag
D. Interrupt flag

Question No:15 (Marks:1) Vu-Topper RM
Which of the following Interrupt Requests (IRQ) is derived by the timer device?
A. IRQ 0 Page 105
B. IRQ 1
C. IRQ 2
D. IRQ 3

Question No:16 (Marks:1) Vu-Topper RM
Which of the following is BIOS interrupt providing keyboard services?
A. INT 0x16
B. INT 0x15
C. INT 0x13
D. INT 0x14

Question No:17 (Marks:1) Vu-Topper RM
Which of the following instructions is used to read a character from the keyboard port?
A. in al, dx
B. in al, 0x21
C. In al, 0x60
D. out al, 0x60

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:18 **(Marks:1)** **Vu-Topper RM**

The offset address of an interrupt service routine "n" is at _____.

A. n
B. nx2
C. nx4
D. nx3

Question No:19 **(Marks:1)** **Vu-Topper RM**

Which of the following is the time interval between two timer ticks?

A. 55ms **Page 114**
B. 45ms
C. 40ms
D. 50ms

Question No:20 **(Marks:1)** **Vu-Topper RM**

Which of the following Interrupt Requests (IRQ) is connected to serial port COM 2?

A. IRQ 3
B. IRQ 4
C. IRQ 5
D. IRQ 6

Question No:21 **(Marks:1)** **Vu-Topper RM**

Which of the following is the order of pushing the contents on stack during the execution of INT instruction?

A. FLAGS, IP, and then CS
B. FLAGS, CS, and then IP
C. CS, IP, and then FLAGS
D. IP, CS, and then FLAGS

Question No:22 **(Marks:1)** **Vu-Topper RM**

Which of the following instructions, selects the memory address space?

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. In
B. Add
C. Mov **Page 107**
D. DEC

Question No:23 **(Marks:1)** **Vu-Topper RM**
DOS has a single entry point to access all of its services through _____.

A. INT 21 **Page 100**
B. INT 16
C. INT 10
D. INT 2

Question No:24 **(Marks:1)** **Vu-Topper RM**
The space where all registers of a task are stored is called _____.

A. Heap
B. Local variable
C. Cache memory
D. Process control block (PCB) **Page 132**

Question No:25 **(Marks:1)** **Vu-Topper RM**
The output of Programmable Interval Timer (PIT) is connected to the _____ line of Programmable Interrupt Controller (PIC).

A. IRQ 0 **Page 106**
B. IRQ 1
C. IRQ 2
D. IRQ 3

Question No:26 **(Marks:1)** **Vu-Topper RM**
Which of the following is the ACK pin in DB-25 connector?

A. 10 **Page 117**
B. 11

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. 12
D. 13

Question No:27 **(Marks:1)** **Vu-Topper RM**

Which of the following interrupts is of highest priority?

A. INT 2
B. INT 3
C. Timer interrupt **Page 122**
D. Key board interrupt

Question No:28 **(Marks:1)** **Vu-Topper RM**

Which of the following is the source register in OUT instruction?

A. AL or AX **Page 107**
B. BL or BX
C. CL or CX
D. DL or DX

Question No:29 **(Marks:1)** **Vu-Topper RM**

IBM AT has _____ Programmable Interrupt Controllers (PIC).

A. 2 **Page 104**
B. 4
C. 6
D. 8

Question No:30 **(Marks:1)** **Vu-Topper RM**

An End of Interrupt (EOI) signal is sent by the _____.

A. Processor
B. Interrupt request
C. Interrupt handler
D. Programmable interrupt controller

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:31 **(Marks:1)** **Vu-Topper RM**

Programmable interrupt controller has _____ ports.

A. 2 **Page 107**

B. 1

C. 3

D. 4

Question No:32 **(Marks:1)** **Vu-Topper RM**

Which of the following statements is correct regarding the input frequency of Programmable Interval Timer (PIT)?

A. It is fixed

B. It is variable

C. It depends on processor clock **Page 114**

D. It depends on hardware attached

Question No:33 **(Marks:1)** **Vu-Topper RM**

_____ is used for exporting keyboard services.

A. INT 8

B. INT 11

C. INT 12

D. INT 16

Question No:34 **(Marks:1)** **Vu-Topper RM**

Which of the following interrupts is used for saving and restoring the registers?

A. INT 08

B. INT 10

C. INT 09

D. INT 16

Question No:35 **(Marks:1)** **Vu-Topper RM**

Which of the following IRQs is used for sound card or network card?

A. IRQ 6

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. IRQ 5
C. IRQ 7
D. IRQ 4

Question No:36 **(Marks:1)** **Vu-Topper RM**
In Intel 8088, the Interrupt Vector Table occupies _____ of memory.
A. 1 KB
B. 1 MB
C. 64KB
D. 4 bytes

Question No:37 **(Marks:1)** **Vu-Topper RM**
At the end of servicing an interrupt, _____ signal is used to inform the Programmable Interrupt Controller (PIC) about it.
A. EOI **Page 106**
B. IOE
C. IRET
D. RET n

Question No:38 **(Marks:1)** **Vu-Topper RM**
A parallel port has _____ views.
A. 2 **Page 116**
B. 4
C. 8
D. 1

Question No:39 **(Marks:1)** **Vu-Topper RM**
WHICH OF the following interrupts is used to maintain the system time?
A. INT 9
B. INT 8
C. INT 10
D. INT 11

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopperRM

Question No:40 **(Marks:1)** **Vu-Topper RM**

_____ is a special type of interrupt that returns to the same instruction instead of the next instruction.

A. Debug interrupt
B. Change of sign interrupt
C. Divide overflow interrupt **Page 99**
D. Arithmetic overflow interrupt

Question No:41 **(Marks:1)** **Vu-Topper RM**

_____ is used in debugging along with the trap flag.

A. INT 1 **Page 97**
B. INT 0
C. INT 3
D. INT 4

Question No:42 **(Marks:1)** **Vu-Topper RM**

If the _____ flag is set, then after every instruction, a type 1 interrupt will be generated automatically.

A. Trap **Page 97**
B. Carry
C. Parity
D. Overflow

Question No:43 **(Marks:1)** **Vu-Topper RM**

Which of the following is the highest priority interrupt?

A. INT 16
B. INT 10
C. INT 17
D. INT 08 **Page 106**

Question No:44 **(Marks:1)** **Vu-Topper RM**

In programmable interrupt controller, which of the following ports is the control port?

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. Port 19
B. Port 20
C. Port 21
D. Port 22

Question No:45 **(Marks:1)** **Vu-Topper RM**
The parallel port connector is called _____.
A. DB-25 **Page 117**
B. BD-25
C. DB-24
D. BD-24

Question No:46 **(Marks:1)** **Vu-Topper RM**
Which of the following is the destination register in IN instruction?
A. AL or AX
B. BL or BX
C. CL or CX
D. DL or DX

Question No:47 **(Marks:1)** **Vu-Topper RM**
Port _____ is used to send an End Of Interrupt (EOI) signal to the Programmable Interrupt Controller (PIC) after an interrupt has ended?
A. 0x20
B. 0x10
C. 0x30
D. 0x40

Question No:48 **(Marks:1)** **Vu-Topper RM**
In Programmable Interrupt Controller (PIC), which of the following ports is used to selectively enable or disable interrupts?
A. 19
B. 20

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. 21 Page 107
D. 22

Question No:49 (Marks:1) Vu-Topper RM
Which of the following Interrupt Requests (IRQ) is derived by the keyboard?

A. IRQ 1 Page 106
B. IRQ 2
C. IRQ 3
D. IRQ 4

Question No:50 (Marks:1) Vu-Topper RM
Which of the following interrupts plays the most significant part during single step debugging of a program?

A. INT 1
B. INT 3
C. INT 2
D. INT 0

Question No:51 (Marks:1) Vu-Topper RM
Which of the following are the data pins used to take data from the processor to the device connected through parallel port?

A. 2 to 9
B. 18 to 25
C. 10 to 17
D. 20 to 27

Question No:52 (Marks:1) Vu-Topper RM
The first parallel port LPT1 has ports designated from _____ to _____.

A. 378,37A Page 117
B. 178, 17A
C. 278, 27A

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

D. 478, 47A

Question No:53 **(Marks:1)** **Vu-Topper RM**

On executing INT 0x21 service 0x3D, if file is successfully opened then

A. CF will contain 1
B. CF will contain 0
C. ZF will contain 1
D. ZF will contain 0 Google

Question No:54 **(Marks:1)** **Vu-Topper RM**

The maximum length of DOS command line parameters is

A. 64 bits
B. 127 bits
C. 256 bits
D. 512 bits

Question No:55 **(Marks:1)** **Vu-Topper RM**

In case of COM file, first command line parameter is stored at ___ offset of 'program segment prefix'

A. 0x80
B. 0x82
C. 0x84
D. 0x86

Question No:56 **(Marks:1)** **Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to TD (Transmitted Data) ?

A. 1
B. 2
C. 3 Page 163
D. 4

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:57 **(Marks:1)** **Vu-Topper RM**

New devices are allowed to work with the existing operating system with the help of _____.

A. BIOS
B. Sockets
C. Device drivers Google
D. Port addresses

Question No:58 **(Marks:1)** **Vu-Topper RM**

Which of the following symbols is used to terminate a string in assembly language?

A. !
B. #
C. $
D. ;

Question No:59 **(Marks:1)** **Vu-Topper RM**

As compared to _____ , _____ provides more cooked services.

A. BIOS, DOS Page 153
B. DOS, OS
C. DOS, BIOS
D. OS, DOS

Question No:60 **(Marks:1)** **Vu-Topper RM**

Which of the following stands for TSR?

A. Terminate and stay resident
B. Truncate and Start Recursively
C. Terminate and Store Routines
D. Transmit and Save Resources

Question No:61 **(Marks:1)** **Vu-Topper RM**

iret returns on the basis of _____ and _____.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. CS,SS
B. CS,IP
C. IP,SP
D. DS,IP

Question No:62 **(Marks:1)** **Vu-Topper RM**
Which register is generally used to specify the service number of an interrupt ?

A. AX
B. CX
C. BX
D. DX

Question No:63 **(Marks:1)** **Vu-Topper RM**
In 9pin DB 9 connector, which pin is assigned to RD (Received Data) ?

A. 1
B. 2 **Page 163**
C. 3
D. 4

Question No:64 **(Marks:1)** **Vu-Topper RM**
In multitasking, which of the following interrupts is used as a scheduler?

A. INT 08 **Page 133**
B. INT 21
C. INT 16
D. INT 13

Question No:65 **(Marks:1)** **Vu-Topper RM**
Which of the following services of INT 10 is used for writing the string?

A. 0x12
B. 0x13
C. 0x11
D. 0x10

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:66 **(Marks:1)** **Vu-Topper RM**

On executing INT 0x21--service 0x3D, if file can't be opened then

A. CF will contain 1
B. CF will contain 0
C. ZF will contain 1 **Google**
D. ZF will contain 0

Question No:67 **(Marks:1)** **Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to Signal Ground ?

A. 3
B. 4
C. 5
D. 6

Question No:68 **(Marks:1)** **Vu-Topper RM**

While using INT 10 for writing graphic pixel on screen, which of the following registers hold the information about pixel color?

A. DH
B. DL
C. AH
D. AL

Question No:69 **(Marks:1)** **Vu-Topper RM**

"INT13 --BIOS disk services" generally uses which register to return the 'error flag' ?

A. CF
B. DL
C. AH **Page 148**
D. AL

Question No:70 **(Marks:1)** **Vu-Topper RM**

Which of the following INT 21 service is used to read character from standard input?

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. 00
B. 01 **Page 144**
C. 02
D. 03

Question No:71 **(Marks:1)** **Vu-Topper RM**
A FAT32 file system directory entry in DOS consist of how many bytes ?
A. 16
B. 24
C. 32 **Page 147**
D. 64

Question No:72 **(Marks:1)** **Vu-Topper RM**
Which of the following services of INT 10 is used to write graphic pixel on the screen ?
A. 0x0B
B. 0x0C **Page 144**
C. 0x0D
D. 0x0A

Question No:73 **(Marks:1)** **Vu-Topper RM**
Which of the following services of INT 10 is used to get the video font information?
A. 1129h
B. 1130h **Page 142**
C. 1128h
D. 1127h

Question No:74 **(Marks:1)** **Vu-Topper RM**
In the context of video services, if we want to set cursor position which of the following will be the value of AH?
A. AH = 01h

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. AH = 02h **Page 141**
C. AH = 03h
D. AH = 04h

Question No:75 **(Marks:1)** **Vu-Topper RM**
The 'program segment prefix' for com files is of _____ size.
A. 64 bytes
B. 128 bytes
C. 256 bytes
D. 512 bytes

Question No:76 **(Marks:1)** **Vu-Topper RM**
While writing graphics pixel on the screen, which registers hold the value for setting cursor position?
A. BX, CX
B. AX, BX
C. CX, DX **Google**
D. AX, CX

Question No:77 **(Marks:1)** **Vu-Topper RM**
The register size of 386 architecture is _____.
A. 4 GB
B. 16 bit
C. 32 bit
D. 20 bit

Question No:78 **(Marks:1)** **Vu-Topper RM**
The first entry of the GDT must always be zero, it is called the_____.
A. Code Descriptor
B. Data Descriptor
C. Null descriptor **Page 168**
D. Global Descriptor Table

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:79 **(Marks:1)** **Vu-Topper RM**

A 32-bit address register can access up to ____ of memory.

A. 2 MB
B. 2 GB
C. 4 MB
D. 4 GB **Page 167**

Question No:80 **(Marks:1)** **Vu-Topper RM**

Which of the following registers hold the page number for using the write string service of INT 10?

A. AH
B. BL
C. CL
D. BH

Question No:81 **(Marks:1)** **Vu-Topper RM**

In DOS input buffer, the _____ byte stores the maximum characters the buffer can hold.

A. First
B. Last
C. Third
D. Second **Page 152**

Question No:82 **(Marks:1)** **Vu-Topper RM**

Which of the following is the size of Hard Disk MBR (Master Boot Record)?

A. 512 bytes **Google**
B. 446 bytes
C. 256 bytes
D. 350 bytes

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:83 **(Marks:1)** **Vu-Topper RM**

Serial port services are provided by the _____.

A. RS232
B. BIOS INT 11
C. BIOS INT 13
D. BIOS INT 14 **Page 166**

Question No:84 **(Marks:1)** **Vu-Topper RM**

Which of the following BIOS INT provides serial port services

A. INT 21
B. INT 14 **Page 163**
C. INT 10
D. INT 08

Question No:85 **(Marks:1)** **Vu-Topper RM**

Which of the following registers are used as a DOS input buffer?

A. CS:BX
B. DS:DX **Page 144**
C. DS:AX
D. SS:SP

Question No:86 **(Marks:1)** **Vu-Topper RM**

BIOS video services are broadly classified into _____ categories.

A. 1
B. 2 **Page 141**
C. 3
D. 4

Question No:87 **(Marks:1)** **Vu-Topper RM**

COM1 is accessible via ports _____while COM2 is accessible via_____.

A. 3F9, 3FD

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. 3FD, 3F9
C. 3F8-3FF, 2F8-2FF Page 164
D. 2F8-2FF, 3F8-3FF

Question No:88 (Marks:1) Vu-Topper RM
The first sector on hard disk contains the
A. Data size
B. Hard disk size
C. Partition table
D. Sector size Page 159

Question No:89 (Marks:1) Vu-Topper RM
In multitasking environment, which of the following structure is used to maintain the order of active Process Control Blocks (PCB)?
A. Array
B. Stack
C. Register
D. Linked List Page 133

Question No:90 (Marks:1) Vu-Topper RM
The root directory of floppy contains _____ fixed entries.
A. 64
B. 256
C. 128
D. 512 Page 147

Question No:91 (Marks:1) Vu-Topper RM
During multitasking, _____ is used to get control from the program without letting the program know about it.
A. IRQ 0
B. IRQ 1
C. IRQ 2
D. IRQ 3

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:92 **(Marks:1)** **Vu-Topper RM**

BIOS video services are exported via interrupt

A. INT10 **Page 141**

B. INT9

C. INT8

D. INT7

Question No:93 **(Marks:1)** **Vu-Topper RM**

In the context of video services, if we want to scroll the window up which of the following will be the value of AH?

A. AH = 05h

B. AH = 06h **Page 141**

C. AH = 07h

D. AH = 08h

Question No:94 **(Marks:1)** **Vu-Topper RM**

INT 0x13 service 0x03 is used to _____.

A. Read disk sector

B. Write disk sector **Page 124**

C. Reset disk sector

D. Get drive parameter

Question No:95 **(Marks:1)** **Vu-Topper RM**

We can set the current file position in DOS using service number ____

A. 0x38

B. 0x40

C. 0x42 **Page 154**

D. 0x43

Question No:96 **(Marks:1)** **Vu-Topper RM**

In the context of video services, if we want to write string then which of the value will be placed in AH?

A. 10h

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. 12h
C. 11h
D. 13h **Page 142**

Question No:97 **(Marks:1)** **Vu-Topper RM**
In case of COM file, maximum length of parameters passed through command line can be ___
A. 63 bytes
B. 127 bytes
C. 255 bytes
D. 511 bytes

Question No:98 **(Marks:1)** **Vu-Topper RM**
Which standard format is used for sending data on the serial port?
A. COM1
B. RS232 **Google**
C. Full duplex
D. BIOS INT 14

Question No:99 **(Marks:1)** **Vu-Topper RM**
Device drivers can be divided into ___ major categories:
A. 5
B. 4
C. 3
D. 2 **Page 158**

Question No:100 **(Marks:1)** **Vu-Topper RM**
Which of the following service of INT 21 is used to write a string on standard output?
A. 00h
B. 02h
C. 09h **Page 144**
D. 10h

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:101 **(Marks:1)** **Vu-Topper RM**

BPB stands for

A. Bios Precise Block
B. Basic Precise Block
C. Bios Parameter Block **Google**
D. Basic Parameter Block

Question No:102 **(Marks:1)** **Vu-Topper RM**

The INT 0x13 service 0x08 is use to

A. Read disk sector
B. Write disk sector **Page 124**
C. Reset disk sector
D. Get drive parameter

Question No:103 **(Marks:1)** **Vu-Topper RM**

COM2 is connected with

A. IRQ2
B. IRQ3 **Page 106**
C. IRQ4
D. IRQ5

Question No:104 **(Marks:1)** **Vu-Topper RM**

"INT13 --BIOS disk services" generally uses which register to return the 'error code' ?

A. CF
B. DL
C. AH **Page 148**
D. AL

Question No:105 **(Marks:1)** **Vu-Topper RM**

_____register is used for storing the base and limit of GDT.

A. LDT
B. GDTR

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. LGTD
D. Null descriptor

Question No:106 **(Marks:1)** **Vu-Topper RM**

The GDT itself is an array of descriptors where each descriptor is an _____ entry.

A. 16 bit
B. 32 bit
C. 48 bit
D. 8 bytes **Page 168**

Question No:107 **(Marks:1)** **Vu-Topper RM**

Parameters pushed to the routine in _____ order with the rightmost being pushed first using C language.

A. Same
B. Proper
C. Reverse **Page 179**
D. Forward

Question No:108 **(Marks:1)** **Vu-Topper RM**

Two prevalent calling conventions are the _____ and _____.

A. C++ calling convention, Java calling convention
B. C# calling convention, Java calling convention
C. C++ calling convention, Python calling convention
D. C calling convention, Pascal calling convention **Page 179**

Question No:109 **(Marks:1)** **Vu-Topper RM**

The bits are sent one by one in a specially formatted fashion on the_____.

A. Serial port **Page 162**
B. Half duplex
C. Full duplex

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. Parallel port

Question No:110 **(Marks:1)** **Vu-Topper RM**

In VESA defined modes _____bits for every pixel are organized.

A. 8 color

B. 16 color **Page 172**

C. 32 color

D. 64 color

Question No:111 **(Marks:1)** **Vu-Topper RM**

Total number of reserved interrupts in Intel 8088 are _____.

A. 3

B. 255

C. 5

D. 8

Question No:112 **(Marks:1)** **Vu-Topper RM**

Every bit of port _____ corresponds to one of the Interrupt Request (IRQ) lines.

A. 20

B. 21 **Page 107**

C. 18

D. 19

Question No:113 **(Marks:1)** **Vu-Topper RM**

Which interrupt is used for exporting parallel port services from the following options?

A. INT 17

B. INT 8

C. INT 15

D. INT 16

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:114 **(Marks:1)** **Vu-Topper RM**

PCB stands for _____.

A. Process Control Block **Page 140**

B. Program Control Block

C. Process Caching Block

D. Programmable Counter Block

Question No:115 **(Marks:1)** **Vu-Topper RM**

Interrupts are _____ and _____.

A. asynchronous, predictable

B. synchronous, predictable

C. synchronous, unpredictable

D. Asynchronous, unpredictable **Page 95**

Question No:116 **(Marks:1)** **Vu-Topper RM**

The IDTR is a _____ bit register similar in structure to the GDTR.

A. 48 **Page 174**

B. 64

C. 32

D. 128

Question No:117 **(Marks:1)** **Vu-Topper RM**

The convention to return a value from a subroutine is to use the _____ register.

A. AX **Page 90**

B. DX

C. CX

D. BX

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:118 **(Marks:1)** **Vu-Topper RM**

The _____ and DPL have the same meaning as in data and code descriptors.

A. P **Page 174**

B. O

C. S

D. T

Question No:119 **(Marks:1)** **Vu-Topper RM**

Software interrupts are called by extended _____ call mechanism.

A. Far **Page 97**

B. Jmp

C. Near

D. Short

Question No:120 **(Marks:1)** **Vu-Topper RM**

In Intel 8088, there are a total of _____ possible interrupt vectors in an Interrupt Vector Table.

A. 256

B. 255

C. 258

D. 652

Question No:121 **(Marks:1)** **Vu-Topper RM**

Which of the following pins of DB-25 connector are ground?

A. 10-17

B. 25-32

C. 2-9

D. 18-25

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:122 **(Marks:1)** **Vu-Topper RM**

Interrupts are _____ events.

A. Dependent
B. Predictable
C. Synchronous
D. Asynchronous

Question No:123 **(Marks:1)** **Vu-Topper RM**

Which of the following is the interrupt number for debug interrupt?

A. INT 3
B. INT 0
C. INT 1
D. INT 2

Question No:124 **(Marks:1)** **Vu-Topper RM**

INT instruction takes a _____ byte(s) argument varying from 0-255.

A. 1
B. 6
C. 2
D. 4

Question No:125 **(Marks:1)** **Vu-Topper RM**

Changing and restoring the state of Central Processing Unit (CPU) is called _____.

A. Thrashing
B. Multitasking
C. Multithreading
D. Context Switching

Question No:126 **(Marks:1)** **Vu-Topper RM**

There are _____ forms of MOVS instruction.

A. One

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. Two
C. Three
D. Four

Question No:127 **(Marks:1)** **Vu-Topper RM**
Each entry of the interrupt vector table is of _____ byte(s).
A. 4
B. 2
C. 3
D. 1

Question No:128 **(Marks:1)** **Vu-Topper RM**
The 8088 processor divides interrupts into ____ classes.
A. One
B. Two
C. Three
D. Four

Question No:129 **(Marks:1)** **Vu-Topper RM**
Which of the following formulae is used for calculating the segment address of an interrupt service routine "n"?
A. N*4+2
B. N*2+4
C. N*4
D. N*2-4

Question No:130 **(Marks:1)** **Vu-Topper RM**
Which of the following flags is cleared with the help of stack?
A. Trap flag
B. Zero Flag
C. Interrupt flag
D. Direction flag

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:131 **(Marks:1)** **Vu-Topper RM**

The routine which executes as a result of INT instruction is called _____.

A. Interrupt service routine **Page 95**

B. Interrupt System Routine

C. Internal System Routine

D. Interrupt Vector Routine

Question No:132 **(Marks:1)** **Vu-Topper RM**

The interrupt call loads new values in CS, IP and _____.

A. BP

B. SS

C. DS

D. Flags **Page 95**

Question No:133 **(Marks:1)** **Vu-Topper RM**

REP allows the instruction to be repeated _____ times.

A. CX **Page 90**

B. AX

C. DX

D. BX

Question No:134 **(Marks:1)** **Vu-Topper RM**

Which of the following instructions is used to disable all interrupts during the execution of a program?

A. Sti

B. Cli

C. Cld

D. Reti

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:135 **(Marks:1)** **Vu-Topper RM**

The correlation process from the interrupt number to the interrupt handler uses a table called _____.

A. Interrupt Handling Table
B. Interrupt Calling Table
C. Interrupt Correlation Table
D. Interrupt Vector Table

Question No:136 **(Marks:1)** **Vu-Topper RM**

In DOS, if 'file name' is more than 8-characters then which flags of 'attribute byte' are set

A. Directory flag, Hidden flag, System flag and Volume label flag
B. Directory flag and Hidden flag
C. Directory flag and System flag
D. System flag and Volume label flag

Question No:0_1 **(Marks:1)** **Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to CD (Carrier Detect)?

A. Page 163
B. 2
C. 3
D. 4

Question No:137 **(Marks:1)** **Vu-Topper RM**

REPE repeats a string instruction while the _____ flag is set.

A. Zero **Page 85**
B. Carry
C. Parity
D. Direction

Question No:138 **(Marks:1)** **Vu-Topper RM**

Which of the following interrupt requests (IRQ) is used by the sound card

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

or network card?

A. IRQ 5 **Page 106**

B. IRQ 6

C. IRQ 7

D. IRQ 8

Question No:139 **(Marks:1)** **Vu-Topper RM**

Which of the following interrupt requests (IRQ) is used by the parallel port?

A. IRQ 6

B. IRQ 7 **Page 106**

C. IRQ 8

D. IRQ 9

Question No:140 **(Marks:1)** **Vu-Topper RM**

In interrupt masking, We use _____ to get control from the program without letting the program know about it.

A. IRQ 0 **Page 131**

B. IRQ 1

C. IRQ 2

D. IRQ 3

Question No:141 **(Marks:1)** **Vu-Topper RM**

Push and pop operations always operate on _____.

A. Words **Page 80**

B. Byte

C. Float

D. Integer

Question No:142 **(Marks:1)** **Vu-Topper RM**

The clear screen operation initializes the whole block of video memory to _____.

A. 0x0720 **Page 83**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. 0x0175
C. 0x0721
D. 0x0714

Question No:143 (Marks:1) Vu-Topper RM

_____ is the highest priority interrupt in interrupt controller.

A. IRQ 0 Page 106
B. IRQ 1
C. IRQ 2
D. IRQ 3

Question No:144 (Marks:1) Vu-Topper RM

Hard disk MBR(Master Boot Record) is of size

A. 446 bytes Page 150
B. 350 bytes
C. 512 bytes
D. 256 bytes

Question No:145 (Marks:1) Vu-Topper RM

In 9pin DB 9 connector, which pin is assigned to DTR (Data Terminal Ready)?

A. 1
B. 2
C. 3
D. 4 Page 163

Question No:146 (Marks:1) Vu-Topper RM

The program segment prefix for com files is of _____ size.

A. 255 Bytes
B. 256 Bytes
C. 257 Bytes
D. 258 Bytes

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:147 **(Marks:1)** **Vu-Topper RM**

REP with MOVS utilizes the _____ power of a processor to do scrolling in minimum time.

A. Full
B. Half
C. Small
D. Quarter

Question No:148 **(Marks:1)** **Vu-Topper RM**

_____ is a special prefix that is used to repeat the block instructions.

A. REP
B. RPT
C. REPB
D. REPEAT

Question No:149 **(Marks:1)** **Vu-Topper RM**

REPE or REPNE are used with the _____instructions

A. SCAS
B. ADD
C. CALL
D. MOVS

Question No:150 **(Marks:1)** **Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to SG (Signal Ground) ?

A. 1
B. 3
C. 5 **Page 163**
D. 7

Question No:151 **(Marks:1)** **Vu-Topper RM**

What is the purpose of the following two instructions? MOV AX, 0XB800MOV ES, AX

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. Pointing ES to audio base
B. Pointing ES to video base
C. Pointing ES to numeric base
D. Pointing ES to graphics base

Question No:152 **(Marks:1)** **Vu-Topper RM**

_____ byte of DOS data buffer stores the maximum characters buffer can hold.

A. **First** **Page 144**
B. Last
C. Third
D. Second

Question No:153 **(Marks:1)** **Vu-Topper RM**

9pin DB 9 connector which pin is assigned to DSR (Data Set Ready) ?

A. 6 **Page 163**
B. 8
C. 2
D. 4

Question No:154 **(Marks:1)** **Vu-Topper RM**

COM1 is connected with

A. IRQ2
B. IRQ3
C. IRQ4 **Page 106**
D. IRQ5

Question No:155 **(Marks:1)** **Vu-Topper RM**

In the context of video services, if we want to set the cursor at top left corner, which of the values will be stored in DH and DL respectively?

A. 00, 00
B. 00, 80
C. 25, 80

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. 01,01

Question No:156 **(Marks:1)** **Vu-Topper RM**

Which of the following services of INT 10 is used text mode charge?

A. 1110h **Page 142**

B. 1130h

C. 1128h

D. 1127h

Question No:157 **(Marks:1)** **Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to RTS (Request to Send)?

A. 1

B. 3

C. 5

D. 7 **Page 163**

Question No:158 **(Marks:1)** **Vu-Topper RM**

Each thread can have their own execution area

A. List

B. Array

C. Stack **Page 141**

D. Memory

Question No:159 **(Marks:1)** **Vu-Topper RM**

Threads can have function calls, parameters and _____ variables.

A. Local **Page 133**

B. Legal

C. Illegal

D. Global

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:160 **(Marks:1)** **Vu-Topper RM**

TSR stands for:

A. Terminate and Store Routines
B. Transmits and Save Resources
C. **Terminate and Stay Resident** **Page 113**
D. Truncate and Start Recursively

Question No:161 **(Marks:1)** **Vu-Topper RM**

Which of the following formulae calculates the desired location on the screen?

A. Location = (rowno * 80 + column) * 2
B. location = (rowno * 80 + columnno) * 8
C. location = (colmunno * 80 + rowno) * 2,
D. location = (rowno * 80 + columnno) * 6,

Question No:162 **(Marks:1)** **Vu-Topper RM**

Which of the following is used to clear the direction flag?

A. Cld
B. Std
C. Clrd
D. Stdr

Question No:163 **(Marks:1)** **Vu-Topper RM**

Which of the following is the interrupt number for nON-maskable interrupt (NMI)?

A. INT 2
B. INT 1
C. INT 3
D. INT 0

Question No:164 **(Marks:1)** **Vu-Topper RM**

Which of the following IRQs is derived by a keyboard?

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. IRQ 0
B. **IRQ 1** **Page 114**
C. IRQ 2
D. IRQ 3

Question No:165 **(Marks:1)** **Vu-Topper RM**
There is an auto-increment mode when the _____ is _____.

A. DF, set
B. ZF, not set
C. CX, not set
D. DF, not set

Question No:166 **(Marks:1)** **Vu-Topper RM**
To declare a character in assembly language, we store its ASCII code in a _____.

Byte **Page 74**
Code

Question No:167 **(Marks:1)** **Vu-Topper RM**
Which register is generally used to specify the service number of an interrupt?

Ax **Google**
Bx

Question No:168 **(Marks:1)** **Vu-Topper RM**
Which of the following IRQs is connected to serial port COM 2?

A. IRQ 0
B. IRQ 1
C. IRQ2
D. IRQ3 **Page 114**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:169 **(Marks:1)** **Vu-Topper RM**

Programmable interrupt controller (PIC) has

A. One input signal and eight output signals
B. One input signal and one output signal
C. Eight input signals and one output signals **Page 105**
D. Eight input signals and eight output signals

Question No:170 **(Marks:1)** **Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to RI (Ring Indicator)?

A. 3
B. 5
C. 7
D. 9 **Page 163**

Question No:171 **(Marks:1)** **Vu-Topper RM**

Which of the following IRQs is a cascading interrupt?

A. IRQ 0
B. IRQ 1
C. IRQ 2 **Page 106**
D. IRQ 3

Question No:172 **(Marks:1)** **Vu-Topper RM**

Which of the following pins of a parallel port connector are grounded

A. 10-15
B. 18-25 **Page 117**
C. 25-32
D. 32-39

Question No:173 **(Marks:1)** **Vu-Topper RM**

Which of the following IRQs is used for Floppy disk derive?

A. IRQ 4
B. IRQ 5

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. IRQ 6 **Page 106**
D. IRQ 7

Question No:174 **(Marks:1)** **Vu-Topper RM**
When two devices in the system want to use the same IRQ line then what will happen?
A. An IRQ Crash
B. An IRQ Collision
C. An IRQ Conflict **Page 106**
D. An IRQ Blockage

Question No:175 **(Marks:1)** **Vu-Topper RM**
IRQ is referred to
A. Eight input signals **Page 105**
B. One output signal
C. Eight output signals
D. One input signal

Question No:176 **(Marks:1)** **Vu-Topper RM**
Which of the following are required for thread entry?
A. SS and SP
B. CS and DS
C. CS and IP **Page 95**
D. IP and general-purpose registers

Question No:177 **(Marks:1)** **Vu-Topper RM**
Programmable interrupt controller has two ports 20 and 21. Port 20 is the control port while port 21 is.....
A. Input port
B. Output port
C. Interrupt port
D. The Interrupt mask register **Page 107**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:178 **(Marks:1)** **Vu-Topper RM**

In 9pin DB 9 connector, which pin is assigned to CTS (Clear to Send)?

A. 2
B. 4
C. 6
D. 8 **Page 163**

Question No:179 **(Marks:1)** **Vu-Topper RM**

Which of the following interrupts is used for Arithmetic overflow?

A. INT 4 **Page 106**
B. INT5
C. INT6
D. INT7

Question No:180 **(Marks:1)** **Vu-Topper RM**

DOS has a single entry point through ------- just like a pin hole camera

A. INT 21 **Page 100**
B. INT22
C. INT23
D. INT24

Question No:181 **(Marks:1)** **Vu-Topper RM**

Which of the following interrupt requests (IRQ) is the cascading interrupt connected to the output of the second 8451 in the machine?

A. IRQ 2 **Page 106**
B. IRQ 3
C. IRQ 4
D. IRQ 5

Question No:182 **(Marks:1)** **Vu-Topper RM**

In the context of video services, if we want to set text-mode cursor shape which of the following will be the value of AH?

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

AH=01h Page141

Question No:183 (Marks:1) Vu-Topper RM

_____ register r is used for storing the base and limit of GDT.

GDTR

Question No:184 (Marks:1) Vu-Topper RM

In case of COM file, first command line parameter is stored at _____ offset of program segment prefix?

0x80

Question No:185 (Marks:1) Vu-Topper RM

The execution of the instruction mov word {ES:160} 0x1230 will print a character on screen at the _____ column of the _____ row.

First, second

Question No:186 (Marks:1) Vu-Topper RM

Which of the following is used to set direction flag?

Std

Question No:187 (Marks:1) Vu-Topper RM

INT13-BIOS disk services generally use which register to return the error flag?

CF

Question No:188 (Marks:1) Vu-Topper RM

After the execution of STOSB and STOSW the CX register will be _____ by _____.

Decremented by 1

Question No:189 (Marks:1) Vu-Topper RM

Which of the following register hold the cursor start and options for using

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu TopperRM

the write string service of INT 10?
CH

Question No:190 **(Marks:1)** **Vu-Topper RM**
Which of the following register hold the number of lines by which to scroll up for using the write string service of INT 10?
AL

Question No:191 **(Marks:1)** **Vu-Topper RM**
INT 0x13 service 0x00 is used to _____.
RESET disk system

Question No:192 **(Marks:1)** **Vu-Topper RM**
INT 0x13 service 0x02 is used to _____.
READ sector into memory

Question No:193 **(Marks:1)** **Vu-Topper RM**
INT 0x13 service 0x08 is used to_____.
GET drive parameters

Question No:194 **(Marks:1)** **Vu-Topper RM**
INT 0x21 service 0x01 is used to _____.
READ character from standard input, with echo

Question No:195 **(Marks:1)** **Vu-Topper RM**
INT 0x21 service 0x09 is used to _____.
Write string to standard output

Question No:196 **(Marks:1)** **Vu-Topper RM**
INT 0x21 service 0x0A is used to _____.
Buffered input

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:197 **(Marks:1)** **Vu-Topper RM**

Scrolling is the process of moving one or more lines towards the top or bottom of the screen and this is _____.

Cleared **Page 90**

Question No:198 **(Marks:1)** **Vu-Topper RM**

In the context of video services, if we want to scroll the window down which of the following will be the value of AH?

AH=07h

Visit My YouTube Channel
For Subjective and More
Important Files
Channel Name = #VuTopperRM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365