10:21 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 10 of 10 (Start time: 10:20:49 PM, 20 July 2023)

In Goodpasture's Syndrome, autoantibodies are produced against .....

Select the correct option

- ○ surface of RBC
- ○ Rh-factor
- ◉ glomerulus basement membrane
- ○ thyroid

Solved by M.Kashif (03064963933)

10:20 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 9 of 10 (Start time: 10:19:53 PM, 20 July 2023)

IL-12 is produced by dendritic cells & macrophages which enhance the cytolytic activity of .....

Select the correct option

- ○ NK cells
- ○ phagocytic cells
- ○ T helper cells
- ◉ cytotoxic T-cells

Solved by M.Kashif (03064963933)

10:19 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 8 of 10 (Start time: 10:18:45 PM, 20 July 2023)

..... is a mediator of immediate hypersensitivity which causes the proteolysis.

Select the correct option

- Kininogenas
- Histamine
- Tetrapeptidase
- (●) Tryptase

Solved by M.Kashif (03064963933)

10:18 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 7 of 10 (Start time: 10:17:32 PM, 20 July 2023)

These all cells are involved in delayed type hypersensitivity EXCEPT .....

Select the correct option

- ○ Monocytes
- ○ Macrophages
- ○ T-cells
- ◉ B-cells

Solved by M.Kashif (03064963933)

10:17 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 6 of 10 (Start time: 10:17:13 PM, 20 July 2023)

Cytokines, Interferon gamma & Interleukin (IL-1), are produced by .....

Select the correct option

- ○ T helper cells
- ◉ macrophages & monocytes
- ○ basophils
- ○ neutrophils

Solved by M.Kashif (03064963933)

10:17 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 5 of 10 (Start time: 10:16:29 PM, 20 July 2023)

Tumor Necrosis Factor-Alpha is produced by activated ..... in response to microbes or their products.

Select the correct option

- ○ monoctyes
- ◉ macrophages
- ○ T-cells
- ○ lymphocytes

Click to S

Solved by M.Kashif (03064963933)

10:16 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 4 of 10 (Start time: 10:16:15 PM, 20 July 2023)

Hemolytic disease of newborn of is caused by .....

Select the correct option

- ○ immediate hypersensitivity
- ● cytotoxic hypersensitivity
- ○ cell mediated hypersensitivity
- ○ immune complex hypersensitivity

Solved by M Kashif (03064963933)

10:16 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 3 of 10 (Start time: 10:15:12 PM, 20 July 2023)

Th2 cells upon activation secrete cytokines like IL-4 and IL-5 which activate .....

Select the correct option

- ○ CTL
- ○ Macrophages
- ○ APC
- ◉ B-cells

Solved by M.Kashif (03064963933)

10:15 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 2 of 10 (Start time: 10:14:56 PM, 20 July 2023)

Type II hypersensitivity is also known as----------

Select the correct option

- ○ Anaphylactic reactions
- ◉ Cytotoxic hypersensitivity
- ○ cell mediated hypersensitivity
- ○ Immune complex hypersensitivity

Solved by M.Kashif (03064963933)

10:14 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 1 of 10 (Start time: 10:14:21 PM, 20 July 2023)

In type III hypersensitivity, aggregated ..... form micro thrombus.

Select the correct option

- ○ macrophages
- ○ complement proteins
- ◉ platelets
- ○ neutrophils

Solved by M.Kashif (03064963933)

10:01 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 10 of 10 (Start time: 10:00:43 PM, 20 July 2023)

Hypersensitivity I is mediated by ------

Select the correct option

- [ ] IgA
- [x] IgE
- [ ] IgM
- [ ] IgG

Solved by M.Kashif (03064963933)

10:00 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 9 of 10 (Start time: 10:00:14 PM, 20 July 2023)

These all are true for immune evasion EXCEPT .....

Select the correct option

- (●) Occurs either by weak immune response
- ( ) Maximizes the ability of organism to develop infection
- ( ) Humoral immunity cannot be evaded only
- ( ) Enhance the ability of tumor cells to evade

Solved by M.Kashif (03064963933)

10:00 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 8 of 10 (Start time: 09:59:42 PM, 20 July 2023)

Upon CTL degranulation, polyperforin channels are developed in the presence of .....

Select the correct option

- ○ Magnesium
- ○ Factor D
- ○ Factor B
- ◉ Calcium

Solved by M.Kashif (03064963933)

9:59

vulms.vu.edu.pk/Qu

15

BT302 - Immunology (Quiz No. 2)

Question # 7 of 10 (Start time: 09:58:37 PM, 20 July 2023)

Tumor Necrosis Factor-Alpha is produced by activated ..... in response to microbes or their products.

Select the correct option

- lymphocytes
- macrophages
- monoctyes
- T-cells

Click to

Solved by M.Kashif (03064963933)

9:58

vulms.vu.edu.pk/Qu

15

BT302 - Immunology (Quiz No. 2)

Question # 6 of 10 (Start time: 09:56:57 PM, 20 July 2023)

Hemolytic disease of newborn of is caused by .....

Select the correct option

- ○ cell mediated hypersensitivity
- ○ immune complex hypersensitivity
- ◉ cytotoxic hypersensitivity
- ○ immediate hypersensitivity

Solved by M.Kashif (03064963933)

9:56

vulms.vu.edu.pk/Qu

15

BT302 - Immunology (Quiz No. 2) Quiz Start Time:

Question # 5 of 10 (Start time: 09:55:10 PM, 20 July 2023)

Antibody dependent Cellular Cytotoxicity is another form of Type II hypersensitivity causes the lysis target cells primarily by .....

Select the correct option

- macrophages
- eosinophils
- NK cells
- neutrophils

Click to Save Answer & Mo

Solved by M.Kashif (03064963933)

9:55 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 4 of 10 (Start time: 09:54:26 PM, 20 July 2023)

Cytokines, Interferon gamma & Interleukin (IL-1), are produced by .....

Select the correct option

- (●) macrophages & monocytes
- ( ) neutrophils
- ( ) T helper cells
- ( ) basophils

Solved by M.Kashif (03064963933)

9:54 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 3 of 10 (Start time: 09:53:30 PM, 20 July 2023)

Th2 cells upon activation secrete cytokines like IL-4 and IL-5 which activate .....

Select the correct option

- (●) B-cells
- ( ) Macrophages
- ( ) CTL
- ( ) APC

Solved by M.Kashif (03064963933)

9:53 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 2 of 10 (Start time: 09:52:44 PM, 20 July 2023)

Hypersensitivity is -------

Select the correct option

- ○ Overreaction of immune system
- ○ Undesirable reaction by normal immune system
- ● All of these
- ○ Intolerance

Solved by M.Kashif (03064963933)

9:52 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 1 of 10 (Start time: 09:52:29 PM, 20 July 2023)

Anaphylactic reactions usually take ..... to occur.

Select the correct option

- ○ 10-12 hrs
- ○ 1-2 minutes
- ○ 1-2 days
- ◉ 15-30 minutes

Solved by M.Kashif (03064963933)

9:10 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 8 of 10 (Start time: 09:09:22 PM, 20 July 2023)

Tuberculin test is used to diagnose ..... reaction

Select the correct option

- (●) Hypersensitivity type IV
- ( ) Hypersensitivity type III
- ( ) Hypersensitivity type II
- ( ) Hypersensitivity type I

Solved By M.Kashif (03064963933)

9:09 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 7 of 10 (Start time: 09:08:36 PM, 20 July 2023)

In Goodpasture's Syndrome, autoantibodies are produced against .....

Select the correct option

- ○ surface of RBC
- ○ Rh-factor
- ○ thyroid
- ◉ glomerulus basement membrane

Solved by M.Kashif (03064963933)

9:08 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 6 of 10 (Start time: 09:07:17 PM, 20 July 2023)

Anaphylactic reactions usually take ..... to occur.

Select the correct option

- (●) 15-30 minutes
- ( ) 1-2 days
- ( ) 10-12 hrs
- ( ) 1-2 minutes

Solved by M.Kashif (03064963933)

9:07 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 5 of 10 (Start time: 09:06:25 PM, 20 July 2023)

IL-12 is produced by dendritic cells & macrophages which enhance the cytolytic activity of .....

Select the correct option

- ○ NK cells
- ◉ cytotoxic T-cells
- ○ T helper cells
- ○ phagocytic cells

Solved By M.Kashif (03064963933)

9:06 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 4 of 10 (Start time: 09:05:51 PM, 20 July 2023)

Th1 cells release cytokine like IFNγ upon activation which is inhibitory for .....

Select the correct option

- ○ mast cells
- ◉ Th2 cells
- ○ CTL
- ○ macrophages

Solved by M.Kashif (03064963933)

9:05 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 3 of 10 (Start time: 09:05:18 PM, 20 July 2023)

Upon CTL degranulation, polyperforin channels are developed in the presence of .....

Select the correct option

- ○ Factor D
- ○ Factor B
- ◉ Calcium
- ○ Magnesium

Solved by M.Kashif (03064963933)

9:05 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 2 of 10 (Start time: 09:04:37 PM, 20 July 2023)

Cytokines are -------

Select the correct option

- ( ) Diverse group of non-antibody lipids
- ( ) Diverse group of antibody proteins
- (•) Diverse group of non-antibody proteins
- ( ) Diverse group of non-antibody cells

Solved by M Kashif (03064963933)

9:04 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 1 of 10 (Start time: 09:02:53 PM, 20 July 2023)

Hemolytic disease of newborn of is caused by .....

Select the correct option

- ○ cell mediated hypersensitivity
- ○ immune complex hypersensitivity
- ○ immediate hypersensitivity
- ◉ cytotoxic hypersensitivity

Solved by M.Kashif (03064963933)

9:12 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 9 of 10 (Start time: 09:10:21 PM, 20 July 2023)

The mechanism of immune evasion by Listeria monocytogenes is .....

Select the correct option

- (●) inhibition of phagolysosome formation
- ( ) inactivation of reactive oxygen species
- ( ) inactivation of reactive nitrogen species
- ( ) disruption of phagosome membrane ✓

Solved by M.Kashif (03064963933)

10:00 vulms.vu.edu.pk/Qu 15

BT302 - Immunology (Quiz No. 2)

Question # 9 of 10 (Start time: 10:00:14 PM, 20 July 2023)

These all are true for immune evasion EXCEPT .....

Select the correct option

- (●) Occurs either by weak immune response
- ( ) Maximizes the ability of organism to develop infection
- ( ) Humoral immunity cannot be evaded only
- ( ) Enhance the ability of tumor cells to evade

Solved by M.Kashif (03064963933)