


Question # 2 of 10 (Start time: 09:20:56 AM, 07 June 2022)

"end()" method of list performs it's tasks in

Select the correct option

☐	Two steps
☐	Many steps
☒	One steps
☐	Three steps

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 09:21:47 AM, 07 June 2022)

A list is the collection of items of the _____

Select the correct option

☒	same type
☐	May be of same or may be of different type
☐	different type
☐	Structure type

VU Stars
Whatsapp: 03066295623




Question # 4 of 10 (Start time: 09:22:24 AM, 07 June 2022)

In the statement template <T>, T represents_____.

Select the correct option

☒	Generic data type
☐	Integer data type
☐	Character data type
☐	String data type

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 09:23:32 AM, 07 June 2022)

Which one of the following operations returns and removes top value of the stack?

Select the correct option

☒	Pop
☐	Push
☐	First
☐	Top

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 09:23:32 AM, 07 June 2022)

Which one of the following operations returns and removes top value of the stack?

Select the correct option

☒	Pop
☐	Push
☐	First
☐	Top

VU Stars
Whatsapp: 03066295623




Question # 6 of 10 (Start time: 09:25:04 AM, 07 June 2022)

The _____ method of list will position the currentNode and lastCurrentNode at the start of the list.

Select the correct option

☐	Next
☒	Start
☐	Remove
☐	Back

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 09:25:36 AM, 07 June 2022)

Which of the following operation is used to get an element from the top of stack?

Select the correct option

☐	get()
☒	push()
☐	top()
☐	pop()

VU Stars
Whatsapp: 03066295623



Question # 8 of 10 (Start time: 09:26:27 AM, 07 June 2022)

Consider the following expression:


 $P = A * B + C - D$

In the above expression "+" is a _____ operator.

Select the correct option

☐	Unary
☐	Technical
☐	Logical
☒	Binary

VU Stars
Whatsapp: 03066295623



Question # 8 of 10 (Start time: 09:26:27 AM, 07 June 2022)

Consider the following expression:


 $P = A * B + C - D$

In the above expression "+" is a _____ operator.

Select the correct option

☐	Unary
☐	Technical
☐	Logical
☒	Binary

VU Stars
Whatsapp: 03066295623




Question # 9 of 10 (Start time: 09:27:56 AM, 07 June 2022)

An efficient program executes faster and helps in _____ the usage of resources like memory and disk.

Select the correct option

☒	Minimizing
☐	Equalizing
☐	Increase
☐	Maximizing

VU Stars
Whatsapp: 03066295623




Question # 10 of 10 (Start time: 09:28:41 AM, 07 June 2022)

Whenever we call a function, the compiler makes a _____ that it uses to fulfill this function call.

Select the correct option

☐	Heap
☒	Stack
☐	Macro
☐	Queue

VU Stars
Whatsapp: 03066295623



Question # 2 of 10 (Start time: 11:35:50 AM, 07 June 2022)


If we use doubly linked list to implement list, then there is an issue of:

Select the correct option

- | | |
|----------------------------------|---|
| ☐ | next pointer of first node and pre pointer of last node are NULL |
| ☐ | pre pointer of first node and pre pointer of last node are NULL |
| ☒ | pre pointer of first node and next pointer of last node are NULL |
| ☐ | next pointer of first node and next pointer of last node are NULL |

VU Stars

Whatsapp: 03066295623




Question # 3 of 10 (Start time: 11:37:10 AM, 07 June 2022)

If the input symbol is not ')' and the stack is not empty then which of the following option will be pushed on the stack.

Select the correct option

☐	Operand
☐	Operand and operator
☐	Nothing can be pushed in stack
☒	Operator

VU Stars
Whatsapp: 03066295623




Question # 4 of 10 (Start time: 11:37:48 AM, 07 June 2022)

The back() method decreases the value of variable current by _____.

Select the correct option

☐	Three
☐	Two
☒	One
☐	Four

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 11:38:28 AM, 07 June 2022)

The usage of the class of a data structure causes the code of the program

Select the correct option

☐	Difficult
☒	Simplifies
☐	Lengthy
☐	Complicated

VU Stars
Whatsapp: 03066295623




Question # 6 of 10 (Start time: 11:39:10 AM, 07 June 2022)

back() method of List class is used to:

Select the correct option

☐	Moves the "current" pointer to backward three elements.
☐	Moves the "current" pointer to backward four elements.
☐	Moves the "current" pointer to backward two elements.
☒	Moves the "current" pointer to backward one element.

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 11:39:49 AM, 07 June 2022)

Which of the following operation is used to get and remove top element from the stack?

Select the correct option

☐	remove()
☒	pop()
☐	top()
☐	push()

VU Stars
Whatsapp: 03066295623




Question # 8 of 10 (Start time: 11:40:37 AM, 07 June 2022)

In simple or singly linked list there is/are _____ pointer/s in each node.

Select the correct option

☐	Three
☐	One
☒	Two
☐	Four

VU Stars
Whatsapp: 03066295623




Question # 9 of 10 (Start time: 11:41:30 AM, 07 June 2022)

Array cells are _____ in computer memory.

Select the correct option

☐	Store in multiple functions
☐	Random
☐	Store in multiple variables
☒	Contiguous

VU Stars
Whatsapp: 03066295623




Question # 1 of 10 (Start time: 11:45:10 AM, 07 June 2022)

start() method of List class is used to:

Select the correct option

☒	Moves the "current" pointer to very first element.
☐	Moves the "current" pointer to very last element.
☐	Moves the "current" pointer to one step before the first element of the array.
☐	Moves the "current" pointer to one step after the first element of the array.

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 11:47:14 AM, 07 June 2022)

The computer memory can be thought of as a/an

Select the correct option

☐	Stack
☒	Array
☐	List
☐	Queue

VU Stars
Whatsapp: 03066295623




Question # 4 of 10 (Start time: 11:47:39 AM, 07 June 2022)

_____ is the major factor to see the efficiency of a program.

Select the correct option

☐	Quality
☒	Time
☐	Correctness
☐	Code

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 11:47:52 AM, 07 June 2022)

Trying to remove an element from an empty stack is called _____.

Select the correct option

☒	Underflow of stack
☐	Empty collection
☐	Garbage collection
☐	Overflow of stack

VU Stars
Whatsapp: 03066295623




Question # 6 of 10 (Start time: 11:49:00 AM, 07 June 2022)

Which of the following operation returns but do not removes top value of the stack?

Select the correct option

☐	push
☐	pop
☒	top
☐	first

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 11:49:26 AM, 07 June 2022)

Last node in circular linked list contains

Select the correct option

☐	At least one null pointer
☐	tail pointer
☐	Maximum two null pointers
☒	No null pointer

VU Stars
Whatsapp: 03066295623




Question # 8 of 10 (Start time: 11:50:27 AM, 07 June 2022)

isFull() method of stack class will return true when:

Select the correct option

☐	Stack is not empty nor full
☐	Stack is partially full
☐	Stack is empty
☒	Stack is full

VU Stars
Whatsapp: 03066295623




Question # 9 of 10 (Start time: 11:51:04 AM, 07 June 2022)

Head node pointer always points to the _____ of the linked list?

Select the correct option

☐	first node
☐	last node
☐	newly added node
☒	current node

VU Stars
Whatsapp: 03066295623



Question # 10 of 10 (Start time: 11:52:10 AM, 07 June 2022)

Consider the following expression:


 $P = A * B + C - D$

In the above expression "+" is a _____ operator.

Select the correct option

☐	Technical
☒	Binary
☐	Unary
☐	Logical

VU Stars
Whatsapp: 03066295623




Question # 1 of 10 (Start time: 11:55:53 AM, 07 June 2022)

If we use array to implement list, then there is an issue that it gives difficulty when:

Select the correct option

☐	We will decrease its size
☐	We will remove data from it
☒	We will increase its size
☐	We will access values randomly

VU Stars
Whatsapp: 03066295623




Question # 2 of 10 (Start time: 11:57:15 AM, 07 June 2022)

If we do not have to move too much in the list then use of which one type of list is not necessary/essential.

Select the correct option

☒	Circular linked list
☐	Linked list
☐	Doubly linked list
☐	Simple list

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 11:57:53 AM, 07 June 2022)

In the calling function, after the execution of the function called, the program continues its execution from the _____ after the function call.

Select the correct option

☐	Previous line
☐	End
☐	Beginning
☒	Next line

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 11:57:53 AM, 07 June 2022)

In the calling function, after the execution of the function called, the program continues its execution from the _____ after the function call.

Select the correct option

☐	Previous line
☐	End
☐	Beginning
☒	Next line

VU Stars
Whatsapp: 03066295623



Question # 4 of 10 (Start time: 11:58:12 AM, 07 June 2022)


Which of the following is the correct conversion of infix to postfix expression?

 $Z+B-(D-H)/K$

Select the correct option

☐	$ZB+DH-K-/$
☒	$ZB+DH-K-/$
☐	$ZB+D-H-K/$
☐	$ZB+DHK--/$

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 11:58:58 AM, 07 June 2022)

What will be the postfix expression of following infix expression?
 $A * B / C + D - E$

Select the correct option

☐	$AB * C / D + E -$
☐	$AB * C + DE / -$
☐	$AB / C * D + E -$
☒	$AB + CD / + E -$

VU Stars
Whatsapp: 03066295623




Question # 6 of 10 (Start time: 11:59:45 AM, 07 June 2022)

In _____ various cells of memory are not located continuously.

Select the correct option

☐	Circular array
☐	List
☒	Linked list
☐	Arrays

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 12:00:14 PM, 07 June 2022)

Which kind of data structure is used to evaluate postfix expression?

Select the correct option

☐	Queue
☐	Linked List
☒	Stack
☐	Tree

VU Stars
Whatsapp: 03066295623




Question # 8 of 10 (Start time: 12:00:41 PM, 07 June 2022)

At the time while evaluating an expression, if we want to give higher precedence to lower precedence operator, we used _____.

Select the correct option

☒	Parenthesis
☐	Operands
☐	Dots
☐	Comas

VU Stars
Whatsapp: 03066295623




Question # 9 of 10 (Start time: 12:01:36 PM, 07 June 2022)

Array cells are _____ in computer memory.

Select the correct option

☐	Store in multiple variables
☐	Random
☒	Contiguous
☐	Store in multiple functions

VU Stars
Whatsapp: 03066295623



Question # 10 of 10 (Start time: 12:01:52 PM, 07 June 2022)


What will be postfix expression of the following infix expression?

Infix Expression : $a+b*c-d$

Select the correct option

☒	abc^*+d-
☐	$ab+c*d-$
☐	$abc+*d-$
☐	$abcd+*-$

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 02:45:20 PM, 07 June 2022)

Stack.push(15) will push 15 on _____.

Select the correct option

☒	Top of the Stack
☐	Middle of the Stack
☐	Bottom of Stack
☐	Anywhere in the Stack

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 02:47:37 PM, 07 June 2022)

A template is a function or class that is written with a _____ data type.

Select the correct option

☐	Definite
☐	None of the above.
☒	Generic
☐	Specific

VU Stars
Whatsapp: 03066295623




Question # 10 of 10 (Start time: 02:51:38 PM, 07 June 2022)

A kind of expressions where the operator is present between two operands called _____ expressions.

Select the correct option

☐	Prefix
☐	None of the above
☐	Postfix
☒	Infix

VU Stars
Whatsapp: 03066295623




Question # 1 of 10 (Start time: 05:54:09 PM, 07 June 2022)

If we use array to implement list, then there is an issue that it gives difficulty when:

Select the correct option

☒	We will increase its size
☐	We will access values randomly
☐	We will decrease its size
☐	We will remove data from it

VU Stars
Whatsapp: 03066295623




Question # 2 of 10 (Start time: 05:54:36 PM, 07 June 2022)

Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 35 stored in it. What will be the resultant linked list after calling add

Select the correct option

☐	6, 72, 18, 35, 65, 25
☐	6, 72, 35, 65, 25, 18
☒	6, 72, 35, 18, 65, 25
☐	6, 18, 72, 35, 65, 25

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 05:55:25 PM, 07 June 2022)

Array cells are _____ in computer memory.

Select the correct option

☐	Store in multiple variables
☐	Random
☐	Store in multiple functions
☒	Contiguous

VU Stars
Whatsapp: 03066295623




Question # 4 of 10 (Start time: 05:55:38 PM, 07 June 2022)

Whenever we call a function, the compiler makes a stack, the top element of the stack is _____ of the function.

Select the correct option

☐	Last argument
☐	Variable name only
☒	Return address
☐	First argument

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 05:56:43 PM, 07 June 2022)

Current pointer always points to the _____ of the linked list.

Select the correct option

☐	current node
☐	lastcurrent node
☒	first node
☐	last node

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 05:58:58 PM, 07 June 2022)

_____ is a collection of elements arranged in a linear order.

Select the correct option

☐	AVL Tree
☒	Stack
☐	Heap
☐	Binary Search Tree

VU Stars
Whatsapp: 03066295623




Question # 10 of 10 (Start time: 06:01:55 PM, 07 June 2022)

In _____, a programmer uses two pointers in the node, i.e. one to point to next node and the other to point to the previous node.

Select the correct option

☐	structure
☐	array
☐	Linked list
☒	doubly-link list

VU Stars
Whatsapp: 03066295623




Question # 2 of 10 (Start time: 06:17:32 PM, 07 June 2022)

The expression $DE+H^*$ is called_____

Select the correct option

☒	Hybrid expression
☐	Prefix expression
☐	Postfix expression
☐	Infix expression

VU Stars
Whatsapp: 03066295623




Question # 4 of 10 (Start time: 06:19:24 PM, 07 June 2022)

Which one option is associated with the data structures?

Select the correct option

☐	Class
☒	Time to perform each basic operation
☐	Quality
☐	Function

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 06:19:57 PM, 07 June 2022)

Which one of the following operations returns and removes top value of the stack?

Select the correct option

☐	First
☒	Pop
☐	Top
☐	Push

VU Stars
Whatsapp: 03066295623




Question # 2 of 10 (Start time: 08:46:40 PM, 07 June 2022)

Each operator in a postfix expression refers to the previous _____ operand(s).

Select the correct option

☐	four
☐	three
☐	one
☒	two

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 08:46:54 PM, 07 June 2022)

add(12) method of linked list class will:

Select the correct option

☒	Add 12 as value in linked list
☐	Add 12 pointers in linked list
☐	Add 12 values in the linked list
☐	Add 12 nodes in linked list

VU Stars
Whatsapp: 03066295623




Question # 4 of 10 (Start time: 08:47:11 PM, 07 June 2022)

Which one option is associated with the data structures?

Select the correct option

☐	Quality
☐	Function
☐	Class
☒	Time to perform each basic operation

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 08:47:30 PM, 07 June 2022)

copy() method of List data structure _____

Select the correct option

☐	Copy first item of list
☒	Set one list to be a copy of another
☐	Copy last item of list
☐	Copy any item of list

VU Stars
Whatsapp: 03066295623




Question # 8 of 10 (Start time: 08:48:29 PM, 07 June 2022)

The _____ method of list will position the currentNode and lastCurrentNode at the start of the list.

Select the correct option

☐	Next
☒	Start
☐	Remove
☐	Back

VU Stars
Whatsapp: 03066295623




Question # 6 of 10 (Start time: 12:16:12 PM, 29 June 2022)

In a doubly linked list, we can traverse the list in _____.

Select the correct option

☐	Reverse direction
☒	Both directions
☐	Forward direction
☐	No direction

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 12:17:21 PM, 29 June 2022)

The _____ level of any leaf in a binary tree is called the depth of the tree

Select the correct option

☐	Minimum
☐	Zero
☐	Mid
☒	Maximum

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 12:17:21 PM, 29 June 2022)

The _____ level of any leaf in a binary tree is called the depth of the tree

Select the correct option

☐	Minimum
☐	Zero
☐	Mid
☒	Maximum

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 01:03:17 AM, 30 June 2022)

The balance of a node in a binary tree is defined as the height of its _____ sub tree minus height of its right sub tree.

Select the correct option

☐	upper
☐	lower
☐	right
☒	left

VU Stars
Whatsapp: 03066295623




Question # 4 of 10 (Start time: 01:03:41 AM, 30 June 2022)

~BinarySearchTree() is a _____.

Select the correct option

☒	Destructor
☐	Template method call
☐	Constructor
☐	Switch case

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 01:04:58 AM, 30 June 2022)

We can calculate the _____ of a subtree by counting its levels from the bottom.

Select the correct option

☐	Nodes
☐	Balance
☐	Data items
☒	Height

VU Stars
Whatsapp: 03066295623




Question # 10 of 10 (Start time: 01:10:13 AM, 30 June 2022)

The _____ of every node should be 1, 0 or -1 otherwise, it will not be an AVL tree.

Select the correct option

☐	width
☒	balance
☐	length
☐	size

VU Stars
Whatsapp: 03066295623




Question # 1 of 10 (Start time: 03:51:20 PM, 30 June 2022)

Every _____ tree is a binary search tree.

Select the correct option

☐	big
☐	small
☐	binary
☒	AVL

VU Stars
Whatsapp: 03066295623



Question # 2 of 10 (Start time: 03:52:54 PM, 30 June 2022)


The statement

"The insertion operation in AVL tree, generally takes more time than insertion operation in simple binary search tree" is

Select the correct option

☐	Insertion time is same in AVL and BST
☐	Can be correct in some cases only
☐	Is always incorrect
☒	Always correct

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 03:53:37 PM, 30 June 2022)

We allocate memory dynamically by using _____ operator.

Select the correct option

☐	decrement
☒	new
☐	this
☐	increment

VU Stars
Whatsapp: 03066295623





```
void Func1(int& num) {  
    num++;  
}  
  
void Func2(int num) {  
    num++;  
}
```

Select the correct option

☐	Both Func1 and Func2
☐	Func1
☒	Func2
☐	C++ do not have concept of function call by value

VU Stars
Whatsapp: 03066295623




Question # 6 of 10 (Start time: 03:56:57 PM, 30 June 2022)

We can use Binary Search Tree with _____

Select the correct option

☐	String data only
☒	Both Integer and String data
☐	Integer data only
☐	Non-integer data only

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 03:57:46 PM, 30 June 2022)

In a strictly complete binary tree, the number of _____ at any level k will be 2^k .

Select the correct option

☐	children
☒	nodes
☐	sets
☐	links

VU Stars
Whatsapp: 03066295623




Question # 8 of 10 (Start time: 03:58:47 PM, 30 June 2022)

After deletion of a node from a binary search tree , _____ traversal method should be maintained.

Select the correct option

☒	Inorder
☐	Level order
☐	Postorder
☐	Preorder

VU Stars
Whatsapp: 03066295623




Question # 8 of 10 (Start time: 03:58:47 PM, 30 June 2022)

After deletion of a node from a binary search tree , _____ traversal method should be maintained.

Select the correct option

☒	Inorder
☐	Level order
☐	Postorder
☐	Preorder

VU Stars
Whatsapp: 03066295623




Question # 9 of 10 (Start time: 03:59:38 PM, 30 June 2022)

_____ objects (objects accessed by pointers) are called anonymous objects.

Select the correct option

☐	Public
☒	Nameless
☐	Private
☐	Friend

VU Stars
Whatsapp: 03066295623




Question # 10 of 10 (Start time: 04:00:25 PM, 30 June 2022)

Factorial is an example of _____function.

Select the correct option

☐	Cube
☐	Non-Recursive
☐	Log
☒	Recursive

VU Stars
Whatsapp: 03066295623




Question # 1 of 10 (Start time: 04:01:39 PM, 30 June 2022)

_____ is used for Reference variables in C++.

Select the correct option

☐	@
☒	&
☐	#
☐	..

VU Stars
Whatsapp: 03066295623




Analyze the given code carefully and identify which type of binary tree traversal this is :

```
void traversal (TreeNode<int>* treeNode)
{
    if( treeNode != NULL )
    {
        traversal (treeNode->getLeft());
```

Select the correct option

☐	Levelorder
☒	Inorder
☐	Postorder
☐	Preorder

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 04:04:02 PM, 30 June 2022)

The _____ symbol is used when we want to get the value of a variable using pointer.

Select the correct option

☐	
☒	*
☐	::
☐	&

VU Stars
Whatsapp: 03066295623




Question # 4 of 10 (Start time: 04:04:54 PM, 30 June 2022)

In which traversal method root node is visited at last step?

Select the correct option

☐	Inorder
☐	Level order
☒	Postorder
☐	Preorder

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 04:06:27 PM, 30 June 2022)

In C++, we place the class interface in _____ file.

Select the correct option

☒	<code>.cpp</code>
☐	<code>.h</code>
☐	<code>.cppp</code>
☐	<code>.hh</code>

VU Stars
Whatsapp: 03066295623



Question # 6 of 10 (Start time: 04:08:01 PM, 30 June 2022)


Analyze the given code carefully and identify which type of binary tree traversal this is :

```
void traversal (TreeNode<int>* treeNode)
{
    if( treeNode != NULL )
    {
        cout << *(treeNode->getInfo())<<" ";
    }
}
```

Select the correct option

☐	Postorder
☐	Sorted order
☐	Preorder
☒	Inorder

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 04:08:31 PM, 30 June 2022)

What will be the return type of the findMin method in the statement given below?
`int& findMin( ) const;`

Select the correct option

☐	constant integer
☒	integer reference
☐	integer pointer
☐	integer variable

VU Stars
Whatsapp: 03066295623




Question # 8 of 10 (Start time: 04:09:38 PM, 30 June 2022)

_____ is a self-balancing tree.

Select the correct option

☐	Binary Tree
☐	Binary Search Tree
☒	AVL
☐	ALV

VU Stars
Whatsapp: 03066295623




Question # 9 of 10 (Start time: 04:10:32 PM, 30 June 2022)

All the objects created using _____ operator have to be destroyed explicitly.

Select the correct option

☒	new
☐	construct
☐	build
☐	create

VU Stars
Whatsapp: 03066295623




Question # 1 of 10 (Start time: 04:13:41 PM, 30 June 2022)

The _____ of a binary tree is the maximum level of its leaves (also called the depth).

Select the correct option

☐	Width
☒	Height
☐	Level
☐	Balance

VU Stars
Whatsapp: 03066295623




Question # 1 of 10 (Start time: 04:13:41 PM, 30 June 2022)

The _____ of a binary tree is the maximum level of its leaves (also called the depth).

Select the correct option

☐	Width
☒	Height
☐	Level
☐	Balance

VU Stars
Whatsapp: 03066295623




Question # 2 of 10 (Start time: 04:14:11 PM, 30 June 2022)

We can calculate the _____ of a subtree by counting its levels from the bottom.

Select the correct option

☐	Data items
☐	Balance
☒	Height
☐	Nodes

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 04:14:44 PM, 30 June 2022)

When a function calling itself is called as _____.

Select the correct option

☐	Iteration
☐	Inline
☒	Recursion
☐	Nested loop

VU Stars
Whatsapp: 03066295623



Question # 4 of 10 (Start time: 04:15:37 PM, 30 June 2022)

Which one is the correct function call for the following function of calculating cube?


```
int cube(int& num)
```

```
{  
...  
}
```

Select the correct option

☐	<code>cube(*num)</code>
☐	<code>cube(&num)</code>
☐	<code>cube(&&num)</code>
☒	<code>cube(num)</code>

VU Stars
Whatsapp: 03066295623




Question # 5 of 10 (Start time: 04:16:25 PM, 30 June 2022)

We can use Binary Search Tree with _____

Select the correct option

☒	Both Integer and String data
☐	String data only
☐	Integer data only
☐	Non-integer data only

VU Stars
Whatsapp: 03066295623




Question # 1 of 10 (Start time: 04:22:38 PM, 30 June 2022)

We can make a lexicographic order of characters based on their _____.

Select the correct option

☐	Random choice
☐	Memory addresses
☐	Binary digits
☒	ASCII values

VU Stars
Whatsapp: 03066295623




Question # 2 of 10 (Start time: 04:23:46 PM, 30 June 2022)

If a function has recursive call as the last statement, it is known as _____.

Select the correct option

☒	Tail recursion
☐	Function recursion
☐	Local Recursion
☐	Last recursion

VU Stars
Whatsapp: 03066295623



Question # 4 of 10 (Start time: 04:25:43 PM, 30 June 2022)


What will be the return type of the findMin method in the statement given below?

```
int& findMin( ) const;
```

Select the correct option

☐	integer pointer
☒	integer reference
☐	integer variable
☐	constant integer

VU Stars
Whatsapp: 03066295623



Question # 5 of 10 (Start time: 04:26:24 PM, 30 June 2022)

In tree, the search operation is _____ as compared to the linked list.

Select the correct option

☐	not fast
☒	very fast
☐	very slow
☐	equally time-taken

VU Stars
Whatsapp: 03066295623




Question # 6 of 10 (Start time: 04:26:59 PM, 30 June 2022)

Which of the following traversal method traverses the binary tree in sorted order?

Select the correct option

☐	Level order
☒	In-order
☐	Post-order
☐	Pre-order

VU Stars
Whatsapp: 03066295623




Question # 8 of 10 (Start time: 04:29:26 PM, 30 June 2022)

For making Binary Search Tree for Strings we need, _____ data type.

Select the correct option

☐	char
☐	double
☐	float
☒	int

VU Stars
Whatsapp: 03066295623




Question # 1 of 10 (Start time: 04:35:10 PM, 30 June 2022)

In level-order traversal for Binary Search Tree, at each level, we visit the nodes in _____ order.

Select the correct option

☐	any
☐	right-to-left
☒	left-to-right
☐	top to bottom

VU Stars
Whatsapp: 03066295623



Question # 2 of 10 (Start time: 04:36:16 PM, 30 June 2022)


Following is true in case of using Recursive method calls.

Select the correct option

☐	Code will not execute if it contains recursive calls
☐	There is no effect on length of code
☒	The code becomes very short
☐	The code becomes very long

VU Stars

Whatsapp: 03066295623




Question # 3 of 10 (Start time: 04:36:53 PM, 30 June 2022)

In the perspective of memory organization every process executing, the second part of the memory is for _____ of the program.

Select the correct option

☐	Heap
☒	Static Data
☐	Code
☐	Stack

VU Stars
Whatsapp: 03066295623




Question # 4 of 10 (Start time: 04:37:47 PM, 30 June 2022)

Binary Search Tree violates the condition of AVL tree when any node has balance factor equal to

Select the correct option

☐	1
☐	0
☐	-1
☒	2 or -2

VU Stars
Whatsapp: 03066295623




Question # 6 of 10 (Start time: 04:40:09 PM, 30 June 2022)

If the root of a tree is at level zero, its two children (subtrees) i.e. nodes will be at _____

Select the correct option

☐	Level 3
☐	Level 0
☒	Level 1
☐	Level 2

VU Stars
Whatsapp: 03066295623




When a function calls another function, the parameters and return address of the calling function are put in _____.

Select the correct option

☒	Stack
☐	Heap
☐	Queue
☐	Binary Tree

VU Stars
Whatsapp: 03066295623




Question # 10 of 10 (Start time: 04:42:56 PM, 30 June 2022)

_____ is an area in computer memory that is used to allocate memory dynamically.

Select the correct option

☐	Global
☐	Stack
☐	Static
☒	Heap

VU Stars
Whatsapp: 03066295623




Question # 4 of 10 (Start time: 04:51:41 PM, 30 June 2022)

Following is a keyword of C++ _____

Select the correct option

☐	eliminate
☐	remove
☒	delete
☐	del

VU Stars
Whatsapp: 03066295623




Question # 10 of 10 (Start time: 04:55:35 PM, 30 June 2022)

A tree is an AVL tree if

Select the correct option

☒	All the nodes fulfill the AVL condition
☐	Any one node fulfills the AVL condition
☐	Root node fulfills the AVL condition
☐	At least half of the nodes fulfill the AVL condition

VU Stars
Whatsapp: 03066295623




Question # 2 of 10 (Start time: 05:06:23 PM, 30 June 2022)

In Preorder traversal of a binary tree the second step is _____

Select the correct option

☒	traverse the left subtree
☐	traverse the right subtree
☐	traverse the root
☐	traverse the leaf node

VU Stars
Whatsapp: 03066295623




Question # 6 of 10 (Start time: 05:08:47 PM, 30 June 2022)

The _____ of every node should be 1, 0 or -1 otherwise, it will not be an AVL tree.

Select the correct option

☐	width
☐	length
☒	balance
☐	size

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 05:09:35 PM, 30 June 2022)

_____ parameter passing (by value or by reference) is similar to PASCAL.

Select the correct option

☐	FORTRAN
☐	JAVA
☐	COBOL
☒	C++

VU Stars
Whatsapp: 03066295623




Question # 9 of 10 (Start time: 05:10:56 PM, 30 June 2022)

Suppose we have the following values to be inserted in constructing AVL tree,
20,23,25,10,12,13
Tell when first rotation will take place.

Select the correct option

☐	after inserting node 10
☒	after inserting node 12
☐	after inserting node 25
☐	after inserting node 23

VU Stars
Whatsapp: 03066295623




Question # 2 of 10 (Start time: 05:16:20 PM, 30 June 2022)

After deletion of a node from a binary search tree , _____ traversal method should be maintained.

Select the correct option

☐	Postorder
☒	Inorder
☐	Level order
☐	Preorder

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 05:16:42 PM, 30 June 2022)

To create a reference variable, we need to use _____ sign.

Select the correct option

☒	ampersand
☐	dollar
☐	asterisk
☐	sigma

VU Stars
Whatsapp: 03066295623




Question # 3 of 10 (Start time: 05:16:42 PM, 30 June 2022)

To create a reference variable, we need to use _____ sign.

Select the correct option

☒	ampersand
☐	dollar
☐	asterisk
☐	sigma

VU Stars
Whatsapp: 03066295623




Question # 7 of 10 (Start time: 05:19:44 PM, 30 June 2022)

In the perspective of memory organization every process executing, the last part of the memory is for the _____ of the program.

Select the correct option

☐	Code
☐	Stack
☒	Heap
☐	Data

VU Stars
Whatsapp: 03066295623



Question # 2 of 10 (Start time: 05:26:00 PM, 30 June 2022)

Whenever a node is deleted from a binary search tree, _____ has to be maintained.

Select the correct option

☐	Pre order traversal
☐	Any traversal can be maintained
☐	Post order traversal
☒	In order traversal

VU Stars
Whatsapp: 03066295623

