Question # 1 of 10 (start time: 08:11:33 AM, 02 June 2023)

Total Marks: 1

The temperature inside the cryostat is about

Select the correct option

- Only 15
- 15_20
- 15_ 50
- 20 _ 30

15-30

Click to save Answer & Move to Next Question

Question # 3 of 10 (Start time: 09:13:06 AM, 03 June 2023) **Total Marks: 1**

Which of the following microtome is best for preparation of extremely thin sections?

Select the correct option

Reload Math Equations

- Vibrating microtome
- Rotary microtome
- Ultramicrotome
- Sledge microtome

Question # 3 of 10 (start time: 09:13:48 AM, 02 June 2023)

Total Marks: 1

If a microscope can delineate change of phase, areas changing was detected by_

Select the correct option


- Photocell
- none
- Lense
- Mirror

Question # 4 of 10 (Start time: 08:14:53 AM, 02 June 2023) Total Marks: 1

The key feature of fluorescent microscopy is that

Select the correct option

- It employs transmitted rather than reflected light



- It employs reflected rather than transmitted light

Click to Save Answer & Move to Next Question

Wheel action is translated into back & forth movement in which one?

elect the correct option


- Ultramicrotome
- Cryostat
- Rotary Microtome
- Staining

Question # 6 of 10 (start time: 08:19:53 AM, 02 June 2023) **Total Marks:**

Microtome was first invented in _____ by George Adams.

Select the correct option

- 1870
- 1770
- 1970
- 1897




Question # 7 of 10 (Start time: 08:18:30 AM, 02 June 2023) **Total Marks:** 1

Simplest microscope typically magnifies by about

Select the correct option

- 15-20 times
- 5-10 times
- 10-15 times
- None of above




Click to Save Answer & Move to Next Question

Using a _____ solenoid to move the platform vertically and a lower-frequency solenoid to move it horizontally, Minsky managed to obtain a frame rate of approximately one image every _____.

Select the correct option

- 40 Hz, 2 sec
- 30 Hz, 4 sec
- 50 Hz, 15 sec
- 60 Hz, 10 sec



Click to Save Answer & Move to Next Question

Cryomicrotome is used for cutting

Select the correct option

- Cont
- Cryostat
- Microscope
- Frozen tissues

When the microscope is calibrated, then the object or organism to be measured is kept on the _____ of the microscope.

Select the correct option

- Eyepiece
- Stage
- Base
- Lens