Zoo103 Quiz 3 Spring 2022

Full Right Solved

M Zaman

Subscribe to our YouTube Channel For More Freely Solutions

https://www.youtube.com/channel/UCU9pcfHIAq8FgR7JFwpipdQ?sub_confirmation=1

Join our Zoology Whatsapp Group

https://chat.whatsapp.com/Gn5Zm68AP1vKbSNyBZWjaE

Get our Paid Service in Very low Price

https://chat.whatsapp.com/GOwCrSebzAaCja51yNYwJM

M Zaman

ZOO103 - Principles of Systematics (Quiz # 3) **Quiz Start Time: 08:03 AM, 17 August 2022**

Question # 1 of 10 (Start time: 08:03:43 AM, 17 August 2022) **Total Marks:** 1

Which one of the following is True?

Select the correct option

Reload Math Equations

- ○ A one-way ANOVA uses one dependent variable, while a Two-way ANOVA uses two independent variables.
- ○ A one-way ANOVA uses one independent variable, while a Two-way ANOVA uses two dependent variables.
- ○ A one-way ANOVA uses one independent variable, while a Two-way ANOVA uses one dependent and one independent variable.
- ◉ A one-way ANOVA uses one independent variable, while a Two-way ANOVA uses two independent variables.

Click to Save Answer & Move to Next Question

ZOO103 - Principles of Systematics (Quiz # 3) Quiz Start Time: 08:03 AM, 17 August 2022

Question # 2 of 10 (Start time: 08:04:36 AM, 17 August 2022) **Total Marks:** 1

Which one of the following is Not A Measure of Variability?

Select the correct option

Reload Math Equations

- ○ Standard deviation
- ○ Variance
- ○ Range
- ● Mean

Click to Save Answer & Move to Next Question

ZOO103 - Principles of Systematics (Quiz # 3) Quiz Start Time: 08:03 AM, 17 August 2022

Question # 3 of 10 (Start time: 08:05:24 AM, 17 August 2022) **Total Marks:** 1

The data distribution in which total numbers are not predetermined and some time there number can reach to infinite:

Select the correct option

Reload Math Equations

- ● Poison Distribution
- ○ Binomial Distribution
- ○ None of these
- ○ Normal Distribution

Click to Save Answer & Move to Next Question

ZOO103 - Principles of Systematics (Quiz # 3) Quiz Start Time: 08:03 AM, 17 August 2022

Question # 4 of 10 (Start time: 08:05:53 AM, 17 August 2022) **Total Marks:** 1

_____ is used to compare the means of two samples when sample size is greater than 30 (n >30).

Select the correct option

Reload Math Equations

- ○ P-Test
- ○ Chi-Square
- ◉ Z-Test
- ○ T-Test

Click to Save Answer & Move to Next Question

ZOO103 - Principles of Systematics (Quiz # 3) Quiz Start Time: 08:03 AM, 17 August 2022

Question # 5 of 10 (Start time: 08:06:23 AM, 17 August 2022) **Total Marks:** 1

_____ is used to compare means of more than two samples.

Select the correct option

Reload Math Equations

- ◉ ANOVA
- ○ T-Test
- ○ Z-Test
- ○ Range

Click to Save Answer & Move to Next Question

ZOO103 - Principles of Systematics (Quiz # 3) Quiz Start Time: 08:03 AM, 17 August 2022

Question # 6 of 10 (Start time: 08:06:46 AM, 17 August 2022) **Total Marks:** 1

Data in which there are only two outcomes from an event and numbers of events are pre-decided is called _____.

Select the correct option

Reload Math Equations

- (●) Binomial Distribution
- ( ) Normal Distribution
- ( ) None of These
- ( ) Poison Distribution

Click to Save Answer & Move to Next Question

ZOO103 - Principles of Systematics (Quiz # 3) Quiz Start Time: 08:03 AM, 17 August 2022

Question # 7 of 10 (Start time: 08:07:18 AM, 17 August 2022) **Total Marks:** 1

DF (within group) = _____

Select the correct option

Reload Math Equations

- ( ) Total number of groups – 1
- ( ) (Group mean-Grand mean)2 × Number of observation in each group
- ( ) Dividing the SS (between group) with DF (between group)
- (●) Total number of observation – Total number of groups

Click to Save Answer & Move to Next Question

ZOO103 - Principles of Systematics (Quiz # 3) Quiz Start Time: 08:03 AM, 17 August 2022

Question # 8 of 10 (Start time: 08:07:42 AM, 17 August 2022) **Total Marks:** 1

Which one of the following assumptions is TRUE for Two-Way ANOVA?

Select the correct option

Reload Math Equations

- (●) Samples must be independent.
- ( ) The population must be Away from a normal distribution.
- ( ) Groups may or may not have equal sample sizes.
- ( ) Population variances must be different.

Click to Save Answer & Move to Next Question

ZOO103 - Principles of Systematics (Quiz # 3) Quiz Start Time: 08:03 AM, 17 August 2022

Question # 9 of 10 (Start time: 08:08:32 AM, 17 August 2022) **Total Marks:** 1

Pearson's coefficient of correlation is used in the

Select the correct option

Reload Math Equations

- ( ) Non-parametric test
- (●) Parametric test
- ( ) None of These
- ( ) Both

Click to Save Answer & Move to Next Question

ZOO103 - Principles of Systematics (Quiz # 3) Quiz Start Time: 08:03 AM, 17 August 2022

Question # 10 of 10 (Start time: 08:09:14 AM, 17 August 2022) **Total Marks:** 1

Which one of following is NOT a Non-parametric tests?

Select the correct option

Reload Math Equations

- ○ Principal Component Test
- ◉ Mann Whitney U Test
- ○ Friedman Tests
- ○ Regression

Click to Save Answer & Move to Next Question

MZa

Remember me In you Precious Prayer