ZOO503 GRAND QUIZ (06-07-2020)

Lec (1-90)

1-The osteichthyans or bony fishes also appeared in the	Devonian
2-In porifera ---------- have sacs with a single chamber lined by flagellate cells	Ascon
3-Which of the following is the second major diapsid clade	Lepidosaurs
4-The best studied embryo fossils of metazoan are doushantuo formation from	South china
5-According to -------- common pattern would point to an explanation or law of nature	Sir Francis bacon
6-The geographic model based on the establishment of geographic	Barriers
7- The --------- is the morphologically diverse clade of protostome animals	The spiralians
8- The armored fishes were abundant in -------- seas and lakes	Devonian
9- The metazoans having echinoderm hemichordate- chordate group are known as	Deuterostomes
10- Volatile form of carbon is involved in formation of ---------- parts of body	Soft
11- The Cambrian explosion have relatively short span event of ----my?	20
12-One of the most remarkable echinoderm animal ---------- occur in the upper Ordovician succession of the Craighead inlier, north of the Girvan valley , southwest Scotland	Star fish
13- Radiolarians are --------- like protozoan with siliceous tests	Animal
14- Condition that are necessary for the survival of hard parts in the sediments	Chemical condition
15- Quantitative techniques to understand the relationships between ---------- thickness and time. And to make link from locality to locality.	Rock
16- The class insect of hexapod have ---------- limbs on their body	6
17- The earth today can be divided into ---------- main provinces of biogeography	Six
18- --------- are the beasts that live in or the seabed	Benthos
19- The trilobites extinct at the ---------- time?	End Permian
20- The class cephalopods have ---------- subclass	Three
21- The mites, scorpion and spiders belong to the subphylum	Chelicerata
22- If there is no change in properties during growth, the feature is said to show ---------- growth	Isometric
23- proof is impossible said	Karl popper
24- ---------- is and understanding of geological time	Stratigraphy
25- ---------- is a method of reconstructing phylogeny based on the identification of shared derived characteristics	Cladistic

26- The ediacara biota, first impression of soft bodies organism of upper Proterozoic was found in	Namibia
27- Early mollusks first rises at ---------- age	Early Cambrian
28-The group may prove to have as many as 10 million living species when the rich founas of the tropics have completely described	Hexapods (not confirm)
29-The arachnids arthropods mainly comprises the terrestrial ---------- and scorpions	Spiders
30- The ---------- were a sister group to the mollusk	Annelid worms
31- Average temperature in humid tropical zone is ------- degree	Above 18
32- Insect had probably already evolved fight before the ---------- when gain dragonflies patrolled the forests	Mid – carboniferous
33- The first pinnate diatoms appeared during paleogene colonization freshwater and this group reached an acme during the	Miocene
34- The idea of plastic forces had been largely overthrown by the	1720s
35- The principle of cross cutting relationship	If a body or discontinuity cuts across a stratum it must have formed after the stratum
36- ---------- in which males and females show different size, and different specialized feature	Sexual dimorphism
37- Bivalve was first named by ---------- in 1758?	Linnaeus
38- The ---------- was the earliest arthropods in geological time scale	Trilobites
39- In diploblastic body plan having outer ectoderm and inner ectoderm. These two layers are separated by	A cellular mesogloes
40- A succession of contagious formation with common characteristics is called	Group
41- The ---------- is the recent cnidarian	Ediacaran
42- First mollusks descendent from like living	Flatworms
43- Humans are most closely related to	Chimpanzee
44- Population growth and resources availability are ---------- to each other	Inversely proportional
45- The ---------- were heavily hit by the end-Permian mass extinction event and most notably the dinosaurs were key forms through the Mesozoic	Reptiles
46- If there is no change is proportions during growth, the feature is said to show	Isometric
47- Sphenodon the tuatara of ----------	New Zealand
48- Stratigraphic ranges can also be influenced by the	Signor- lips effect
49- Track way from middle Ordovician rock in the English lake district suggest that arthropods invade land about	50
50- It is believed that the center of the archaeocyatha origin are now located in	East Siberia
51- Human baby tail and excessive hairs related to term	Atavisms

52- The parazoan body plan characterized by cells organized in two layers separated by jelly like material punctuated by so called ----	Wandering cells or ameobocytes
53- Wings of birds related to the term	Homology
54- Precise biotic and morphological changes along phylogenetic linage	The work of john Phillips
55- Human arose -------- ma, and fossil evidence point to repeated human migration out of Africa	6-8
56- The first vertebrate fish had no ---------- fossils site at changing in china early Cambrian	Jaws
57- The subphylum myriads first appeared during the	Mid Silurian
58- The ---------- diversification generated witnessed a staggering increased in biodiversity at the family , genus and species level	Ordovician
59- ---------- means the rock has been covered by younger rock	Burial
60- The ---------- is common in the fossils record from the Ordovician through the Devonian. Especially abundant in the Silurian and Devonian	Stromatoporoidea
61- Paleontology lies on the border	b/w biology and Geology
62- Scottish scientist ---------- (1726-1797) challenged no vestige of beginning no prospect of an end	James Hutton
63- Species help shape the ecosystem and that can trigger large scale changes if the disappeared	Keystone
64- The German scientist ---------- suggested that the continents moved across the earth surface on a liquid core, suggesting that continent could in fact drift	Alfred Wegener
65-A classic keystone species is the ----------	Elephant
66- The function of single fossil organisms ----------	Paleoecology
67- Best amount of fossils that are present at sediments water interface	Both epifaunal and infaunal organisms
68- The successfully built reefs in unstable environments	Archaeocyaths
69- By the late carboniferous a very diverse ---------- fauna had evolved with forms such as the dragonflies and mayflies capable of powered fight?	Insect
70- What is the living status of graptolites which belong to phylum hemichordate	Extinct
71- Life on earth has evolving for up to --------- billion years	4
72-The oldest known amniotes hylonomus from the mid ------- of Canada	Carboniferous
73- The wide hinged fossils are	Spiriferide brachiopods
74- ---------- More complex with cones bars and blades	Euconodont
75-Infaunal organism live ---------- the sediment- water interface	Beneath
76- Material forming any stratum were continuous over surface of the earth unless some other solid bodies stood in the way is the ---------- of lateral continuity	Principle
77- The oldest eukaryote fossils may be	Grypania
78- The ---------- mass extinction was the largest of all time	End- Permian

79- Function of RNA is ----------	Protein synthesis
80- The ---------- are filter feeding members of the sessile benthos?	Sponges
81- The astonishing tails and colour of male birds is an example of	Breeding
82- ---------- fossils comprise of small samples , drill cores and chippings	Microfossils
83- Condition that are necessary for the survival of hard part in sediments	Chemical condition
84- The oldest jaw bearing fishes were the placoderms such as	Coccestus
85- The ---------- are called belly- footed mollusks	Gastropods
86- The phylum -------- are usually unsegmanted soft bodies animals with a body plan based on four features	Mollusk
87- The bryozoans have ---------- living species found today?	6000
88- ---------- were like to idea of evolution	Progressionism (not conform)
89- Mainly the trilobites and over ---------- species are known	15000
90- develop a new more objective method in systemic which has come to be called cladistics	Hennig
91- in June 1980 km meteorite(asteroid) had hit the earth	10
92- The centrals are type of diatoms prefers ---------- environment	Marine water
93- Following are example of biological concept	All of above
94- In bryozons all the species live as	Colonial
95- Unicellular microbes lack ----------and---------- include the carbonate producing cyanobacteria	Both(nuclei and organelles)
96- Cech called his discovery a ----------	Ribozyme
96- The Phanerozoic and the current extinction crises is sometime called ---------- extinction	6th
97- The fossils record is ----------	Rarely complete
98- The ---------- have unique group I its own right unique porous structure and cellular body plan and lack true tissue?	Porifera
99- Population and paleocommunities may be analyzed with a range of ---------- techniques	Statistical
100- ---------- of strata is fundamental to all stratigraphic studies	Superposition
101- Addition of caco3 in burial called ----------	Carbon concentration
102- Right order of the coenoses is	Biocoenosis> thanetocoenosis> Taphocoenosis
103- In Deccan traps in ---------- represent a vast outer poring of larvae that courred over 2-3myr spanning the kt boundary	India
104- in ---------- evolution is when feature or organism evolve to look the same perhaps because they live the same way	Convergance

Shoaib Iqbal