CS-610 Digital Logical Design Update MCQS For Mid Term Solve By Vu Topper RM

80 To 100% Marks

وَتُعِزُّ مَن تَشَاء وَتُذِلُّ مَن تَشَاء

PROFESSIONAL ONLINE ACADEMY

VU-TOPPER RM



NOTHING IS IMPOSSIBLE

All Paid Services

- LMS Handling
- Important Notes
- Online Classes
- Projects
- Assignments
- Quiz
- GDB's

JOIN US NOW

For More Info
Contact us at:
Rizwan Manzoor
0322-4021365

Question No:1 **(Marks:1)** **Vu-Topper RM**

Uses counter rotating rings in which data flows in opposite directions.

A. FDDI Page 31

B. IBM

C. DMS

Question No:2 **(Marks:1)** **Vu-Topper RM**

The Ethernet speed was originally 3Mbps, and the current standard is ……. the fast Ethernet operates at 100Mbps.

A. 10Mbps Page27

B. 20Mbps

C. 30mbps

Question No:3 **(Marks:1)** **Vu-Topper RM**

Mapping between a protocol address and a hardware address is called

A. Segmentation

B. Hashing

C. Address Resolution Page 93

Question No:4 **(Marks:1)** **Vu-Topper RM**

Protocols of TCP/IP layering model specify how to organize data into frame and how a computer transmits frames over a network.

A. Session

B. Network interface layer

C. Internet Layer

Question No:5 **(Marks:1)** **Vu-Topper RM**

In Closed-form computation, the protocol address assigned to a computer is chosen carefully so that computer's hardware address can be computed from the
protocol address using basic Boolean and operations.

A. Arithmetic Page 94

B. XOR

C. Shift

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:6 (Marks:1) Vu-Topper RM

As the Internet grew, the original Classful addressing scheme became a limitation. The IP address space was being exhausted because all networks had to choose one
of possible sizes.

A. One
B. Two
C. Three Page 90

Question No:7 (Marks:1) Vu-Topper RM

Dotted decimal notation is a syntactic form the IP software uses to express binaryvalues when interacting with humans.

A. 32-bit Page 87
B. 16-bit
C. 8-bit

Question No:8 (Marks:1) Vu-Topper RM

Protocols of TCP/IP layering model specify how to ensure reliable transfer.

A. Physical Layer
B. Network Interface Layer
C. Transport Layer

Question No:9 (Marks:1) Vu-Topper RM

In the IP address---identifies an individual computer on the network.

A. Prefix
B. Suffix
C. Mux

Question No:10 (Marks:1) Vu-Topper RM

Internet protocol (IP) address version 4 is comprised of --- bits.

A. 48
B. 32
C. 24

Question No:11 (Marks:1) Vu-Topper RM

A separate table is used for each physical network.bit-binding

A. Checksum

For More Help Vu Topper RM Contact What's app 0322-4021365

B. Address-binding

Question No:12 (Marks:1) Vu-Topper RM
Inside a computer, each address mask is stored as a --- value.

A. 32 Page 91
B. 48
C. 36

Question No:13 (Marks:1) Vu-Topper RM
Dotted decimal represents each octet in -----and uses a dot to separate octets.

A. Decimal Page 87
B. Octal

Question No:14 (Marks:1) Vu-Topper RM
TCP/IP Protocol Suit specifies the format of packets sent across Internet aswell as the mechanisms used to

A. Physical Layer
B. Data Link Layer
C. Internet Layer

Question No:15 (Marks:1) Vu-Topper RM
The IP class scheme does not divide the address space into equal size class and the classes do not contain the same number of networks.

A. 32-bit Page 88
B. 16-bit
C. 8-bit

Question No:16 (Marks:1) Vu-Topper RM
TCP/IP protocol suit defines the basic characteristics of network hardware.

A. Physical Layer
B. Data Link Layer
C. Internet Layer

Question No:17 (Marks:1) Vu-Topper RM
The protocol address of the next hop must be------to an equivalent hardware address before a packet can be sent.

For More Help Vu Topper RM Contact What's app 0322-4021365

A. Encrypted
B. Decrypted
C. Translated Page 93

Question No:18 (Marks:1) Vu-Topper RM
Address Resolution Protocol is mostly used to bind a 32-bit IP address to an _ Ethernet address.
A 16-bit
B 48-bit
C. 64-bit

Question No:19 (Marks:1) Vu-Topper RM
TCP/IP defines the term to refer any computer system that connects to a network and runs applications for users.
A. Router
B. Host computer Google
C. Bridge

Question No:20 (Marks:1) Vu-Topper RM
There are two standard implementations to improve computational efficiency:
A. Hashing and Direct indexing Page 94
B Segmentation and Fragmentation
C. Queuing and Packetizing

Question No:21 (Marks:1) Vu-Topper RM
In the IP address identifies the physical network to which the computer is attached.
A. PREFIX Page 85
B. SUFFIX
C. Mux

Question No:22 (Marks:1) Vu-Topper RM
In Cyclic Redundancy Checking, CRC is _____.
A. Divisor
B. Quotient
C. Remainder Page 20
D. Dividend

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:23 **(Marks:1)** **Vu-Topper RM**

The satellite or radio topology in which all computers are connected to each other via satellite or radio wave is a kind of

A. Broadcast network Page 5

B. Point-to-Point network

C. Many-to-One network

D. Face-to- Face network

Question No:24 **(Marks:1)** **Vu-Topper RM**

Which of the following two operations are performed by Ethernet CD?

I. It monitors outgoing signals.

II. Grabbled signal is interpreted as a collision.

III. Signals are sent back to the sender.

A. I and III

B. II and IV

C. II and III

D. I and II Page 28

Question No:25 **(Marks:1)** **Vu-Topper RM**

The process of forwarding a packet is called _____.

A. Routing Page 58

B. Processing

C. Hierarchical Addressing

D. Source Addressing

Question No:26 **(Marks:1)** **Vu-Topper RM**

Which statement is correct about Network Interface Card (NIC)?

I. NIC contains sufficient hardware to process data independent of system CPU

II. NIC looks like any other I/O device to system CPU

III. NIC also receives interrupt on incoming data.

A. I and II

B. II and III

C. I and III

D. All Page 40

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:27 **(Marks:1)** **Vu-Topper RM**

While transmitting data from source A to destination B, 4 bits are changed during the transmission then the error is a _____.

A. Burst error **Page 22**

B. Single error

C. Double error

D. Logic error

Question No:28 **(Marks:1)** **Vu-Topper RM**

The switch that has no attached computers is called _____.

A. Packet Switch

B. Exterior Switch

C. Interior Switch **Page 59**

D. External Switch

Question No:29 **(Marks:1)** **Vu-Topper RM**

_____ is the most popular wiring scheme because of lowest cost.

A. 5 Base T

B. 10 Base T **Page 43**

C. 100 base T

D. 1000 base T

Question No:30 **(Marks:1)** **Vu-Topper RM**

In _____ technique, all members of the network can send data only on the specific time slot?

A. CDMA

B. FDMA

C. CSMA **Page 43**

D. TDMA

Question No:31 **(Marks:1)** **Vu-Topper RM**

If a sender with a 100 Megabit NIC and receiver with 10 Megabit NIC wants to communicate with each other at which speed they can communicate?

A. 110 Megabit

B. 1000 Megabit

C. 10 Megabit

D. 100 Megabit **Page 40**

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:32 **(Marks:1)** **Vu-Topper RM**

Missing _____ in a frame format indicates receiving computer missed beginning of the message.

A. eot
B. sot
C. eoh
D. soh **Page 16**

Question No:33 **(Marks:1)** **Vu-Topper RM**

The _____ of errors is easier than the _____ of errors.

A. Correction; detection
B. Correction; creation
C. Detection; manipulation
D. Detection; correction **Google**

Question No:34 **(Marks:1)** **Vu-Topper RM**

The _____ of errors is difficult than the _____ of errors.

A. Detection; correction
B. Correction; creation
C. Detection; manipulation
D. Correction; detection **Google**

Question No:35 **(Marks:1)** **Vu-Topper RM**

Source Independence phenomenon allows fast and efficient _____.

A. Source Addressing
B. Routing
C. Packet Switching **Page 58**
D. Store and forward

Question No:36 **(Marks:1)** **Vu-Topper RM**

In distributed route computation process each packet switch computes its routing table locally and sends messages to the _____.

A. Router
B. Graph
C. Neighbors **Page 63**
D. WAN

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:37 **(Marks:1)** **Vu-Topper RM**

The ___ layer of the OSI model takes the data from the physical layer and perform error checking.

A. Transport
B. Data link **Google**
C. Application
D. Presentation

Question No:38 **(Marks:1)** **Vu-Topper RM**

CBR stands for _____.

A. Constant Byte Rate
B. Constant Bit Rate **Page 71**
C. Connection break Recovery
D. Constant Borrow Rate

Question No:39 **(Marks:1)** **Vu-Topper RM**

VBR stands for _____.

A. Variable Byte Rate
B. Variable Bit Rate **Page 71**
C. Variable break Recovery
D. Variable borrow Rate

Question No:40 **(Marks:1)** **Vu-Topper RM**

ABR stands for _____.

A. Available Byte Rate
B. Available Bit Rate **Page 71**
C. Available break Recovery
D. Available Borrow Rate

Question No:41 **(Marks:1)** **Vu-Topper RM**

A network that uses _____ usually consist of a single long cable to which computer attach.

A. Star Topology
B. Ring Topology
C. Bus Topology **Page 26**
D. Bus and Ring Topology

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:42 **(Marks:1)** **Vu-Topper RM**

If simultaneous transmission occurs, the frames interfere with each other and this phenomenon is called _____.

A. packet loss
B. collision Page 28
C. delayed transmission
D. coordination

Question No:43 **(Marks:1)** **Vu-Topper RM**

In _____ all computers are attached to a central hub

A. Ring topology
B. Star topology Page 31
C. Hub topology
D. Bus topology

Question No:44 **(Marks:1)** **Vu-Topper RM**

For adding a new computer in a point-to-point network _____new connection will be required

A. N
B. N-1 Page 23
C. N-2
D. 2N

Question No:45 **(Marks:1)** **Vu-Topper RM**

The fastest Ethernet hardware operates at a rate of _____

A. 1000 bps
B. 100 Mbps Page 27
C. 10 Mbps
D. 1000 Mbps

Question No:46 **(Marks:1)** **Vu-Topper RM**

Which of the following the benefit to point to point communication?

A. Quick to configure
B. Security implementation Page 23
C. Cost
D. Less availability

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:47 **(Marks:1)** **Vu-Topper RM**

ATM offers _____speed and _____delay

A. High, High
B. High, low **Page 72**
C. Low, low
D. Low, high

Question No:48 **(Marks:1)** **Vu-Topper RM**

Thick Ethernet is known as _____

A. 10 Base 2
B. 10 Base 5 **Google**
C. 10 Base T
D. 10 Base 10

Question No:49 **(Marks:1)** **Vu-Topper RM**

Both interior and exterior switches _____packet and they also need routing tables.

A. Create
B. Delay
C. Forward **Page 59**
D. Start

Question No:50 **(Marks:1)** **Vu-Topper RM**

_____is the rate at which data can be sent through the network

A. Throughput **Page 79**
B. Propagation delay
C. Access delay
D. Switching delay

Question No:51 **(Marks:1)** **Vu-Topper RM**

In a ping command, small –sized information packets of _____are sent.

A. TCP
B. UDP
C. ICMP **Page 11**
D. IGMP

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:52 **(Marks:1)** **Vu-Topper RM**

Many WANs use _____addressing of efficiency

A. Sequence
B. Forward
C. Hierarchical **Page 56**
D. Sequential

Question No:53 **(Marks:1)** **Vu-Topper RM**

Which of the following is not a function of ping commends?

A. Local computer network issue
B. Congestion in the network
C. Relay nodes **Page 11**
D. Remote host availability

Question No:54 **(Marks:1)** **Vu-Topper RM**

Packet switched can be linked together to form a _____

A. LAN
B. WAN **Page 56**
C. Bridge
D. None

Question No:55 **(Marks:1)** **Vu-Topper RM**

Fixed network is a type of network which is classified with repect to the factor

A. Size
B. Connectivity
C. Medium
D. Mobility **Page 6**

Question No:56 **(Marks:1)** **Vu-Topper RM**

Parity bit can detect _____error(s)

A. 4
B. 3
C. 2 **Page 19**
D. 1

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:57 (Marks:1) Vu-Topper RM

When we will try to connect to the internet which of the following protocol will be used?

A. Telnet
B. TCP/IP Page 84
C. ICMP
D. IPx

Question No:58 (Marks:1) Vu-Topper RM

How many computers are mandatory to form a network?

A. 1
B. 2 Google
C. 4
D. 8

Question No:59 (Marks:1) Vu-Topper RM

_____ is standard wireless LAN that uses radio signals at 2.4GHz.

A. IEEE 803.16
B. IEEE 802.15
C. IEEE 802.3
D. IEEE 802.11 Page 29

Question No:60 (Marks:1) Vu-Topper RM

LAN interface hardware obeys _____ access rule.

A. CSMA/CD Page 34
B. Round robin
C. First come first served
D. High priority

Question No:61 (Marks:1) Vu-Topper RM

The most important task a bridge performs is _____.

A. Packet switching
B. Line controlling
C. Noise controlling
D. Frame filtering Page 50

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:62 **(Marks:1)** **Vu-Topper RM**

ATM uses small, fixed-sized packets called cells and each cell has _____ octets.

A. 47
B. 52
C. 53 **Page 66**
D. 55

Question No:63 **(Marks:1)** **Vu-Topper RM**

_____ can't be guaranteed with variable length packets as easily as it can with fixed length cells.

A. Errors
B. Noise
C. Quality of Service **Page 72**
D. None of the given

Question No:64 **(Marks:1)** **Vu-Topper RM**

Which multiplexing technique transmits digital signals?

A. WDM
B. FDM
C. TDM **Page 15**
D. GSM

Question No:65 **(Marks:1)** **Vu-Topper RM**

Connections in Asynchronous transfer mode are called _____.

A. Virtual channels **Page 67**
B. Virtual Path Identifier
C. Cells
D. Cell tax

Question No:66 **(Marks:1)** **Vu-Topper RM**

A _____ is a device that combines multiple signals and forwards into a single line.

A. Modem
B. Multiplexer **Page 41**
C. Repeater
D. Layer 3 Switch

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:67 **(Marks:1)** **Vu-Topper RM**

_____ is inflexible.

A. Routing
B. Searching
C. Processing
D. Static routing **Page 62**

Question No:68 **(Marks:1)** **Vu-Topper RM**

If a hub is used to connect many computers in a LAN, then only _____ computers can communicate at a given time.

A. Three
B. Two **Page 54**
C. Four
D. One

Question No:69 **(Marks:1)** **Vu-Topper RM**

_____ is the term used for variance in transmission delays.

A. Friction
B. Segment
C. Checksum
D. Jitter **Page 66**

Question No:70 **(Marks:1)** **Vu-Topper RM**

_____ is also called self healing network.

A. ATM
B. FDDI
C. Token Ring
D. Frame relay **Page 46**

Question No:71 **(Marks:1)** **Vu-Topper RM**

_____ and _____ are the two frame types.

A. Internal and external
B. Single and dual
C. Implicit and explicit
D. Multicast and broadcast **Page 35**

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:72 **(Marks:1)** **Vu-Topper RM**

Bluetooth uses shared medium and _____ instead of coaxial cable.

A. Radio waves **Page 29**

B. Infrared waves

C. Micro waves

D. Low frequency waves

Question No:73 **(Marks:1)** **Vu-Topper RM**

A. Which of the following is not a guided medium?

B. Twisted pair cable

C. Fiber-optic cable

D. Atmosphere **Google**

E. Coaxial cable

Question No:74 **(Marks:1)** **Vu-Topper RM**

As a result of ARPA research, the first network was established which was named as _____.

A. INTERNETWORKING

B. ARPNET

C. ARPANET **Page 9**

D. PACKET NETWORK

Question No:75 **(Marks:1)** **Vu-Topper RM**

Asynchronous transfer mode (ATM) can dynamically establish a____.

A. Switched virtual circuit **Page 70**

B. Virtual connection identifier

C. Virtual path indicator

D. None of the given options

Question No:76 **(Marks:1)** **Vu-Topper RM**

A typical port on an ATM switch operates at _____ or _____ higher.

A. OC-2 speed (155Gbps)

B. OC-2 speed (1000Mbps)

C. OC-3 speed (155Mbps) **Page 72**

D. OC-3 speed (100Gbps)

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:77 **(Marks:1)** **Vu-Topper RM**

10Base-T Ethernet is often called a _____.

A. ring shaped star
B. ring shaped bus
C. star shaped bus **Page 46**
D. star shaped ring

Question No:78 **(Marks:1)** **Vu-Topper RM**

_____ allows automatic updates.

A. Dynamic routing **Page 62**
B. Static routing
C. Routing
D. Default routing

Question No:79 **(Marks:1)** **Vu-Topper RM**

Handling variable length packets leads to memory _____.

A. Fragmentation **Page 72**
B. Management
C. Location
D. Allocation

Question No:80 **(Marks:1)** **Vu-Topper RM**

In order to forward a copy of frame, the bridge uses _____ address.

A. Network
B. Destination **Page 51**
C. IP
D. Source

Question No:81 **(Marks:1)** **Vu-Topper RM**

We may use _____ to extend local area network.

A. Bridge, Router
B. Bridge, Hub, Router
C. Bridge, Hub, Repeater **Page 149**
D. Bridge, Hub, Repeater, Router

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:82 **(Marks:1)** **Vu-Topper RM**

All of the given options are the types of delay except _____.

A. Propagation
B. Access
C. Throughput **Page 79**
D. Queuing

Question No:83 **(Marks:1)** **Vu-Topper RM**

While computing shortest path in a graph, next hop information is inserted into _____.

A. Routing table **Page 62**
B. Trailer
C. Header
D. Register

Question No:84 **(Marks:1)** **Vu-Topper RM**

LAN interface uses _____ to copy frame data directly from main memory

A. DMA **Page 34**
B. FDDI
C. Hard disk
D. Flash

Question No:85 **(Marks:1)** **Vu-Topper RM**

The Gigabit Ethernet hardware operates at a rate of _____.

A. 10 Mbps
B. 100 Mbps
C. 1000 Mbps **Page 263**
D. 1000 Gbps

Question No:86 **(Marks:1)** **Vu-Topper RM**

In the early resource sharing era, which resources were shared among users?

A. Computation **Page 9**
B. Floppy Drives
C. Hard Disk
D. Printers

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:87 **(Marks:1)** **Vu-Topper RM**

If two buildings are located far from each other then bridge, and ___ can be used to connect two LAN.

A. Optical fiber **Page 51**

B. Ethernet modem

C. Switch

D. NIC

Question No:88 **(Marks:1)** **Vu-Topper RM**

Which type of network consists of wireless connection of laptops in a university classroom?

A. WAN

B. MAN

C. Fog

D. LAN **Google**

Question No:89 **(Marks:1)** **Vu-Topper RM**

A typical bridge has _____.

A. One NIC, a CPU a memory and a ROM.

B. Two NICs, a CPU a memory and a ROM. **Page 50**

C. RAM, ROM and CPU.

D. A cache memory, ROM and CPU.

Question No:90 **(Marks:1)** **Vu-Topper RM**

_____ is used for compressed audio and video, where the data rate depends on the level of compression that can be achieved.

A. Constant Bit Rate

B. Stable Bit Rate

C. Variable Bit Rate **Page 71**

D. Available Bit Rate

Question No:91 **(Marks:1)** **Vu-Topper RM**

There are _____ types of data stuffing.

A. 1

B. 2 **Page 17**

C. 0

D. 5

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:92 (Marks:1) Vu-Topper RM

Dijkstra's algorithm can accommodate weights on _____ in graph.

A. Nodes Page 62

B. Edges

C. Path

D. Connections

Question No:93 (Marks:1) Vu-Topper RM

_____ masks your IP address.

A. Firewall

B. Antivirus

C. VPN Conceptual

D. Incognito mode

Question No:94 (Marks:1) Vu-Topper RM

Static routing computes routing table information at _____ time.

A. Load

B. Boot Page 62

C. Execute

D. One

Question No:95 (Marks:1) Vu-Topper RM

_____ was the first automated tool required to see whether the given computer is online or not.

A. Probing program

B. PING program

C. status program

D. None Page 11

Question No:96 (Marks:1) Vu-Topper RM

In which type of error detection, the arithmetic sum is calculated before and after the transmission of data at both communication ends?

A. CRC

B. Party

C. Checksum Page 19

D. Hash Function

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:97 **(Marks:1)** **Vu-Topper RM**

Computer sends a connection request to the _____ to which it is attached while establishing a switched virtual circuit

A. Bridge
B. Switch **Page 70**
C. VPI
D. Virtual circuit

Question No:98 **(Marks:1)** **Vu-Topper RM**

The bridges communicate with each other on the network and use _____ algorithm to decide which bridge will not forward frames if a cycle occurs.

A. Djikstra
B. Shortest path first
C. Vector distance
D. Distributed Spanning Tree **Page 53**

Question No:99 **(Marks:1)** **Vu-Topper RM**

Ethernet uses a _____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.

A. 64
B. 48 **Page 109**
C. 32
D. 16

Question No:100 **(Marks:1)** **Vu-Topper RM**

Weights on graph edges reflect cost of _____.

A. Nodes
B. Traversing edge **Page 63**
C. Trending edge
D. Path

Question No:101 **(Marks:1)** **Vu-Topper RM**

A _____ relies on the hardware manufacturer to assign a unique physical address to each network interface.

A. Static addressing scheme **Page 34**
B. Configurable addressing scheme
C. Dynamic addressing scheme

For More Help Vu Topper RM Contact What's app 0322-4021365

D. None of the given

Question No:102 (Marks:1) Vu-Topper RM

In _____ topology, if the switch goes down all the computers will be disconnected.

A. Star Google

B. Ring

C. Bus

D. Mesh

Question No:103 (Marks:1) Vu-Topper RM

Which type of network consists of wired computers in a university classroom?

A. MAN

B. PAN

C. WAN

D. LAN Google

Question No:104 (Marks:1) Vu-Topper RM

If you as a network administrator want to know the traffic flow of your data while communicating with a remote computer which of the following will be used to know about intermediate routers?

A. Ipconfig

B. Ping Page 11

C. Traceroute

D. Arp

Question No:105 (Marks:1) Vu-Topper RM

Hardware address is also called _____.

A. Physical address Google

B. Logical address

C. IP address

D. Port address

Question No:106 (Marks:1) Vu-Topper RM

Thick Ethernet also requires _____ to avoid signal reflectance.

A. Transceivers

B. AUI cable

For More Help Vu Topper RM Contact What's app 0322-4021365

C. Drop cable
D. Terminators Page 41

Question No:107 (Marks:1) Vu-Topper RM
Which of the following network is using the TCP/IP model globally?
A. PAN
B. SAN
C. LAN
D. The Internet Google

Question No:108 (Marks:1) Vu-Topper RM
VPNs connections are sometimes called _____.
A. Tunnels Page 75
B. Open networking
C. Routing
D. Public network

Question No:109 (Marks:1) Vu-Topper RM
To reduce _____ computers can be connected and distributed to a number of hubs, then the hubs can be connected to a switch.
A. Costs Page 54
B. Quality
C. Efficiency
D. Noise

Question No:110 (Marks:1) Vu-Topper RM
If a _____ is used the communication between two computers will not affect the other pair of computers and they can communicate at the same time
A. Hub
B. Switch Page 54
C. Repeater
D. Amplifier

Question No:111 (Marks:1) Vu-Topper RM
The length of hardware address is _____.
A. One to ten bytes
B. One to five bytes

For More Help Vu Topper RM Contact What's app 0322-4021365

C. One to six bytes **Page 34**
D. One to seven bytes

Question No:112 **(Marks:1)** **Vu-Topper RM**
A network analyzer is also called _____.
A. Network manager
B. Network administrator
C. Network monitor **Page 37**
D. Network

Question No:113 **(Marks:1)** **Vu-Topper RM**
No any error detection scheme is perfect becausetransmission errors can affect _____.
A. Data
B. Additional Information
C. Additional information & data **Google**
D. Transmission medium

Question No:114 **(Marks:1)** **Vu-Topper RM**
The token ring network topology is a ring but wiring topology is a ___.
A. Star **Page 44**
B. bus
C. tree
D. mesh

Question No:115 **(Marks:1)** **Vu-Topper RM**
_____ addresses are used in an ethernet frame.
A. IP **Page 99**
B. Port
C. Logical
D. MAC

Question No:116 **(Marks:1)** **Vu-Topper RM**
AUI cable connects from NIC to _____.
A. BNC Connector
B. RJ-45 Connector
C. Transceiver **Page 41**
D. Terminator

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:117 **(Marks:1)** **Vu-Topper RM**

Public networks are _____.

A. More secure than LAN

B. Flexible **Page 74**

C. Limited in boundary

D. Intranet

Question No:118 **(Marks:1)** **Vu-Topper RM**

The maximum cable length of a LAN is fixed because _____.

A. Additional hardware are not suitable for the LAN extension.

B. The electrical signal level gets weaker as it travels. **Page 48**

C. Additional software are not suitable for the LAN extension

D. The electrical signal level gets stronger as it travels.

Question No:119 **(Marks:1)** **Vu-Topper RM**

In _____network topology is separated from route computation.

A. Local area

B. Link-state routing **Page 64**

C. Static routing

D. Dynamic routing

Question No:120 **(Marks:1)** **Vu-Topper RM**

Which layer of the OSI Model directly communicates and controls the transmission medium:

A. Transmission

B. Physical **Google**

C. Application

D. Network

Question No:121 **(Marks:1)** **Vu-Topper RM**

In _____ technique data is treated as a sequence of integers and their arithmetic sum is computed and the carry bits are added to the final sum.

A. CRC

B. Bit stuffing

C. Checksum **Page 19**

D. 2D Parity

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:122 **(Marks:1)** **Vu-Topper RM**

A network with _____ jitter takes more time to deliver some packets than others.

A. Zero
B. High **Page 80**
C. Low
D. Moderate

Question No:123 **(Marks:1)** **Vu-Topper RM**

A network uses _____ to arrange computers in a single closed loop.

A. Star Topology
B. Mesh Topology
C. Ring Topology **Page 25**
D. Bus Topology

Question No:124 **(Marks:1)** **Vu-Topper RM**

Which of the following tasks is not done by the second layer of the OSI model?

A. Flow control
B. Framing
C. Channel coding **Google**
D. Error control

Question No:125 **(Marks:1)** **Vu-Topper RM**

ATM is a single technology designed to meet the goals of both _____and _____.

A. LAN & PAN
B. LAN & WAN **Page 66**
C. LAN & MAN
D. MAN & WAN

Question No:126 **(Marks:1)** **Vu-Topper RM**

LAN and WAN are classified according to their _____.

A. Size **Page 4**
B. Connectivity
C. Medium
D. Mobility

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:127 **(Marks:1)** **Vu-Topper RM**

The identifier that is used for data transfer in the virtual circuit network is called _____.

A. Virtual circuit identifier **Google**

B. Global address

C. Network identifier

D. IP identifier

Question No:128 **(Marks:1)** **Vu-Topper RM**

In Direct point to point communication adding the Nth computer requires_____ new connections

A. N^2

B. N-1

C. (N^2 -N)/2 **Page 23**

D. N (N-1)

Question No:129 **(Marks:1)** **Vu-Topper RM**

Which of the following is the correct function of bridge?

A. MTU path discovery

B. Byte stuffing

C. Routing information

D. Filtering and forwarding a frame **Page 50**

Question No:130 **(Marks:1)** **Vu-Topper RM**

Point to point topology is----------

A. Size based

B. Mobility based

C. Connectivity based **Page 5**

D. Medium based

Question No:131 **(Marks:1)** **Vu-Topper RM**

IEEE LLC / SNAP header is __which is used to specify the type of date.

A. 8 octets **Google**

B. 16 octets

C. 32 octets

D. 64octets

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:132 **(Marks:1)** **Vu-Topper RM**

IEEE LLC / SNAP header is _____which is used to specify the type of date.

A. CRC
B. Bit stuffing
C. Checksum **Google**
D. 2D Parity

Question No:133 **(Marks:1)** **Vu-Topper RM**

What is the largest network in existence?

A. The internet **Google**
B. A PAN
C. A Fog
D. Edge Network

Question No:134 **(Marks:1)** **Vu-Topper RM**

The frame format of any LAN technology must consist of ____ and___-

A. Payload and CRC
B. Frame header and CRC
C. Payload and Frame type
D. Frame header and payload **Page 36**

Question No:135 **(Marks:1)** **Vu-Topper RM**

_____ can occur in LANs when a packet is delayed because the network is busy.

A. Jitter **Page 66**
B. Loop
C. Deadlock
D. Variance

Question No:136 **(Marks:1)** **Vu-Topper RM**

Which of the following cannot be used to extend a LAN?

A. Repeaters
B. Switches
C. Routers
D. Fiber modems **Google**

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:137 **(Marks:1)** **Vu-Topper RM**

Links-state algorithm is used in _____

A. RIP
B. IGRP
C. RIPv2
D. OSPF **Page 64**

Question No:138 **(Marks:1)** **Vu-Topper RM**

According to size, there are ___classifications of networks

A. 2 **Page 2**
B. 3
C. 4
D. 5

Question No:139 **(Marks:1)** **Vu-Topper RM**

In which topology terminators are used at the end of the cable?

A. Star
B. Bus **Google**
C. Ring
D. Mesh

Question No:140 **(Marks:1)** **Vu-Topper RM**

Switch simulates a _____LAN connecting segments

A. Single
B. Single shared
C. Bridged **Page 54**
D. Complex

Question No:141 **(Marks:1)** **Vu-Topper RM**

PVS stands for _____

A. Permanent virtual circuit **Page 69**
B. Private virtual circuit
C. Public virtual circuit
D. Plastic virtual circuit

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:142 **(Marks:1)** **Vu-Topper RM**

Hardware that calculates a CRC used two simple components _____

A. AND unit and XOR Unit
B. Shift register and XOR unit **Page 20**
C. Shift register & AND unit
D. Shift register and Shift XCR unit

Question No:143 **(Marks:1)** **Vu-Topper RM**

Thin ethernet is known as _____

A. 10 base 2 **Google**
B. 10 base 5
C. 10 base T
D. All

Question No:144 **(Marks:1)** **Vu-Topper RM**

If a sender with a 1 Gigabit NIC and receiver with 100 Megabit NIC wants to communicate with each other than at which speed they can communicate

A. 11 Megabit
B. 100 Megabit **Google**
C. 1 Gigabit
D. Gigabit

Question No:145 **(Marks:1)** **Vu-Topper RM**

_____ is used as an alternative of packet for a specific computer network technology

A. Datum
B. Token
C. Ether
D. Frame **Page 14**

Question No:146 **(Marks:1)** **Vu-Topper RM**

The sharing of a medium and its link by two or more devices is called _

A. Modulation
B. Encoding
C. Multiplexing **Google**
D. Line discipline

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:147 **(Marks:1)** **Vu-Topper RM**

The topology each computer is connected to a central hub is called

A. Ring topology

B. Star topology **Page 5**

C. Tree topology

D. Mesh topology

Question No:148 **(Marks:1)** **Vu-Topper RM**

Asynchronous transfer mode (ATM) is designed to work on fiber but can be used with _____

A. Wireless

B. Twisted pair **Page 72**

C. Wifi

D. Bluetooth

Question No:149 **(Marks:1)** **Vu-Topper RM**

The basic responsibility of NIC is _____

A. To access medium network **Google**

B. To resource allocation

C. To access memory

D. All of the given option

Question No:150 **(Marks:1)** **Vu-Topper RM**

Frame relay is ____

A. Connection oriented service **Page 64**

B. Connectionless service

C. Typically ranges for 5 Mbps to 1000Mbps

D. Call based

Question No:151 **(Marks:1)** **Vu-Topper RM**

The length of time required to send a variable length packet is ____

A. 5 second

B. Variable **Page 72**

C. Constant

D. Fix

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:152 (Marks:1) Vu-Topper RM

In Token Ring, if all computers are ready to transmit it enforces _Access

A. First come first served
B. Round Robin Page 30
C. Shorter delay
D. Last come first served

Question No:153 (Marks:1) Vu-Topper RM

The Ethernet standard specifies that frames are sent using the__ scheme.

A. Differential Manchester
B. Not Return to Zero (NR2)
C. Manchester Encoding Page 27
D. Return to Zero (RZ)

Question No:154 (Marks:1) Vu-Topper RM

ATM uses the concept of _____.

A. Connection-oriented Page 66
B. Connection-less
C. Variable packet size
D. Fixed and variable packet size

Question No:155 (Marks:1) Vu-Topper RM

Which of the following is a benefit of point to point communication?

A. Quick to configure
B. Security implementation Google
C. Cost
D. Less availability

Question No:156 (Marks:1) Vu-Topper RM

_____ is not used to extend LAN.

A. Hub
B. Fiber modem Google
C. Repeater
D. Bridge

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:157 **(Marks:1)** **Vu-Topper RM**

Which types of VPNs are used for corporate connectivity across companies residing in different geographical locations?

A. Remote access VPNs
B. Peer-to-peer VPNs
C. Country-to-country VPNs
D. Site-to-site VPNs **Google**

Question No:158 **(Marks:1)** **Vu-Topper RM**

Star topology is the kind of

A. Tree topology
B. Point-to-point topology **Page 5**
C. Broadcast topology
D. Ring topology

Question No:159 **(Marks:1)** **Vu-Topper RM**

In a _____ state, a bridge allows simultaneous use of each segment.

A. Ready
B. Steady **Page 51**
C. Final
D. Startup

Question No:160 **(Marks:1)** **Vu-Topper RM**

The network occupies larger areas like cities & countries is called

A. LAN
B. WAN **Google**
C. MAN
D. All of the above

Question No:161 **(Marks:1)** **Vu-Topper RM**

In link state routing _____ send link-state information about local connections.

A. Bridge
B. Switches **Page 64**
C. Routers
D. Hubs

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:162 (Marks:1) Vu-Topper RM

Transmission media are usually categorized as _____.

A. Guided or unguided Google

B. Fixed or unfixed

C. Determinate or indeterminate

D. Metallic or non-metallic

Question No:163 (Marks:1) Vu-Topper RM

Even parity can be used to check for _____ bit/ bits of errors.

A. Page 18

B. 2

C. 3

D. 0

Question No:164 (Marks:1) Vu-Topper RM

Routing table entries can be _____ with a default route.

A. Collapsed Page 60

B. Redirected

C. Emerged

D. Guaranteed

Question No:165 (Marks:1) Vu-Topper RM

The system administrator must coordinate to avoid the conflict in_____ hardware addressing scheme.

A. Static

B. Dynamic

C. Configurable Google

D. Fixed

Question No:166 (Marks:1) Vu-Topper RM

_____ network does not depend on CSMA/CD.

A. Ethernet Google

B. Fast Ethernet

C. Gigabit Ethernet

D. Wireless

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:167 (Marks:1) Vu-Topper RM

Which of the following technologies can extend the diameter of LAN medium?

A. Fiber optic
B. Repeater
C. Diameter of LAN medium is not extendable
D. Fiber optic and Repeaters Google

Question No:168 (Marks:1) Vu-Topper RM

Connections are formed in Asynchronous transfer mode by starting values in_____ in ATM switches, as opposed to making actual electrical connections.

A. Heap
B. Stack
C. Virtual Circuit
D. Memory locations Page 67

Question No:169 (Marks:1) Vu-Topper RM

The _____ scheme must be reliable to prevent conflicts.

A. Static
B. Dynamic Page 34
C. Configurable
D. Fixed

Question No:170 (Marks:1) Vu-Topper RM

Metropolitan area network is used for _____.

A. City Page 55
B. Building
C. Country
D. Continent

Question No:171 (Marks:1) Vu-Topper RM

Which addressing can be only used in the local area networks?

A. IP Google
B. Physical
C. Port
D. Protocol

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:172 **(Marks:1)** **Vu-Topper RM**

The sharing of a _____ among the workers in an office is a goal of resource sharing.

A. Mouse
B. Printer **Page 9**
C. Keyboard
D. Motherboard

Question No:173 **(Marks:1)** **Vu-Topper RM**

ATM uses fixed size, small cells, 48 octet's data and _____.

A. Octets header
B. 5 Octets header **Page 65**
C. 6 Octets header
D. 7 Octets header

Question No:174 **(Marks:1)** **Vu-Topper RM**

Which of the followings is not an advantage of framing?

A. Missing not indicates sending computer crashed.
B. Missing soh indicates receiving computer missed beginning of message.
C. Delimiters do not contain any user data **Page 16**
D. Bad frame is discarded.

Question No:175 **(Marks:1)** **Vu-Topper RM**

The _____ field of Ethernet frame has the purpose of receiver synchronization.

A. Preamble **Page 36**
B. Frame Type
C. Data
D. CRC

Question No:176 **(Marks:1)** **Vu-Topper RM**

_____ was the first internet available for the first time.

A. ARPANAT
B. The ARPNET
C. The NET
D. ARPANET **Page 9**

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:177 (Marks:1) Vu-Topper RM

We need packets rather than bits because _____

A. To compress the data
B. Packets move faster
C. Sender and receiver need to coordinate to detect transmission errors. Page 14
D. Packets can only move between two terminals

Question No:178 (Marks:1) Vu-Topper RM

When an application _____ any data, it makes a copy of the data available to all other computers on the network.

A. Multicast Page 143
B. Broadcast
C. Anycast
D. Unicast

Question No:179 (Marks:1) Vu-Topper RM

Each computer in LAN is identified by a physical address, usually imprinted on the _____.

A. Network interface card (NIC) Google
B. Modem
C. Router
D. Switch

Question No:180 (Marks:1) Vu-Topper RM

-------is a hardware device also used to connect two LAN segments to extend a LAN. Unlike a repeater, a bridge uses two NICs to connect two segments.

A. A BRIDGES Page 50
B. FRAME FILTERING
C. REPEATERS
D. LAN EXTENSIONS

Question No:181 (Marks:1) Vu-Topper RM

The fiber-modem coverts digital data into _____ then transmits over the optical fiber.

A. Pulses of light Page 48
B. Kilometers

For More Help Vu Topper RM Contact What's app 0322-4021365

C. Bandwidth
D. Electrical signal

Question No:182 (Marks:1) Vu-Topper RM
The switch that has computers attached with it, is called _____switch.
A. Exterior Page 59
B. Interior
C. Packet
D. Front

Question No:183 (Marks:1) Vu-Topper RM
_____standard includes logical link control (LLC) sub network attachment point (SNAP) header.
A. IEEE 802.2 Page 37
B. IEEE 804.4
C. IEEE 806.2
D. IEEE 808.6

Question No:184 (Marks:1) Vu-Topper RM
Ethernet standard specifies that any two stations cannot be separated by more than _____ Repeaters.
A. Two
B. Four Page 49
C. Six
D. Eight

Question No:185 (Marks:1) Vu-Topper RM
The basic idea behind the operation of network analyzer is a computer with a network interface that receives all frames, which is called ____.
A. Land mode
B. Promiscuous mode Page 38
C. Filter specifications
D. Logical code

Question No:186 (Marks:1) Vu-Topper RM
_____is a method for computing routing table information.
A. Manual entry
B. Static routing Google
C. Boot time routing

For More Help Vu Topper RM Contact What's app 0322-4021365

D. None of the above

Question No:187 (Marks:1) Vu-Topper RM

ATM header is about _____ of the cell.

A. 5%

B. 10% Page 66

C. 15%

D. 20%

Question No:188 (Marks:1) Vu-Topper RM

To model a WAN, we use a graph in which the nodes model switches and the edges model direct connection between_____.

A. Switches Page 59

B. Interior

C. Packet

D. Front

Question No:189 (Marks:1) Vu-Topper RM

Most LANs that employ ring topology use an access mechanism known as-------

A. CSMA/CD

B. CSMA/CA

C. CSMA

D. TOKEN PASSING Google

Question No:190 (Marks:1) Vu-Topper RM

An ----------method, the network hardware designers specify how type information is included in the frame and the value use to identify various frame types.

A. Explicit frame type Google

B. Ideal frame type

C. Implicit frame type

D. None of the given

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:191 **(Marks:1)** **Vu-Topper RM**

Hardware that calculates a CRC uses two simple components.

A. AND unit and XOR unit

B. **Shift register and XOR unit** **Google**

C. Shift register & AND unit

D. Shift register and shift XOR unit

Question No:192 **(Marks:1)** **Vu-Topper RM**

In FDDI, in case of a station failure, remaining stations loop back and.

A. Reroute data through **Page31**

Question No:193 **(Marks:1)** **Vu-Topper RM**

_____ is a tool that sends a message to a remote computer and reports whether the computer responds.

A. Ping **Google**

Question No:194 **(Marks:1)** **Vu-Topper RM**

The Fast Ethernet hardware operates at a rate of _____.

A. 100Mbps **Page27**

Question No:195 **(Marks:1)** **Vu-Topper RM**

In a ping command result, time denotes the _____.

A. RTT **Google**

B. TRL

C. TTL

Question No:196 **(Marks:1)** **Vu-Topper RM**

The number of connections needed for 8 computers in direct point to point communication is equal to_____.

A. 28 **Google**

B. 20

C. 14

Question No:197 **(Marks:1)** **Vu-Topper RM**

If a computer on the network shares resources for others to use, it is called ____

A. Server **Google**

B. Client

For More Help Vu Topper RM Contact What's app 0322-4021365

C. Mainframe

Question No:198 (Marks:1) Vu-Topper RM

ISO stands for

A. International Standard Organization Google

B. International Student Organization

C. Integrated Services Organization

Question No:199 (Marks:1) Vu-Topper RM

ISO OSI model is used in

A. Standalone PC

B. Network environment Google

Question No:200 (Marks:1) Vu-Topper RM

Network cable lies on _____ layer

A. Application

B. Network

C. Physical

Question No:201 (Marks:1) Vu-Topper RM

ISDN is an example of _____ network

A. Circuit switched

B. Packet switched

Question No:202 (Marks:1) Vu-Topper RM

X.25 is an example of _____ network

A. Circuit switched

B. Packet switched

Question No:203 (Marks:1) Vu-Topper RM

_____ allows LAN users to share computer programs and data.

Communication server

A. Print server

B. File server Google

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:204 **(Marks:1)** **Vu-Topper RM**

Print server uses _____ which is a buffer that holds data before it is send to the printer.

A. Queue

B. Spool

C. Node

Question No:205 **(Marks:1)** **Vu-Topper RM**

A standalone program that has been modified to work on a LAN by including concurrency controls such as file and record locking is an example of____

A. LAN intrinsic software

B. LAN aware software

C. Groupware

D. LAN ignorant software

Question No:206 **(Marks:1)** **Vu-Topper RM**

The _____ portion of LAN management software restricts access, records user activities and audit data etc.

A. Configuration management

B. Security management

C. Performance management

Question No:207 **(Marks:1)** **Vu-Topper RM**

What is the max cable length of STP?

A. 100 ft

B. 200 ft

C. 200 m

Question No:208 **(Marks:1)** **Vu-Topper RM**

What is the max data capacity of STP?

A. 10 mbps

B. 100 mbps

C. 1000 mbps

D. 10000 mbps

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:209 **(Marks:1)** **Vu-Topper RM**

What is the central device in star topology?

A. STP server

B. Hub/switch **Google**

C. PDC

D. Router

Question No:210 **(Marks:1)** **Vu-Topper RM**

PVC stands for _____.

PERMANENT VIRTUAL CIRCUITS **Page 69**

Question No:211 **(Marks:1)** **Vu-Topper RM**

The CSMA/CD mechanism does not work with _____.?

A. Long delays. **Page 49**

B. Less cable length.

C. High throughput.

D. Two Ethernet segments.

Question No:212 **(Marks:1)** **Vu-Topper RM**

_____ Networks are sometimes called Intranet.

A. LAN

B. Public

C. Virtual

D. Private **Page 73**

Question No:213 **(Marks:1)** **Vu-Topper RM**

Which one is a method for building routing tables?

A. Program

B. Manual entry **Page 62**

C. Graph algorithm

D. Store and forward

Question No:214 **(Marks:1)** **Vu-Topper RM**

Point-to-point topology is

A. Connectivity **Page 5**

For More Help Vu Topper RM Contact What's app 0322-4021365

Visit My YouTube Channel
For More Important Notes
Channel Name = #VuTopperRM

For More Help Vu Topper RM Contact What's app 0322-4021365

CS-610 Important Mcq's For Mid Term !! Solve By Vu-Topper RM!!

وَتُعِزُّ مَن تَشَاء وَتُذِلُّ مَن تَشَاء

PROFESSIONAL ONLINE ACADEMY

VU-TOPPER RM

VU Virtual University



NOTHING IS IMPOSSIBLE

All Paid Services

- LMS Handling
- Important Notes
- Online Classes
- Projects
- Assignments
- Quiz
- GDB's

JOIN US NOW

For More Info
Contact us at:
Rizwan Manzoor
0322-4021365

Question No:1 **(Marks:1)** **Vu-Topper RM**

Uses counter rotating rings in which data flows in opposite directions.

A. FDDI Page 31

B. IBM

Question No:2 **(Marks:1)** **Vu-Topper RM**

The Ethernet speed was originally 3Mbps, and the current standard is ……. the fast Ethernet operates at 100Mbps.

A. 10Mbps Page27

B. 20Mbps

Question No:3 **(Marks:1)** **Vu-Topper RM**

Mapping between a protocol address and a hardware address is called

A. Segmentation

B. Hashing

C. Address Resolution Page 93

Question No:4 **(Marks:1)** **Vu-Topper RM**

Protocols of TCP/IP layering model specify how to organize data into frame and how a computer transmits frames over a network.

A. Session

B. Network interface layer

C. Internet Layer

Question No:5 **(Marks:1)** **Vu-Topper RM**

In Closed-form computation, the protocol address assigned to a computer is chosen carefully so that computer's hardware address can be computed from the
protocol address using basic Boolean and operations.

A. Arithmetic Page 94

B. XOR

C. Shift

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:6 **(Marks:1)** **Vu-Topper RM**

As the Internet grew, the original Classful addressing scheme became a limitation.The IP address space was being exhausted because all networks had to choose one
of possible sizes.

A. One
B. Two
C. Three Page 90

Question No:7 **(Marks:1)** **Vu-Topper RM**

Dotted decimal notation is a syntactic form the IP software uses to express binaryvalues when interacting with humans.

A. 32-bit Page 87
B. 16-bit
C. 8-bit

Question No:8 **(Marks:1)** **Vu-Topper RM**

Protocols of TCP/IP layering model specify how to ensure reliable transfer.

A. Physical Layer
B. Network Interface Layer
C. Transport Layer

Question No:9 **(Marks:1)** **Vu-Topper RM**

In the IP address---identifies an individual computer on the network.

A. Prefix
B. Suffix
C. Mux

Question No:10 **(Marks:1)** **Vu-Topper RM**

Internet protocol (IP) address version 4 is comprised of --- bits.

A. 48
B. 32
C. 24

Question No:11 **(Marks:1)** **Vu-Topper RM**

A separate table is used for each physical network.bit-binding

A. Checksum

B. Address-binding

Question No:12 **(Marks:1)** **Vu-Topper RM**

Inside a computer, each address mask is stored as a --- value.

A. 32 **Page 91**

B. 48

C. 36

Question No:13 **(Marks:1)** **Vu-Topper RM**

Dotted decimal represents each octet in -----and uses a dot to separate octets.

A. Decimal **Page 87**

B. Octal

Question No:14 **(Marks:1)** **Vu-Topper RM**

TCP/IP Protocol Suit specifies the format of packets sent across Internet aswell as the mechanisms used to

A. Physical Layer

B. Data Link Layer

C. Internet Layer

Question No:15 **(Marks:1)** **Vu-Topper RM**

The IP class scheme does not divide the address space into equal size class and the classes do not contain the same number of networks.

A. 32-bit **Page 88**

B. 16-bit

C. 8-bit

Question No:16 **(Marks:1)** **Vu-Topper RM**

TCP/IP protocol suit defines the basic characteristics of network hardware.

A. Physical Layer

B. Data Link Layer
C. Internet Layer

Question No:17 (Marks:1) Vu-Topper RM
The protocol address of the next hop must be------to an equivalent hardware address before a packet can be sent.
A. Encrypted
B. Decrypted
C. Translated Page 93

Question No:18 (Marks:1) Vu-Topper RM
Address Resolution Protocol is mostly used to bind a 32-bit IP address to an _ Ethernet address.
A. 16-bit
B. 48-bit
C. 64-bit

Question No:19 (Marks:1) Vu-Topper RM
TCP/IP defines the term to refer any computer system that connects to a network and runs applications for users.
A. Router
B. Host computer Google
C. Bridge

Question No:20 (Marks:1) Vu-Topper RM
There are two standard implementations to improve computational efficiency:
A. Hashing and Direct indexing Page 94
B. Segmentation and Fragmentation
C. Queuing and Packetizing

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:21 **(Marks:1)** **Vu-Topper RM**

In the IP address identifies the physical network to which the computer is attached.

A. PREFIX Page 85

B. SUFFIX

C. Mux

Question No:22 **(Marks:1)** **Vu-Topper RM**

In Cyclic Redundancy Checking, CRC is _____.

A. Divisor

B. Quotient

C. Remainder Page 20

D. Dividend

Question No:23 **(Marks:1)** **Vu-Topper RM**

The satellite or radio topology in which all computers are connected to each other via satellite or radio wave is a kind of

A. Broadcast network Page 5

B. Point-to-Point network

C. Many-to-One network

D. Face-to- Face network

Question No:24 **(Marks:1)** **Vu-Topper RM**

Which of the following two operations are performed by Ethernet CD?

I. It monitors outgoing signals.

II. Grabbled signal is interpreted as a collision.

III. Signals are sent back to the sender.

A. I and III

B. II and IV

C. II and III

D. I and II Page 28

Question No:25 **(Marks:1)** **Vu-Topper RM**

The process of forwarding a packet is called _____.

A. Routing Page 58

B. Processing
C. Hierarchical Addressing
D. Source Addressing

Question No:26 (Marks:1) Vu-Topper RM

Which statement is correct about Network Interface Card (NIC)?
I. NIC contains sufficient hardware to process data independent of system CPU
II. NIC looks like any other I/O device to system CPU
III. NIC also receives interrupt on incoming data.

A. I and II
B. II and III
C. I and III
D. All Page 40

Question No:27 (Marks:1) Vu-Topper RM

While transmitting data from source A to destination B, 4 bits are changed during the transmission then the error is a _____.

A. Burst error Page 22
B. Single error
C. Double error
D. Logic error

Question No:28 (Marks:1) Vu-Topper RM

The switch that has no attached computers is called _____.

A. Packet Switch
B. Exterior Switch
C. Interior Switch Page 59
D. External Switch

Question No:29 (Marks:1) Vu-Topper RM

_____ is the most popular wiring scheme because of lowest cost.

A. 5 Base T
B. 10 Base T Page 43
C. 100 base T

D. 1000 base T

Question No:30 (Marks:1) Vu-Topper RM

In _____ technique, all members of the network can send data only on the specific time slot?

A. CDMA
B. FDMA
C. CSMA Page 43
D. TDMA

Question No:31 (Marks:1) Vu-Topper RM

If a sender with a 100 Megabit NIC and receiver with 10 Megabit NIC wants to communicate with each other at which speed they can communicate?

A. 110 Megabit
B. 1000 Megabit
C. 10 Megabit
D. 100 Megabit Page 40

Question No:32 (Marks:1) Vu-Topper RM

Missing _____ in a frame format indicates receiving computer missed beginning of the message.

A. eot
B. sot
C. eoh
D. soh Page 16

Question No:33 (Marks:1) Vu-Topper RM

The _____ of errors is easier than the _____ of errors.

A. Correction; detection
B. Correction; creation
C. Detection; manipulation
D. Detection; correction Google

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:34 **(Marks:1)** **Vu-Topper RM**

The _____ of errors is difficult than the _____ of errors.

A. Detection; correction
B. Correction; creation
C. Detection; manipulation
D. Correction; detection **Google**

Question No:35 **(Marks:1)** **Vu-Topper RM**

Source Independence phenomenon allows fast and efficient _____.

A. Source Addressing
B. Routing
C. Packet Switching **Page 58**
D. Store and forward

Question No:36 **(Marks:1)** **Vu-Topper RM**

In distributed route computation process each packet switch computes its routing table locally and sends messages to the _____.

A. Router
B. Graph
C. Neighbors **Page 63**
D. WAN

Question No:37 **(Marks:1)** **Vu-Topper RM**

The ___ layer of the OSI model takes the data from the physical layer and perform error checking.

A. Transport
B. Data link **Google**
C. Application
D. Presentation

Question No:38 **(Marks:1)** **Vu-Topper RM**

CBR stands for _____.

A. Constant Byte Rate
B. Constant Bit Rate **Page 71**

C. Connection break Recovery
D. Constant Borrow Rate

Question No:39 **(Marks:1)** **Vu-Topper RM**

VBR stands for _____.

A. Variable Byte Rate
B. Variable Bit Rate **Page 71**
C. Variable break Recovery
D. Variable borrow Rate

Question No:40 **(Marks:1)** **Vu-Topper RM**

ABR stands for _____.

A. Available Byte Rate
B. Available Bit Rate **Page 71**
C. Available break Recovery
D. Available Borrow Rate

Question No:41 **(Marks:1)** **Vu-Topper RM**

A network that uses _____ usually consist of a single long cable to which computer attach.

A. Star Topology
B. Ring Topology
C. Bus Topology **Page 26**
D. Bus and Ring Topology

Question No:42 **(Marks:1)** **Vu-Topper RM**

If simultaneous transmission occurs, the frames interfere with each other and this phenomenon is called _____.

A. packet loss
B. collision **Page 28**
C. delayed transmission
D. coordination

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:43 **(Marks:1)** **Vu-Topper RM**

In _____ all computers are attached to a central hub

A. Ring topology

B. Star topology **Page 31**

C. Hub topology

D. Bus topology

Question No:44 **(Marks:1)** **Vu-Topper RM**

For adding a new computer in a point-to-point network _____new connection will be required

A. N

B. N-1 **Page 23**

C. N-2

D. 2N

Question No:45 **(Marks:1)** **Vu-Topper RM**

The fastest Ethernet hardware operates at a rate of _____

A. 1000 bps

B. 100 Mbps **Page 27**

C. 10 Mbps

D. 1000 Mbps

Question No:46 **(Marks:1)** **Vu-Topper RM**

Which of the following the benefit to point to point communication?

A. Quick to configure

B. Security implementation **Page 23**

C. Cost

D. Less availability

Question No:47 **(Marks:1)** **Vu-Topper RM**

ATM offers _____speed and _____delay

A. High, High

B. High, low **Page 72**

C. Low, low

D. Low, high

Question No:48 (Marks:1) Vu-Topper RM

Thick Ethernet is known as _____

A. 10 Base 2

B. 10 Base 5 Google

C. 10 Base T

D. 10 Base 10

Question No:49 (Marks:1) Vu-Topper RM

Both interior and exterior switches _____packet and they also need routing tables.

A. Create

B. Delay

C. Forward Page 59

D. Start

Question No:50 (Marks:1) Vu-Topper RM

_____is the rate at which data can be sent through the network

A. Throughput Page 79

B. Propagation delay

C. Access delay

D. Switching delay

Question No:51 (Marks:1) Vu-Topper RM

In a ping command, small –sized information packets of _____are sent.

A. TCP

B. UDP

C. ICMP Page 11

D. IGMP

Question No:52 (Marks:1) Vu-Topper RM

Many WANs use _____addressing of efficiency

A. Sequence

B. Forward

C. Hierarchical **Page 56**
D. Sequential

Question No:53 **(Marks:1)** **Vu-Topper RM**
Which of the following is not a function of ping commends?
A. Local computer network issue
B. Congestion in the network
C. Relay nodes **Page 11**
D. Remote host availability

Question No:54 **(Marks:1)** **Vu-Topper RM**
Packet switched can be linked together to form a _____
A. LAN
B. WAN **Page 56**
C. Bridge
D. None

Question No:55 **(Marks:1)** **Vu-Topper RM**
Fixed network is a type of network which is classified with repect to the factor
A. Size
B. Connectivity
C. Medium
D. Mobility **Page 6**

Question No:56 **(Marks:1)** **Vu-Topper RM**
Parity bit can detect _____error(s)
A. 4
B. 3
C. 2 **Page 19**
D. 1

Question No:57 **(Marks:1)** **Vu-Topper RM**
When we will try to connect to the internet which of the following protocol will be used?

A. Telnet
B. TCP/IP Page 84
C. ICMP
D. IPx

Question No:58 (Marks:1) Vu-Topper RM
How many computers are mandatory to form a network?
A. 1
B. 2 Google
C. 4
D. 8

Question No:59 (Marks:1) Vu-Topper RM
_____ is standard wireless LAN that uses radio signals at 2.4GHz.
A. IEEE 803.16
B. IEEE 802.15
C. IEEE 802.3
D. IEEE 802.11 Page 29

Question No:60 (Marks:1) Vu-Topper RM
LAN interface hardware obeys _____ access rule.
A. CSMA/CD Page 34
B. Round robin
C. First come first served
D. High priority

Question No:61 (Marks:1) Vu-Topper RM
The most important task a bridge performs is _____.
A. Packet switching
B. Line controlling
C. Noise controlling
D. Frame filtering Page 50

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:62 **(Marks:1)** **Vu-Topper RM**

ATM uses small, fixed-sized packets called cells and each cell has _____ octets.

A. 47
B. 52
C. 53 **Page 66**
D. 55

Question No:63 **(Marks:1)** **Vu-Topper RM**

_____ can't be guaranteed with variable length packets as easily as it can with fixed length cells.

A. Errors
B. Noise
C. Quality of Service
D. None of the given **Page 72**

Question No:64 **(Marks:1)** **Vu-Topper RM**

Which multiplexing technique transmits digital signals?

A. WDM
B. FDM
C. TDM **Page 15**
D. GSM

Question No:65 **(Marks:1)** **Vu-Topper RM**

Connections in Asynchronous transfer mode are called _____.

A. Virtual channels **Page 67**
B. Virtual Path Identifier
C. Cells
D. Cell tax

Question No:66 **(Marks:1)** **Vu-Topper RM**

A _____ is a device that combines multiple signals and forwards into a single line.

A. Modem
B. Multiplexer **Page 41**

C. Repeater
D. Layer 3 Switch

Question No:67 **(Marks:1)** **Vu-Topper RM**

_____ is inflexible.

A. Routing
B. Searching
C. Processing
D. Static routing **Page 62**

Question No:68 **(Marks:1)** **Vu-Topper RM**

If a hub is used to connect many computers in a LAN, then only _____ computers can communicate at a given time.

A. Three
B. Two **Page 54**
C. Four
D. One

Question No:69 **(Marks:1)** **Vu-Topper RM**

_____ is the term used for variance in transmission delays.

A. Friction
B. Segment
C. Checksum
D. Jitter **Page 66**

Question No:70 **(Marks:1)** **Vu-Topper RM**

_____ is also called self healing network.

A. ATM
B. FDDI
C. Token Ring
D. Frame relay **Page 46**

Question No:71 **(Marks:1)** **Vu-Topper RM**

_____ and _____ are the two frame types.

A. Internal and external

B. Single and dual
C. Implicit and explicit
D. Multicast and broadcast Page 35

Question No:72 (Marks:1) Vu-Topper RM
Bluetooth uses shared medium and _____ instead of coaxial cable.
A. Radio waves Page 29
B. Infrared waves
C. Micro waves
D. Low frequency waves

Question No:73 (Marks:1) Vu-Topper RM
A. Which of the following is not a guided medium?
B. Twisted pair cable
C. Fiber-optic cable
D. Atmosphere Google
E. Coaxial cable

Question No:74 (Marks:1) Vu-Topper RM
As a result of ARPA research, the first network was established which was named as _____.
A. INTERNETWORKING
B. ARPNET
C. ARPANET Page 9
D. PACKET NETWORK

Question No:75 (Marks:1) Vu-Topper RM
Asynchronous transfer mode (ATM) can dynamically establish a____.
A. Switched virtual circuit Page 70
B. Virtual connection identifier
C. Virtual path indicator
D. None of the given options

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:76 **(Marks:1)** **Vu-Topper RM**

A typical port on an ATM switch operates at _____ or _____ higher.

A. OC-2 speed (155Gbps)
B. OC-2 speed (1000Mbps)
C. OC-3 speed (155Mbps) **Page 72**
D. OC-3 speed (100Gbps)

Question No:77 **(Marks:1)** **Vu-Topper RM**

10Base-T Ethernet is often called a _____.

A. ring shaped star
B. ring shaped bus
C. star shaped bus **Page 46**
D. star shaped ring

Question No:78 **(Marks:1)** **Vu-Topper RM**

_____ allows automatic updates.

A. Dynamic routing **Page 62**
B. Static routing
C. Routing
D. Default routing

Question No:79 **(Marks:1)** **Vu-Topper RM**

Handling variable length packets leads to memory _____.

A. Fragmentation **Page 72**
B. Management
C. Location
D. Allocation

Question No:80 **(Marks:1)** **Vu-Topper RM**

In order to forward a copy of frame, the bridge uses _____ address.

A. Network
B. Destination **Page 51**
C. IP
D. Source

Question No:81 **(Marks:1)** **Vu-Topper RM**

We may use _____ to extend local area network.

A. Bridge, Router
B. Bridge, Hub, Router
C. Bridge, Hub, Repeater **Page 149**
D. Bridge, Hub, Repeater, Router

Question No:82 **(Marks:1)** **Vu-Topper RM**

All of the given options are the types of delay except _____.

A. Propagation
B. Access
C. Throughput **Page 79**
D. Queuing

Question No:83 **(Marks:1)** **Vu-Topper RM**

While computing shortest path in a graph, next hop information is inserted into _____.

A. Routing table **Page 62**
B. Trailer
C. Header
D. Register

Question No:84 **(Marks:1)** **Vu-Topper RM**

LAN interface uses _____ to copy frame data directly from main memory

A. DMA **Page 34**
B. FDDI
C. Hard disk
D. Flash

Question No:85 **(Marks:1)** **Vu-Topper RM**

The Gigabit Ethernet hardware operates at a rate of _____.

A. 10 Mbps
B. 100 Mbps

C. 1000 Mbps **Page 263**
D. 1000 Gbps

Question No:86 **(Marks:1)** **Vu-Topper RM**
In the early resource sharing era, which resources were shared among users?
A. Computation **Page 9**
B. Floppy Drives
C. Hard Disk
D. Printers

Question No:87 **(Marks:1)** **Vu-Topper RM**
If two buildings are located far from each other then bridge, and ___ can be used to connect two LAN.
A. Optical fiber **Page 51**
B. Ethernet modem
C. Switch
D. NIC

Question No:88 **(Marks:1)** **Vu-Topper RM**
Which type of network consists of wireless connection of laptops in a university classroom?
A. WAN
B. MAN
C. Fog
D. LAN **Google**

Question No:89 **(Marks:1)** **Vu-Topper RM**
A typical bridge has _____.
A. One NIC, a CPU a memory and a ROM.
B. Two NICs, a CPU a memory and a ROM. **Page 50**
C. RAM, ROM and CPU.
D. A cache memory, ROM and CPU.

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:90 **(Marks:1)** **Vu-Topper RM**

_____ is used for compressed audio and video, where the data rate depends on the level of compression that can be achieved.

A. Constant Bit Rate
B. Stable Bit Rate
C. Variable Bit Rate **Page 71**
D. Available Bit Rate

Question No:91 **(Marks:1)** **Vu-Topper RM**

There are _____ types of data stuffing.

A. 1
B. 2 **Page 17**
C. 0
D. 5

Question No:92 **(Marks:1)** **Vu-Topper RM**

Dijkstra's algorithm can accommodate weights on _____ in graph.

A. Nodes **Page 62**
B. Edges
C. Path
D. Connections

Question No:93 **(Marks:1)** **Vu-Topper RM**

_____ masks your IP address.

A. Firewall
B. Antivirus
C. VPN **Conceptual**
D. Incognito mode

Question No:94 **(Marks:1)** **Vu-Topper RM**

Static routing computes routing table information at _____ time.

A. Load
B. Boot **Page 62**
C. Execute
D. One

Question No:95 **(Marks:1)** **Vu-Topper RM**

_____ was the first automated tool required to see whether the given computer is online or not.

A. Probing program
B. PING program
C. status program
D. None **Page 11**

Question No:96 **(Marks:1)** **Vu-Topper RM**

In which type of error detection, the arithmetic sum is calculated before and after the transmission of data at both communication ends?

A. CRC
B. Party
C. Checksum **Page 19**
D. Hash Function

Question No:97 **(Marks:1)** **Vu-Topper RM**

Computer sends a connection request to the _____ to which it is attached while establishing a switched virtual circuit

A. Bridge
B. Switch **Page 70**
C. VPI
D. Virtual circuit

Question No:98 **(Marks:1)** **Vu-Topper RM**

The bridges communicate with each other on the network and use _____ algorithm to decide which bridge will not forward frames if a cycle occurs.

A. Djikstra
B. Shortest path first
C. Vector distance
D. Distributed Spanning Tree **Page 53**

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:99 **(Marks:1)** **Vu-Topper RM**

Ethernet uses a _____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.

A. 64
B. 48 **Page 109**
C. 32
D. 16

Question No:100 **(Marks:1)** **Vu-Topper RM**

Weights on graph edges reflect cost of _____.

A. Nodes
B. Traversing edge **Page 63**
C. Trending edge
D. Path

Question No:101 **(Marks:1)** **Vu-Topper RM**

A _____ relies on the hardware manufacturer to assign a unique physical address to each network interface.

A. Static addressing scheme **Page 34**
B. Configurable addressing scheme
C. Dynamic addressing scheme
D. None of the given

Question No:102 **(Marks:1)** **Vu-Topper RM**

In _____ topology, if the switch goes down all the computers will be disconnected.

A. Star **Google**
B. Ring
C. Bus
D. Mesh

Question No:103 **(Marks:1)** **Vu-Topper RM**

Which type of network consists of wired computers in a university classroom?

A. MAN

B. PAN
C. WAN
D. LAN Google

Question No:104 (Marks:1) Vu-Topper RM
If you as a network administrator want to know the traffic flow of your data while communicating with a remote computer which of the following will be used to know about intermediate routers?
A. Ipconfig
B. Ping Page 11
C. Traceroute
D. Arp

Question No:105 (Marks:1) Vu-Topper RM
Hardware address is also called _____.
A. Physical address Google
B. Logical address
C. IP address
D. Port address

Question No:106 (Marks:1) Vu-Topper RM
Thick Ethernet also requires _____ to avoid signal reflectance.
A. Transceivers
B. AUI cable
C. Drop cable
D. Terminators Page 41

Question No:107 (Marks:1) Vu-Topper RM
Which of the following network is using the TCP/IP model globally?
A. PAN
B. SAN
C. LAN
D. The Internet Google

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:108 **(Marks:1)** **Vu-Topper RM**

VPNs connections are sometimes called _____.

A. Tunnels **Page 75**

B. Open networking

C. Routing

D. Public network

Question No:109 **(Marks:1)** **Vu-Topper RM**

To reduce _____ computers can be connected and distributed to a number of hubs, then the hubs can be connected to a switch.

A. Costs **Page 54**

B. Quality

C. Efficiency

D. Noise

Question No:110 **(Marks:1)** **Vu-Topper RM**

If a _____ is used the communication between two computers will not affect the other pair of computers and they can communicate at the same time

A. Hub

B. Switch **Page 54**

C. Repeater

D. Amplifier

Question No:111 **(Marks:1)** **Vu-Topper RM**

The length of hardware address is _____.

A. One to ten bytes

B. One to five bytes

C. One to six bytes **Page 34**

D. One to seven bytes

Question No:112 **(Marks:1)** **Vu-Topper RM**

A network analyzer is also called _____.

A. Network manager

B. Network administrator

C. Network monitor **Page 37**
D. Network

Question No:113 **(Marks:1)** **Vu-Topper RM**
No any error detection scheme is perfect because transmission errors can affect _____.
A. Data
B. Additional Information
C. Additional information & data **Google**
D. Transmission medium

Question No:114 **(Marks:1)** **Vu-Topper RM**
The token ring network topology is a ring but wiring topology is a ___.
A. Star **Page 44**
B. bus
C. tree
D. mesh

Question No:115 **(Marks:1)** **Vu-Topper RM**
_____ addresses are used in an ethernet frame.
A. IP **Page 99**
B. Port
C. Logical
D. MAC

Question No:116 **(Marks:1)** **Vu-Topper RM**
AUI cable connects from NIC to _____.
A. BNC Connector
B. RJ-45 Connector
C. Transceiver **Page 41**
D. Terminator

Question No:117 **(Marks:1)** **Vu-Topper RM**
Public networks are _____.
A. More secure than LAN

B. Flexible **Page 74**
C. Limited in boundary
D. Intranet

Question No:118 **(Marks:1)** **Vu-Topper RM**
The maximum cable length of a LAN is fixed because _____.
A. Additional hardware are not suitable for the LAN extension.
B. The electrical signal level gets weaker as it travels. **Page 48**
C. Additional software are not suitable for the LAN extension
D. The electrical signal level gets stronger as it travels.

Question No:119 **(Marks:1)** **Vu-Topper RM**
In _____network topology is separated from route computation.
A. Local area
B. Link-state routing **Page 64**
C. Static routing
D. Dynamic routing

Question No:120 **(Marks:1)** **Vu-Topper RM**
Which layer of the OSI Model directly communicates and controls the transmission medium:
A. Transmission
B. Physical **Google**
C. Application
D. Network

Question No:121 **(Marks:1)** **Vu-Topper RM**
In _____ technique data is treated as a sequence of integers and their arithmetic sum is computed and the carry bits are added to the final sum.
A. CRC
B. Bit stuffing
C. Checksum **Page 19**
D. 2D Parity

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:122 **(Marks:1)** **Vu-Topper RM**

A network with _____ jitter takes more time to deliver some packets than others.

A. Zero

B. High **Page 80**

C. Low

D. Moderate

Question No:123 **(Marks:1)** **Vu-Topper RM**

A network uses _____ to arrange computers in a single closed loop.

A. Star Topology

B. Mesh Topology

C. Ring Topology **Page 25**

D. Bus Topology

Question No:124 **(Marks:1)** **Vu-Topper RM**

Which of the following tasks is not done by the second layer of the OSI model?

A. Flow control

B. Framing

C. Channel coding **Google**

D. Error control

Question No:125 **(Marks:1)** **Vu-Topper RM**

ATM is a single technology designed to meet the goals of both _____and _____.

A. LAN & PAN

B. LAN & WAN **Page 66**

C. LAN & MAN

D. MAN & WAN

Question No:126 **(Marks:1)** **Vu-Topper RM**

LAN and WAN are classified according to their _____.

A. Size **Page 4**

B. Connectivity

C. Medium
D. Mobility

Question No:127 **(Marks:1)** **Vu-Topper RM**
The identifier that is used for data transfer in the virtual circuit network is called _____.

A. Virtual circuit identifier **Google**
B. Global address
C. Network identifier
D. IP identifier

Question No:128 **(Marks:1)** **Vu-Topper RM**
In Direct point to point communication adding the Nth computer requires_____ new connections

A. N^2
B. N-1
C. (N^2 -N)/2 **Page 23**
D. N (N-1)

Question No:129 **(Marks:1)** **Vu-Topper RM**
Which of the following is the correct function of bridge?

A. MTU path discovery
B. Byte stuffing
C. Routing information
D. Filtering and forwarding a frame **Page 50**

Question No:130 **(Marks:1)** **Vu-Topper RM**
Point to point topology is----------

A. Size based
B. Mobility based
C. Connectivity based **Page 5**
D. Medium based

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:131 **(Marks:1)** **Vu-Topper RM**

IEEE LLC / SNAP header is __which is used to specify the type of date.

A. 8 octets **Google**

B. 16 octets

C. 32 octets

D. 64octets

Question No:132 **(Marks:1)** **Vu-Topper RM**

IEEE LLC / SNAP header is _____which is used to specify the type of date.

A. CRC

B. Bit stuffing

C. Checksum **Google**

D. 2D Parity

Question No:133 **(Marks:1)** **Vu-Topper RM**

What is the largest network in existence?

A. The internet **Google**

B. A PAN

C. A Fog

D. Edge Network

Question No:134 **(Marks:1)** **Vu-Topper RM**

The frame format of any LAN technology must consist of ____ and___-

A. Payload and CRC

B. Frame header and CRC

C. Payload and Frame type

D. Frame header and payload **Page 36**

Question No:135 **(Marks:1)** **Vu-Topper RM**

_____ can occur a LANs when a packet is delayed because the network is busy

A. Jitter **Page 66**

B. Loop

C. Deadlock

D. Variance

Question No:136 (Marks:1) Vu-Topper RM

Which of the following cannot be used to extend a LAN?

A. Repeaters
B. Switches
C. Routers
D. Fiber modems Google

Question No:137 (Marks:1) Vu-Topper RM

Links-state algorithm is used in _____

A. RIP
B. IGRP
C. RIPv2
D. OSPF Page 64

Question No:138 (Marks:1) Vu-Topper RM

According to size, there are ___classifications of networks

A. 2 Page 2
B. 3
C. 4
D. 5

Question No:139 (Marks:1) Vu-Topper RM

In which topology terminators are used at the end of the cable?

A. Star
B. Bus Google
C. Ring
D. Mesh

Question No:140 (Marks:1) Vu-Topper RM

Switch simulates a _____LAN connecting segments

A. Single
B. Single shared
C. Bridged Page 54

D. Complex

Question No:141 (Marks:1) Vu-Topper RM

PVS stands for _____

A. Permanent virtual circuit Page 69

B. Private virtual circuit

C. Public virtual circuit

D. Plastic virtual circuit

Question No:142 (Marks:1) Vu-Topper RM

Hardware that calculates a CRC used two simple components _____

A. AND unit and XOR Unit

B. Shift register and XOR unit Page 20

C. Shift register & AND unit

D. Shift register and Shift XCR unit

Question No:143 (Marks:1) Vu-Topper RM

Thin ethernet is known as _____

A. 10 base 2 Google

B. 10 base 5

C. 10 base T

D. All

Question No:144 (Marks:1) Vu-Topper RM

If a sender with a 1 Gigabit NIC and receiver with 100 Megabit NIC wants to communicate with each other than at which speed they can communicate

A. 11 Megabit

B. 100 Megabit Google

C. 1 Gigabit

D. Gigabit

Question No:145 (Marks:1) Vu-Topper RM

_____ is used as an alternative of packet for a specific computer network technology

A. Datum
B. Token
C. Ether
D. Frame **Page 14**

Question No:146 **(Marks:1)** **Vu-Topper RM**
The sharing of a medium and its link by two or more devices is called _
A. Modulation
B. Encoding
C. Multiplexing **Google**
D. Line discipline

Question No:147 **(Marks:1)** **Vu-Topper RM**
The topology each computer is connected to a central hub is called
A. Ring topology
B. Star topology **Page 5**
C. Tree topology
D. Mesh topology

Question No:148 **(Marks:1)** **Vu-Topper RM**
Asynchronous transfer mode (ATM) is designed to work on fiber but can be used with _____
A. Wireless
B. Twisted pair **Page 72**
C. Wifi
D. Bluetooth

Question No:149 **(Marks:1)** **Vu-Topper RM**
The basic responsibility of NIC is _____
A. To access medium network **Google**
B. To resource allocation
C. To access memory
D. All of the given option

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:150 **(Marks:1)** **Vu-Topper RM**

Frame relay is ____

A. Connection oriented service **Page 64**

B. Connectionless service

C. Typically ranges for 5 Mbps to 1000Mbps

D. Call based

Question No:151 **(Marks:1)** **Vu-Topper RM**

The length of time required to send a variable length packet is ____

A. 5 second

B. Variable **Page 72**

C. Constant

D. Fix

Question No:152 **(Marks:1)** **Vu-Topper RM**

In Token Ring, if all computers are ready to transmit it enforces _Access

A. First come first served

B. Round Robin **Page 30**

C. Shorter delay

D. Last come first served

Question No:153 **(Marks:1)** **Vu-Topper RM**

The Ethernet standard specifies that frames are sent using the__ scheme.

A. Differential Manchester

B. Not Return to Zero (NR2)

C. Manchester Encoding **Page 27**

D. Return to Zero (RZ)

Question No:154 **(Marks:1)** **Vu-Topper RM**

ATM uses the concept of _____.

A. Connection-oriented **Page 66**

B. Connection-less

C. Variable packet size

D. Fixed and variable packet size

Question No:155 **(Marks:1)** **Vu-Topper RM**

Which of the following is a benefit of point to point communication?

A. Quick to configure

B. Security implementation **Google**

C. Cost

D. Less availability

Question No:156 **(Marks:1)** **Vu-Topper RM**

_____ is not used to extend LAN.

A. Hub

B. Fiber modem **Google**

C. Repeater

D. Bridge

Question No:157 **(Marks:1)** **Vu-Topper RM**

Which types of VPNs are used for corporate connectivity across companies residing in different geographical locations?

A. Remote access VPNs

B. Peer-to-peer VPNs

C. Country-to-country VPNs

D. Site-to-site VPNs **Google**

Question No:158 **(Marks:1)** **Vu-Topper RM**

Star topology is the kind of

A. Tree topology

B. Point-to-point topology **Page 5**

C. Broadcast topology

D. Ring topology

Question No:159 **(Marks:1)** **Vu-Topper RM**

In a _____ state, a bridge allows simultaneous use of each segment.

A. Ready

B. Steady **Page 51**

C. Final

D. Startup

Question No:160 (Marks:1) Vu-Topper RM

The network occupies larger areas like cities & countries is called

A. LAN

B. WAN Google

C. MAN

D. All of the above

Question No:161 (Marks:1) Vu-Topper RM

In link state routing _____ send link-state information about local connections.

A. Bridge

B. Switches Page 64

C. Routers

D. Hubs

Question No:162 (Marks:1) Vu-Topper RM

Transmission media are usually categorized as _____.

A. Guided or unguided Google

B. Fixed or unfixed

C. Determinate or indeterminate

D. Metallic or non-metallic

Question No:163 (Marks:1) Vu-Topper RM

Even parity can be used to check for _____ bit/ bits of errors.

A. Page 18

B. 2

C. 3

D. 0

Question No:164 (Marks:1) Vu-Topper RM

Routing table entries can be _____ with a default route.

A. Collapsed Page 60

B. Redirected

C. Emerged
D. Guaranteed

Question No:165 (Marks:1) Vu-Topper RM

The system administrator must coordinate to avoid the conflict in_____ hardware addressing scheme.

A. Static
B. Dynamic
C. Configurable Google
D. Fixed

Question No:166 (Marks:1) Vu-Topper RM

_____ network does not depend on CSMA/CD.

A. Ethernet Google
B. Fast Ethernet
C. Gigabit Ethernet
D. Wireless

Question No:167 (Marks:1) Vu-Topper RM

Which of the following technologies can extend the diameter of LAN medium?

A. Fiber optic
B. Repeater
C. Diameter of LAN medium is not extendable
D. Both. Fiber optic and Repeaters Google

Question No:168 (Marks:1) Vu-Topper RM

Connections are formed in Asynchronous transfer mode by starting values in_____ in ATM switches, as opposed to making actual electrical connections.

A. Heap
B. Stack
C. Virtual Circuit
D. Memory locations Page 67

Question No:169 **(Marks:1)** **Vu-Topper RM**

The _____ scheme must be reliable to prevent conflicts.

A. Static

B. Dynamic **Page 34**

C. Configurable

D. Fixed

Question No:170 **(Marks:1)** **Vu-Topper RM**

Metropolitan area network is used for _____.

A. City **Page 55**

B. Building

C. Country

D. Continent

Question No:171 **(Marks:1)** **Vu-Topper RM**

Which addressing can be only used in the local area networks?

A. IP **Google**

B. Physical

C. Port

D. Protocol

Question No:172 **(Marks:1)** **Vu-Topper RM**

The sharing of a _____ among the workers in an office is a goal of resource sharing.

A. Mouse

B. Printer **Page 9**

C. Keyboard

D. Motherboard

Question No:173 **(Marks:1)** **Vu-Topper RM**

ATM uses fixed size, small cells, 48 octet's data and _____.

A. Octets header

B. 5 Octets header **Page 65**

C. 6 Octets header

D. 7 Octets header

Question No:174 **(Marks:1)** **Vu-Topper RM**

Which of the followings is not an advantage of framing?

A. Missing not indicates sending computer crashed.
B. Missing soh indicates receiving computer missed beginning of message.
C. Delimiters do not contain any user data **Page 16**
D. Bad frame is discarded.

Question No:175 **(Marks:1)** **Vu-Topper RM**

The _____ field of Ethernet frame has the purpose of receiver synchronization.

A. Preamble **Page 36**
B. Frame Type
C. Data
D. CRC

Question No:176 **(Marks:1)** **Vu-Topper RM**

_____ was the first internet available for the first time.

A. ARPANAT
B. The ARPNET
C. The NET
D. ARPANET **Page 9**

Question No:177 **(Marks:1)** **Vu-Topper RM**

We need packets rather than bits because _____

A. To compress the data
B. Packets move faster
C. Sender and receiver need to coordinate to detect transmission errors. Page 14
D. Packets can only move between two terminals

Question No:178 **(Marks:1)** **Vu-Topper RM**

When an application _____ any data, it makes a copy of the data available to all other computers on the network.

A. Multicast **Page 143**

B. Broadcast
C. Anycast
D. Unicast

Question No:179 (Marks:1) Vu-Topper RM
Each computer in LAN is identified by a physical address, usually imprinted on the _____.

A. Network interface card (NIC) Google
B. Modem
C. Router
D. Switch

Question No:180 (Marks:1) Vu-Topper RM
-------is a hardware device also used to connect two LAN segments to extend a LAN. Unlike a repeater, a bridge uses two NICs to connect two segments.

A. A BRIDGES Page 50
B. FRAME FILTERING
C. REPEATERS
D. LAN EXTENSIONS

Question No:181 (Marks:1) Vu-Topper RM
The fiber-modem coverts digital data into _____ then transmits over the optical fiber.

A. Pulses of light Page 48
B. Kilometers
C. Bandwidth
D. Electrical signal

Question No:182 (Marks:1) Vu-Topper RM
The switch that has computers attached with it, is called _____switch.

A. Exterior Page 59
B. Interior
C. Packet
D. Front

Question No:183 **(Marks:1)** **Vu-Topper RM**

_____standard includes logical link control (LLC) sub network attachment point (SNAP) header.

A. IEEE 802.2 **Page 37**

B. IEEE 804.4

C. IEEE 806.2

D. IEEE 808.6

Question No:184 **(Marks:1)** **Vu-Topper RM**

Ethernet standard specifies that any two stations cannot be separated by more than _____ Repeaters.

A. Two

B. Four **Page 49**

C. Six

D. Eight

Question No:185 **(Marks:1)** **Vu-Topper RM**

The basic idea behind the operation of network analyzer is a computer with a network interface that receives all frames, which is called ____.

A. Land mode

B. Promiscuous mode **Page 38**

C. Filter specifications

D. Logical code

Question No:186 **(Marks:1)** **Vu-Topper RM**

_____is a method for computing routing table information.

A. Manual entry

B. Static routing **Google**

C. Boot time routing

D. None of the above

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:187 **(Marks:1)** **Vu-Topper RM**

ATM header is about _____ of the cell.

A. 5%

B. 10% **Page 66**

C. 15%

D. 20%

Question No:188 **(Marks:1)** **Vu-Topper RM**

To model a WAN, we use a graph in which the nodes model switches and the edges model direct connection between_____.

A. Switches **Page 59**

B. Interior

C. Packet

D. Front

Question No:189 **(Marks:1)** **Vu-Topper RM**

Most LANs that employ ring topology use an access mechanism known as-------

A. CSMA/CD

B. CSMA/CA

C. CSMA

D. TOKEN PASSING **Google**

Question No:190 **(Marks:1)** **Vu-Topper RM**

An ----------method, the network hardware designers specify how type information is included in the frame and the value use to identify various frame types.

A. Explicit frame type **Google**

B. Ideal frame type

C. Implicit frame type

D. None of the given

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:191 **(Marks:1)** **Vu-Topper RM**

Hardware that calculates a CRC uses two simple components.

A. AND unit and XOR unit
B. **Shift register and XOR unit** **Google**
C. Shift register & AND unit
D. Shift register and shift XOR unit

Question No:192 **(Marks:1)** **Vu-Topper RM**

In FDDI, in case of a station failure, remaining stations loop back and _.

A. Reroute data through **Page31**

Question No:193 **(Marks:1)** **Vu-Topper RM**

_____ is a tool that sends a message to a remote computer and reports whether the computer responds.

A. Ping **Google**

Question No:194 **(Marks:1)** **Vu-Topper RM**

The Fast Ethernet hardware operates at a rate of _____.

A. 100Mbps **Page27**

Question No:195 **(Marks:1)** **Vu-Topper RM**

In a ping command result, time denotes the _____.

A. RTT **Google**
B. TRL
C. TTL

Question No:196 **(Marks:1)** **Vu-Topper RM**

The number of connections needed for 8 computers in direct point to point communication is equal to_____.

A. 28 **Google**
B. 20
C. 14

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:197 **(Marks:1)** **Vu-Topper RM**

If a computer on the network shares resources for others to use, it is called ____

A. Server **Google**

B. Client

C. Mainframe

Question No:198 **(Marks:1)** **Vu-Topper RM**

ISO stands for

A. International Standard Organization **Google**

B. International Student Organization

C. Integrated Services Organization

Question No:199 **(Marks:1)** **Vu-Topper RM**

ISO OSI model is used in

A. Standalone PC

B. Network environment **Google**

Question No:200 **(Marks:1)** **Vu-Topper RM**

Network cable lies on _____ layer

A. Application

B. Network

C. Physical

Question No:201 **(Marks:1)** **Vu-Topper RM**

ISDN is an example of _____ network

A. Circuit switched

B. Packet switched

Question No:202 **(Marks:1)** **Vu-Topper RM**

X.25 is an example of _____ network

A. Circuit switched

B. Packet switched

Question No:203 **(Marks:1)** **Vu-Topper RM**

_____ allows LAN users to share computer programs and data.

Communication server

A. Print server

B. File server **Google**

Question No:204 **(Marks:1)** **Vu-Topper RM**

Print server uses _____ which is a buffer that holds data before it is send to the printer.

A. Queue

B. Spool

C. Node

Question No:205 **(Marks:1)** **Vu-Topper RM**

A standalone program that has been modified to work on a LAN by including concurrency controls such as file and record locking is an example of____

A. LAN intrinsic software

B. LAN aware software

C. Groupware

D. LAN ignorant software

Question No:206 **(Marks:1)** **Vu-Topper RM**

The _____ portion of LAN management software restricts access, records user activities and audit data etc.

A. Configuration management

B. Security management

C. Performance management

Question No:207 **(Marks:1)** **Vu-Topper RM**

What is the max cable length of STP?

A. 100 ft

B. 200 ft

C. 200 m

Question No:208 **(Marks:1)** **Vu-Topper RM**

What is the max data capacity of STP?

A. 10 mbps

B. 100 mbps

C. 1000 mbps

D. 10000 mbps

Question No:209 **(Marks:1)** **Vu-Topper RM**

What is the central device in star topology?

A. STP server

B. Hub/switch **Google**

C. PDC

D. Router

Question No:210 **(Marks:1)** **Vu-Topper RM**

Point-to-point topology is

A. Connectivity **Page5**

Free Of Cost All Study Helping Material Is Available.!

>>> Provide By Vu-Toper Team <<<

Contact On What's app #03224021365

AL-JUNAID INSTITUTE OF GRPOUP

CS610-Computer Network
Solved MCQS for Mid terms papers
Solved by JUNAID MALIK and Team

AL-Junaid Institude

Contact no: 03041659294

VU LMS HELP vulmshelp.com

LMS Handling

Subject Enrollment

1) Online classes available
HTML, CSS, Javascript
Phyton..etc
2) Solved Graded Activities
- Assignment's
- Quizze's
- GDB's

3) Sloved Quiz File's
4) Short Note's
5) Past paper's &
Current paper's

Final project CS619

1) SRS
(Software Requirement's Specification)
2) DD
(Design Document)
3) Test phase + viva
4) Viva preparation
5) Final Deliverable

Website Link
vulmshelp.com

Gmail
junaidfazal08@gmail.com

AL-JUNAID INSTITUTE OF GROUP

1. In Cyclic Redundancy Checking, CRC is _____.

a. Divisor
b. Quotient
c. Remainder page 20
d. Dividend

2. The satellite or radio topology in which all computers are connected to each other via satellite or radio wave is a kind of

a. Broadcast network page 5
b. Point-to-Point network

3. Which of the following two operations are performed by Ethernet CD?

I. It monitors outgoing signals.
II. Grabbled signal is interpreted as a collision.
III. Signals are sent back to the sender.

a. I and III
b. II and IV
c. II and III
d. I and II page 28

4. The process of forwarding a packet is called_____.

a. Routing page 58
b. Processing
c. Hierarchical Addressing
d. Source Addressing

4. Which statement is correct about Network Interface Card (NIC)?

I. NIC contains sufficient hardware to process data independent of system CPU
II. NIC looks like any other I/O device to system CPU III. NIC also receives interrupt on incoming data.

a. I and II
b. II and III
c. I and III
d. All of the given options page 40

For More Visit : vulmshelp.com

5. While transmitting data from source A to destination B, 4 bits are changed during the transmission then the error is a _____.

a. Burst error page 22
b. Single error
c. Double error
d. Logic error

6. The switch that has no attached computers is called _____.

a. Packet Switch
b. Exterior Switch
c. Interior Switch page 59
d. External Switch

7. _____ is the most popular wiring scheme because of lowest cost.

a. 5 Base T
b. 10 Base T page 43
c. 100 base T
d. 1000 base T

8. In _____ technique, all members of the network can send data only on the specific time slot?

a. CDMA
b. FDMA
c. CSMA page 43
d. TDMA

9. If a sender with a 100 Megabit NIC and receiver with 10 Megabit NIC wants to communicate with each other at which speed they can communicate?

a. 100 Megabit page 40
b. 110 Megabit
c. 1000 Megabit
d. 10 Megabit

9. Missing _____ in a frame format indicates receiving computer missed beginning of the message.

a. eot
b. soh page 16
c. sot
d. eoh

10. 1The _____ of errors is easier than the _____ of errors.

a. correction; detection
b. detection; correction cs601 handouts
c. correction; creation
d. detection; manipulation

For More Visit : vulmshelp.com

10. 1The _____ of errors is difficult than the _____ of errors.
a. correction; detection google
b. detection; correction
c. correction; creation
d. detection; manipulation

11. 1Source Independence phenomenon allows fast and efficient _____.
a. Source Addressing
b. Routing
c. Packet Switching page 58
d. Store and forward

12. 1In distributed route computation process each packet switch computes its routing table locally and sends messages to the _____.
a. Router
b. Graph
c. Neighbors page 63
d. WAN

13. The ___ layer of the OSI model takes the data from the physical layer and perform error checking.
a. Transport
b. Data link google
c. Application
d. Presentation

14. 1 CBR stands for _____.
a. Constant Byte Rate
b. Constant Bit Rate
c. Connection break Recovery
d. Constant Borrow Rate

15. 1A network that uses _____ usually consist of a single long cable to which computer attach.
a. Star Topology
b. Ring Topology
c. Bus Topology page 26
d. Bus and Ring Topology

16. If simultaneous transmission occurs, the frames interfere with each other and this phenomenon is called _____.
a. packet loss
b. collision page 28
c. delayed transmission
d. coordination

For More Visit : vulmshelp.com

16. In _____ all computers are attached to a central hub a. Ring topology
    b. Star topology page 31
    c. Hub topology
    d. Bus topology
17. For adding a new computer in a point to point network _____new connection will be required
    a. N
    b. N-1 page 23
    c. N-2
    d. 2n
18. 1The fastest Ethernet hardware operates at a rate of _____
    a. 1000 bps
    b. 100 Mbps page 27
    c. 10 Mbps
    d. 1000 Mbps
18. Which of the following the benefit to point to point communication? a. Quick to configure
    b. Security implementation page 23
    c. Cost
    d. Less availability
19. 1 ATM offers _____speed and _____delay
    a. High, High
    b. High, low page 72
    c. Low, low
    d. Low, high
20. 1Thick Ethernet is known as _____
    a. 10 Base 2
    b. 10 Base 5 google
    c. 10 Base T
    d. 10 Base 10
21. Both interior and exterior switches _____packet and they also need routing tables.
    a. Create
    b. Delay
    c. Forward page 59
    d. Start

For More Visit : vulmshelp.com

22. _____is the rate at which data can be sent through the network
    a. Throughput page 79
    b. Propagation delay
    c. Access delay
    d. Switching delay
23. In a ping command, small –sized information packets of _____are sent.
    a. TCP
    b. UDP
    c. ICMP page 11
    d. IGMP
24. Many WANs use _____addressing of efficiency
    a. Sequence
    b. Forward
    c. Hierarchical page 56
    d. Sequential
25. Which of the following is not a function of ping commends?
    a. Local computer network issue
    b. Congestion in the network
    c. Relay nodes page 11
    d. Remote host availability
26. Packet switched can be linked together to form a _____
    a. LAN
    b. WAN page 56
    c. Bridge
    d. None of the given option
27. Fixed network is a type of network which is classified with repect to the _____factor
    a. Size
    b. Connectivity
    c. Medium
    d. Mobility page 6
28. Parity bit can detect _____error(s)
    a. 4
    b. 3
    c. 2 page 19 (even or odd)
    d. 1

For More Visit : vulmshelp.com

29. When we will try to connect to the internet which of the following protocol will be used?
    a. Telnet
    b. TCP/IP page 84
    c. ICMP
    d. IPx
30. How many computers are mandatory to form a network?
    a. 1
    b. 2 google
    c. 4
    d. 8
31. _____ is standard wireless LAN that uses radio signals at 2.4GHz.
    a. IEEE 803.16
    b. IEEE 802.15
    c. IEEE 802.3
    d. IEEE 802.11 page 29
32. LAN interface hardware obeys _____ access rule.
    a. CSMA/CD page 34
    b. Round robin
    c. First come first served
    d. High priority
33. The most important task a bridge performs is _____.
    a. Packet switching
    b. Line controlling
    c. Noise controlling
    d. Frame filtering page 50
34. ATM uses small, fixed-sized packets called cells and each cell has _____ octets.
    a. 47
    b. 52
    c. 53 page 66
    d. 55
36. _____ can't be guaranteed with variable length packets as easily as it can with fixed length cells.
    a. Errors
    b. Noise
    c. Quality of Service page 72
    d. None of the given

For More Visit : vulmshelp.com

37. Which multiplexing technique transmits digital signals?
    a. WDM
    b. FDM
    c. TDM page 15
    d. GSM
38. Connections in Asynchronous transfer mode are called _____.
    a. Virtual channels page 67
    b. Virtual Path Identifier
    c. Cells
    d. Cell tax
39. A _____ is a device that combines multiple signals and forwards into a single line.
    a. Modem
    b. Multiplexer page 41
    c. Repeater
    d. Layer 3 Switch
40. _____ is inflexible.
    a. Routing
    b. Searching
    c. Processing
    d. Static routing page 62
41. If a hub is used to connect many computers in a LAN, then only _____ computers can communicate at a given time.
    a. Three
    b. Two page 54
    c. Four
    d. One
42. _____ is the term used for variance in transmission delays.
    a. Friction
    b. Segment
    c. Checksum
    d. Jitter page 66
43. _____ is also called self healing network.
    a. ATM
    b. FDDI
    c. Token Ring page 46
    d. Frame relay

For More Visit : vulmshelp.com

44. _____ and _____ are the two frame types.
    a. Internal and external
    b. Single and dual
    c. Implicit and explicit
    d. Multicast and broadcast page 35
45. Bluetooth uses shared medium and _____ instead of coaxial cable.
    a. Radio waves page 29
    b. Infrared waves
    c. Micro waves
    d. Low frequency waves
46. Which of the following is not a guided medium?
    a. Twisted-pair cable
    b. Fiber-optic cable
    c. Atmosphere google
    d. Coaxial cable
47. As a result of ARPA research, the first network was established which was named as _____.
    a. INTERNETWORKING
    b. ARPNET
    c. ARPANET page 9
    d. PACKET NETWORK
48. Asynchronous transfer mode (ATM) can dynamically establish a _____.
    a. Switched virtual circuit page 70
    b. Virtual connection identifier
    c. Virtual path indicator
    d. None of the given options
49. A typical port on an ATM switch operates at _____ or _____ higher.
    a. OC-2 speed (155Gbps)
    b. OC-2 speed (1000Mbps)
    c. OC-3 speed (155Mbps) page 72
    d. OC-3 speed (100Gbps)
50. 10Base-T Ethernet is often called a _____.
    a. ring shaped star
    b. ring shaped bus
    c. star shaped bus page 46
    d. star shaped ring

For More Visit : vulmshelp.com

51. _____ allows automatic updates.
    a. Dynamic routing page 62
    b. Static routing
    c. Routing
    d. Default routing
52. Handling variable length packets leads to memory _____.
    a. Fragmentation page 72
    b. Management
    c. Location
    d. Allocation
53. In order to forward a copy of frame, the bridge uses _____ address.
    a. Network
    b. Destination page 51
    c. IP
    d. Source
54. We may use _____ to extend local area network.
    a. Bridge, Router
    b. Bridge, Hub, Router
    c. Bridge, Hub, Repeater page 149
    d. Bridge, Hub, Repeater, Router
53. All of the given options are the types of delay except _____.
    a. Propagation
    b. Access
    c. Throughput page 79
    d. Queuing
54. While computing shortest path in a graph, next hop information is inserted into _____.
    a. Routing table page 62
    b. Trailer
    c. Header
    d. Register
55. LAN interface uses _____ to copy frame data directly from main memory
    a. DMA page 34
    b. FDDI
    c. Hard disk
    d. Flash

For More Visit : vulmshelp.com

56. The Gigabit Ethernet hardware operates at a rate of _____.
    a. 10 Mbps
    b. 100 Mbps
    c. 1000 Mbps reference book page 263
    d. 1000 Gbps

57. In the early resource sharing era, which resources were shared among users?
    a. Computation page 9
    b. Floppy Drives
    c. Hard Disk
    d. Printers

58. If two buildings are located far from each other then bridge, and _____ can be used to connect two LAN.
    a. Optical fiber page 51
    b. Ethernet modem
    c. Switch
    d. NIC

59. Which type of network consists of wireless connection of laptops in a university classroom?
    a. WAN
    b. MAN
    c. Fog
    d. LAN google

60. A typical bridge has _____.
    a. One NIC, a CPU a memory and a ROM.
    b. Two NICs, a CPU a memory and a ROM. page 50
    c. RAM, ROM and CPU.
    d. A cache memory, ROM and CPU.

61. _____ is used for compressed audio and video, where the data rate depends on the level of compression that can be achieved.
    a. Constant Bit Rate
    b. Stable Bit Rate
    c. Variable Bit Rate page 71
    d. Available Bit Rate

62. There are _____ types of data stuffing.
    a. 1
    b. 2 page 17
    c. 0
    d. 5

For More Visit : vulmshelp.com

63. Dijkstra's algorithm can accommodate weights on _____ in graph.
    a. Nodes page62
    b. Edges
    c. Path
    d. Connections
64. _____ masks your IP address.
    a. Firewall
    b. Antivirus
    c. VPN
    d. Incognito mode
65. Static routing computes routing table information at _____ time.
    a. Load
    b. Boot page 62
    c. Execute
    d. One
66. _____ was the first automated tool required to see whether the given computer is online or not.
    a. Probing program
    b. PING program page 11
    c. status program
    d. None of the above
67. In which type of error detection, the arithmetic sum is calculated before and after the transmission of data at both communication ends?
    a. CRC
    b. Party
    c. Checksum page 19
    d. Hash Function
68. Computer sends a connection request to the _____ to which it is attached while establishing a switched virtual circuit
    a. Bridge
    b. Switch page 70
    c. VPI
    d. Virtual circuit
69. The bridges communicate with each other on the network and use _____ algorithm to decide which bridge will not forward frames if a cycle occurs.
    a. Djikstra
    b. Shortest path first
    c. Vector distance
    d. Distributed Spanning Tree page 53

For More Visit : vulmshelp.com

70. Ethernet uses a _____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.
    a. 64
    b. 48
    c. 32
    d. 16
71. Weights on graph edges reflect cost of _____.
    a. Nodes
    b. Traversing edge page 63
    c. Trending edge
    d. Path
72. A _____ relies on the hardware manufacturer to assign a unique physical address to each network interface.
    a. Static addressing scheme page 34
    b. Configurable addressing scheme
    c. Dynamic addressing scheme
    d. None of the given
73. In _____ topology, if the switch goes down all the computers will be disconnected.
    a. Star
    b. Ring
    c. Bus
    d. Mesh
74. Which type of network consists of wired computers in a university classroom?
    a. MAN
    b. PAN
    c. WAN
    d. LAN
75. If you as a network administrator want to know the traffic flow of your data while communicating with a remote computer which of the following will be used to know about intermediate routers?
    a. Ipconfig
    b. Ping page 11
    c. Traceroute
    d. Arp
76. Hardware address is also called _____.
    a. Physical address
    b. Logical address
    c. IP address
    d. Port address

For more Visit : vulmshelp.com

77. Thick Ethernet also requires _____ to avoid signal reflectance.
    a. Transceivers
    b. AUI cable
    c. Drop cable
    d. Terminators page 41
78. Which of the following network is using the TCP/IP model globally?
    a. PAN
    b. SAN
    c. LAN
    d. The Internet
79. VPNs connections are sometimes called _____.
    a. Tunnels page 75
    b. Open networking
    c. Routing
    d. Public network
80. To reduce _____ computers can be connected and distributed to a number of hubs, then the hubs can be connected to a switch.
    a. Costs page 54
    b. Quality
    c. Efficiency
    d. Noise
81. If a _____ is used the communication between two computers will not affect the other pair of computers and they can communicate at the same time
    a. Hub
    b. Switch page 54
    c. Repeater
    d. Amplifier
82. The length of hardware address is _____.
    a. One to ten bytes
    b. One to five bytes
    c. One to six bytes page 34
    d. One to seven bytes
83. A network analyzer is also called _____.
    a. Network manager
    b. Network administrator
    c. Network monitor page 37
    d. Network

For More Visit : vulmshelp.com

84. No any error detection scheme is perfect because transmission errors can affect _____.
   a. Data
   b. Additional Information
   c. Additional information & data google
   d. Transmission medium

85. The token ring network topology is a ring but wiring topology is a _____.
   a. Star page 44
   b. bus
   c. tree
   d. mesh

86. _____ addresses are used in an ethernet frame.
   a. IP page 99
   b. Port
   c. Logical
   d. MAC

87. AUI cable connects from NIC to _____.
   a. BNC Connector
   b. RJ-45 Connector
   c. Transceiver page 41
   d. Terminator

88. Public networks are _____.
   a. More secure than LAN
   b. Flexible page 74
   c. Limited in boundary
   d. Intranet

89. The maximum cable length of a LAN is fixed because _____.
   a. Additional hardware are not suitable for the LAN extension.
   b. The electrical signal level gets weaker as it travels. Page 48
   c. Additional software are not suitable for the LAN extension
   d. The electrical signal level gets stronger as it travels.

90. In _____.network topology is separated from route computation.
   a. Local area
   b. Link-state routing page 64
   c. Static routing
   d. Dynamic routing

For More Visit : vulmshelp.com

91. Which layer of the OSI Model directly communicates and controls the transmission medium:

a. Transmission
b. Physical
c. Application
d. Network

92. In _____ technique data is treated as a sequence of integers and their arithmetic sum is computed and the carry bits are added to the final sum.

a. CRC
b. Bit stuffing
c. Checksum page 19
d. 2D Parity

93.A network with _____ jitter takes more time to deliver some packets than others.

a. Zero
b. High page 80
c. Low
d. Moderate

94. A network uses _____ to arrange computers in a single closed loop.

a. Star Topology
b. Mesh Topology
c. Ring Topology page 25
d. Bus Topology

95. Which of the following tasks is not done by the second layer of the OSI model?

a. Flow control
b. Framing
c. Channel coding google
d. Error control

96. ATM is a single technology designed to meet the goals of both _____ and _____.

a. LAN & PAN
b. LAN & WAN page 66
c. LAN & MAN
d. MAN & WAN

97. LAN and WAN are classified according to their _____.

a. Size page 4
b. Connectivity
c. Medium
d. Mobility

For More Visit : vulmshelp.com

98. The identifier that is used for data transfer in the virtual circuit network is called _____.

a. **Virtual circuit identifier**
b. **Global address**
c. **Network identifier**
d. **IP identifier**

99. In Direct point to point communication adding the Nth computer requires _____ new connections

e. **N^2**
f. **N-1**
c. (N^2 -N)/2 page 23
d. **N (N-1)**

100. Which of the following is the correct function of bridge?

a. **MTU path discovery**
b. **Byte stuffing**
c. **Routing information**
d. Filtering and forwarding a frame page 50, 51

Point to point topology is

a. **Size based**
b. **Mobility based**
c. Connectivity based page 5
d. **Medium based**

101. IEEE LLC / SNAP header is _____which is used to specify the type of date.

a. 8 octets google
b. **16 octets**
c. **32 octets**
d. **64octets**

102. IEEE LLC / SNAP header is _____which is used to specify the type of date.

a. **CRC**
b. **Bit stuffing**
c. Checksum
d. **2D Parity**

103. What is the largest network in existence?

a. The internet google
b. **A PAN**
c. **A Fog**
d. **Edge Network**

For More Visit : vulmshelp.com

-

104. The frame format of any LAN technology must consists of ____ and___-

a. Payload and CRC
b. Frame header and CRC
c. Payload and Frame type
d. Frame header and payload page 36

105. _____ can occur a LANs when a packet is delayed because the network is busy

a. Jitter page 66
b. Loop
c. Deadlock
d. variance

106. Which of the following cannot be used to extend a LAN?

a. Repeaters
b. Switches
c. Routers
d. Fiber modems

107. Links-state algorithm is used in _____

- **RIP**
- **IGRP**
- **RIPv2**
- **OSPF page 64**

108. **According to size, there are ___classifications of networks**

a. 2 page 2
b. 3
c. 4
d. 5

108. In which topology terminators are used at the end of the cable?

a. Star
b. Bus
c. Ring
d. Mesh

109. 1Switch simulates a _____LAN connecting segments

e. Single
f. Single shared
c. Bridged page 54
d. Complex

110. 1PVS stands for _____

a. Permanent virtual circuit page 69
b. Private virtual circuit
c. Public virtual circuit

For More Visit : vulmshelp.com

d. Plastic virtual circuit

111. Hardware that calculates a CRC used two simple components _____

a. AND unit and XOR Unit

b. Shift register and XOR unit page 20

c. Shift register & AND unit

d. Shift register and Shift XCR unit

112. Thin ethernet is known as _____

a. 10 base 2 google

b. 10 base 5

c. 10 base T

d. All of the above

113. If a sender with a 1 Gigabit NIC and receiver with 100 Megabit NIC wants to communicate with each other than at which speed they can communicate

a. 11 Megabit

b. 100 Megabit

c. 1 Gigabit

d. 1.1 Gigabit

114. _____ is used as an alternative of packet for a specific computer network technology

e. Datum

f. Token

g. Ether

d. Frame page 14

115. The sharing of a medium and its link by two or more devices is called ____

a. Modulation

b. Encoding

c. Multiplexing

d. Line discipline

116. The topology each computer is connected to a central hub is called

e. Ring topology

b. Star topology page 5

c. Tree topology

d. Mesh topology

117. Asynchronous transfer mode (ATM) is designed to work on fiber but can be used with _____

a. wireless

b. Twisted pair page 72

c. Wifi

d. Bluetooth

For More Visit : vulmshelp.com

118. The basic responsibility of NIC is _____
a. To access medium network
b. To resource allocation
c. To access memory
d. All of the given option
119. 1Frame relay is ____
a. Connection oriented service page 64
b. Connectionless service
c. Typically ranges for 5 Mbps to 1000Mbps
d. Call based
120. The length of time required to send a variable length packet is ____
a. 5 second
b. Variable page 72
c. Constant
d. Fix
121. ABR stands for _____
a. Asynchronous bit rate
b. Asynchronous byte recovery
c. Asynchronous bit redundancy
d. Available bit rate page 71
122. In Token Ring, if all computers are ready to transmit it enforces _____access
a. First come first served
b. Round Robin page 30
c. Shorter delay
d. Last come first served
123. The Ethernet standard specifies that frames are sent using the _____scheme.
a. Differential Manchester
b. Not Return to Zero (NR2)
c. Manchester Encoding page 27
d. Return to Zero (RZ)
124. ATM uses the concept of _____.
a. Connection-oriented page 66
b. Connection-less
c. variable packet size
d. Fixed and variable packet size

For more Visit : vulmshelp.com

124. 1Which of the following is a benefit of point to point communication?

a. Quick to configure

b. Security implementation

c. Cost

d. Less availability

125. _____ is not used to extend LAN.

e. Hub

f. Fiber modem

g. Repeater

h. Bridge

126. Which types of VPNs are used for corporate connectivity across companies residing in different geographical locations?

i. Remote access VPNs

j. Peer-to-peer VPNs

k. Country-to-country VPNs

d. Site-to-site VPNs google

127. Star topology is the kind of

- Tree topology
- b. Point-to-point topology page 05
- Broadcast topology
- Ring topology

127. In a _____ state, a bridge allows simultaneous use of each segment.

- Ready
- Steady
- Final
- Startup

128. The network occupies larger areas like cities & countries is called

- LAN
- WAN
- MAN
- All of the above

129. In link state routing _____ send link-state information about local connections.

- Bridges
- Switches
- Routers
- Hubs

For More Visit : vulmshelp.com

130. Transmission media are usually categorized as _____.
- Guided or unguided
- Fixed or unfixed
- Determinate or indeterminate
- Metallic or nonmetallic

131. Even parity can be used to check for _____ bit/ bits of errors.
- a. 1 page 18
- 2
- 3
- 0

132. Routing table entries can be _____ with a default route.
- Collapsed
- Redirected
- Emerged
- Guaranteed

133. The system administrator must coordinate to avoid the conflict in _____ hardware addressing scheme.

a. Static
b. Dynamic
c. Configurable
d. Fixed

134. _____ network does not depend on CSMA/CD.
- Ethernet
- Fast Ethernet
- Gigabit Ethernet
- Wireless

135. Which of the following technologies can extend the diameter of LAN medium?
- Fiber optic
- Repeater
- Diameter of LAN medium is not extendable
- Both. Fiber optic and Repeaters

136. Connections are formed in Asynchronous transfer mode by starting values in_____ in ATM switches, as opposed to making actual electrical connections.
- Heap
- Stack
- Virtual Circuit
- d. Memory locations page 67

For More Visit : vulmshelp.com

137. The _____ scheme must be reliable to prevent conflicts. a. Static
b. Dynamic page 34
c. Configurable
d. Fixed
138. Metropolitan area network is used for _____.
a. City page 55
b. Building
c. Country
d. Continent
139. **Which addressing can be only used in the local area networks?**
- **a. IP google**
- **Physical**
- **Port**
- **Protocol**

139. The sharing of a _____ among the workers in an office is a goal of resource sharing.
a. Mouse
b. Printer page 9
c. Keyboard
d. Motherboard
140. ATM uses fixed size, small cells, 48 octet's data and _____.
a. 3 Octets header
b. 5 Octets header page 65
c. 6 Octets header
d. 7 Octets header
141. Which of the followings is not an advantage of framing?
a. Missing eot indicates sending computer crashed
b. Missing soh indicates receiving computer missed beginning of message
c. Delimiters do not contain any user data page 16
d. Bad frame is discarded
142. The _____ field of Ethernet frame has the purpose of receiver synchronization.
a. Preamble page 36
b. Frame Type
c. Data
d. CRC

For More Visit : vulmshelp.com

AL-JUNAID INSTITUTE OF GRPOUP

CS610-Computer Network
MIDTERM
SOLVED by: JUNAID MALIK

AL-JUNAID TECH INSTITUTE

www.vulmshelp.com

Language Courses Training Available

I'm providing paid courses in different languages within 3 Months,Certificate will be awarded after completion.

- HTML
- CSS
- JAVASCRIPT
- BOOTSTRAPS
- JQUERY
- PHP MYSQL
- NODES.JS
- REACT JS

LMS Handling Services

LMS Activities Paid Task

Assignments 95% Results

Quizes 95% Results

GDB 95% Results

For CS619 Project Feel Free To Contact With Me

Ph# 0304-1659294

Email: junaidfazal08@gmail.com

1. In Cyclic Redundancy Checking, CRC is _____.

a. Divisor
b. Quotient
c. Remainder page 20
d. Dividend

2. The satellite or radio topology in which all computers are connected to each other via satellite or radio wave is a kind of

a. Broadcast network page 5
b. Point-to-Point network

3. Which of the following two operations are performed by Ethernet CD?

I. It monitors outgoing signals.
II. Grabbled signal is interpreted as a collision.
III. Signals are sent back to the sender.

a. I and III
b. II and IV
c. II and III
d. I and II page 28

4. The process of forwarding a packet is called _____.

a. Routing page 58
b. Processing
c. Hierarchical Addressing
d. Source Addressing

4. Which statement is correct about Network Interface Card (NIC)?

I. NIC contains sufficient hardware to process data independent of system CPU
II. NIC looks like any other I/O device to system CPU III. NIC also receives interrupt on incoming data.

a. I and II
b. II and III
c. I and III
d. All of the given options page 40

0304-1659294
www.vulmshelp.com

-

5. While transmitting data from source A to destination B, 4 bits are changed during the transmission then the error is a _____.

a. Burst error page 22
b. Single error
c. Double error
d. Logic error

6. The switch that has no attached computers is called _____.

a. Packet Switch
b. Exterior Switch
c. Interior Switch page 59
d. External Switch

7. _____ is the most popular wiring scheme because of lowest cost.

a. 5 Base T
b. 10 Base T page 43
c. 100 base T
d. 1000 base T

8. In _____ technique, all members of the network can send data only on the specific time slot?

a. CDMA
b. FDMA
c. CSMA page 43
d. TDMA

9. If a sender with a 100 Megabit NIC and receiver with 10 Megabit NIC wants to communicate with each other at which speed they can communicate?

a. 100 Megabit page 40
b. 110 Megabit
c. 1000 Megabit
d. 10 Megabit

9. Missing _____ in a frame format indicates receiving computer missed beginning of the message.

a. eot
b. soh page 16
c. sot
d. eoh

10. 1The _____ of errors is easier than the _____ of errors.

a. correction; detection
b. detection; correction cs601 handouts
c. correction; creation
d. detection; manipulation

-

10. 1The _____ of errors is difficult than the _____ of errors.
a. correction; detection google
b. detection; correction
c. correction; creation
d. detection; manipulation

11. 1Source Independence phenomenon allows fast and efficient _____.
a. Source Addressing
b. Routing
c. Packet Switching page 58
d. Store and forward

12. 1In distributed route computation process each packet switch computes its routing table locally and sends messages to the _____.
a. Router
b. Graph
c. Neighbors page 63
d. WAN

13. The ___ layer of the OSI model takes the data from the physical layer and perform error checking.
a. Transport
b. Data link google
c. Application
d. Presentation

14. 1 CBR stands for _____.
a. Constant Byte Rate
b. Constant Bit Rate
c. Connection break Recovery
d. Constant Borrow Rate

15. 1A network that uses _____ usually consist of a single long cable to which computer attach.
a. Star Topology
b. Ring Topology
c. Bus Topology page 26
d. Bus and Ring Topology

16. If simultaneous transmission occurs, the frames interfere with each other and this phenomenon is called _____.
a. packet loss
b. collision page 28
c. delayed transmission
d. coordination

16. In _____ all computers are attached to a central hub a. Ring topology
    b. Star topology page 31
    c. Hub topology
    d. Bus topology
17. For adding a new computer in a point to point network _____new connection will be required
    a. N
    b. N-1 page 23
    c. N-2
    d. 2n
18. 1The fastest Ethernet hardware operates at a rate of _____
    a. 1000 bps
    b. 100 Mbps page 27
    c. 10 Mbps
    d. 1000 Mbps
18. Which of the following the benefit to point to point communication? a. Quick to configure
    b. Security implementation page 23
    c. Cost
    d. Less availability
19. 1 ATM offers _____speed and _____delay
    a. High, High
    b. High, low page 72
    c. Low, low
    d. Low, high
20. 1Thick Ethernet is known as _____
    a. 10 Base 2
    b. 10 Base 5 google
    c. 10 Base T
    d. 10 Base 10
21. Both interior and exterior switches _____packet and they also need routing tables.
    a. Create
    b. Delay
    c. Forward page 59
    d. Start

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

22. _____is the rate at which data can be sent through the network
    a. Throughput page 79
    b. Propagation delay
    c. Access delay
    d. Switching delay
23. In a ping command, small –sized information packets of _____are sent.
    a. TCP
    b. UDP
    c. ICMP page 11
    d. IGMP
24. Many WANs use _____addressing of efficiency
    a. Sequence
    b. Forward
    c. Hierarchical page 56
    d. Sequential
25. Which of the following is not a function of ping commends?
    a. Local computer network issue
    b. Congestion in the network
    c. Relay nodes page 11
    d. Remote host availability
26. Packet switched can be linked together to form a _____
    a. LAN
    b. WAN page 56
    c. Bridge
    d. None of the given option
27. Fixed network is a type of network which is classified with repect to the _____factor
    a. Size
    b. Connectivity
    c. Medium
    d. Mobility page 6
28. Parity bit can detect _____error(s)
    a. 4
    b. 3
    c. 2 page 19 (even or odd)
    d. 1

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

-

29. When we will try to connect to the internet which of the following protocol will be used?
    a. Telnet
    b. TCP/IP page 84
    c. ICMP
    d. IPx
30. How many computers are mandatory to form a network?
    a. 1
    b. 2 google
    c. 4
    d. 8
31. _____ is standard wireless LAN that uses radio signals at 2.4GHz.
    a. IEEE 803.16
    b. IEEE 802.15
    c. IEEE 802.3
    d. IEEE 802.11 page 29
32. LAN interface hardware obeys _____ access rule.
    a. CSMA/CD page 34
    b. Round robin
    c. First come first served
    d. High priority
33. The most important task a bridge performs is _____.
    a. Packet switching
    b. Line controlling
    c. Noise controlling
    d. Frame filtering page 50
34. ATM uses small, fixed-sized packets called cells and each cell has _____ octets.
    a. 47
    b. 52
    c. 53 page 66
    d. 55
36. _____ can't be guaranteed with variable length packets as easily as it can with fixed length cells.
    a. Errors
    b. Noise
    c. Quality of Service page 72
    d. None of the given

0304-1659294
www.vulmshelp.com

-

37. Which multiplexing technique transmits digital signals?
    a. WDM
    b. FDM
    c. TDM page 15
    d. GSM
38. Connections in Asynchronous transfer mode are called _____.
    a. Virtual channels page 67
    b. Virtual Path Identifier
    c. Cells
    d. Cell tax
39. A _____ is a device that combines multiple signals and forwards into a single line.
    a. Modem
    b. Multiplexer page 41
    c. Repeater
    d. Layer 3 Switch
40. _____ is inflexible.
    a. Routing
    b. Searching
    c. Processing
    d. Static routing page 62
41. If a hub is used to connect many computers in a LAN, then only _____ computers can communicate at a given time.
    a. Three
    b. Two page 54
    c. Four
    d. One
42. _____ is the term used for variance in transmission delays.
    a. Friction
    b. Segment
    c. Checksum
    d. Jitter page 66
43. _____ is also called self healing network.
    a. ATM
    b. FDDI
    c. Token Ring page 46
    d. Frame relay

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

44. _____ and _____ are the two frame types.
    a. Internal and external
    b. Single and dual
    c. Implicit and explicit
    d. Multicast and broadcast page 35
45. Bluetooth uses shared medium and _____ instead of coaxial cable.
    a. Radio waves page 29
    b. Infrared waves
    c. Micro waves
    d. Low frequency waves
46. Which of the following is not a guided medium?
    a. Twisted-pair cable
    b. Fiber-optic cable
    c. Atmosphere google
    d. Coaxial cable
47. As a result of ARPA research, the first network was established which was named as _____.
    a. INTERNETWORKING
    b. ARPNET
    c. ARPANET page 9
    d. PACKET NETWORK
48. Asynchronous transfer mode (ATM) can dynamically establish a _____.
    a. Switched virtual circuit page 70
    b. Virtual connection identifier
    c. Virtual path indicator
    d. None of the given options
49. A typical port on an ATM switch operates at _____ or _____ higher.
    a. OC-2 speed (155Gbps)
    b. OC-2 speed (1000Mbps)
    c. OC-3 speed (155Mbps) page 72
    d. OC-3 speed (100Gbps)
50. 10Base-T Ethernet is often called a _____.
    a. ring shaped star
    b. ring shaped bus
    c. star shaped bus page 46
    d. star shaped ring

-

51. _____ allows automatic updates.
    a. Dynamic routing page 62
    b. Static routing
    c. Routing
    d. Default routing
52. Handling variable length packets leads to memory _____.
    a. Fragmentation page 72
    b. Management
    c. Location
    d. Allocation
53. In order to forward a copy of frame, the bridge uses _____ address.
    a. Network
    b. Destination page 51
    c. IP
    d. Source
54. We may use _____ to extend local area network.
    a. Bridge, Router
    b. Bridge, Hub, Router
    c. Bridge, Hub, Repeater page 149
    d. Bridge, Hub, Repeater, Router
53. All of the given options are the types of delay except _____.
    a. Propagation
    b. Access
    c. Throughput page 79
    d. Queuing
54. While computing shortest path in a graph, next hop information is inserted into _____.
    a. Routing table page 62
    b. Trailer
    c. Header
    d. Register
55. LAN interface uses _____ to copy frame data directly from main memory
    a. DMA page 34
    b. FDDI
    c. Hard disk
    d. Flash

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

-

56. The Gigabit Ethernet hardware operates at a rate of _____.
    a. 10 Mbps
    b. 100 Mbps
    c. 1000 Mbps reference book page 263
    d. 1000 Gbps

57. In the early resource sharing era, which resources were shared among users?
    a. Computation page 9
    b. Floppy Drives
    c. Hard Disk
    d. Printers

58. If two buildings are located far from each other then bridge, and _____ can be used to connect two LAN.
    a. Optical fiber page 51
    b. Ethernet modem
    c. Switch
    d. NIC

59. Which type of network consists of wireless connection of laptops in a university classroom?
    a. WAN
    b. MAN
    c. Fog
    d. LAN google

60. A typical bridge has _____.
    a. One NIC, a CPU a memory and a ROM.
    b. Two NICs, a CPU a memory and a ROM. page 50
    c. RAM, ROM and CPU.
    d. A cache memory, ROM and CPU.

61. _____ is used for compressed audio and video, where the data rate depends on the level of compression that can be achieved.
    a. Constant Bit Rate
    b. Stable Bit Rate
    c. Variable Bit Rate page 71
    d. Available Bit Rate

62. There are _____ types of data stuffing.
    a. 1
    b. 2 page 17
    c. 0
    d. 5

-

63. Dijkstra's algorithm can accommodate weights on _____ in graph.
    a. Nodes page62
    b. Edges
    c. Path
    d. Connections
64. _____ masks your IP address.
    a. Firewall
    b. Antivirus
    c. VPN
    d. Incognito mode
65. Static routing computes routing table information at _____ time.
    a. Load
    b. Boot page 62
    c. Execute
    d. One
66. _____ was the first automated tool required to see whether the given computer is online or not.
    a. Probing program
    b. PING program page 11
    c. status program
    d. None of the above
67. In which type of error detection, the arithmetic sum is calculated before and after the transmission of data at both communication ends?
    a. CRC
    b. Party
    c. Checksum page 19
    d. Hash Function
68. Computer sends a connection request to the _____ to which it is attached while establishing a switched virtual circuit
    a. Bridge
    b. Switch page 70
    c. VPI
    d. Virtual circuit
69. The bridges communicate with each other on the network and use _____ algorithm to decide which bridge will not forward frames if a cycle occurs.
    a. Djikstra
    b. Shortest path first
    c. Vector distance
    d. Distributed Spanning Tree page 53

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

70. Ethernet uses a _____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.
    a. 64
    b. 48
    c. 32
    d. 16
71. Weights on graph edges reflect cost of _____.
    a. Nodes
    b. Traversing edge page 63
    c. Trending edge
    d. Path
72. A _____ relies on the hardware manufacturer to assign a unique physical address to each network interface.
    a. Static addressing scheme page 34
    b. Configurable addressing scheme
    c. Dynamic addressing scheme
    d. None of the given
73. In _____ topology, if the switch goes down all the computers will be disconnected.
    a. Star
    b. Ring
    c. Bus
    d. Mesh
74. Which type of network consists of wired computers in a university classroom?
    a. MAN
    b. PAN
    c. WAN
    d. LAN
75. If you as a network administrator want to know the traffic flow of your data while communicating with a remote computer which of the following will be used to know about intermediate routers?
    a. Ipconfig
    b. Ping page 11
    c. Traceroute
    d. Arp
76. Hardware address is also called _____.
    a. Physical address
    b. Logical address
    c. IP address
    d. Port address

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

77. Thick Ethernet also requires _____ to avoid signal reflectance.
    a. Transceivers
    b. AUI cable
    c. Drop cable
    d. Terminators page 41
78. Which of the following network is using the TCP/IP model globally?
    a. PAN
    b. SAN
    c. LAN
    d. The Internet
79. VPNs connections are sometimes called _____.
    a. Tunnels page 75
    b. Open networking
    c. Routing
    d. Public network
80. To reduce _____ computers can be connected and distributed to a number of hubs, then the hubs can be connected to a switch.
    a. Costs page 54
    b. Quality
    c. Efficiency
    d. Noise
81. If a _____ is used the communication between two computers will not affect the other pair of computers and they can communicate at the same time
    a. Hub
    b. Switch page 54
    c. Repeater
    d. Amplifier
82. The length of hardware address is _____.
    a. One to ten bytes
    b. One to five bytes
    c. One to six bytes page 34
    d. One to seven bytes
83. A network analyzer is also called _____.
    a. Network manager
    b. Network administrator
    c. Network monitor page 37
    d. Network

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

84. No any error detection scheme is perfect because transmission errors can affect _____.
   a. Data
   b. Additional Information
   c. Additional information & data google
   d. Transmission medium
85. The token ring network topology is a ring but wiring topology is a _____.
   a. Star page 44
   b. bus
   c. tree
   d. mesh
86. _____ addresses are used in an ethernet frame.
   a. IP page 99
   b. Port
   c. Logical
   d. MAC
87. AUI cable connects from NIC to _____.
   a. BNC Connector
   b. RJ-45 Connector
   c. Transceiver page 41
   d. Terminator
88. Public networks are _____.
   a. More secure than LAN
   b. Flexible page 74
   c. Limited in boundary
   d. Intranet
89. The maximum cable length of a LAN is fixed because _____.
   a. Additional hardware are not suitable for the LAN extension.
   b. The electrical signal level gets weaker as it travels. Page 48
   c. Additional software are not suitable for the LAN extension
   d. The electrical signal level gets stronger as it travels.
90. In _____.network topology is separated from route computation.
   a. Local area
   b. Link-state routing page 64
   c. Static routing
   d. Dynamic routing

-

91. Which layer of the OSI Model directly communicates and controls the transmission medium:

a. Transmission
b. Physical
c. Application
d. Network

92. In _____ technique data is treated as a sequence of integers and their arithmetic sum is computed and the carry bits are added to the final sum.

a. CRC
b. Bit stuffing
c. Checksum page 19
d. 2D Parity

93.A network with _____ jitter takes more time to deliver some packets than others.

a. Zero
b. High page 80
c. Low
d. Moderate

94. A network uses _____ to arrange computers in a single closed loop.

a. Star Topology
b. Mesh Topology
c. Ring Topology page 25
d. Bus Topology

95. Which of the following tasks is not done by the second layer of the OSI model?

a. Flow control
b. Framing
c. Channel coding google
d. Error control

96. ATM is a single technology designed to meet the goals of both _____ and _____.

a. LAN & PAN
b. LAN & WAN page 66
c. LAN & MAN
d. MAN & WAN

97. LAN and WAN are classified according to their _____.

a. Size page 4
b. Connectivity
c. Medium
d. Mobility

0304-1659294
www.vulmshelp.com

-

98. The identifier that is used for data transfer in the virtual circuit network is called _____.

a. Virtual circuit identifier
b. Global address
c. Network identifier
d. IP identifier

99. In Direct point to point communication adding the Nth computer requires _____ new connections

e. N^2
f. N-1
c. (N^2 -N)/2 page 23
d. N (N-1)

100. Which of the following is the correct function of bridge?

a. MTU path discovery
b. Byte stuffing
c. Routing information
d. Filtering and forwarding a frame page 50, 51

Point to point topology is

a. Size based
b. Mobility based
c. Connectivity based page 5
d. Medium based

101. IEEE LLC / SNAP header is _____which is used to specify the type of date.

a. 8 octets google
b. 16 octets
c. 32 octets
d. 64octets

102. IEEE LLC / SNAP header is _____which is used to specify the type of date.

a. CRC
b. Bit stuffing
c. Checksum
d. 2D Parity

103. What is the largest network in existence?

a. The internet google
b. A PAN
c. A Fog
d. Edge Network

0304-1659294
www.vulhelp.com

-

104. The frame format of any LAN technology must consists of ____ and___-

a. Payload and CRC
b. Frame header and CRC
c. Payload and Frame type
d. Frame header and payload page 36

105. _____ can occur a LANs when a packet is delayed because the network is busy

a. Jitter page 66
b. Loop
c. Deadlock
d. variance

106. Which of the following cannot be used to extend a LAN?

a. Repeaters
b. Switches
c. Routers
d. Fiber modems

107. Links-state algorithm is used in _____

- **RIP**
- **IGRP**
- **RIPv2**
- **OSPF page 64**

108. **According to size, there are ___classifications of networks**

a. 2 page 2
b. 3
c. 4
d. 5

108. In which topology terminators are used at the end of the cable?

a. Star
b. Bus
c. Ring
d. Mesh

109. 1Switch simulates a _____LAN connecting segments

e. Single
f. Single shared
c. Bridged page 54
d. Complex

110. 1PVS stands for _____

a. Permanent virtual circuit page 69
b. Private virtual circuit
c. Public virtual circuit

0304-1659294
www.vulmshelp.com

-

d. Plastic virtual circuit

111. Hardware that calculates a CRC used two simple components _____

a. AND unit and XOR Unit

b. Shift register and XOR unit page 20

c. Shift register & AND unit

d. Shift register and Shift XCR unit

112. Thin ethernet is known as _____

a. 10 base 2 google

b. 10 base 5

c. 10 base T

d. All of the above

113. If a sender with a 1 Gigabit NIC and receiver with 100 Megabit NIC wants to communicate with each other than at which speed they can communicate

a. 11 Megabit

b. 100 Megabit

c. 1 Gigabit

d. 1.1 Gigabit

114. _____ is used as an alternative of packet for a specific computer network technology

e. Datum

f. Token

g. Ether

d. Frame page 14

115. The sharing of a medium and its link by two or more devices is called ____

a. Modulation

b. Encoding

c. Multiplexing

d. Line discipline

116. The topology each computer is connected to a central hub is called

e. Ring topology

b. Star topology page 5

c. Tree topology

d. Mesh topology

117. Asynchronous transfer mode (ATM) is designed to work on fiber but can be used with _____

a. wireless

b. Twisted pair page 72

c. Wifi

d. Bluetooth

-

118. The basic responsibility of NIC is _____
a. To access medium network
b. To resource allocation
c. To access memory
d. All of the given option
119. 1Frame relay is ____
a. Connection oriented service page 64
b. Connectionless service
c. Typically ranges for 5 Mbps to 1000Mbps
d. Call based
120. The length of time required to send a variable length packet is ____
a. 5 second
b. Variable page 72
c. Constant
d. Fix
121. ABR stands for _____
a. Asynchronous bit rate
b. Asynchronous byte recovery
c. Asynchronous bit redundancy
d. Available bit rate page 71
122. In Token Ring, if all computers are ready to transmit it enforces _____access
a. First come first served
b. Round Robin page 30
c. Shorter delay
d. Last come first served
123. The Ethernet standard specifies that frames are sent using the _____scheme.
a. Differential Manchester
b. Not Return to Zero (NR2)
c. Manchester Encoding page 27
d. Return to Zero (RZ)
124. ATM uses the concept of _____.
a. Connection-oriented page 66
b. Connection-less
c. variable packet size
d. Fixed and variable packet size

-

124. 1Which of the following is a benefit of point to point communication?

a. Quick to configure

b. Security implementation

c. Cost

d. Less availability

125. _____ is not used to extend LAN.

e. Hub

f. Fiber modem

g. Repeater

h. Bridge

126. Which types of VPNs are used for corporate connectivity across companies residing in different geographical locations?

i. Remote access VPNs

j. Peer-to-peer VPNs

k. Country-to-country VPNs

d. Site-to-site VPNs google

127. Star topology is the kind of

- **Tree topology**
- **b. Point-to-point topology page 05**
- **Broadcast topology**
- **Ring topology**

127. In a _____ state, a bridge allows simultaneous use of each segment.

- **Ready**
- **Steady**
- **Final**
- **Startup**

128. The network occupies larger areas like cities & countries is called

- **LAN**
- **WAN**
- **MAN**
- **All of the above**

129. In link state routing _____ send link-state information about local connections.

- **Bridges**
- **Switches**
- **Routers**
- **Hubs**

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

130. Transmission media are usually categorized as _____.
- Guided or unguided
- Fixed or unfixed
- Determinate or indeterminate
- Metallic or nonmetallic

131. Even parity can be used to check for _____ bit/ bits of errors.
- a. 1 page 18
- 2
- 3
- 0

132. Routing table entries can be _____ with a default route.
- Collapsed
- Redirected
- Emerged
- Guaranteed

133. The system administrator must coordinate to avoid the conflict in _____ hardware addressing scheme.

a. Static
b. Dynamic
c. Configurable
d. Fixed

134. _____ network does not depend on CSMA/CD.
- Ethernet
- Fast Ethernet
- Gigabit Ethernet
- Wireless

135. Which of the following technologies can extend the diameter of LAN medium?
- Fiber optic
- Repeater
- Diameter of LAN medium is not extendable
- Both. Fiber optic and Repeaters

136. Connections are formed in Asynchronous transfer mode by starting values in_____ in ATM switches, as opposed to making actual electrical connections.
- Heap
- Stack
- Virtual Circuit
- d. Memory locations page 67

AL-JUNAID INSTITUTE OF GROUP

137. The _____ scheme must be reliable to prevent conflicts. a. Static
b. Dynamic page 34
c. Configurable
d. Fixed
138. Metropolitan area network is used for _____.
a. City page 55
b. Building
c. Country
d. Continent
139. **Which addressing can be only used in the local area networks?**
- **a. IP google**
- **Physical**
- **Port**
- **Protocol**

139. The sharing of a _____ among the workers in an office is a goal of resource sharing.
a. Mouse
b. Printer page 9
c. Keyboard
d. Motherboard
140. ATM uses fixed size, small cells, 48 octet's data and _____.
a. 3 Octets header
b. 5 Octets header page 65
c. 6 Octets header
d. 7 Octets header
141. Which of the followings is not an advantage of framing?
a. Missing eot indicates sending computer crashed
b. Missing soh indicates receiving computer missed beginning of message
c. Delimiters do not contain any user data page 16
d. Bad frame is discarded
142. The _____ field of Ethernet frame has the purpose of receiver synchronization.
a. Preamble page 36
b. Frame Type
c. Data
d. CRC

Q1: Internet Standards Specifies that any two stations cannot be separated by more than _____ Repeaters.
A) Three

0304-1659294

B) Four (100% Sure)
C) Five
D) Six

Q2: A typical port on an ATM switch operates at _____ or higher.
A) OC-2 speed (155Gbps)
B) OC-2 speed (1000Mbps)
C) OC-3 speed (155Mbps) (100% Sure)
D) OC-3 speed (100Gbps)

Q3: Ethernet uses a _____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.
A) 64
B) 48 (100% Sure)
C) 32
D) 8

Q4: Which one is incorrect statement?
A) Hub wiring centralizes electronics and connections. It makes management easier.
B) No Transceiver allows computer to be powered off or disconnected from network without distracting other communication. (100% Sure)
C) Transceiver may be located in an inconvenient place in any situation
D) None of these

Q5: ATM is also called _____.
A) Label rewriting
B) Label switching system
C) label rewriting and label switching system
D) All of above (100% Sure)

Q6: The most important task a bridge performs is _____.
A) Packet switching
B) Line controlling
C) Noise controlling
D) Frame filtering (100% Sure)

0304-1659294
www.vulmshelp.com

AL-JUNAID INSTITUTE OF GROUP

Q7: Which of the following statement is true regarding Jitter?
A) Jitter is used for variance in transmission delays.
B) Jitter can occur when a packet is delayed.
C) Jitter is significance for voice, video and data
D) All of the obove (100% Sure)

Q8: Which of the following is a benifit of source independence?
A) It allows fast and efficient routing
B) Packet switch do not need to have complete information about all destinations
C) Network functions even if topology changes
D) All of the above (100% Sure)

Q9: The term signaling is used to describe _____.
A) Communication about the internet
B) Communication about the extranet
C) Communication about the network (100% Sure)
D) None of above

Question No: 1
No error detection scheme is perfect because transmission errors can affect the additional information as well as the data.

► **True**
► False

Question No: 2
------ Program sends a message to a remote computer and reports whether the computer responds.

► **Ping**
► Traceroute
► ICMP
► Non of the given

Question No: 3 ---------- was especially concerned about the lack of high powered computers.

► **ARPA (Computer Networks and Internets, page5)**
► IEEE
► EIA

0304-1659294
www.vulmshelp.com

► Non of the given

Question No: 4

The term--------- is used to denote the definition of a packet used with a specific type of network.

► Packet

► **Frame (Computer Networks and Internets, page 73)**

► Data

► None of the given

Question No: 5

Computer networks are often called---------- because they use packet technology.

► Ethernet

► Switch networks

► **Packet networks (Computer Networks and Internets, page 73)**

► None of the given

Question No: 6

---------- have advantages arisen from the size and ease of computation.

► CRC

► **Parity (Page 19)**

► Checksums

► None of given

Question No: 7

Most LANs that employ ring topology use an access mechanism known as-------

► CSMA/CD

► CSMA/CA

► **TOKEN PASSING (Computer Networks and Internets, page95)**

► None of the given

Question No: 8 (M a r k s: 1)

IEEE LLC/SNAP header is--------, which is used to specify the type of data.

► **8 octets**

► 8 bytes

► 8 bits

► None of the given

Question No: 9

Formally named informally known as the twisted pair Ethernet or TP Ethernet.

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

► 10 Base 2
► 10 Base 5
► **10 Base T (Page 43)**
► None of the given

Question No: 10
An interface for twisted pair Ethernet must have an connector , and must generate signals according to the specification.

► **RJ-45, 10 Base T (Computer Networks and Internets, page 126)**
► RJ-45, 10 Base 5
► BNC, 10 Base 2
► BNC, 10 Base T

Question No: 11
A bridges function in the layers(s).

► **Physical (MAC)**
► Data link
► Network
► Physical (MAC) and Data link

Question No: 12
A Bridge can

► Filter a frame
► Forward a frame
► Extend a LAN
► **Do all the above**

Question No: 13
A Bridge forwards or filters a frame by comparing the information in its address table to the frame's

► Layer 2 source address
► Source node's physical address
► **Layer 2 destination address**
► Layer 3 destination address

Question No: 14
computes shortest paths in a graph by using weights on edges as a measure of distance.
► Greedy algorithm
► Distance vector algorithm

0304-1659294
www.vulmshelp.com

► **Dijksta's algorithm (Computer Networks and Internets, page112)**
► Non of the given

Question No: 15
is used for audio and video, since these have predefined maximum data rates

► **Constant Bit Rate (CBR) service (Page 71)**
► Variable Bit Rate (VBR) service
► Available Bit Rate (ABR) service
► None of the given

Question No: 16
Unlike Frame Relay and ATM, SMDS (Switched multi-megabit Data service) offers .

► **Connectionless service paradigm (Computer Networks and Internets, page112)**
► Connection oriented service paradigm
► Both Connectionless and Connection-oriented service paradigm
► None of the given

Question No: 17
A network with throughput T and delay D has a total of bit in transit at any time.

► T / D
► **T x D (Computer Networks and Internets, page203)**
► T + D
► None of the given

Question No: 18
ATM is designed to work on .

► Twisted Pair
► Coaxial
► Radio Frequency
► **Fiber (Computer Networks and Internets, page 72)**

Question No: 19
Computers attached to an Ethernet use ------ in which a computer waits for the ether to be idle before transmitting a frame.

► **CSMA/CD (Computer Networks and Internets, page 93)**
► CSMA/CA
► TOKEN PASSING
► None of the given

AL JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

AL-JUNAID INSTITUTE OF GROUP

Question No: 20
FDDI can transmits data at a rate of ----------

► **100 million bits per second (Page 314)**
► 10 million bits per second
► 1000 million bits per second
► None of the given

Question No: 21
In Point-to-Point topology there are two topologies.

► Star and Tree
► Tree and Ring
► Star and Ring
► **Star and Tree (Page 5)**
► None of the given

Question No: 22
------ Program sends a message to a remote computer and reports whether the computer responds.

► **Ping (Computer Networks and Internets, page9)**
► Traceroute
► ICMP
► Non of the given

Question No: 23
------ has no way to determine the cause of the problem.

► ICMP
► **Ping (Computer Networks and Internets, page 11)**
► Trace route
► Non of the given

Question No: 24
The term ----------refers to the general concept of a small block of data

► **Packet (Page 16)**
► Frame
► Data
► None of the given

Question No: 25
---------- scheme, which is designed to help detect transmissions errors, send one extra bit of information with

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

each character

► **Parity (Computer Networks and Internets, page 77)**
► Checksums
► CRC
► None of given

Question No: 26
Local Talk is a LAN technology that employs ----------

► **Bus topology (Page 30)**
► Ring topology
► Star topology
► None of the given

Question No: 27
Most LANs that employ ring topology use an access mechanism known as-------

► CSMA/CD
► CSMA/CA
► **TOKEN PASSING (Computer Networks and Internets, page95)**
► None of the given

Question No: 28
Ethernet uses a-------bit static addressing scheme in which each device is assigned a unique address by the manufacturer.

► 64
► **48 (Computer Networks and Internets, page 109)**
► 32
► 8

AL JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

Question No: 29
Formally named informally known as the thick wire Ethernet or Thick net.

► 10 Base 2
► **10 Base 5 Computer Networks and Internets, page 120)**
► 10 Base T
► None of the given

Question No: 30
Formally named informally known as the twisted pair Ethernet or TP Ethernet.

► 10 Base 2
► 10 Base 5
► **10 Base T (Page 43)**
► None of the given

Question No: 31
The maximum size of an Ethernet segment is

► 250 meters
► **500 meters (Page 27)**
► 700 meters
► None of the given

Question No: 32
A Bridge can

► Filter a frame
► Forward a frame
► Extend a LAN
► **Do all the above**

Question No: 33
computes shortest paths in a graph by using weights on edges as a measure of distance.

► Greedy algorithm
► Distance vector algorithm
► **Dijksta's algorithm (Computer Networks and Internets, page112)**

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

Question No: 34

is used for compressed audio and video where the data rate depends on the level of compressionthat can be achieved.

► Constant Bit Rate (CBR) service
► **Variable Bit Rate (VBR) service (Page 71)**
► Available Bit Rate (ABR) service
► None of the given

Question No: 35

Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a .

► **Connectionless service paradigm (Computer Networks and Internets, page112)**
► Connection-oriented service paradigm
► Both Connectionless and Connection-oriented service paradigm
► None of the given

Question No: 36

The product of delay and throughput measures the of data that can be present on the network.

► Area
► **Volume (Page 80)**
► Length
► None of the given

Question No: 37

A network with throughput T and delay D has a total of bit in transit at any time.

► T / D
► **T x D (Computer Networks and Internets, page203) rep**
► T + D
► None of the given

Question No: 38

One repeater two repeaters the maximum cable length limitation.

► **doubles, triple (Page 49)**
► square roots, cude roots
► and, triple
► doubles, cancel

-

Question No: 39

A network uses a------- if all computers attach to a central point

► **Star Topology (Page 25)**
► Ring Topology
► Bus Topology
► None of the given

Question No: 40

Computers attached to an Ethernet use-------in which a computer waits for the other to be idle before
transmitting a frame.

► **CSMA/CD (Computer Networks and Internets, page 93)**
► CSMA/CA
► TOKEN PASSING
► None of the given

AL JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
TEAM HADI(VU)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

CS610 - Computer Networks (Quiz No.2) **Quiz Start Time: 12:17 AM, 21 December 2022**

Question # 9 of 10 (Start time: 12:24:10 AM, 21 December 2022) **Total Marks:** 1

Ethernet standard specifies that any two stations cannot be separated by more than _____ Repeaters.

Select the correct option

- ○ Three
- ◉ Four
- ○ Six
- ○ Five

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)

CS610 - Computer Networks (Quiz No.2) **Quiz Start Time: 12:17 AM, 21 December 2022**

Question # 5 of 10 (Start time: 12:19:49 AM, 21 December 2022) **Total Marks:** 1

If a hub is used to connect many computers in a LAN, then only _____computers can communicate at a given time.

Select the correct option

- One
- Four
- Three
- Two

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)

CS610 - Computer Networks (Quiz No.2) Quiz Start Time: 12:17 AM, 21 December 2022

Question # 6 of 10 (Start time: 12:20:37 AM, 21 December 2022) Total Marks: 1

A typical bridge has _____.

Select the correct option

- (●) Two NICs, a CPU a memory and a ROM.
- ( ) RAM, ROM and CPU.
- ( ) A cache memory, ROM and CPU.
- ( ) One NIC, a CPU a memory and a ROM.

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)

CS610 - Computer Networks (Quiz No.2) **Quiz Start Time: 12:17 AM, 21 December 2022**

Question # 3 of 10 (Start time: 12:18:26 AM, 21 December 2022) **Total Marks:** 1

_____ can occur in LANs when a packet is delayed because the network is busy.

Select the correct option

- (●) Jitter
- ( ) Variance
- ( ) Deadlock
- ( ) Loop

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)

CS610 - Computer Networks (Quiz No.2) Quiz Start Time: 12:17 AM, 21 December 2022

Question # 2 of 10 (Start time: 12:17:56 AM, 21 December 2022) Total Marks: 1

Routing table entries can be _____with a default route.

Select the correct option

- Emerged
- Redirected
- Collapsed
- Guaranteed

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)

CS610 - Computer Networks (Quiz No.2) Quiz Start Time: 12:17 AM, 21 December 2022

Question # 7 of 10 (Start time: 12:21:14 AM, 21 December 2022) Total Marks: 1

The process of forwarding a packet is called _____.

Select the correct option

- Processing
- Source Addressing
- Hierarchical Addressing
- Routing

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)

CS610 - Computer Networks (Quiz No.2) **Quiz Start Time: 12:17 AM, 21 December 2022**

Question # 10 of 10 (Start time: 12:24:39 AM, 21 December 2022) **Total Marks:** 1

Both interior and exterior switches _____packets and they also need routing tables.

Select the correct option

- ○ Create
- ○ Delay
- ○ Start
- ◉ Forward

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922

MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)

CS610 - Computer Networks (Quiz No.2) **Quiz Start Time: 12:17 AM, 21 December 2022**

Question # 4 of 10 (Start time: 12:19:02 AM, 21 December 2022) **Total Marks:** 1

Asynchronous transfer mode (ATM) is designed to work on fiber but can be used with_____.

Select the correct option

- (●) Twisted pair
- ( ) Bluetooth
- ( ) Wifi
- ( ) wireless

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)

CS610 - Computer Networks (Quiz No.2) **Quiz Start Time: 12:17 AM, 21 December 2022**

Question # 1 of 10 (Start time: 12:17:11 AM, 21 December 2022) **Total Marks:** 1

If a _____is used, the communication between two computers will not affect the other pair of computers and they can communicate at the same time.

Select the correct option

- ○ Repeater
- ○ Amplifier
- ◉ Switch
- ○ Hub

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)

CS610 - Computer Networks (Quiz No.1) Quiz Start Time: 06:54 PM, 07 December 2022

Question # 7 of 10 (Start time: 06:59:13 PM, 07 December 2022) Total Marks: 1

The sharing of a _____ among the workers in an office is a goal of resource sharing.

Select the correct option

- (●) Printer
- ( ) Motherboard
- ( ) Mouse
- ( ) Keyboard

HADI
A PROJECT OF TEAM HADI VU
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS610 - Computer Networks (Quiz No.1) **Quiz Start Time: 06:54 PM, 07 December 2022**

Question # 9 of 10 (Start time: 07:00:37 PM, 07 December 2022) **Total Marks:** 1

_____ is a tool that sends a message to a remote computer and reports whether the computer responds.

Select the correct option

- (●) Ping
- ( ) TCP
- ( ) Fragment offset
- ( ) Flag

A PROJECT OF TEAM HADI VU
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS610 - Computer Networks (Quiz No.1) Quiz Start Time: 06:54 PM, 07 December 2022

Question # 1 of 10 (Start time: 06:54:46 PM, 07 December 2022) Total Marks: 1

Hardware address is also called_____.

Select the correct option

- Port address
- Physical address
- Logical address
- IP address

HADI A PROJECT OF TEAM HADI VU ph:0308-7122922

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

BITOUT SOFTWARE HOUSE LAHORE

(WE DEAL ALL KIND OF VU PROJECT)

CS610 - Computer Networks (Quiz No.1) Quiz Start Time: 06:54 PM, 07 December 2022

Question # 2 of 10 (Start time: 06:56:22 PM, 07 December 2022) **Total Marks:** 1

In_____ all computers are attached to a central hub.

Select the correct option

- ○ Ring Topology
- ● Star Topology
- ○ Bus Topology
- ○ Hub Topology

A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS610 - Computer Networks (Quiz No.1) Quiz Start Time: 06:54 PM, 07 December 2022

Question # 8 of 10 (Start time: 06:59:54 PM, 07 December 2022) **Total Marks:** 1

The Gigabit Ethernet hardware operates at a rate of _____.

Select the correct option

- (●) 100 Mbps
- ( ) 10 Mbps
- ( ) 1000 Mbps
- ( ) 1000 Gbps

A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS610 - Computer Networks (Quiz No.1) **Quiz Start Time: 06:54 PM, 07 December 2022**

Question # 5 of 10 (Start time: 06:57:49 PM, 07 December 2022) **Total Marks:** 1

In FDDI, in case of a station failure, remaining stations loop back and _____.

Select the correct option

- Collision will occur
- Data frames are discarded
- Re-route data through spare ring
- Re-transmit data through the same ring

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS610 - Computer Networks (Quiz No.1) Quiz Start Time: 06:54 PM, 07 December 2022

Question # 10 of 10 (Start time: 07:01:25 PM, 07 December 2022) Total Marks: 1

In_____ technique, all members of the network can send data only on the specific time slot?

Select the correct option

- FDMA
- CSMA
- CDMA
- TDMA

A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS610 - Computer Networks (Quiz No.1) Quiz Start Time: 06:54 PM, 07 December 2022

Question # 6 of 10 (Start time: 06:58:23 PM, 07 December 2022) Total Marks: 1

Parity check is usually used to detect_____ bit error(s).

Select the correct option

- 2
- 1
- 3
- 4

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS610 - Computer Networks (Quiz No.1) Quiz Start Time: 06:54 PM, 07 December 2022

Question # 4 of 10 (Start time: 06:57:27 PM, 07 December 2022) **Total Marks:** 1

In Token Ring, if all computers are ready to transmit it enforces _____ access.

Select the correct option

- Last come first served
- Shorter delay
- Round-Robin
- First come first served

A PROJECT OF TEAM HADI VU
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS610 - Computer Networks (Quiz No.1) Quiz Start Time: 06:54 PM, 07 December 2022

Question # 3 of 10 (Start time: 06:57:00 PM, 07 December 2022) **Total Marks:** 1

Bluetooth uses shared medium and _____instead of coaxial cable.

Select the correct option

- ○ Infrared waves
- ○ Low frequency waves
- ● Radio waves
- ○ Micro waves

A PROJECT OF TEAM HADI VU
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS610 - Computer Networks (Quiz No.2) Quiz Start Time: 12:17 AM, 21 December 2022

Question # 8 of 10 (Start time: 12:22:42 AM, 21 December 2022) Total Marks: 1

_____is not used to extend LAN.

Check it

Select the correct option

- (●) Bridge
- ( ) Repeater
- ( ) Hub
- ( ) Fiber modem

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

Cs610

Computer Network

Midterm Current Paper

02-01-2023 & 03-01-2023

Subscribe Channel

All Subjects Past Paper are Available in this Channel

https://youtube.com/c/LearningWithAI

ان سوالات کو مختلف گروپوں سے آپ کی آسانی کے لیے ایک جگہ جمع کیا گیا ہے تاکہ سٹوڈنٹ کو اپنے سبجیکٹ کے سوالات ایک جگہ مل سکے ۔ مزید سبجیکٹ کے کرنٹ پیپر دیکھنے اور ہماری حوصلہ افزائی کے لیے ہمارے چینل کو لازمی سبسکرائب کریں

https://youtube.com/c/LearningWithAI

Paper No 1

Cs610 8:00AM

Mcq's from Past Paper

Short Question

Aik scenerio ta us mai jitter btana ta

In which networking technique, a message can delivered to a group destination from the source

LongQuestion

Ak figure ti jis mai node 2 n node 7 ka source btana by using Dijsktra algorithm

Baki 2 past papers mai ty

Ak segment 1 n segment 2 wala

How much time is required to tranfer a file of 4MB across the network 56kbps calculate it briefly

Learning With A&I

Paper No 2

All mcqs from handouts.

Short questions:

1. **Network device used to handle communication between computers in WAN?**
2. **Scenario To check whether the computer is online/Not , Name the probing technique.**

Long Questions:

1. **Write down four names of classification of network.**
2. **Scenario, what would you prefer thin, thick, twisted pair for network if requirement is low cost.**

Name the connectors used in: i)Thin Ethernet.

ii)Thick Ethernet

iii)Twisted pair

Learning With A&I

Paper No 3

Cs610 12:00pm

02/01/23

3mark question

AK school Mai bus topology use karta hova network KO connect keya tha na us Mai end signal KO province Karna wali device ka batana

3. **Ya question page no 56 par physical addressing in WAN walla 1st two points batana**

Long question

1 . lecture 4 Mai without packet and with packet formula use Karna that values change the

2 . Kuch scaerio given tha aur kuch points batana tha like kon see topology use hoie hai .component kon

Saa use hova hai CPU network par data send aur receive kar sakta hai ka nai

Last Mcqs from junaid file + moaaz file

Learning With A&I

Paper No 4

Cs610 McQ Jo bhi files thi UN m sy thy.

Ar ik question vci vpi ki bits Wala tha 5 marks ka

.Ak question centerized topology pochi gy thi.

Ak question tha ka 9 computer ko connect kary ky Lia kitny links chahy ar formula bhi lhkhna tha.ar

Ak frame farmet Wala tha

Learning With A&I

Cs610 Midterm Complete Preparation 2023

https://youtu.be/J5ptvFKSA3E

Subscribe Channel for Vu Short Notes, Past Paper, Current Paper, Important Topic, Important Question, Important Mcqs, Assignment, GDB Solution, Quiz File, And Virtual University Updates

https://youtube.com/c/LearningWithAI

https://youtube.com/playlist?list=PL3ycrwLjg6r_Qiuu4TIcb3HULeNYiIGU2

All Subjects Midterm Preparation Playlist

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
TEAM HADI(VU LAHORE)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

TEAM HADI(VU)

Question No : 1 of 26 Marks: 1 (Budgeted Time 1 Min)

ATM was designed for _____ and use a_____

Answer (Please select your correct option)

- LANs, Connectionless service paradigm
- WANs, Connectionless service paradigm
- Both LANs and WANs, Connectionless service paradigm
- Both LANs and WANs, Connection-oriented service paradigm

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 2 of 26 Marks: 1 (Budgeted Time 1 Min)

In broadcast topology there are two categories____.

Answer (Please select your correct option)

- Satellite/Radio and Ring
- Satellite/Radio and Star
- Ring and star
- Satellite/Radio

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 3 of 26 Marks: 1 (Budgeted Time 1 Min)

---------- have advantages arisen from the size and ease of computation.

Answer (Please select your correct option)

- CRC
- Parity
- Checksums
- VRC

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 4 of 26 Marks: 1 (Budgeted Time 1 Min)

When an application---------- data, it makes a copy of the data available to all other computers on the network.

Answer (Please select your correct option)

- Broadcasting
- Multicasting

correct

- Unicasting
- Anycasting

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 5 of 26 Marks: 1 (Budgeted Time 1 Min)

Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a _____.

Answer (Please select your correct option)

- Connectionless service paradigm

correct

- Connection-oriented service paradigm
- Both Connectionless and Connection-oriented service paradigm
- Connection-oriented service paradigm without acknowledgment

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 6 of 26 Marks: 1 (Budgeted Time 1 Min)

If the sending computer crashes before transmitting a complete frame, the_____will not arrive and the receiver will know that the frame is_____.

Answer (Please select your correct option)

- soh, complete
- soh, incomplete
- eot, incomplete
- eot, complete

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 7 of 26 Marks: 1 (Budgeted Time 1 Min)

---------- was especially most concerned about the lack of highly powered computers.

Answer (Please select your correct option)

- ARPA

correct

- IEEE
- EIA
- Goverment

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 8 of 26 Marks: 1 (Budgeted Time 1 Min)

"Frame type" field of the header consists of _____ bits.

Answer (Please select your correct option)

- 8
- 10
- 16
- 32

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 9 of 26 Marks: 1 (Budgeted Time 1 Min)

Virtual Circuit connection identifier occupies _____bits.

Answer (Please select your correct option)

- 16 correct
- 24
- 32
- 8

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 10 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ senses a signal on a cable and then transmits an amplified copy of the signal.

Answer (Please select your correct option)

- Bridge
- Hub
- Transceiver
- Repeater

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 11 of 26 Marks: 1 (Budgeted Time 1 Min)

One repeater _____, two repeaters _____ the maximum cable length limitation.

Answer (Please select your correct option)

- Square root, Cube root
- Double, Triple
- Triple, Quad
- Double, Quad

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 12 of 26 Marks: 1 (Budgeted Time 1 Min)

A Bridge forwards or filters a frame by comparing the information in its address table to the frame's_____.

Answer (Please select your correct option)

- Layer 2 source address
- Layer 3 source address
- Layer 2 destination address
- Layer 3 destination address

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 13 of 26 Marks: 1 (Budgeted Time 1 Min)

A network that permits many sources to take turns accessing a shared communication resource is providing a form of _____.

Answer (Please select your correct option)

- Phase Division Multiplexing
- Time Division Multiplexing
- Frequency Division Multiplexing
- Wave Division Multiplexing

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 14 of 26 Marks: 1 (Budgeted Time 1 Min)

No error detection scheme is perfect because transmission errors can affect _____.

Answer (Please select your correct option)

- Data
- Additional Information
- Additional information & data
- Transmission medium

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

LAN that uses ATM technology has a_____.

Answer (Please select your correct option)

- Star topology

correct

- Bus topology
- Ring topology
- Mesh topology

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 16 of 26 Marks: 1 (Budgeted Time 1 Min)

FDDI can transmits data at a rate of _____.

Answer (Please select your correct option)

- 100 million bits per second

correct

- 10 million bits per second
- 1000 million bits per second
- 3 million bits per second

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 17 of 26 Marks: 1 (Budgeted Time 1 Min)

The next hop to which a packet is sent depends only on_____.

Answer (Please select your correct option)

- Packet's destination

correct

- Packet's original source
- Path the packet has taken
- Routed Protocol

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 18 of 26 Marks: 1 (Budgeted Time 1 Min)

Most WAN systems include a mechanism that can be used to eliminate the common case of duplication routing is called_____.

Answer (Please select your correct option)

- Dynamic route
- Hierarchal address
- Default route
- Shortest path

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 19 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ in which delay among packets can vary.

Answer (Please select your correct option)

- Virtual Private Network
- Isochronous Networks
- Asynchronous Networks
- Synchronous Networks

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 20 of 26 Marks: 1 (Budgeted Time 1 Min)

A typical port on an ATM switch operates at _____ or higher.

Answer (Please select your correct option)

- OC-2 speed (155Mbps)
- OC-3 speed (100Mbps)
- OC-3 speed (155Mbps)
- OC-3 speed (155Gbps)

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 21 of 26 Marks: 2 (Budgeted Time 4 Min)

Suppose XYZ organization is using hierarchal addressing scheme in routing tables. Write any two advantages of using this scheme of addressing.

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

Suppose ABC Corporation has a small number of packet switches and computer systems in its computer network. If entire network is stable with single network link than which routing method will be most appropriate for this scenario?

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

Suppose in university campus, bridges are used in its local area network. Explain all steps, how bridge builds up addresses list table of all attached computers?

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

Suppose you are a Network Engineer in an ISP which is providing different technological services like one of these may be cell based network. Here, as a Network Engineer you must know that which term is used to refer the "information" related to the network but not refers to the "information" that only uses the network". Give the name of this term and the reserved values it uses.

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

A network sends and receives bits faster than computer's CPU. Explain how a computer attached to a network can handle this speed difference? Does the CPU have any role in handling it?

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

Star textile has multiple LANs with packet switches. It is critical that if some link goes down/breakup the entire network traffic should arrive to respective destination smoothly. So, which method will meet this requirement? Give at least three reasons to support your answer.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 1 of 26 Marks: 1 (Budgeted Time 1 Min)

In ----------, network occupies the smaller area like a room a floor or a building

Answer (Please select your correct option)

- LAN correct
- WAN
- MAN
- PAN

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 2 of 26 Marks: 1 (Budgeted Time 1 Min)

A network that uses a ------ usually consist of a single long cable to which computers attach.

Answer (Please select your correct option)

- Bus Topology

correct

- Tree Topology
- Star Topology
- Ring Topology

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore

Question No : 3 of 26 Marks: 1 (Budgeted Time 1 Min)

A network uses a ------ if all computers attach to a central point

Answer (Please select your correct option)

- Star Topology — correct
- Ring Topology
- Bus Topology
- Mesh Topology

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 4 of 26 Marks: 1 (Budgeted Time 1 Min)

A---------- provides mechanism that automatically assignes a physical address to a station when the station first boots.

Answer (Please select your correct option)

- Static addressing scheme
- Configurable addressing scheme
- Dynamic addressing scheme
- Dynamic Host Configuration

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 5 of 26 Marks: 1 (Budgeted Time 1 Min)

---------- was especially most concerned about the lack of highly powered computers.

Answer (Please select your correct option)

- ARPA correct
- IEEE
- EIA
- Goverment

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 6 of 26 Marks: 1 (Budgeted Time 1 Min)

A bridge functions in the _____ layer(s).

Answer (Please select your correct option)

- Physical

correct

- Data link
- Network and Data link
- Physical and Data link

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 7 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following is not used to extend LAN ?

Answer (Please select your correct option)

- Bridge
- Repeater
- Fiber modem
- Router

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 8 of 26 Marks: 1 (Budgeted Time 1 Min)

The working of connection-oriented service for networking is similar to the _____.

Answer (Please select your correct option)

- Ethernet
- Telephone
- IP
- UDP

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore

Question No : 9 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ senses a signal on a cable and then transmits an amplified copy of the signal.

Answer (Please select your correct option)

- Repeater

correct

- Bridge
- Hub
- Transceiver

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 10 of 26 Marks: 1 (Budgeted Time 1 Min)

Unlike Frame Relay and ATM, SMDS (Switched multi-megabit Data service) offers_____ .

Answer (Please select your correct option)

- Connectionless service paradigm

correct

- Connection oriented service paradigm
- Both Connectionless and Connection-oriented service paradigm
- Stateless Connection oriented service paradigm

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 11 of 26 Marks: 1 (Budgeted Time 1 Min)

A Bridge forwards or filters a frame by comparing the information in its address table to the frame's_____.

Answer (Please select your correct option)

- Layer 2 source address
- Layer 3 source address
- Layer 2 destination address
- Layer 3 destination address

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 12 of 26 Marks: 1 (Budgeted Time 1 Min)

ATM is designed to work on_____.

Answer (Please select your correct option)

- Twisted Pair
- Coaxial
- Radio Frequency
- Fiber

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 13 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ identifies intermediate computers along a path to remote destination

Answer (Please select your correct option)

- Ping
- Traceroute
- ICMP
- OSPF

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 14 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ computes shortest paths in a graph by using weights on edges as a measure of distance.

Answer (Please select your correct option)

- Greedy Algorithm
- Distance vector Algorithm
- Dijksta's algorithm
- Binary Search Algorithm

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

_____has no way to determine the cause of the problem.

Answer (Please select your correct option)

- ICMP
- ARP
- Ping
- Traceroute

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 16 of 26 Marks: 1 (Budgeted Time 1 Min)

A network that permits many sources to take turns accessing a shared communication resource is providing a form of _____.

Answer (Please select your correct option)

- Phase Division Multiplexing
- Time Division Multiplexing
- Frequency Division Multiplexing
- Wave Division Multiplexing

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 17 of 26 Marks: 1 (Budgeted Time 1 Min)

No error detection scheme is perfect because transmission errors can affect _____.

Answer (Please select your correct option)

- Additional Information
- Additional information & data
- Transmission medium
- Data

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 18 of 26 Marks: 1 (Budgeted Time 1 Min)

Computers attached to an ethernet use _____ in which a computer waits for the Ether to be idle before transmitting a frame.

Answer (Please select your correct option)

- CSMA/CD

correct

- CSMA/CA
- Token Passing
- Round Robin

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 19 of 26 Marks: 1 (Budgeted Time 1 Min)

Most WAN systems include a mechanism that can be used to eliminate the common case of duplication routing is called_____.

Answer (Please select your correct option)

- Dynamic route
- Hierarchal address
- Default route

correct

- Shortest path

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 20 of 26 Marks: 1 (Budgeted Time 1 Min)

A typical port on an ATM switch operates at _____ or higher.

Answer (Please select your correct option)

- OC-2 speed (155Mbps)
- OC-3 speed (100Mbps)
- OC-3 speed (155Mbps) correct
- OC-3 speed (155Gbps)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 21 of 26 Marks: 2 (Budgeted Time 4 Min)

Network operator needs a temporary virtual circuit for his network. Which type of ATM virtual circuit is most appropriate in this situation?

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

Defaults routes are used in networks. You are required to write two benefits of using default route.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

ATM provides the best support for multiple services. Due to which reasons ATM is not adopted as a single underline technology? Give any three reasons to justify your answer.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

If a packet switch does not check header's source information then how it can be beneficial for routing? Write any three benefits.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

Suppose, as a Network Administrator of XYZ organization you are given a task to develop a network in a limited area with low cost, then which wiring scheme will you use? Justify your answer with four solid reasons.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

Suppose there are two networks A and B both using virtual private network. If a user of some another network other than the network B wants to send some packets to a device in network A, then what will be the behavior of network A? Give three reasons behind its behavior.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
TEAM HADI(VU LAHORE)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

TEAM HADI(VU)

Question No : 1 of 26 Marks: 1 (Budgeted Time 1 Min)

In broadcast topology there are two categories____.

Answer (Please select your correct option)

- Satellite/Radio and Ring

correct

- Satellite/Radio and Star
- Ring and star
- Satellite/Radio

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 2 of 26 Marks: 1 (Budgeted Time 1 Min)

In ----------, network occupies the smaller area like a room a floor or a building

Answer (Please select your correct option)

- LAN correct
- WAN
- MAN
- PAN

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 3 of 26 Marks: 1 (Budgeted Time 1 Min)

The Ethernet standard specifies that frames are sent using the --------

Answer (Please select your correct option)

- Manchester Encoding

correct

- Nonreturn to zero(NRZ)
- Return to zero(RZ)
- Differential Manchester

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 4 of 26 Marks: 1 (Budgeted Time 1 Min)

A ---------- relies on the hardware manufacturer to assign a unique physical address to each network interface.

Answer (Please select your correct option)

- Static addressing scheme

correct

- Configurable addressing scheme
- Dynamic addressing scheme
- Burned MAC

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 5 of 26 Marks: 1 (Budgeted Time 1 Min)

When an application---------- data, it makes a copy of the data available to all other computers on the network.

Answer (Please select your correct option)

- Broadcasting
- Multicasting
- Unicasting
- Anycasting

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 6 of 26 Marks: 1 (Budgeted Time 1 Min)

Formally named _____ informally known as the thick wire Ethernet or Thick net.

Answer (Please select your correct option)

- 10 Base 2
- 10 Base 5
- 10 Base T
- 100 Base T

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 7 of 26 Marks: 1 (Budgeted Time 1 Min)

Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a _____.

Answer (Please select your correct option)

- Connectionless service paradigm
- Connection-oriented service paradigm
- Both Connectionless and Connection-oriented service paradigm
- Connection-oriented service paradigm without acknowledgment

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 8 of 26 Marks: 1 (Budgeted Time 1 Min)

In which type of topology computers are connected to a central device?

Answer (Please select your correct option)

- Ring — correct
- Mesh
- Bus
- Star

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 9 of 26 Marks: 1 (Budgeted Time 1 Min)

---------- was especially most concerned about the lack of highly powered computers.

Answer (Please select your correct option)

- ARPA

correct

- IEEE
- EIA
- Goverment

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 10 of 26 Marks: 1 (Budgeted Time 1 Min)

"Frame type" field of the header consists of _____ bits.

Answer (Please select your correct option)

- 8
- 10
- 16
- 32

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahor

Question No : 11 of 26 Marks: 1 (Budgeted Time 1 Min)

A bridge uses the _____ to determine which computers connect to which segment and uses the _____ to determine whether to forward a copy of frame.

Answer (Please select your correct option)

- Source address, Destination address

correct

- Destination address, Source address
- Destination address, MAC Address
- Destination address, Destination address

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 12 of 26 Marks: 1 (Budgeted Time 1 Min)

Generally a Bridge is used to perform _____.

Answer (Please select your correct option)

- Extend a LAN, Filter and Forward a packet
- Routing
- Filter and Forward a frame
- Filter and Forward a packet

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 13 of 26 Marks: 1 (Budgeted Time 1 Min)

If bridge cannot find _____in its tables then forwards frames to the other segment.

Answer (Please select your correct option)

- IP address
- Destination address
- Source address
- Port address

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 14 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ technology can support both LAN and WAN connections.

Answer (Please select your correct option)

- Frame relay
- Ethernet
- SMDS
- ATM

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

Virtual Circuit connection identifier occupies _____bits.

Answer (Please select your correct option)

- 16 correct
- 24
- 32
- 8

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 16 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ is used for ordinary data.

Answer (Please select your correct option)

- Available Bit Rate (ABR) service

correct

- Uniform Bit Rate (UBR) service
- Constant Bit Rate (CBR) service
- Variable Bit Rate (VBR) service

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 17 of 26 Marks: 1 (Budgeted Time 1 Min)

Unlike Frame Relay and ATM, SMDS (Switched multi-megabit Data service) offers_____ .

Answer (Please select your correct option)

- Connectionless service paradigm
- Connection oriented service paradigm
- Both Connectionless and Connection-oriented service paradigm
- Stateless Connection oriented service paradigm

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 18 of 26 Marks: 1 (Budgeted Time 1 Min)

The term_____ refers to the general concept of a small block of data in a network.

Answer (Please select your correct option)

- Packet correct
- Byte
- Cell
- Information

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 19 of 26 Marks: 1 (Budgeted Time 1 Min)

LAN that uses ATM technology has a_____.

Answer (Please select your correct option)

- Star topology

correct

- Bus topology
- Ring topology
- Mesh topology

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 20 of 26 Marks: 1 (Budgeted Time 1 Min)

The next hop to which a packet is sent depends only on_____.

Answer (Please select your correct option)

- Packet's destination

correct

- Packet's original source
- Path the packet has taken
- Routed Protocol

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 21 of 26 Marks: 2 (Budgeted Time 4 Min)

Network operator needs a temporary virtual circuit for his network. Which type of ATM virtual circuit is most appropriate in this situation?

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

How many methods are available to span a bridge network over long distances? Just write their names.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

Suppose in university campus, bridges are used in its local area network. Explain all steps, how bridge builds up addresses list table of all attached computers?

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

Suppose XYZ Company has packet switch network of 50 computers. After some time of communication, network administrator observes that the packets in the packet switches are facing some delay just before these are transmitted over the link. Identify this delay and write down the mathematical equation of the relationship between delay and throughput.

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

While designing the ATM technology why the designers of the ATM have chosen cells over packets which are being used widely? Give five reasons to support your answer.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

Suppose you are assigned to connect two site offices which are situated far away from each other. In your opinion, which one will be the appropriate solution for this, LAN extension or WAN? Justify your answer with four reasons.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
TEAM HADI(VU LAHORE)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

TEAM HADI(VU)

In _____, network occupies the smaller area like a room, a floor or a building.

Answer (Please select your correct option)

- LAN

correct

- WAN
- MAN
- Wireless WAN

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

In which type of network topology, computers are connected to a central device?

Answer (Please select your correct option)

- Ring — correct
- Mesh
- Bus
- Star

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

The term_____ refers to the general concept of a small block of data in a computer network.

Answer (Please select your correct option)

- Packet

correct

- Byte
- Cell
- Information

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

_____ is the scheme, which is designed to help in detecting transmission errors by sending one extra bit of information with each character.

Answer (Please select your correct option)

- Parity checking **correct**
- Checksums
- CRC
- LRC

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

_____ have advantages arisen from the size and ease of computation.

Answer (Please select your correct option)

- CRC
- Parity
- Checksums
- VRC

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

The Fast Ethernet hardware operates at a rate of _____.

Answer (Please select your correct option)

- 10 Mbps
- 100 Mbps

correct

- 1000 Mbps
- 1 Gbps

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

The Gigabit Ethernet hardware operates at a rate of _____.

Answer (Please select your correct option)

- 10 Mbps
- 100 Mbps
- 1000 Mbps
- 10 Gbps

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

Wireless LAN uses _____ as a media access method.

Answer (Please select your correct option)

- CSMA/CD
- CSMA/CA

correct

- Token Passing
- CSMA

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

The _____ relies on the hardware manufacturer to assign a unique physical address to each network interface.

Answer (Please select your correct option)

- Static addressing scheme

correct

- Configurable addressing scheme
- Dynamic addressing scheme
- Dynamic Configurable addressing scheme

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

IEEE LLC/SNAP header is consist of _____which is used to specify the type of data.

Answer (Please select your correct option)

- 8 octets — correct
- 10 octets
- 12 bytes
- 16 bits

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Formally named _____ is informally known as the twisted pair Ethernet or TP Ethernet.

Answer (Please select your correct option)

- 10 Base 2
- 10 Base 5
- 10 Base T
- 100 Base T

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

_____ senses a signal on a cable and then transmits an amplified copy of the signal.

Answer (Please select your correct option)

- Bridge
- Hub
- Transceiver
- Repeater

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

Generally a Bridge is used to perform _____.

Answer (Please select your correct option)

- Extend a LAN, Filter and Forward a packet
- Routing
- Filter and Forward a frame correct
- Filter and Forward a packet

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Which of the following is not used to extend LAN ?

Answer (Please select your correct option)

- Bridge
- Repeater
- Fiber modem
- HUB

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

If a bridge is unable to find _____ in its table then it just forwards frames to the other segment.

Answer (Please select your correct option)

- IP address
- Destination address
- Source address
- Port address

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

Most WAN systems include a mechanism that can be used to eliminate the common case of duplication routing is called_____.

Answer (Please select your correct option)

- Dynamic route
- Hierarchal address
- Default route
- Shortest path

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

The working of connection-oriented service for networking is similar to the _____.

Answer (Please select your correct option)

- Ethernet
- Telephone
- IP
- UDP

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

ATM assigns each VC a _____ identifier which is divided into two parts to produce a hierarchy.

Answer (Please select your correct option)

- 23-bit
- 24-bit

correct

- 21-bit
- 22-bit

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

_____ is used for delay sensitive applications requiring high data rate.

Answer (Please select your correct option)

- Constant Bit Rate (CBR) service

correct

- Variable Bit Rate (VBR) service
- Available Bit Rate (ABR) service
- Uniform Bit Rate (UBR) service

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

Header of cell takes _____ of network capacity.

Answer (Please select your correct option)

- 5%
- 10% correct
- 12%
- 15%

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Network operator needs a temporary virtual circuit for his network. Which type of ATM virtual circuit is most appropriate in this situation?

Answer (Please click here to Add Answer)



Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Describe two major components of thick Ethernet.

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

If a packet switch does not check header's source information then how it can be beneficial for routing? Write any three benefits.

Answer (Please click here to Add Answer)



Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Is it necessary to use terminator at both ends of thin Ethernet cable? Give your answer with at least two reasons.

Answer (Please click here to Add Answer)



Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Suppose, as a Network Administrator of XYZ organization you are given a task to develop a network in a limited area with low cost, then which wiring scheme will you use? Justify your answer with four solid reasons.

Answer (Please click here to Add Answer)

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Star textile has multiple LANs with packet switches. It is required that if any link goes down/breakup, the entire network traffic should arrive to respective destination smoothly. Which routing method will meet this requirement? Give at least three reasons to support your answer.

Answer (Please click here to Add Answer)

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
TEAM HADI(VU LAHORE)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

TEAM HADI (VU)

In _____, network occupies the smaller area like a room, a floor or a building.

Answer (Please select your correct option)

- LAN

correct

- WAN
- MAN
- Wireless WAN

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

In which type of network topology, computers are connected to a central device?

Answer (Please select your correct option)

- Ring — correct
- Mesh
- Bus
- Star

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore

Start Time: 11:16 AM

The term_____ refers to the general concept of a small block of data in a computer network.

Answer (Please select your correct option)

- Packet

correct

- Byte
- Cell
- Information

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

_____ is the scheme, which is designed to help in detecting transmission errors by sending one extra bit of information with each character.

Answer (Please select your correct option)

- Parity checking

correct

- Checksums
- CRC
- LRC

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

_____ have advantages arisen from the size and ease of computation.

Answer (Please select your correct option)

- CRC
- Parity
- Checksums
- VRC

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

The Fast Ethernet hardware operates at a rate of _____.

Answer (Please select your correct option)

- 10 Mbps
- 100 Mbps

correct

- 1000 Mbps
- 1 Gbps

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

The Gigabit Ethernet hardware operates at a rate of _____.

Answer (Please select your correct option)

- 10 Mbps
- 100 Mbps
- 1000 Mbps
- 10 Gbps

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

Wireless LAN uses _____ as a media access method.

Answer (Please select your correct option)

- CSMA/CD
- CSMA/CA

correct

- Token Passing
- CSMA

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

The _____ relies on the hardware manufacturer to assign a unique physical address to each network interface.

Answer (Please select your correct option)

- Static addressing scheme

correct

- Configurable addressing scheme
- Dynamic addressing scheme
- Dynamic Configurable addressing scheme

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

IEEE LLC/SNAP header is consist of _____which is used to specify the type of data.

Answer (Please select your correct option)

- 8 octets — correct
- 10 octets
- 12 bytes
- 16 bits

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Formally named _____ is informally known as the twisted pair Ethernet or TP Ethernet.

Answer (Please select your correct option)

- 10 Base 2
- 10 Base 5
- 10 Base T
- 100 Base T

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

_____ senses a signal on a cable and then transmits an amplified copy of the signal.

Answer (Please select your correct option)

- Bridge
- Hub
- Transceiver
- Repeater

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

Generally a Bridge is used to perform _____.

Answer (Please select your correct option)

- Extend a LAN, Filter and Forward a packet
- Routing
- Filter and Forward a frame ⇦ correct
- Filter and Forward a packet

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

Which of the following is not used to extend LAN ?

Answer (Please select your correct option)

- Bridge
- Repeater
- Fiber modem
- HUB

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

If a bridge is unable to find _____ in its table then it just forwards frames to the other segment.

Answer (Please select your correct option)

- IP address
- Destination address
- Source address
- Port address

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Most WAN systems include a mechanism that can be used to eliminate the common case of duplication routing is called_____.

Answer (Please select your correct option)

- Dynamic route
- Hierarchal address
- Default route
- Shortest path

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

The working of connection-oriented service for networking is similar to the _____.

Answer (Please select your correct option)

- Ethernet
- Telephone
- IP
- UDP

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Start Time: 11:16 AM

ATM assigns each VC a _____ identifier which is divided into two parts to produce a hierarchy.

Answer (Please select your correct option)

- 23-bit
- 24-bit

correct

- 21-bit
- 22-bit

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

_____ is used for delay sensitive applications requiring high data rate.

Answer (Please select your correct option)

- Constant Bit Rate (CBR) service

correct

- Variable Bit Rate (VBR) service
- Available Bit Rate (ABR) service
- Uniform Bit Rate (UBR) service

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Header of cell takes _____ of network capacity.

Answer (Please select your correct option)

- 5%
- 10% correct
- 12%
- 15%

Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Network operator needs a temporary virtual circuit for his network. Which type of ATM virtual circuit is most appropriate in this situation?

Answer (Please click here to Add Answer)



Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Describe two major components of thick Ethernet.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

If a packet switch does not check header's source information then how it can be beneficial for routing? Write any three benefits.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Is it necessary to use terminator at both ends of thin Ethernet cable? Give your answer with at least two reasons.

Answer (Please click here to Add Answer)



Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Suppose, as a Network Administrator of XYZ organization you are given a task to develop a network in a limited area with low cost, then which wiring scheme will you use? Justify your answer with four solid reasons.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Star textile has multiple LANs with packet switches. It is required that if any link goes down/breakup, the entire network traffic should arrive to respective destination smoothly. Which routing method will meet this requirement? Give at least three reasons to support your answer.

Answer (Please click here to Add Answer)



Start Time: 11:16 AM

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
TEAM HADI(VU LAHORE)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

TEAM HADI(VU)

Question No : 1 of 26 Marks: 1 (Budgeted Time 1 Min)

ATM was designed for _____ and use a_____

Answer (Please select your correct option)

- LANs, Connectionless service paradigm
- WANs, Connectionless service paradigm
- Both LANs and WANs, Connectionless service paradigm
- Both LANs and WANs, Connection-oriented service paradigm

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 2 of 26 Marks: 1 (Budgeted Time 1 Min)

In Point-to-Point type of topologies there are two topologies _____.

Answer (Please select your correct option)

- Tree and Ring
- Star and Ring
- Star and Tree
- Bus and Mesh

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 3 of 26 Marks: 1 (Budgeted Time 1 Min)

In ---------, network occupies larger areas like cities & countries.

Answer (Please select your correct option)

- LAN
- WAN
- MAN
- CAN

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 4 of 26 Marks: 1 (Budgeted Time 1 Min)

Hardware that calculates a CRC uses two simple components.

Answer (Please select your correct option)

- AND unit with XOR unit
- Shift register with XOR unit

correct

- Shift register with AND unit
- Shift register with shift XOR unit

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 5 of 26 Marks: 1 (Budgeted Time 1 Min)

A network that uses a ------ usually consist of a single long cable to which computers attach.

Answer (Please select your correct option)

- Star Topology
- Ring Topology
- Bus Topology
- Tree Topology

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 6 of 26 Marks: 1 (Budgeted Time 1 Min)

A ---------- provides mechanism that a customer can use to set a physical address.

Answer (Please select your correct option)

- Static addressing scheme
- Configurable addressing scheme

correct

- Dynamic addressing scheme
- Masking

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 7 of 26 Marks: 1 (Budgeted Time 1 Min)

Formally named _____ informally known as the thick wire Ethernet or Thick net.

Answer (Please select your correct option)

- 10 Base 2
- 10 Base 5
- 10 Base T
- 100 Base T

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 8 of 26 Marks: 1 (Budgeted Time 1 Min)

Preamble field in Ethernet frame consist of _____bits.

Answer (Please select your correct option)

- 8
- 32 correct
- 48
- 64

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 9 of 26 Marks: 1 (Budgeted Time 1 Min)

A bridge functions in the _____ layer(s).

Answer (Please select your correct option)

- Physical

correct

- Data link
- Network and Data link
- Physical and Data link

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 10 of 26 Marks: 1 (Budgeted Time 1 Min)

Generally a Bridge is used to perform _____.

Answer (Please select your correct option)

- Extend a LAN, Filter and Forward a packet
- Routing
- Filter and Forward a frame
- Filter and Forward a packet

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 11 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ technology can support both LAN and WAN connections.

Answer (Please select your correct option)

- Frame relay
- Ethernet
- SMDS
- ATM

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 12 of 26 Marks: 1 (Budgeted Time 1 Min)

One repeater _____, two repeaters _____ the maximum cable length limitation.

Answer (Please select your correct option)

- Square root, Cube root
- Double, Triple
- Triple, Quad
- Double, Quad

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 13 of 26 Marks: 1 (Budgeted Time 1 Min)

_____is used for compressed audio and video where the data rate is related to level of compression.

Answer (Please select your correct option)

- Constant Bit Rate (CBR) service
- Variable Bit Rate (VBR) service

correct

- Available Bit Rate (ABR) service
- Uniform Bit Rate (UBR) service

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 14 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ is used for ordinary data.

Answer (Please select your correct option)

- Available Bit Rate (ABR) service

correct

- Uniform Bit Rate (UBR) service
- Constant Bit Rate (CBR) service
- Variable Bit Rate (VBR) service

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ sends a message to a remote computer and reports whether the computer responds.

Answer (Please select your correct option)

- Telnet
- Ping
- Ping

correct

- Traceroute
- ICMP

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 16 of 26 Marks: 1 (Budgeted Time 1 Min)

A network with throughput T and delay D would have a total no of _____ bits in transit at any time.

Answer (Please select your correct option)

- T + D
- T x D/Unit Time
- T / D
- T x D

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 17 of 26 Marks: 1 (Budgeted Time 1 Min)

A network that permits many sources to take turns accessing a shared communication resource is providing a form of _____.

Answer (Please select your correct option)

- Phase Division Multiplexing
- Time Division Multiplexing
- Frequency Division Multiplexing
- Wave Division Multiplexing

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 18 of 26 Marks: 1 (Budgeted Time 1 Min)

A network which is based on packets uses a computer which may have _____, memory and_____ for switching.

Answer (Please select your correct option)

- Administration Rights, Algorithm
- Source address, Destination address
- Interface, Program
- Input, Output

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 19 of 26 Marks: 1 (Budgeted Time 1 Min)

In direct point to point communication adding the N^{th} computer requires_____ new connections.

Answer (Please select your correct option)

- N(N - 1)
- N^2
- N - 1
- $(N^2 - N)/2$

correct

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 20 of 26 Marks: 1 (Budgeted Time 1 Min)

Computers attached to an ethernet use _____ in which a computer waits for the Ether to be idle before transmitting a frame.

Answer (Please select your correct option)

- CSMA/CD

correct

- CSMA/CA
- Token Passing
- Round Robin

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 21 of 26 Marks: 2 (Budgeted Time 4 Min)

A local telephone company wants to connect the LANs in all its offices throughout a city. For this case which network category would be used?

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

As you know ATM network specifies a 24 bits VPI/VCI connection identifier, how many bits VPI and VCI occupies individually?

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

ATM provides the best support for multiple services. Due to which reasons ATM is not adopted as a single underline technology? Give any three reasons to justify your answer.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

Is it necessary to use terminator at both ends of thin Ethernet cable? Give your answer with at least two reasons.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

Suppose, as a Network Administrator of XYZ organization you are given a task to develop a network in a limited area with low cost, then which wiring scheme will you use? Justify your answer with four solid reasons.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

Suppose there are two networks A and B both using virtual private network. If a user of some another network other than the network B wants to send some packets to a device in network A, then what will be the behavior of network A? Give three reasons behind its behavior.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
HADI VU PAST PAPER

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)
B.ED(THESIS AND RESEARCH PROJECT)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

TEAM HADI(VU)

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

CS610:Quiz No.1

Quiz Start Time: 05:51 PM, 14 June 2022

Question # 6 of 10 (Start time: 05:58:04 PM, 14 June 2022)

Total Marks: 1

Parity check is usually used to detect_____ bit error(s).

Select the correct option

- (●) 1
- ( ) 4
- ( ) 2
- ( ) 3

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

CS610:Quiz No.1

Quiz Start Time: 05:51 PM, 14 June 2022

Question # 7 of 10 (Start time: 05:58:58 PM, 14 June 2022)

Total Marks: 1

Which type of network consists of wired computers in a university classroom?

Select the correct option

- WAN
- MAN
- LAN
- PAN

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

CS610:Quiz No.1

Quiz Start Time: 05:51 PM, 14 June 2022

Question # 5 of 10 (Start time: 05:57:07 PM, 14 June 2022)

Total Marks: 1

In Token Ring, if all computers are ready to transmit it enforces _____ access.

Select the correct option

- ○ Shorter delay
- ● Round-Robin
- ○ Last come first served
- ○ First come first served

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

CS610:Quiz No.1

Quiz Start Time: 05:51 PM, 14 June 2022

Question # 3 of 10 (Start time: 05:54:23 PM, 14 June 2022)

Total Marks: 1

In _____ technique data is treated as a sequence of integers and their arithmetic sum is computed and the carry bits are added to the final sum.

Select the correct option

- (●) Checksum
- ( ) CRC
- ( ) 2D Parity
- ( ) Bit stuffing

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

CS610:Quiz No.1

Quiz Start Time: 05:51 PM, 14 June 2022

Question # 9 of 10 (Start time: 06:05:39 PM, 14 June 2022)

Total Marks: 1

Bluetooth uses shared medium and _____instead of coaxial cable.

Select the correct option

- (●) Radio waves
- ( ) Low frequency waves
- ( ) Micro waves
- ( ) Infrared waves

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

CS610:Quiz No.1 Quiz Start Time: 05:51 PM, 14 June 2022

Question # 10 of 10 (Start time: 06:06:36 PM, 14 June 2022) Total Marks: 1

Point-to-point topology is

Select the correct option

- Size Based
- Medium Based
- Mobility Based
- Connectivity Based

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)



HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

TEAM HADI(VU)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizzes If You Need Help in Services Kindly inform us.

TEAM HADI
BITOUT SOFTWARE HOUSE

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

AL-JUNAID TECH INSTITUTE

CS610-Computer Network
MIDTERM PATS PAPER
SOLVED by: JUNAID MALIK

AL-JUNAID TECH INSTITUTE

www.vulmshelp.com

VU LMS HELP vulmshelp.com

Language Courses Training Available

I'm providing paid courses in different languages within 3 Months,Certificate will be awarded after completion.

- HTML
- CSS
- JAVASCRIPT
- BOOTSTRAPS
- JQUERY
- PHP MYSQL
- NODES.JS
- REACT JS

LMS Handling Services

LMS Activities Paid Task

Assignments 95% Results

Quizes 95% Results

GDB 95% Results

For CS619 Project Feel Free To Contact With Me

Ph# 0304-1659294

Email: junaidfazal08@gmail.com

AL-JUNAID TECH INSTITUTE

1. In Cyclic Redundancy Checking, CRC is _____.

a. Divisor
b. Quotient
c. Remainder page 20
d. Dividend

2. The satellite or radio topology in which all computers are connected to each other via satellite or radio wave is a kind of

a. Broadcast network page 5
b. Point-to-Point network

3. Which of the following two operations are performed by Ethernet CD?

I. It monitors outgoing signals.
II. Grabbled signal is interpreted as a collision.
III. Signals are sent back to the sender.

a. I and III
b. II and IV
c. II and III
d. I and II page 28

4. The process of forwarding a packet is called _____.

a. Routing page 58
b. Processing
c. Hierarchical Addressing
d. Source Addressing

4. Which statement is correct about Network Interface Card (NIC)?

I. NIC contains sufficient hardware to process data independent of system CPU
II. NIC looks like any other I/O device to system CPU III. NIC also receives interrupt on incoming data.

a. I and II
b. II and III
c. I and III
d. All of the given options page 40

0304-1659294
www.vulmshelp.com

-

5. While transmitting data from source A to destination B, 4 bits are changed during the transmission then the error is a _____.

a. Burst error page 22

b. Single error

c. Double error

d. Logic error

6. The switch that has no attached computers is called _____.

a. Packet Switch

b. Exterior Switch

c. Interior Switch page 59

d. External Switch

7. _____ is the most popular wiring scheme because of lowest cost.

a. 5 Base T

b. 10 Base T page 43

c. 100 base T

d. 1000 base T

8. In _____ technique, all members of the network can send data only on the specific time slot?

a. CDMA

b. FDMA

c. CSMA page 43

d. TDMA

9. If a sender with a 100 Megabit NIC and receiver with 10 Megabit NIC wants to communicate with each other at which speed they can communicate?

a. 100 Megabit page 40

b. 110 Megabit

c. 1000 Megabit

d. 10 Megabit

9. Missing _____ in a frame format indicates receiving computer missed beginning of the message.

a. eot

b. soh page 16

c. sot

d. eoh

10. 1The _____ of errors is easier than the _____ of errors.

a. correction; detection

b. detection; correction cs601 handouts

c. correction; creation

d. detection; manipulation

-

10. 1The _____ of errors is difficult than the _____ of errors.
a. correction; detection google
b. detection; correction
c. correction; creation
d. detection; manipulation

11. 1Source Independence phenomenon allows fast and efficient _____.
a. Source Addressing
b. Routing
c. Packet Switching page 58
d. Store and forward

12. 1In distributed route computation process each packet switch computes its routing table locally and sends messages to the _____.
a. Router
b. Graph
c. Neighbors page 63
d. WAN

13. The ___ layer of the OSI model takes the data from the physical layer and perform error checking.
a. Transport
b. Data link google
c. Application
d. Presentation

14. 1 CBR stands for _____.
a. Constant Byte Rate
b. Constant Bit Rate
c. Connection break Recovery
d. Constant Borrow Rate

15. 1A network that uses _____ usually consist of a single long cable to which computer attach.
a. Star Topology
b. Ring Topology
c. Bus Topology page 26
d. Bus and Ring Topology

16. If simultaneous transmission occurs, the frames interfere with each other and this phenomenon is called _____.
a. packet loss
b. collision page 28
c. delayed transmission
d. coordination

16. In _____ all computers are attached to a central hub a. Ring topology
    b. Star topology page 31
    c. Hub topology
    d. Bus topology
17. For adding a new computer in a point to point network _____new connection will be required
    a. N
    b. N-1 page 23
    c. N-2
    d. 2n
18. 1The fastest Ethernet hardware operates at a rate of _____
    a. 1000 bps
    b. 100 Mbps page 27
    c. 10 Mbps
    d. 1000 Mbps
18. Which of the following the benefit to point to point communication? a. Quick to configure
    b. Security implementation page 23
    c. Cost
    d. Less availability
19. 1 ATM offers _____speed and _____delay
    a. High, High
    b. High, low page 72
    c. Low, low
    d. Low, high
20. 1Thick Ethernet is known as _____
    a. 10 Base 2
    b. 10 Base 5 google
    c. 10 Base T
    d. 10 Base 10
21. Both interior and exterior switches _____packet and they also need routing tables.
    a. Create
    b. Delay
    c. Forward page 59
    d. Start

0304-1659294 www.vulmshelp.com

22. _____is the rate at which data can be sent through the network
    a. Throughput page 79
    b. Propagation delay
    c. Access delay
    d. Switching delay
23. In a ping command, small –sized information packets of _____are sent.
    a. TCP
    b. UDP
    c. ICMP page 11
    d. IGMP
24. Many WANs use _____addressing of efficiency
    a. Sequence
    b. Forward
    c. Hierarchical page 56
    d. Sequential
25. Which of the following is not a function of ping commends?
    a. Local computer network issue
    b. Congestion in the network
    c. Relay nodes page 11
    d. Remote host availability
26. Packet switched can be linked together to form a _____
    a. LAN
    b. WAN page 56
    c. Bridge
    d. None of the given option
27. Fixed network is a type of network which is classified with repect to the _____factor
    a. Size
    b. Connectivity
    c. Medium
    d. Mobility page 6
28. Parity bit can detect _____error(s)
    a. 4
    b. 3
    c. 2 page 19 (even or odd)
    d. 1

0304-1659294
www.vulmshelp.com

-

29. When we will try to connect to the internet which of the following protocol will be used?
    a. Telnet
    b. TCP/IP page 84
    c. ICMP
    d. IPx
30. How many computers are mandatory to form a network?
    a. 1
    b. 2 google
    c. 4
    d. 8
31. _____ is standard wireless LAN that uses radio signals at 2.4GHz.
    a. IEEE 803.16
    b. IEEE 802.15
    c. IEEE 802.3
    d. IEEE 802.11 page 29
32. LAN interface hardware obeys _____ access rule.
    a. CSMA/CD page 34
    b. Round robin
    c. First come first served
    d. High priority
33. The most important task a bridge performs is _____.
    a. Packet switching
    b. Line controlling
    c. Noise controlling
    d. Frame filtering page 50
34. ATM uses small, fixed-sized packets called cells and each cell has _____ octets.
    a. 47
    b. 52
    c. 53 page 66
    d. 55
36. _____ can't be guaranteed with variable length packets as easily as it can with fixed length cells.
    a. Errors
    b. Noise
    c. Quality of Service page 72
    d. None of the given

0304-1659294
www.vulmshelp.com

-

37. Which multiplexing technique transmits digital signals?
    a. WDM
    b. FDM
    c. TDM page 15
    d. GSM
38. Connections in Asynchronous transfer mode are called _____.
    a. Virtual channels page 67
    b. Virtual Path Identifier
    c. Cells
    d. Cell tax
39. A _____ is a device that combines multiple signals and forwards into a single line.
    a. Modem
    b. Multiplexer page 41
    c. Repeater
    d. Layer 3 Switch
40. _____ is inflexible.
    a. Routing
    b. Searching
    c. Processing
    d. Static routing page 62
41. If a hub is used to connect many computers in a LAN, then only _____ computers can communicate at a given time.
    a. Three
    b. Two page 54
    c. Four
    d. One
42. _____ is the term used for variance in transmission delays.
    a. Friction
    b. Segment
    c. Checksum
    d. Jitter page 66
43. _____ is also called self healing network.
    a. ATM
    b. FDDI
    c. Token Ring page 46
    d. Frame relay

0304-1659294
www.vulmshelp.com

44. _____ and _____ are the two frame types.
    a. Internal and external
    b. Single and dual
    c. Implicit and explicit
    d. Multicast and broadcast page 35
45. Bluetooth uses shared medium and _____ instead of coaxial cable.
    a. Radio waves page 29
    b. Infrared waves
    c. Micro waves
    d. Low frequency waves
46. Which of the following is not a guided medium?
    a. Twisted-pair cable
    b. Fiber-optic cable
    c. Atmosphere google
    d. Coaxial cable
47. As a result of ARPA research, the first network was established which was named as _____.
    a. INTERNETWORKING
    b. ARPNET
    c. ARPANET page 9
    d. PACKET NETWORK
48. Asynchronous transfer mode (ATM) can dynamically establish a _____.
    a. Switched virtual circuit page 70
    b. Virtual connection identifier
    c. Virtual path indicator
    d. None of the given options
49. A typical port on an ATM switch operates at _____ or _____ higher.
    a. OC-2 speed (155Gbps)
    b. OC-2 speed (1000Mbps)
    c. OC-3 speed (155Mbps) page 72
    d. OC-3 speed (100Gbps)
50. 10Base-T Ethernet is often called a _____.
    a. ring shaped star
    b. ring shaped bus
    c. star shaped bus page 46
    d. star shaped ring

51. _____ allows automatic updates.
    a. Dynamic routing page 62
    b. Static routing
    c. Routing
    d. Default routing
52. Handling variable length packets leads to memory _____.
    a. Fragmentation page 72
    b. Management
    c. Location
    d. Allocation
53. In order to forward a copy of frame, the bridge uses _____ address.
    a. Network
    b. Destination page 51
    c. IP
    d. Source
54. We may use _____ to extend local area network.
    a. Bridge, Router
    b. Bridge, Hub, Router
    c. Bridge, Hub, Repeater page 149
    d. Bridge, Hub, Repeater, Router
53. All of the given options are the types of delay except _____.
    a. Propagation
    b. Access
    c. Throughput page 79
    d. Queuing
54. While computing shortest path in a graph, next hop information is inserted into _____.
    a. Routing table page 62
    b. Trailer
    c. Header
    d. Register
55. LAN interface uses _____ to copy frame data directly from main memory
    a. DMA page 34
    b. FDDI
    c. Hard disk
    d. Flash

0304-1659294
www.vulmshelp.com

-

56. The Gigabit Ethernet hardware operates at a rate of _____.
    a. 10 Mbps
    b. 100 Mbps
    c. 1000 Mbps reference book page 263
    d. 1000 Gbps

57. In the early resource sharing era, which resources were shared among users?
    a. Computation page 9
    b. Floppy Drives
    c. Hard Disk
    d. Printers

58. If two buildings are located far from each other then bridge, and _____ can be used to connect two LAN.
    a. Optical fiber page 51
    b. Ethernet modem
    c. Switch
    d. NIC

59. Which type of network consists of wireless connection of laptops in a university classroom?
    a. WAN
    b. MAN
    c. Fog
    d. LAN google

60. A typical bridge has _____.
    a. One NIC, a CPU a memory and a ROM.
    b. Two NICs, a CPU a memory and a ROM. page 50
    c. RAM, ROM and CPU.
    d. A cache memory, ROM and CPU.

61. _____ is used for compressed audio and video, where the data rate depends on the level of compression that can be achieved.
    a. Constant Bit Rate
    b. Stable Bit Rate
    c. Variable Bit Rate page 71
    d. Available Bit Rate

62. There are _____ types of data stuffing.
    a. 1
    b. 2 page 17
    c. 0
    d. 5

0304-1659294 www.vulmshelp.com

63. Dijkstra's algorithm can accommodate weights on _____ in graph.
    a. Nodes page62
    b. Edges
    c. Path
    d. Connections
64. _____ masks your IP address.
    a. Firewall
    b. Antivirus
    c. VPN
    d. Incognito mode
65. Static routing computes routing table information at _____ time.
    a. Load
    b. Boot page 62
    c. Execute
    d. One
66. _____ was the first automated tool required to see whether the given computer is online or not.
    a. Probing program
    b. PING program page 11
    c. status program
    d. None of the above
67. In which type of error detection, the arithmetic sum is calculated before and after the transmission of data at both communication ends?
    a. CRC
    b. Party
    c. Checksum page 19
    d. Hash Function
68. Computer sends a connection request to the _____ to which it is attached while establishing a switched virtual circuit
    a. Bridge
    b. Switch page 70
    c. VPI
    d. Virtual circuit
69. The bridges communicate with each other on the network and use _____ algorithm to decide which bridge will not forward frames if a cycle occurs.
    a. Djikstra
    b. Shortest path first
    c. Vector distance
    d. Distributed Spanning Tree page 53

0304-1659294
www.vulmshelp.com

70. Ethernet uses a _____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.
    a. 64
    b. 48
    c. 32
    d. 16
71. Weights on graph edges reflect cost of _____.
    a. Nodes
    b. Traversing edge page 63
    c. Trending edge
    d. Path
72. A _____ relies on the hardware manufacturer to assign a unique physical address to each network interface.
    a. Static addressing scheme page 34
    b. Configurable addressing scheme
    c. Dynamic addressing scheme
    d. None of the given
73. In _____ topology, if the switch goes down all the computers will be disconnected.
    a. Star
    b. Ring
    c. Bus
    d. Mesh
74. Which type of network consists of wired computers in a university classroom?
    a. MAN
    b. PAN
    c. WAN
    d. LAN
75. If you as a network administrator want to know the traffic flow of your data while communicating with a remote computer which of the following will be used to know about intermediate routers?
    a. Ipconfig
    b. Ping page 11
    c. Traceroute
    d. Arp
76. Hardware address is also called _____.
    a. Physical address
    b. Logical address
    c. IP address
    d. Port address

0304-1659294 www.vulmshelp.com

77. Thick Ethernet also requires _____ to avoid signal reflectance.
    a. Transceivers
    b. AUI cable
    c. Drop cable
    d. Terminators page 41
78. Which of the following network is using the TCP/IP model globally?
    a. PAN
    b. SAN
    c. LAN
    d. The Internet
79. VPNs connections are sometimes called _____.
    a. Tunnels page 75
    b. Open networking
    c. Routing
    d. Public network
80. To reduce _____ computers can be connected and distributed to a number of hubs, then the hubs can be connected to a switch.
    a. Costs page 54
    b. Quality
    c. Efficiency
    d. Noise
81. If a _____ is used the communication between two computers will not affect the other pair of computers and they can communicate at the same time
    a. Hub
    b. Switch page 54
    c. Repeater
    d. Amplifier
82. The length of hardware address is _____.
    a. One to ten bytes
    b. One to five bytes
    c. One to six bytes page 34
    d. One to seven bytes
83. A network analyzer is also called _____.
    a. Network manager
    b. Network administrator
    c. Network monitor page 37
    d. Network

0304-1659294
www.vulmshelp.com

84. No any error detection scheme is perfect because transmission errors can affect _____.
   a. Data
   b. Additional Information
   c. Additional information & data google
   d. Transmission medium

85. The token ring network topology is a ring but wiring topology is a _____.
   a. Star page 44
   b. bus
   c. tree
   d. mesh

86. _____ addresses are used in an ethernet frame.
   a. IP page 99
   b. Port
   c. Logical
   d. MAC

87. AUI cable connects from NIC to _____.
   a. BNC Connector
   b. RJ-45 Connector
   c. Transceiver page 41
   d. Terminator

88. Public networks are _____.
   a. More secure than LAN
   b. Flexible page 74
   c. Limited in boundary
   d. Intranet

89. The maximum cable length of a LAN is fixed because _____.
   a. Additional hardware are not suitable for the LAN extension.
   b. The electrical signal level gets weaker as it travels. Page 48
   c. Additional software are not suitable for the LAN extension
   d. The electrical signal level gets stronger as it travels.

90. In _____.network topology is separated from route computation.
   a. Local area
   b. Link-state routing page 64
   c. Static routing
   d. Dynamic routing

-

91. Which layer of the OSI Model directly communicates and controls the transmission medium:

a. Transmission
b. Physical
c. Application
d. Network

92. In _____ technique data is treated as a sequence of integers and their arithmetic sum is computed and the carry bits are added to the final sum.

a. CRC
b. Bit stuffing
c. Checksum page 19
d. 2D Parity

93.A network with _____ jitter takes more time to deliver some packets than others.

a. Zero
b. High page 80
c. Low
d. Moderate

94. A network uses _____ to arrange computers in a single closed loop.

a. Star Topology
b. Mesh Topology
c. Ring Topology page 25
d. Bus Topology

95. Which of the following tasks is not done by the second layer of the OSI model?

a. Flow control
b. Framing
c. Channel coding google
d. Error control

96. ATM is a single technology designed to meet the goals of both _____ and _____.

a. LAN & PAN
b. LAN & WAN page 66
c. LAN & MAN
d. MAN & WAN

97. LAN and WAN are classified according to their _____.

a. Size page 4
b. Connectivity
c. Medium
d. Mobility

0304-1659294
www.vulmshelp.com

98. The identifier that is used for data transfer in the virtual circuit network is called _____.

a. Virtual circuit identifier
b. Global address
c. Network identifier
d. IP identifier

99. In Direct point to point communication adding the Nth computer requires _____ new connections

e. N^2
f. N-1
c. (N^2 -N)/2 page 23
d. N (N-1)

100. Which of the following is the correct function of bridge?

a. MTU path discovery
b. Byte stuffing
c. Routing information
d. Filtering and forwarding a frame page 50, 51

Point to point topology is

a. Size based
b. Mobility based
c. Connectivity based page 5
d. Medium based

101. IEEE LLC / SNAP header is _____which is used to specify the type of date.

a. 8 octets google
b. 16 octets
c. 32 octets
d. 64octets

102. IEEE LLC / SNAP header is _____which is used to specify the type of date.

a. CRC
b. Bit stuffing
c. Checksum
d. 2D Parity

103. What is the largest network in existence?

a. The internet google
b. A PAN
c. A Fog
d. Edge Network

0304-1659294
www.vulhelp.com

-

104. The frame format of any LAN technology must consists of ____ and___-

a. Payload and CRC
b. Frame header and CRC
c. Payload and Frame type
d. Frame header and payload page 36

105. _____ can occur a LANs when a packet is delayed because the network is busy

a. Jitter page 66
b. Loop
c. Deadlock
d. variance

106. Which of the following cannot be used to extend a LAN?

a. Repeaters
b. Switches
c. Routers
d. Fiber modems

107. Links-state algorithm is used in _____

- **RIP**
- **IGRP**
- **RIPv2**
- **OSPF page 64**

108. **According to size, there are ___classifications of networks**

a. 2 page 2
b. 3
c. 4
d. 5

108. In which topology terminators are used at the end of the cable?

a. Star
b. Bus
c. Ring
d. Mesh

109. 1Switch simulates a _____LAN connecting segments

e. Single
f. Single shared
c. Bridged page 54
d. Complex

110. 1PVS stands for _____

a. Permanent virtual circuit page 69
b. Private virtual circuit
c. Public virtual circuit

0304-1659294
www.vulmshelp.com

-

d. Plastic virtual circuit

111. Hardware that calculates a CRC used two simple components _____

a. AND unit and XOR Unit

b. Shift register and XOR unit page 20

c. Shift register & AND unit

d. Shift register and Shift XCR unit

112. Thin ethernet is known as _____

a. 10 base 2 google

b. 10 base 5

c. 10 base T

d. All of the above

113. If a sender with a 1 Gigabit NIC and receiver with 100 Megabit NIC wants to communicate with each other than at which speed they can communicate

a. 11 Megabit

b. 100 Megabit

c. 1 Gigabit

d. 1.1 Gigabit

114. _____ is used as an alternative of packet for a specific computer network technology

e. Datum

f. Token

g. Ether

d. Frame page 14

115. The sharing of a medium and its link by two or more devices is called ____

a. Modulation

b. Encoding

c. Multiplexing

d. Line discipline

116. The topology each computer is connected to a central hub is called

e. Ring topology

b. Star topology page 5

c. Tree topology

d. Mesh topology

117. Asynchronous transfer mode (ATM) is designed to work on fiber but can be used with _____

a. wireless

b. Twisted pair page 72

c. Wifi

d. Bluetooth

0304-1659294
www.vulmshelp.com

118. The basic responsibility of NIC is _____
a. To access medium network
b. To resource allocation
c. To access memory
d. All of the given option
119. 1Frame relay is ____
a. Connection oriented service page 64
b. Connectionless service
c. Typically ranges for 5 Mbps to 1000Mbps
d. Call based
120. The length of time required to send a variable length packet is ____
a. 5 second
b. Variable page 72
c. Constant
d. Fix
121. ABR stands for _____
a. Asynchronous bit rate
b. Asynchronous byte recovery
c. Asynchronous bit redundancy
d. Available bit rate page 71
122. In Token Ring, if all computers are ready to transmit it enforces _____access
a. First come first served
b. Round Robin page 30
c. Shorter delay
d. Last come first served
123. The Ethernet standard specifies that frames are sent using the _____scheme.
a. Differential Manchester
b. Not Return to Zero (NR2)
c. Manchester Encoding page 27
d. Return to Zero (RZ)
124. ATM uses the concept of _____.
a. Connection-oriented page 66
b. Connection-less
c. variable packet size
d. Fixed and variable packet size

-

124. 1Which of the following is a benefit of point to point communication?

a. Quick to configure

b. Security implementation

c. Cost

d. Less availability

125. _____ is not used to extend LAN.

e. Hub

f. Fiber modem

g. Repeater

h. Bridge

126. Which types of VPNs are used for corporate connectivity across companies residing in different geographical locations?

i. Remote access VPNs

j. Peer-to-peer VPNs

k. Country-to-country VPNs

d. Site-to-site VPNs google

127. Star topology is the kind of

- **Tree topology**
- **b. Point-to-point topology page 05**
- **Broadcast topology**
- **Ring topology**

127. In a _____ state, a bridge allows simultaneous use of each segment.

- **Ready**
- **Steady**
- **Final**
- **Startup**

128. The network occupies larger areas like cities & countries is called

- **LAN**
- **WAN**
- **MAN**
- **All of the above**

129. In link state routing _____ send link-state information about local connections.

- **Bridges**
- **Switches**
- **Routers**
- **Hubs**

0304-1659294
www.vulmshelp.com

-

130. Transmission media are usually categorized as _____.
- Guided or unguided
- Fixed or unfixed
- Determinate or indeterminate
- Metallic or nonmetallic

131. Even parity can be used to check for _____ bit/ bits of errors.
- a. 1 page 18
- 2
- 3
- 0

132. Routing table entries can be _____ with a default route.
- Collapsed
- Redirected
- Emerged
- Guaranteed

133. The system administrator must coordinate to avoid the conflict in _____ hardware addressing scheme.

a. Static
b. Dynamic
c. Configurable
d. Fixed

134. _____ network does not depend on CSMA/CD.
- Ethernet
- Fast Ethernet
- Gigabit Ethernet
- Wireless

135. Which of the following technologies can extend the diameter of LAN medium?
- Fiber optic
- Repeater
- Diameter of LAN medium is not extendable
- Both. Fiber optic and Repeaters

136. Connections are formed in Asynchronous transfer mode by starting values in_____ in ATM switches, as opposed to making actual electrical connections.
- Heap
- Stack
- Virtual Circuit
- d. Memory locations page 67

-

AL-JUNAID TECH INSTITUTE

137. The _____ scheme must be reliable to prevent conflicts. a. Static
b. Dynamic page 34
c. Configurable
d. Fixed
138. Metropolitan area network is used for _____.
a. City page 55
b. Building
c. Country
d. Continent
139. **Which addressing can be only used in the local area networks?**

- **a. IP google**
- **Physical**
- **Port**
- **Protocol**

139. The sharing of a _____ among the workers in an office is a goal of resource sharing.
a. Mouse
b. Printer page 9
c. Keyboard
d. Motherboard
140. ATM uses fixed size, small cells, 48 octet's data and _____.
a. 3 Octets header
b. 5 Octets header page 65
c. 6 Octets header
d. 7 Octets header
141. Which of the followings is not an advantage of framing?
a. Missing eot indicates sending computer crashed
b. Missing soh indicates receiving computer missed beginning of message
c. Delimiters do not contain any user data page 16
d. Bad frame is discarded
142. The _____ field of Ethernet frame has the purpose of receiver synchronization.
a. Preamble page 36
b. Frame Type
c. Data
d. CRC

Q1: Internet Standards Specifies that any two stations cannot be separated by more than _____ Repeaters.

A) Three
B) Four (100% Sure)
C) Five
D) Six

Q2: A typical port on an ATM switch operates at _____ or higher.
A) OC-2 speed (155Gbps)
B) OC-2 speed (1000Mbps)
C) OC-3 speed (155Mbps) (100% Sure)
D) OC-3 speed (100Gbps)

Q3: Ethernet uses a _____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.
A) 64
B) 48 (100% Sure)
C) 32
D) 8

Q4: Which one is incorrect statement?
A) Hub wiring centralizes electronics and connections. It makes management easier.
B) No Transceiver allows computer to be powered off or disconnected from network without distracting other communication. (100% Sure)
C) Transceiver may be located in an inconvenient place in any situation
D) None of these

Q5: ATM is also called _____.
A) Label rewriting
B) Label switching system
C) label rewriting and label switching system
D) All of above (100% Sure)

Q6: The most important task a bridge performs is _____.
A) Packet switching
B) Line controlling

0304-1659294
www.aljunaidhelp.com

C) Noise controlling
D) Frame filtering (100% Sure)

Q7: Which of the following statement is true regarding Jitter?
A) Jitter is used for variance in transmission delays.
B) Jitter can occur when a packet is delayed.
C) Jitter is significance for voice, video and data
D) All of the obove (100% Sure)

Q8: Which of the following is a benifit of source independence?
A) It allows fast and efficient routing
B) Packet switch do not need to have complete information about all destinations
C) Network functions even if topology changes
D) All of the above (100% Sure)

Q9: The term signaling is used to describe _____.
A) Communication about the internet
B) Communication about the extranet
C) Communication about the network (100% Sure)
D) None of above

Question No: 1
No error detection scheme is perfect because transmission errors can affect the additional information as well as the data.

► **True**
► False

Question No: 2
------ Program sends a message to a remote computer and reports whether the computer responds.

► **Ping**
► Traceroute
► ICMP
► Non of the given

Question No: 3 ---------- was especially concerned about the lack of high powered computers.

0304-1659294
www.vulmshelp.com

► **ARPA (Computer Networks and Internets, page5)**
► IEEE
► EIA
► Non of the given

Question No: 4
The term--------- is used to denote the definition of a packet used with a specific type of network.
► Packet
► **Frame (Computer Networks and Internets, page 73)**
► Data
► None of the given

Question No: 5
Computer networks are often called---------- because they use packet technology.

► Ethernet
► Switch networks
► **Packet networks (Computer Networks and Internets, page 73)**
► None of the given

Question No: 6
---------- have advantages arisen from the size and ease of computation.

► CRC
► **Parity (Page 19)**
► Checksums
► None of given

Question No: 7
Most LANs that employ ring topology use an access mechanism known as-------

► CSMA/CD
► CSMA/CA
► **TOKEN PASSING (Computer Networks and Internets, page95)**
► None of the given

Question No: 8 (M a r k s: 1)
IEEE LLC/SNAP header is--------, which is used to specify the type of data.

► **8 octets**
► 8 bytes
► 8 bits
► None of the given

0304-1659294
www.vulmshelp.com

Question No: 9
Formally named informally known as the twisted pair Ethernet or TP Ethernet.

► 10 Base 2
► 10 Base 5
► **10 Base T (Page 43)**
► None of the given

Question No: 10
An interface for twisted pair Ethernet must have an connector , and must generate signals according to the specification.

► **RJ-45, 10 Base T (Computer Networks and Internets, page 126)**
► RJ-45, 10 Base 5
► BNC, 10 Base 2
► BNC, 10 Base T

Question No: 11
A bridges function in the layers(s).

► **Physical (MAC)**
► Data link
► Network
► Physical (MAC) and Data link

Question No: 12
A Bridge can

► Filter a frame
► Forward a frame
► Extend a LAN
► **Do all the above**

Question No: 13
A Bridge forwards or filters a frame by comparing the information in its address table to the frame's

► Layer 2 source address
► Source node's physical address
► **Layer 2 destination address**
► Layer 3 destination address

Question No: 14

0304-1659294
www.vulmshelp.com

computes shortest paths in a graph by using weights on edges as a measure of distance.

► Greedy algorithm
► Distance vector algorithm
► **Dijksta's algorithm (Computer Networks and Internets, page112)**
► Non of the given

Question No: 15

is used for audio and video, since these have predefined maximum data rates

► **Constant Bit Rate (CBR) service (Page 71)**
► Variable Bit Rate (VBR) service
► Available Bit Rate (ABR) service
► None of the given

Question No: 16

Unlike Frame Relay and ATM, SMDS (Switched multi-megabit Data service) offers .

► **Connectionless service paradigm (Computer Networks and Internets, page112)**
► Connection oriented service paradigm
► Both Connectionless and Connection-oriented service paradigm
► None of the given

Question No: 17

A network with throughput T and delay D has a total of bit in transit at any time.

► T / D
► **T x D (Computer Networks and Internets, page203)**
► T + D
► None of the given

Question No: 18

ATM is designed to work on .

► Twisted Pair
► Coaxial
► Radio Frequency
► **Fiber (Computer Networks and Internets, page 72)**

Question No: 19

Computers attached to an Ethernet use ------ in which a computer waits for the ether to be idle before transmitting a frame.

► **CSMA/CD (Computer Networks and Internets, page 93)**

0304-1659294
www.vulmshelp.com

► CSMA/CA
► TOKEN PASSING
► None of the given

Question No: 20
FDDI can transmits data at a rate of ----------

► **100 million bits per second (Page 314)**
► 10 million bits per second
► 1000 million bits per second
► None of the given

Question No: 21
In Point-to-Point topology there are two topologies.

► Star and Tree
► Tree and Ring
► Star and Ring
► **Star and Tree (Page 5)**
► None of the given

Question No: 22
------ Program sends a message to a remote computer and reports whether the computer responds.

► **Ping (Computer Networks and Internets, page9)**
► Traceroute
► ICMP
► Non of the given

Question No: 23
------ has no way to determine the cause of the problem.

► ICMP
► **Ping (Computer Networks and Internets, page 11)**
► Trace route
► Non of the given

Question No: 24
The term ----------refers to the general concept of a small block of data

► **Packet (Page 16)**
► Frame
► Data

0304-1659294
www.vulmshelp.com

► None of the given

Question No: 25

---------- scheme, which is designed to help detect transmissions errors, send one extra bit of information with each character

► **Parity (Computer Networks and Internets, page 77)**
► Checksums
► CRC
► None of given

Question No: 26

Local Talk is a LAN technology that employs ----------

► **Bus topology (Page 30)**
► Ring topology
► Star topology
► None of the given

Question No: 27

Most LANs that employ ring topology use an access mechanism known as-------

► CSMA/CD
► CSMA/CA
► **TOKEN PASSING (Computer Networks and Internets, page95)**
► None of the given

Question No: 28

Ethernet uses a-------bit static addressing scheme in which each device is assigned a unique address by the manufacturer.

► 64
► **48 (Computer Networks and Internets, page 109)**
► 32
► 8

0304-1659294
www.vulmshelp.com

Question No: 29
Formally named informally known as the thick wire Ethernet or Thick net.

► 10 Base 2
► **10 Base 5 Computer Networks and Internets, page 120)**
► 10 Base T
► None of the given

Question No: 30
Formally named informally known as the twisted pair Ethernet or TP Ethernet.

► 10 Base 2
► 10 Base 5
► **10 Base T (Page 43)**
► None of the given

Question No: 31
The maximum size of an Ethernet segment is

► 250 meters
► **500 meters (Page 27)**
► 700 meters
► None of the given

Question No: 32
A Bridge can

► Filter a frame
► Forward a frame
► Extend a LAN
► **Do all the above**

Question No: 33
computes shortest paths in a graph by using weights on edges as a measure of distance.

► Greedy algorithm
► Distance vector algorithm
► **Dijksta's algorithm (Computer Networks and Internets, page112)**

0304-1659294
www.vulmshelp.com

Question No: 34

is used for compressed audio and video where the data rate depends on the level of compressionthat can be achieved.

► Constant Bit Rate (CBR) service
► **Variable Bit Rate (VBR) service (Page 71)**
► Available Bit Rate (ABR) service
► None of the given

Question No: 35

Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a .

► **Connectionless service paradigm (Computer Networks and Internets, page112)**
► Connection-oriented service paradigm
► Both Connectionless and Connection-oriented service paradigm
► None of the given

Question No: 36

The product of delay and throughput measures the of data that can be present on the network.

► Area
► **Volume (Page 80)**
► Length
► None of the given

Question No: 37

A network with throughput T and delay D has a total of bit in transit at any time.

► T / D
► **T x D (Computer Networks and Internets, page203) rep**
► T + D
► None of the given

Question No: 38

One repeater two repeaters the maximum cable length limitation.

► **doubles, triple (Page 49)**
► square roots, cude roots

0304-1659294
www.vulmshelp.com

► and, triple
► doubles, cancel

Question No: 39
A network uses a------- if all computers attach to a central point

► **Star Topology (Page 25)**
► Ring Topology
► Bus Topology
► None of the given

Question No: 40
Computers attached to an Ethernet use------- in which a computer waits for the other to be idle before
transmitting a frame.

► **CSMA/CD (Computer Networks and Internets, page 93)**
► CSMA/CA
► TOKEN PASSING
► None of the given

0304-1659294
www.vulmshelp.com

AL-JUNAID TECH INSTITUTE

Virtual University	CS610- COMPUTER NETWORKING (SOLVED MCQs) FROM MIDTERM PAPERS LECTURE (1-22)	VU LMS HELP vulmshelp.com
BC190202640@vu.edu.pk Junaidfazal08@gmail.com	For More Visit: vulmshelp.com	JUNAID MALIK (0304-1659294)

AL-JUNAID TECH INSTITUTE

1. In Cyclic Redundancy Checking, CRC is _____.

a. Divisor
b. Quotient
c. Remainder page 20
d. Dividend

2. The satellite or radio topology in which all computers are connected to each other via satellite or radio wave is a kind of

a. Broadcast network page 5
b. Point-to-Point network

3. Which of the following two operations are performed by Ethernet CD?

I. It monitors outgoing signals.
II. Grabbled signal is interpreted as a collision.
III. Signals are sent back to the sender.

a. I and III
b. II and IV
c. II and III
d. I and II page 28

4. The process of forwarding a packet is called _____.

a. Routing page 58
b. Processing
c. Hierarchical Addressing
d. Source Addressing

4. Which statement is correct about Network Interface Card (NIC)?

I. NIC contains sufficient hardware to process data independent of system CPU
II. NIC looks like any other I/O device to system CPU III. NIC also receives interrupt on incoming data.

a. I and II
b. II and III
c. I and III
d. All of the given options page 40

5. While transmitting data from source A to destination B, 4 bits are changed during the transmission then the error is a _____.

a. Burst error page 22

b. Single error

c. Double error

d. Logic error

6. The switch that has no attached computers is called _____.

a. Packet Switch

b. Exterior Switch

c. Interior Switch page 59

d. External Switch

7. _____ is the most popular wiring scheme because of lowest cost.

a. 5 Base T

b. 10 Base T page 43

c. 100 base T

d. 1000 base T

8. In _____ technique, all members of the network can send data only on the specific time slot?

a. CDMA

b. FDMA

c. CSMA page 43

d. TDMA

9. If a sender with a 100 Megabit NIC and receiver with 10 Megabit NIC wants to communicate with each other at which speed they can communicate?

a. 100 Megabit page 40

b. 110 Megabit

c. 1000 Megabit

d. 10 Megabit

9. Missing _____ in a frame format indicates receiving computer missed beginning of the message.

a. eot

b. soh page 16

c. sot

d. eoh

10. 1The _____ of errors is easier than the _____ of errors.

a. correction; detection

b. detection; correction cs601 handouts

c. correction; creation

d. detection; manipulation

0304 1659294

10. 1The _____ of errors is difficult than the _____ of errors.
a. correction; detection google
b. detection; correction
c. correction; creation
d. detection; manipulation

11. 1Source Independence phenomenon allows fast and efficient _____.
a. Source Addressing
b. Routing
c. Packet Switching page 58
d. Store and forward

12. 1In distributed route computation process each packet switch computes its routing table locally and sends messages to the _____.
a. Router
b. Graph
c. Neighbors page 63
d. WAN

13. The ___ layer of the OSI model takes the data from the physical layer and perform error checking.
a. Transport
b. Data link google
c. Application
d. Presentation

14. 1 CBR stands for _____.
a. Constant Byte Rate
b. Constant Bit Rate
c. Connection break Recovery
d. Constant Borrow Rate

15. 1A network that uses _____ usually consist of a single long cable to which computer attach.
a. Star Topology
b. Ring Topology
c. Bus Topology page 26
d. Bus and Ring Topology

16. If simultaneous transmission occurs, the frames interfere with each other and this phenomenon is called _____.
a. packet loss
b. collision page 28
c. delayed transmission
d. coordination

16. In _____ all computers are attached to a central hub a. Ring topology
    b. Star topology page 31
    c. Hub topology
    d. Bus topology
17. For adding a new computer in a point to point network _____new connection will be required
    a. N
    b. N-1 page 23
    c. N-2
    d. 2n
18. 1The fastest Ethernet hardware operates at a rate of _____
    a. 1000 bps
    b. 100 Mbps page 27
    c. 10 Mbps
    d. 1000 Mbps
18. Which of the following the benefit to point to point communication? a. Quick to configure
    b. Security implementation page 23
    c. Cost
    d. Less availability
19. 1 ATM offers _____speed and _____delay
    a. High, High
    b. High, low page 72
    c. Low, low
    d. Low, high
20. 1Thick Ethernet is known as _____
    a. 10 Base 2
    b. 10 Base 5 google
    c. 10 Base T
    d. 10 Base 10
21. Both interior and exterior switches _____packet and they also need routing tables.
    a. Create
    b. Delay
    c. Forward page 59
    d. Start

0304 1659294

-

22. _____is the rate at which data can be sent through the network
    a. Throughput page 79
    b. Propagation delay
    c. Access delay
    d. Switching delay
23. In a ping command, small –sized information packets of _____are sent.
    a. TCP
    b. UDP
    c. ICMP page 11
    d. IGMP
24. Many WANs use _____addressing of efficiency
    a. Sequence
    b. Forward
    c. Hierarchical page 56
    d. Sequential
25. Which of the following is not a function of ping commends?
    a. Local computer network issue
    b. Congestion in the network
    c. Relay nodes page 11
    d. Remote host availability
26. Packet switched can be linked together to form a _____
    a. LAN
    b. WAN page 56
    c. Bridge
    d. None of the given option
27. Fixed network is a type of network which is classified with repect to the _____factor
    a. Size
    b. Connectivity
    c. Medium
    d. Mobility page 6
28. Parity bit can detect _____error(s)
    a. 4
    b. 3
    c. 2 page 19 (even or odd)
    d. 1

0304 1659294

29. When we will try to connect to the internet which of the following protocol will be used?
    a. Telnet
    b. TCP/IP page 84
    c. ICMP
    d. IPx
30. How many computers are mandatory to form a network?
    a. 1
    b. 2 google
    c. 4
    d. 8
31. _____ is standard wireless LAN that uses radio signals at 2.4GHz.
    a. IEEE 803.16
    b. IEEE 802.15
    c. IEEE 802.3
    d. IEEE 802.11 page 29
32. LAN interface hardware obeys _____ access rule.
    a. CSMA/CD page 34
    b. Round robin
    c. First come first served
    d. High priority
33. The most important task a bridge performs is _____.
    a. Packet switching
    b. Line controlling
    c. Noise controlling
    d. Frame filtering page 50
34. ATM uses small, fixed-sized packets called cells and each cell has _____ octets.
    a. 47
    b. 52
    c. 53 page 66
    d. 55
36. _____ can't be guaranteed with variable length packets as easily as it can with fixed length cells.
    a. Errors
    b. Noise
    c. Quality of Service page 72
    d. None of the given

-

37. Which multiplexing technique transmits digital signals?
    a. WDM
    b. FDM
    c. TDM page 15
    d. GSM
38. Connections in Asynchronous transfer mode are called _____.
    a. Virtual channels page 67
    b. Virtual Path Identifier
    c. Cells
    d. Cell tax
39. A _____ is a device that combines multiple signals and forwards into a single line.
    a. Modem
    b. Multiplexer page 41
    c. Repeater
    d. Layer 3 Switch
40. _____ is inflexible.
    a. Routing
    b. Searching
    c. Processing
    d. Static routing page 62
41. If a hub is used to connect many computers in a LAN, then only _____ computers can communicate at a given time.
    a. Three
    b. Two page 54
    c. Four
    d. One
42. _____ is the term used for variance in transmission delays.
    a. Friction
    b. Segment
    c. Checksum
    d. Jitter page 66
43. _____ is also called self healing network.
    a. ATM
    b. FDDI
    c. Token Ring page 46
    d. Frame relay

44. _____ and _____ are the two frame types.
    a. Internal and external
    b. Single and dual
    c. Implicit and explicit
    d. Multicast and broadcast page 35
45. Bluetooth uses shared medium and _____ instead of coaxial cable.
    a. Radio waves page 29
    b. Infrared waves
    c. Micro waves
    d. Low frequency waves
46. Which of the following is not a guided medium?
    a. Twisted-pair cable
    b. Fiber-optic cable
    c. Atmosphere google
    d. Coaxial cable
47. As a result of ARPA research, the first network was established which was named as _____.
    a. INTERNETWORKING
    b. ARPNET
    c. ARPANET page 9
    d. PACKET NETWORK
48. Asynchronous transfer mode (ATM) can dynamically establish a _____.
    a. Switched virtual circuit page 70
    b. Virtual connection identifier
    c. Virtual path indicator
    d. None of the given options
49. A typical port on an ATM switch operates at _____ or _____ higher.
    a. OC-2 speed (155Gbps)
    b. OC-2 speed (1000Mbps)
    c. OC-3 speed (155Mbps) page 72
    d. OC-3 speed (100Gbps)
50. 10Base-T Ethernet is often called a _____.
    a. ring shaped star
    b. ring shaped bus
    c. star shaped bus page 46
    d. star shaped ring

0304 1659294

-

51. _____ allows automatic updates.
    a. Dynamic routing page 62
    b. Static routing
    c. Routing
    d. Default routing
52. Handling variable length packets leads to memory _____.
    a. Fragmentation page 72
    b. Management
    c. Location
    d. Allocation
53. In order to forward a copy of frame, the bridge uses _____ address.
    a. Network
    b. Destination page 51
    c. IP
    d. Source
54. We may use _____ to extend local area network.
    a. Bridge, Router
    b. Bridge, Hub, Router
    c. Bridge, Hub, Repeater page 149
    d. Bridge, Hub, Repeater, Router
53. All of the given options are the types of delay except _____.
    a. Propagation
    b. Access
    c. Throughput page 79
    d. Queuing
54. While computing shortest path in a graph, next hop information is inserted into _____.
    a. Routing table page 62
    b. Trailer
    c. Header
    d. Register
55. LAN interface uses _____ to copy frame data directly from main memory
    a. DMA page 34
    b. FDDI
    c. Hard disk
    d. Flash

0304 1659294

-

56. The Gigabit Ethernet hardware operates at a rate of _____.
    a. 10 Mbps
    b. 100 Mbps
    c. 1000 Mbps reference book page 263
    d. 1000 Gbps

57. In the early resource sharing era, which resources were shared among users?
    a. Computation page 9
    b. Floppy Drives
    c. Hard Disk
    d. Printers

58. If two buildings are located far from each other then bridge, and _____ can be used to connect two LAN.
    a. Optical fiber page 51
    b. Ethernet modem
    c. Switch
    d. NIC

59. Which type of network consists of wireless connection of laptops in a university classroom?
    a. WAN
    b. MAN
    c. Fog
    d. LAN google

60. A typical bridge has _____.
    a. One NIC, a CPU a memory and a ROM.
    b. Two NICs, a CPU a memory and a ROM. page 50
    c. RAM, ROM and CPU.
    d. A cache memory, ROM and CPU.

61. _____ is used for compressed audio and video, where the data rate depends on the level of compression that can be achieved.
    a. Constant Bit Rate
    b. Stable Bit Rate
    c. Variable Bit Rate page 71
    d. Available Bit Rate

62. There are _____ types of data stuffing.
    a. 1
    b. 2 page 17
    c. 0
    d. 5

0304 1659294

-

63. Dijkstra's algorithm can accommodate weights on _____ in graph.
    a. Nodes page62
    b. Edges
    c. Path
    d. Connections
64. _____ masks your IP address.
    a. Firewall
    b. Antivirus
    c. VPN
    d. Incognito mode
65. Static routing computes routing table information at _____ time.
    a. Load
    b. Boot page 62
    c. Execute
    d. One
66. _____ was the first automated tool required to see whether the given computer is online or not.
    a. Probing program
    b. PING program page 11
    c. status program
    d. None of the above
67. In which type of error detection, the arithmetic sum is calculated before and after the transmission of data at both communication ends?
    a. CRC
    b. Party
    c. Checksum page 19
    d. Hash Function
68. Computer sends a connection request to the _____ to which it is attached while establishing a switched virtual circuit
    a. Bridge
    b. Switch page 70
    c. VPI
    d. Virtual circuit
69. The bridges communicate with each other on the network and use _____ algorithm to decide which bridge will not forward frames if a cycle occurs.
    a. Djikstra
    b. Shortest path first
    c. Vector distance
    d. Distributed Spanning Tree page 53

0304 1659294

70. Ethernet uses a _____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.
    a. 64
    b. 48
    c. 32
    d. 16
71. Weights on graph edges reflect cost of _____.
    a. Nodes
    b. Traversing edge page 63
    c. Trending edge
    d. Path
72. A _____ relies on the hardware manufacturer to assign a unique physical address to each network interface.
    a. Static addressing scheme page 34
    b. Configurable addressing scheme
    c. Dynamic addressing scheme
    d. None of the given
73. In _____ topology, if the switch goes down all the computers will be disconnected.
    a. Star
    b. Ring
    c. Bus
    d. Mesh
74. Which type of network consists of wired computers in a university classroom?
    a. MAN
    b. PAN
    c. WAN
    d. LAN
75. If you as a network administrator want to know the traffic flow of your data while communicating with a remote computer which of the following will be used to know about intermediate routers?
    a. Ipconfig
    b. Ping page 11
    c. Traceroute
    d. Arp
76. Hardware address is also called _____.
    a. Physical address
    b. Logical address
    c. IP address
    d. Port address

0304 1659294

77. Thick Ethernet also requires _____ to avoid signal reflectance.
    a. Transceivers
    b. AUI cable
    c. Drop cable
    d. Terminators page 41
78. Which of the following network is using the TCP/IP model globally?
    a. PAN
    b. SAN
    c. LAN
    d. The Internet
79. VPNs connections are sometimes called _____.
    a. Tunnels page 75
    b. Open networking
    c. Routing
    d. Public network
80. To reduce _____ computers can be connected and distributed to a number of hubs, then the hubs can be connected to a switch.
    a. Costs page 54
    b. Quality
    c. Efficiency
    d. Noise
81. If a _____ is used the communication between two computers will not affect the other pair of computers and they can communicate at the same time
    a. Hub
    b. Switch page 54
    c. Repeater
    d. Amplifier
82. The length of hardware address is _____.
    a. One to ten bytes
    b. One to five bytes
    c. One to six bytes page 34
    d. One to seven bytes
83. A network analyzer is also called _____.
    a. Network manager
    b. Network administrator
    c. Network monitor page 37
    d. Network

0304-1659294

84. No any error detection scheme is perfect because transmission errors can affect _____.
   a. Data
   b. Additional Information
   c. Additional information & data google
   d. Transmission medium

85. The token ring network topology is a ring but wiring topology is a _____.
   a. Star page 44
   b. bus
   c. tree
   d. mesh

86. _____ addresses are used in an ethernet frame.
   a. IP page 99
   b. Port
   c. Logical
   d. MAC

87. AUI cable connects from NIC to _____.
   a. BNC Connector
   b. RJ-45 Connector
   c. Transceiver page 41
   d. Terminator

88. Public networks are _____.
   a. More secure than LAN
   b. Flexible page 74
   c. Limited in boundary
   d. Intranet

89. The maximum cable length of a LAN is fixed because _____.
   a. Additional hardware are not suitable for the LAN extension.
   b. The electrical signal level gets weaker as it travels. Page 48
   c. Additional software are not suitable for the LAN extension
   d. The electrical signal level gets stronger as it travels.

90. In _____.network topology is separated from route computation.
   a. Local area
   b. Link-state routing page 64
   c. Static routing
   d. Dynamic routing

91. Which layer of the OSI Model directly communicates and controls the transmission medium:

a. Transmission
b. Physical
c. Application
d. Network

92. In _____ technique data is treated as a sequence of integers and their arithmetic sum is computed and the carry bits are added to the final sum.

a. CRC
b. Bit stuffing
c. Checksum page 19
d. 2D Parity

93.A network with _____ jitter takes more time to deliver some packets than others.

a. Zero
b. High page 80
c. Low
d. Moderate

94. A network uses _____ to arrange computers in a single closed loop.

a. Star Topology
b. Mesh Topology
c. Ring Topology page 25
d. Bus Topology

95. Which of the following tasks is not done by the second layer of the OSI model?

a. Flow control
b. Framing
c. Channel coding google
d. Error control

96. ATM is a single technology designed to meet the goals of both _____ and _____.

a. LAN & PAN
b. LAN & WAN page 66
c. LAN & MAN
d. MAN & WAN

97. LAN and WAN are classified according to their _____.

a. Size page 4
b. Connectivity
c. Medium
d. Mobility

0304 1659294

98. The identifier that is used for data transfer in the virtual circuit network is called _____.

a. Virtual circuit identifier
b. Global address
c. Network identifier
d. IP identifier

99. In Direct point to point communication adding the Nth computer requires _____ new connections

e. N^2
f. N-1
c. (N^2 -N)/2 page 23
d. N (N-1)

100. Which of the following is the correct function of bridge?

a. MTU path discovery
b. Byte stuffing
c. Routing information
d. Filtering and forwarding a frame page 50, 51

Point to point topology is

a. Size based
b. Mobility based
c. Connectivity based page 5
d. Medium based

101. IEEE LLC / SNAP header is _____which is used to specify the type of date.

a. 8 octets google
b. 16 octets
c. 32 octets
d. 64octets

102. IEEE LLC / SNAP header is _____which is used to specify the type of date.

a. CRC
b. Bit stuffing
c. Checksum
d. 2D Parity

103. What is the largest network in existence?

a. The internet google
b. A PAN
c. A Fog
d. Edge Network

0304 1659294

-

104. The frame format of any LAN technology must consists of ____ and___-

a. Payload and CRC
b. Frame header and CRC
c. Payload and Frame type
d. Frame header and payload page 36

105. _____ can occur a LANs when a packet is delayed because the network is busy

a. Jitter page 66
b. Loop
c. Deadlock
d. variance

106. Which of the following cannot be used to extend a LAN?

a. Repeaters
b. Switches
c. Routers
d. Fiber modems

107. Links-state algorithm is used in _____

- **RIP**
- **IGRP**
- **RIPv2**
- **OSPF page 64**

108. **According to size, there are ___classifications of networks**

a. 2 page 2
b. 3
c. 4
d. 5

108. In which topology terminators are used at the end of the cable?

a. Star
b. Bus
c. Ring
d. Mesh

109. 1Switch simulates a _____LAN connecting segments

e. Single
f. Single shared
c. Bridged page 54
d. Complex

110. 1PVS stands for _____

a. Permanent virtual circuit page 69
b. Private virtual circuit
c. Public virtual circuit

0304 1659294

-

d. Plastic virtual circuit

111. Hardware that calculates a CRC used two simple components _____

a. AND unit and XOR Unit

b. Shift register and XOR unit page 20

c. Shift register & AND unit

d. Shift register and Shift XCR unit

112. Thin ethernet is known as _____

a. 10 base 2 google

b. 10 base 5

c. 10 base T

d. All of the above

113. If a sender with a 1 Gigabit NIC and receiver with 100 Megabit NIC wants to communicate with each other than at which speed they can communicate

a. 11 Megabit

b. 100 Megabit

c. 1 Gigabit

d. 1.1 Gigabit

114. _____ is used as an alternative of packet for a specific computer network technology

e. Datum

f. Token

g. Ether

d. Frame page 14

115. The sharing of a medium and its link by two or more devices is called ____

a. Modulation

b. Encoding

c. Multiplexing

d. Line discipline

116. The topology each computer is connected to a central hub is called

e. Ring topology

b. Star topology page 5

c. Tree topology

d. Mesh topology

117. Asynchronous transfer mode (ATM) is designed to work on fiber but can be used with _____

a. wireless

b. Twisted pair page 72

c. Wifi

d. Bluetooth

118. The basic responsibility of NIC is _____
a. To access medium network
b. To resource allocation
c. To access memory
d. All of the given option
119. 1Frame relay is ____
a. Connection oriented service page 64
b. Connectionless service
c. Typically ranges for 5 Mbps to 1000Mbps
d. Call based
120. The length of time required to send a variable length packet is ____
a. 5 second
b. Variable page 72
c. Constant
d. Fix
121. ABR stands for _____
a. Asynchronous bit rate
b. Asynchronous byte recovery
c. Asynchronous bit redundancy
d. Available bit rate page 71
122. In Token Ring, if all computers are ready to transmit it enforces _____access
a. First come first served
b. Round Robin page 30
c. Shorter delay
d. Last come first served
123. The Ethernet standard specifies that frames are sent using the _____scheme.
a. Differential Manchester
b. Not Return to Zero (NR2)
c. Manchester Encoding page 27
d. Return to Zero (RZ)
124. ATM uses the concept of _____.
a. Connection-oriented page 66
b. Connection-less
c. variable packet size
d. Fixed and variable packet size

124. 1Which of the following is a benefit of point to point communication?

a. Quick to configure

b. Security implementation

c. Cost

d. Less availability

125. _____ is not used to extend LAN.

e. Hub

f. Fiber modem

g. Repeater

h. Bridge

126. Which types of VPNs are used for corporate connectivity across companies residing in different geographical locations?

i. Remote access VPNs

j. Peer-to-peer VPNs

k. Country-to-country VPNs

d. Site-to-site VPNs google

127. Star topology is the kind of

- Tree topology
- b. Point-to-point topology page 05
- Broadcast topology
- Ring topology

127. In a _____ state, a bridge allows simultaneous use of each segment.

- Ready
- Steady
- Final
- Startup

128. The network occupies larger areas like cities & countries is called

- LAN
- WAN
- MAN
- All of the above

129. In link state routing _____ send link-state information about local connections.

- Bridges
- Switches
- Routers
- Hubs

-

130. Transmission media are usually categorized as _____.
- Guided or unguided
- Fixed or unfixed
- Determinate or indeterminate
- Metallic or nonmetallic

131. Even parity can be used to check for _____ bit/ bits of errors.
- a. 1 page 18
- 2
- 3
- 0

132. Routing table entries can be _____ with a default route.
- Collapsed
- Redirected
- Emerged
- Guaranteed

133. The system administrator must coordinate to avoid the conflict in _____ hardware addressing scheme.

a. Static
b. Dynamic
c. Configurable
d. Fixed

134. _____ network does not depend on CSMA/CD.
- Ethernet
- Fast Ethernet
- Gigabit Ethernet
- Wireless

135. Which of the following technologies can extend the diameter of LAN medium?
- Fiber optic
- Repeater
- Diameter of LAN medium is not extendable
- Both. Fiber optic and Repeaters

136. Connections are formed in Asynchronous transfer mode by starting values in_____ in ATM switches, as opposed to making actual electrical connections.
- Heap
- Stack
- Virtual Circuit
- d. Memory locations page 67

137. The _____ scheme must be reliable to prevent conflicts. a. Static
b. Dynamic page 34
c. Configurable
d. Fixed
138. Metropolitan area network is used for _____.
a. City page 55
b. Building
c. Country
d. Continent
139. Which addressing can be only used in the local area networks?
- a. IP google
- Physical
- Port
- Protocol

139. The sharing of a _____ among the workers in an office is a goal of resource sharing.
a. Mouse
b. Printer page 9
c. Keyboard
d. Motherboard
140. ATM uses fixed size, small cells, 48 octet's data and _____.
a. 3 Octets header
b. 5 Octets header page 65
c. 6 Octets header
d. 7 Octets header
141. Which of the followings is not an advantage of framing?
a. Missing eot indicates sending computer crashed
b. Missing soh indicates receiving computer missed beginning of message
c. Delimiters do not contain any user data page 16
d. Bad frame is discarded
142. The _____ field of Ethernet frame has the purpose of receiver synchronization.
a. Preamble page 36
b. Frame Type
c. Data
d. CRC

Q1: Internet Standards Specifies that any two stations cannot be separated by more than _____ Repeaters.

A) Three
B) Four (100% Sure)
C) Five
D) Six

Q2: A typical port on an ATM switch operates at _____ or higher.
A) OC-2 speed (155Gbps)
B) OC-2 speed (1000Mbps)
C) OC-3 speed (155Mbps) (100% Sure)
D) OC-3 speed (100Gbps)

Q3: Ethernet uses a _____ bit static addressing scheme in which each device is assigned a unique address by the manufacturer.
A) 64
B) 48 (100% Sure)
C) 32
D) 8

Q4: Which one is incorrect statement?
A) Hub wiring centralizes electronics and connections. It makes management easier.
B) No Transceiver allows computer to be powered off or disconnected from network without distracting other communication. (100% Sure)
C) Transceiver may be located in an inconvenient place in any situation
D) None of these

Q5: ATM is also called _____.
A) Label rewriting
B) Label switching system
C) label rewriting and label switching system
D) All of above (100% Sure)

Q6: The most important task a bridge performs is _____.
A) Packet switching
B) Line controlling

C) Noise controlling
D) Frame filtering (100% Sure)

Q7: Which of the following statement is true regarding Jitter?
A) Jitter is used for variance in transmission delays.
B) Jitter can occur when a packet is delayed.
C) Jitter is significance for voice, video and data
D) All of the obove (100% Sure)

Q8: Which of the following is a benifit of source independence?
A) It allows fast and efficient routing
B) Packet switch do not need to have complete information about all destinations
C) Network functions even if topology changes
D) All of the above (100% Sure)

Q9: The term signaling is used to describe _____.
A) Communication about the internet
B) Communication about the extranet
C) Communication about the network (100% Sure)
D) None of above

Question No: 1
No error detection scheme is perfect because transmission errors can affect the additional information as well as the data.

► **True**
► False

Question No: 2
------ Program sends a message to a remote computer and reports whether the computer responds.

► **Ping**
► Traceroute
► ICMP
► Non of the given

Question No: 3 ---------- was especially concerned about the lack of high powered computers.

► **ARPA (Computer Networks and Internets, page5)**
► IEEE
► EIA
► Non of the given

Question No: 4
The term--------- is used to denote the definition of a packet used with a specific type of network.
► Packet
► **Frame (Computer Networks and Internets, page 73)**
► Data
► None of the given

Question No: 5
Computer networks are often called---------- because they use packet technology.

► Ethernet
► Switch networks
► **Packet networks (Computer Networks and Internets, page 73)**
► None of the given

Question No: 6
---------- have advantages arisen from the size and ease of computation.

► CRC
► **Parity (Page 19)**
► Checksums
► None of given

Question No: 7
Most LANs that employ ring topology use an access mechanism known as-------

► CSMA/CD
► CSMA/CA
► **TOKEN PASSING (Computer Networks and Internets, page95)**
► None of the given

Question No: 8 (M a r k s: 1)
IEEE LLC/SNAP header is-------- , which is used to specify the type of data.

► **8 octets**
► 8 bytes
► 8 bits
► None of the given

Question No: 9
Formally named informally known as the twisted pair Ethernet or TP Ethernet.

► 10 Base 2
► 10 Base 5
► **10 Base T (Page 43)**
► None of the given

Question No: 10
An interface for twisted pair Ethernet must have an connector , and must generate signals according to the specification.

► **RJ-45, 10 Base T (Computer Networks and Internets, page 126)**
► RJ-45, 10 Base 5
► BNC, 10 Base 2
► BNC, 10 Base T

Question No: 11
A bridges function in the layers(s).

► **Physical (MAC)**
► Data link
► Network
► Physical (MAC) and Data link

Question No: 12
A Bridge can

► Filter a frame
► Forward a frame
► Extend a LAN
► **Do all the above**

Question No: 13
A Bridge forwards or filters a frame by comparing the information in its address table to the frame's

► Layer 2 source address
► Source node's physical address
► **Layer 2 destination address**
► Layer 3 destination address

Question No: 14

computes shortest paths in a graph by using weights on edges as a measure of distance.

► Greedy algorithm
► Distance vector algorithm
► **Dijksta's algorithm (Computer Networks and Internets, page112)**
► Non of the given

Question No: 15

is used for audio and video, since these have predefined maximum data rates

► **Constant Bit Rate (CBR) service (Page 71)**
► Variable Bit Rate (VBR) service
► Available Bit Rate (ABR) service
► None of the given

Question No: 16

Unlike Frame Relay and ATM, SMDS (Switched multi-megabit Data service) offers .

► **Connectionless service paradigm (Computer Networks and Internets, page112)**
► Connection oriented service paradigm
► Both Connectionless and Connection-oriented service paradigm
► None of the given

Question No: 17

A network with throughput T and delay D has a total of bit in transit at any time.

► T / D
► **T x D (Computer Networks and Internets, page203)**
► T + D
► None of the given

Question No: 18

ATM is designed to work on .

► Twisted Pair
► Coaxial
► Radio Frequency
► **Fiber (Computer Networks and Internets, page 72)**

Question No: 19

Computers attached to an Ethernet use ------ in which a computer waits for the ether to be idle before transmitting a frame.

► **CSMA/CD (Computer Networks and Internets, page 93)**

0304 1659294

► CSMA/CA
► TOKEN PASSING
► None of the given

Question No: 20
FDDI can transmits data at a rate of ----------

► **100 million bits per second (Page 314)**
► 10 million bits per second
► 1000 million bits per second
► None of the given

Question No: 21
In Point-to-Point topology there are two topologies.

► Star and Tree
► Tree and Ring
► Star and Ring
► **Star and Tree (Page 5)**
► None of the given

Question No: 22
------ Program sends a message to a remote computer and reports whether the computer responds.

► **Ping (Computer Networks and Internets, page9)**
► Traceroute
► ICMP
► Non of the given

Question No: 23
------ has no way to determine the cause of the problem.

► ICMP
► **Ping (Computer Networks and Internets, page 11)**
► Trace route
► Non of the given

Question No: 24
The term ----------refers to the general concept of a small block of data

► **Packet (Page 16)**
► Frame
► Data

► None of the given

Question No: 25

---------- scheme, which is designed to help detect transmissions errors, send one extra bit of information with each character

► **Parity (Computer Networks and Internets, page 77)**
► Checksums
► CRC
► None of given

Question No: 26

Local Talk is a LAN technology that employs ----------

► **Bus topology (Page 30)**
► Ring topology
► Star topology
► None of the given

Question No: 27

Most LANs that employ ring topology use an access mechanism known as-------

► CSMA/CD
► CSMA/CA
► **TOKEN PASSING (Computer Networks and Internets, page95)**
► None of the given

Question No: 28

Ethernet uses a-------bit static addressing scheme in which each device is assigned a unique address by the manufacturer.

► 64
► **48 (Computer Networks and Internets, page 109)**
► 32
► 8

0304 1659294

Question No: 29

Formally named informally known as the thick wire Ethernet or Thick net.

► 10 Base 2
► **10 Base 5 Computer Networks and Internets, page 120)**
► 10 Base T
► None of the given

Question No: 30

Formally named informally known as the twisted pair Ethernet or TP Ethernet.

► 10 Base 2
► 10 Base 5
► **10 Base T (Page 43)**
► None of the given

Question No: 31

The maximum size of an Ethernet segment is

► 250 meters
► **500 meters (Page 27)**
► 700 meters
► None of the given

Question No: 32

A Bridge can

► Filter a frame
► Forward a frame
► Extend a LAN
► **Do all the above**

0304 1659294

Question No: 33

computes shortest paths in a graph by using weights on edges as a measure of distance.

► Greedy algorithm
► Distance vector algorithm
► **Dijksta's algorithm (Computer Networks and Internets, page112)**

Question No: 34

is used for compressed audio and video where the data rate depends on the level of compressionthat can be achieved.

► Constant Bit Rate (CBR) service
► **Variable Bit Rate (VBR) service (Page 71)**
► Available Bit Rate (ABR) service
► None of the given

Question No: 35

Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a .

► **Connectionless service paradigm (Computer Networks and Internets, page112)**
► Connection-oriented service paradigm
► Both Connectionless and Connection-oriented service paradigm
► None of the given

Question No: 36

The product of delay and throughput measures the of data that can be present on the network.

► Area
► **Volume (Page 80)**
► Length
► None of the given

Question No: 37

A network with throughput T and delay D has a total of bit in transit at any time.

► T / D
► **T x D (Computer Networks and Internets, page203) rep**
► T + D
► None of the given

0304 1659294

Question No: 38

One repeater two repeaters the maximum cable length limitation.

► **doubles, triple (Page 49)**
► square roots, cude roots

► and, triple
► doubles, cancel

Question No: 39
A network uses a------- if all computers attach to a central point

► **Star Topology (Page 25)**
► Ring Topology
► Bus Topology
► None of the given

Question No: 40
Computers attached to an Ethernet use-------in which a computer waits for the other to be idle before
transmitting a frame.

► **CSMA/CD (Computer Networks and Internets, page 93)**
► CSMA/CA
► TOKEN PASSING
► None of the given

0304 1659294

Cs610

Computer Network

Most Repeated Subjective Midterm

- Midterm Short Notes
- Final Term Short Notes
- Mid Term Past Paper
- Final Term Past Paper
- Mega File
- Important Question
- Repeated Question
- Solved Past Paper
- Moaz & Waqar
- Accurate Assignment
- Quiz File
- Accurate GDB
- Current Paper
- Vu New Update

Subscribe Youtube Channel To Get More Post

https://youtube.com/channel/UC_Ar-KkTPqjaljUX2LimmOQ

Cs601 Midterm Repeated Question

https://youtu.be/JVduGJr3tmA

Short Question

Question No 1

Define Vector-Distance Algorithm?

Answer

Packet switches wait for next update message and they iterate through entries in message. If entry has shortest path to destination, insert source as next hop to destination and record distance as distance from next hop to destination plus distance from this switch to next hop.

Question No 2

CLASSIFICATION OF NETWORKS

Answer

Computer networks are classified by four factors which are as follow:

1) BY SIZE:
2) BY CONNECTIVITY:
3) BY MEDIUM:
4) BY MOBILITY:

Question No 3

Define static and dynamic routing?

Answer

Static Routing

Static routing is the simplest form of routing, but it is a manual process.

Dynamic Routing

Dynamic routing protocols are supported by software applications running on the routing device (the router) which dynamically learn network destinations and how to get to them and also advertise those destinations to other routers.

Learning With A&I

Question No 4

How many uses of CRC hardware Component?

Answer

CRC uses just two hardware components:

• Shift register

• Exclusive OR (XOR unit)

Question No 5

What is 10base T?

Answer

One of several adaptations of the Ethernet (IEEE 802.3) standard for Local Area Networks (LANs). The 10Base-T standard (also called Twisted Pair Ethernet) uses a twisted-pair cable with maximum lengths of 100 Meters.

Question No 6

What is Multicasting?

Answer

It works like broadcasting however it does not forward frames automatically to the CPU. The interface hardware is programmed in advance to accept certain frames that have multicast address as the destination address.

Question No 7

Difference between EXPLICIT FRAME TYPE and IMPLICIT FRAME TYPE?

Answer

IMPLICIT FRAME TYPE:

In implicit frame the receiver must infer from frame data.

EXPLICIT FRAME TYPE:

In this type the identifying value is included with frame describes types of included data.

Learning With A&I

Question No 8

What is FDDI?

Answer

Fiber distributed data interconnect (FDDI) is another ring technology. Its most important features are:

- It uses fiber optics between stations and transmits data at 100Mbps.
- It uses pair of fibers to form two concentric rings.

Question No 9

Defines simplex and full duplex connection?

Answer

Some connection-oriented technologies provide full duplex while other allow on simplex connection. To communicate using a simplex design a pair of computers must establish two connections one from computer A to computer B and another from computer B to A.

Question No 10

How WAN capable to handle many computers?

Answer

A Wide Area Network (WAN) is a telecommunication network that covers a broad area.

Question No 11

Briefly explains the working structure of thick Ethernet. Marks 2

Answer

It uses thick coax cable. AUI cable (or transceiver or drop cable) connects from NIC to transceiver. AUI cable carries digital signal from NIC to transceiver. The transceiver generates analog signal on coax cable. The wires in AUI carry digital signals power and other control signals. Thick Ethernet also requires terminators to avoid signal reflectance.

Learning With A&I

Question No 12

What type of topology used in Ethernet?

Answer

Traditional Ethernet employs a bus topology, meaning that all devices or hosts on the network use the same shared communication line.

Question No 13

Define Auto Negotiation?

Answer

100Base-T technology is backward compatible and allows the participants to negotiate a speed when connection is established. This process is known as auto negotiation.

Question No 14

Difference between LAN and WAN?

Answer

In LAN network occupies the smaller area like a room a floor or a building.

In WAN, network occupies larger areas like cities & countries. Internet is a Wide Area Network.

Question No 15

Who examine performance of network?

Answer

Performance is probably the most closely monitored operational feature by users in the network environment

Question No 16

How can we compute shortest path in WAN?

Answer

We use Djikstra's algorithm to compute shortest path from each node to every other node.

Learning With A&I

Question No 17

Where are destination and source address located in frame?

Answer

The packet header includes destination and source addresses.

Question No 18

If 100mbps Ethernet NIC is connected to a hub which supports 10mbps, what will be the data rate in this scenario?

Answer

This has two consequences. First, the hub does not necessarily create a broadcast medium. Second, there are no collisions between traffic on 10 Mbps ports and 100 Mbps ports.

Question No 19

In connection oriented network, which type of connection identifier is used? Support your answer with example?

Answer

ATM uses the concept of connection-oriented networking.

Question No 20

Network administrator needs audio and video service for his network. He has to send or receive data at same data rate. Which type of ATM quality service specification would be applied there? Give example?

Answer

To facilitate the transport of audio and video data across emerging Asynchronous Transfer Mode (ATM) networks, a simple, low cost, audio/video ATM appliance, the AVATAR, has been developed. This appliance is capable of handling uncompressed bidirectional audio and NTSC video connections.

Learning With A&I

Question No 21

Network administrator wants to build a tunnel between sites offices. How will he build using private virtual network?

Answer

To establishes a private network that can send data securely between these two locations or networks through a “tunnel.” A VPN tunnel connects the two PCs or networks and allows data to be transmitted over the Internet as if it were still within those networks.

Question No 22

Define bridge?

Answer

A bridge is a hardware device also used to connect two LAN segments to extend a LAN. A typical bridge has two NICs, a CPU a memory and a ROM. It only runs the code stored in its ROM.

Question No23

Disadvantages of Repeaters?

Answer

Repeaters do not recognize frame formats, they just amplify and retransmit the electrical signal. If a collision or error occurs in one segment, repeaters amplify and retransmit also the error onto the other segments.

Question No 24

What is meant by Bridges STARTUP and STEADY State?

Answer

When a bridge first boots the address lists are empty (start up state). The bridge forwards frames to the other segment if it can not find its destination address in its lists.

After some time when the bridge has received at least one frame from every computer, it has the lists built (steady state) it forwards frames as far it is necessary.

Learning With A&I

Question No 25

How can Switched Virtual Network be established?

Answer

ESTABLISHING AN SVC:

The computer sends a connection request to the switch to which it is attached. Software in the switch finds a network path to the destination and sends along the connection request.

Each pair of switches in the path communicates to choose a VPI/VCI for their tables. Once the connection is established by the destination, a message is sent back to the originating computer to indicate the SVC is ready.

If any switch or the destination computer does not agree to setting up the VC, an error message is sent back and the SVC is not established

Question No 26

What is the concept of store and forward technology?

Answer

STORE AND FORWARD

Data delivery from one computer to another is accomplished through store and forward technology. In this technology packet switch stores incoming packet and also forwards that packet to another switch or computer. For this purpose packet switch has internal memory into which it can hold packet if outgoing connection is busy. Packets for each connection held on queue

Question No 27

Give a comparison of wiring Schemes?

Answer

The wiring schemes are compared as follows:

Separate transceiver allows computers to be powered off or disconnected from network without disrupting other communication.

Transceiver may be located in an inconvenient place, so finely malfunction transceiver can be hard.

Learning With A&I

In other case, thin coax cable takes minimum of cable. Disconnecting one computer (on one loose connection) can disrupt entire network.

Hub wiring centralizes electronics and connections. It makes management easier. Bottom line 10Base-T is most popular because of lowest cost.

Long Questions

Learning With A&I

Question No 1

Define 802.11 Wireless lans and CSMA?

Answer

IEEE 802.11 is standard wireless LAN that uses radio signals at 2.4GHz. Its data rate is 11Mbps. The older devices use radio signals at 900MHz and data rate of 2Mbps. Bluetooth specifies a wireless LAN for short distances. It uses shared medium and radio waves instead of coaxial cable.

Question No 2

Describe permanent virtual circuits (PVC)?

Answer

ATM can provide customers with virtual circuits that look like traditional leased digital circuits. Such permanent virtual circuits (PVC) last as long as the customer pay the periodic fee for its use. The forwarding tables are automatically restored after power of equipment failure. The forwarding table entries for such permanent VC's are statically configured, the terms used by Telco's for this is provisioning.

Provisioning requires two steps:

1. To determine a complete path (that is, identify the switches that will be used).
2. To choose appropriate VPI/VCI for each step in the path, and configure each adjacent pair of switches (easy, snce each switch rewrites the VCI/VPI).

Question No 3

How can a bridge know whether to forward frames?

Answer

The bridges configure themselves automatically to decide which bridge will forward broadcast frames and which bridge will not.

The bridges communicate with each other on the network and use Distributed Spanning Tree (DST) algorithm to decide which bridge will not forward frames if a cycle occurs.

Question No 4

What is the concept of packet switches?

Answer

To span long distances or many computers, networks must replace shared medium with packet switches. Each switch moves an entire packet from one connection to another. That's why they are called packet switches. A packet switch consists of a small computer with network interfaces, a memory and a program dedicated to packet switching function.

Question No 5

Write a note on Weight Graph?

Answer

Djikstra's algorithm can accommodate weights on edges in graph. The shortest path is then the path with lowest total weight (sum of the weight with all edges). It should be noted that the shortest path is not necessarily with fewest edges (or hops)

Question No 6

Different b/w Cells and Packets?

Answer

ATM designers chose cells over packets because of the following reasons:

• Cells are not variable length and memory management for them is simpler. Handling variable length packets leads to memory fragmentation.

Learning With A&I

• Variable length packets require hardware to accommodate the largest possible packet, and thus to detect the end of the packet. With cells bits can just be counted as they arrive.

• The length of time required to send a variable length packet is variable and requires complicated interrupt scheme to detect completion of transmission. QoS can't be guaranteed with variable length packets as easily as it can with fixed length cells.

Question No 7

Why ATM design chose cells over packet?

Answer

• Cells are not variable length and memory management for them is simpler. Handling variable length packets leads to memory fragmentation.

• Variable length packets require hardware to accommodate the largest possible packet, and thus to detect the end of the packet. With cells bits can just be counted as they arrive.

• The length of time required to send a variable length packet is variable and requires complicated interrupt scheme to detect completion of transmission. QoS can't be guaranteed with variable length packets as easily as it can with fixed length cells.

Question No 8

What type of switching technique is used in WAN?

Answer

WANs can use circuit-switching or packet-switching techniques. To span long distances or many computers, networks must replace shared medium with packet switches. Each switch moves an entire packet from one connection to another. That's why they are called packet switches.

Question No 9

Star Textile has huge network of systems and switches. A task is given to IT Officer that if some link goes the entire network works smoothly. Which routing method will be use? 5 marks

Answer

Distributed routing method is better for this purpose because Distributed routing relies on each node to compute its own routing table and build the required connections with its neighbors.

Learning With A&I

Ideally, the network operation, status, and architecture of each node is transparent. Distributed routing is more flexible than centralized routing because each node handles its own routing. The result is often improved system performance.

Question No 10

We have two satellite locations, at first location one bridge is configured and at second location 2 bridges are configured. Which location performed will be faster? Give reason. (3 marks)

Answer

Satellite locations with two bridges configured will performed faster. The brigade also had to provide power to virtually all of its East Timor assets. Setting up the satellite system, for example, required supplying power to both the communications station and the users' computers. A bridge that has multiple ports is known as a networking switch. Both bridges and switches are capable of directing traffic to specific network addresses instead of broadcasting the data to all devices on a network segment. This functionality makes the bridge or switches a more advanced networking device over a hub or repeater.

Question No 11

Define Data Stuffing?

Answer

In general to distinguish between data being sent and control information such as frame delimiters network systems arrange for the sending side to change the data slightly before it is sent because systems usually insert data or bytes to change data for transmission, the technique is known as Data Stuffing.

Question No 12

How many Categories of Wires?

Answer

CATEGORIES OF WIRES:

Cable used for wiring should match the following:

• The intended data rate

Learning With A&I

- The distance between devices
- The amount of em-noise
- Anticipated future needs
- Cost

Question No 13

What is Simplex and full Duplex Connection?

Answer

SIMPLEX & FULL DUPLEX CONNECTION:

Some connection-oriented technologies provide full duplex while other allow on simplex connection. To communicate using a simplex design a pair of computers must establish two connections one from computer A to computer B and another from computer B to A.

Learning With A&I

Cs610 Midterm Repeated Question

آپ سب سے گزارش ہے پلیز دعاؤں میں یاد رکھیں

مزید ایسی پوسٹ حاصل کرنے کیلئے ہمارا یوٹیوب چینل سبسکرائب کریں

اللہ پاک آپ سب کو اور مجھے اپنے مشن میں کامیابی عطا فرمائے۔۔۔آمین

- Short Notes
- Important Question
- Repeated Question
- Final term
- Mid term
- Current Paper
- Moaz Past Solved Paper

- Waqar Siddu Past Solved Paper
- Solved Paper
- Past Paper
- Quiz File
- Assignment
- GDB
- VU News Update

Channel Link

https://youtube.com/channel/UC_Ar-KkTPqjaljUX2LimmOQ

Or Search on Youtube Learning With A&I

Subscribe Channel And Get More Post

For More Help Contact 03131778082