



Easy to learn with M. Zeeshan 🍁

@easytolearnwithm.zeeshan · 10.8K subscribers · 494 videos

Assalam o alaikum 🍷 ...more

whatsapp.com/channel/0029VakCijnBqbr6wqv0Bg3U and 2 more links

🔔 Subscribed ▾

LMS HANDLING SERVICE AVAILABLE SPECIAL DISCOUNT FOR NEW STUDENTS

our services

Assignment

quiz

gdb

lecture watching

complete or half lms handling

projects


plagiarism checker

internship reports

past papers

Handouts

thesis etc



open 24 hours

ORDER NOW

MORE INFORMATION

03135610637

@easytolearnwithm.zeeshan

STA301 FINAL TERM QUIZ 5 2025

JOIN OUR WHASTAPP CHANNEL FOR CURRENT PAPERS AND MORE UPDATES

[CLICK HERE TO JOIN](#)


STA301 – Statistics and Probability (Quiz 5)

Question # 1 of 10 (Start time: 11:06:43 AM, 12 January 2025)

Suppose $H_0: \mu_1 = \mu_2$ and $H_1: \mu_1 < \mu_2$ and Critical value is $z = -1.645$. If calculated value of $Z = -2.08$, then what will be your conclusion?

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☐ | Accept H_0 |
| ☐ | None of the above |
| ☐ | Impossible to decide |
| ☒ | Reject H_0 |



Question # 2 of 10 (Start time: 11:07:16 AM, 12 January 2025)

Which one of the following provides the basis for hypothesis testing?

Select the correct option

- | | |
|----------------------------------|------------------------|
| ☒ | Null hypothesis |
| ☐ | Alternative hypothesis |
| ☐ | Test-statistic |
| ☐ | Critical value |

Question # 3 of 10 (Start time: 11:08:05 AM, 12 January 2025)

Accept H_0/H_0 is false, is the _____.

Select the correct option

- | | |
|----------------------------------|-------------------|
| ☐ | None of the above |
| ☐ | Type I error |
| ☐ | Correct decision |
| ☒ | Type II error |

Question # 4 of 10 (Start time: 11:08:40 AM, 12 January 2025)

Total Marks: 1

An experiment was conducted to estimate the mean yield of a new variety of wheat. A sample of 20 plots gave a mean yield of 2.9, and a 95% confidence interval of (2.48, 3.32) . This means:

Select the correct option

- | | |
|----------------------------------|--|
| ☒ | We are 95% confident that the true mean yield of this variety is between 2.48 and 3.32 |
| ☐ | We are sure the true mean yield of this new variety is between 2.48 and 3.32. |
| ☐ | We are 95% confident that the true mean yield of this variety is 2.9 |
| ☐ | None of these |

Question # 5 of 10 (Start time: 11:09:28 AM, 12 January 2025)

If we are testing $H_0: \mu_1 - \mu_2 = 10$ against $H_1: \mu_1 - \mu_2 < 10$. Then rejection region will be:

Select the correct option

- | | |
|----------------------------------|------------------------|
| ☐ | on both sides of $Z=0$ |
| ☒ | on left side of $Z=0$ |
| ☐ | in Center |
| ☐ | on right side of $Z=0$ |

Question # 6 of 10 (Start time: 11:10:21 AM, 12 January 2025)

A null hypothesis is generally denoted by:

Select the correct option

☒	H0
☐	H1
☐	H2
☐	H3

Question # 7 of 10 (Start time: 11:10:49 AM, 12 January 2025)

The proportion of working females in Pakistan is at most 0.40, the Null Hypothesis is $H_0 : P \leq 0.40$. then the alternative hypothesis H_1 is

Select the correct option

☐	$P = 0.40$
☐	none of these
☒	$P > 0.40$
☐	$P < 0.40$

Question # 8 of 10 (Start time: 11:11:21 AM, 12 January 2025)

Probability of making type II error is represented by:

Select the correct option

☒	β
☐	$1-\beta$
☐	$1-\alpha$
☐	α

Question # 9 of 10 (Start time: 11:11:44 AM, 12 January 2025)

The test statistic to test the $\mu_1 = \mu_2$ (μ represent the mean of population) for normal population for $n < 30$ when population variance is unknown

Select the correct option

☐	Z-Test
☒	T-Test
☐	F-Test
☐	All of the above

JOIN OUR WHATSAPP CHANNEL FOR MORE UPDATES

[CLICK HERE TO JOIN](#)