

Question # 10 of 10 (start time: 10:14:29 AM, 11 November 2024)

Total Marks: 1

A Composite key is an extended form of a _____

Select the correct option

 Reload Math Equations


☐	Super key
☐	Primary key
☐	Foreign key
☒	Candidate key

 Saving...

Question # 9 of 10 (start time: 10:14:15 AM, 11 November 2024)

Total Marks: 1

The following entity relationship diagram represents the _____ relationship.



Select the correct option

Reload Math Equations

☒	One to many
☐	Many to many
☐	Many to one
☐	One to one

Saving...

A _____ is a minimal identifier that is used to identify tuples uniquely.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-------------|
| ☒ | Primary key |
| ☐ | Foreign key |
| ☐ | Super key |
| ☐ | Sub key |

 Saving...

Question # 7 of 10 (Start time: 10:12:46 AM, 11 November 2024)

Total Marks:

_____ can be called as Alternate Key.

Select the correct option

 Reload Math Equations

☐	Super key
☒	Candidate key
☐	Foreign key
☐	Primary key

Saving...

Question # 6 of 10 (Start time: 10:11:29 AM, 11 November 2024)

Total Marks: 1

A _____ is an attribute that refers to a primary key of same or different relation to form a link (constraint) between the relations.

Select the correct option

 Reload Math Equations

☐	Subtype key
☐	Super key
☐	Candidate key
☒	Foreign key

 Saving...

Question # 5 of 10 (Start time: 10:10:49 AM, 11 November 2024)

Total Marks: 1

A referential integrity constraint is a statement that limits the values of the _____ to those already existing as primary key values in the corresponding relation.

Select the correct option

 Reload Math Equations

☒	Foreign key
☐	Super key
☐	Subtype key
☐	Candidate key

Saving...