
A
Matched exposure ($\mathbb{E}[k] = 3$):
variability, not amount, buys knowledge
posterior SD of efficacy, SD[p | D]
variance of the design, Var(k)
fixed {3}
{2,4}
{1,5}
uniform 0..6
{0,6}
B
Every bit of self-knowledge
is paid for in risk
$|\mathbb{E}[p \mid D] - p^*|$
harm rate
fixed {3}
{2,4}
{1,5}
{0,6}
uniform 0..6
C
Matched on severity, those who vary
know their own efficacy better
SD[p | D]
behavioural variability Var(k)
low severity, $r = -0.29$
mid severity, $r = -0.29$
high severity, $r = -0.25$
severity (mean k)
D
What predicts how accurate
someone ends up about themselves
adjusted R^2 for $|\mathbb{E}[p \mid D] - p^*|$
within severity strata:
$r(\mathrm{Var}(k), \mathrm{SD}[p]) = -0.29$ ($\bar{k}$=1.8)
$r(\mathrm{Var}(k), \mathrm{SD}[p]) = -0.29$ ($\bar{k}$=2.6)
$r(\mathrm{Var}(k), \mathrm{SD}[p]) = -0.25$ ($\bar{k}$=3.7)
0.48
0.49
n.s.
0.49
n.s.
0.63
$p < 10^{-6}$
$\mathbb{E}_0[p]$
(where they started)
+ severity
+ Var(k)
+ EIG(π)