

OpenAI、Anthropic官方提示工程最佳实践

本文综合 OpenAI 和 Anthropic 官方文档，系统梳理提示词工程的核心原则与实用技巧
适用对象：AI研究者、开发者、以及希望提升AI交互效率的所有用户

一、什么是 Prompt Engineering?

Prompt（提示词） 是触发大语言模型（LLM）响应的输入文本。

Prompt Engineering（提示词工程） 是设计和优化输入提示词，使模型输出更符合预期的技术与方法。

Prompt Engineering 的核心思想：**把指令放在前面，让模型清楚知道你要什么。**

二、OpenAI 官方提示工程最佳实践

来源：[Best practices for prompt engineering with the OpenAI API](#)

核心原则

- ✅ 以下六条原则是 OpenAI 官方推荐的最佳实践，适用于所有使用 OpenAI API 或 ChatGPT 的用户

1. 使用最新模型

新版模型通常更易于提示工程。OpenAI 建议优先使用最新、最强大的模型。

2. 指令放前面，用分隔符隔开上下文

❌ Less effective:

代码块

```
1 Summarize the text below as bullet points. {text input here}
```

✅ Better:

代码块

```
1 Summarize the text below as a bullet point list of the most important points.
2
3 Text: ""
4 {text input here}
5 ""
```

3. 具体、详细、明确

✗ Less effective:

代码块

```
1 Write a poem about OpenAI.
```

✓ Better:

代码块

```
1 Write a short inspiring poem about OpenAI, focusing on the recent DALL-E
  product launch (DALL-E is a text to image ML model) in the style of {famous
  poet}.
```

4. 通过示例展示期望格式

✗ Less effective:

代码块

```
1 Extract the entities mentioned in the text below. Extract the following 4
  entity types: company names, people names, specific topics and themes.
```

✓ Better:

代码块

```
1 Extract the important entities mentioned in the text below.
2
3 Desired format:
4 Company names: <comma_separated_list>
5 People names: <comma_separated_list>
6 Specific topics: <comma_separated_list>
7 General themes: <comma_separated_list>
8
9 Text: {text}
```

5. 从 Zero-shot 开始，必要时用 Few-shot

代码块

```
1   Zero-shot:
2  Extract keywords from the below text.
3  Text: {text}
4  Keywords:
5
6   Few-shot - 给出示例:
7  Extract keywords from the texts below.
8  Text 1: Stripe provides APIs that web developers can use to integrate payment
9  processing into their websites and mobile applications.
10 Keywords 1: Stripe, payment processing, APIs, web developers, websites
11
12 Text 2: OpenAI has trained cutting-edge language models that are very good at
13 understanding and generating text.
14 Keywords 2: OpenAI, language models, text processing, API
15
16 Text 3: {text}
17 Keywords 3:
```

6. 说"要做什么"，不说"不要做什么"

 **Less effective:**

代码块

```
1  The following is a conversation between an Agent and a Customer. DO NOT ASK
   USERNAME OR PASSWORD. DO NOT REPEAT.
```

 **Better:**

代码块

```
1  The following is a conversation between an Agent and a Customer. The agent
   will attempt to diagnose the problem and suggest a solution, whilst refraining
   from asking any questions related to PII. Instead of asking for PII, such as
   username or password, refer the user to the help article
   www.samplewebsite.com/help/faq.
```

三、Anthropic 官方提示工程最佳实践

核心原则

💡 Anthropic 的核心观点：**Be explicit and clear**. 现代AI模型对精确的、无歧义的指令响应极好。你越具体，结果越好。

1. 明确且清晰 (Be Explicit and Clear)

告诉模型你**真正想看到什么**。越精确越好。

2. 提供上下文和动机 (Provide Context and Motivation)

解释**为什么**这件事重要，帮助模型更好地理解你的目标，给出更有针对性的回答。

3. 示例很重要 (Examples Matter)

当解释概念或展示特定格式时，示例是必要的。现代模型（如 Claude 4.x）对示例中的细节非常敏感。

确保示例符合你期望的行为模式，避免模型学习到不想鼓励的模式。

4. 预填充 AI 响应 (Prefilling)

这是一种高级技巧：你可以**为AI开头它的响应**，从而引导格式、语气或结构。

适用场景：

- 强制输出特定格式（如 JSON）
- 跳过前言直切主题
- 控制回话风格

5. 现代模型更推荐 Extended Thinking，而非手动 CoT

Anthropic 明确指出：**Extended Thinking（扩展思考）**功能通常优于手动 **Chain-of-Thought（思维链）**提示。

代码块

```
1  # 不推荐（老方法）：
2  Let me think through this step by step.
3  1. First, I need to...
4
5  # 推荐（新方法）：
6  Use high reasoning effort for this task.
```

6. 其他实用技巧

技巧	说明
说做什么，不说不要做	正面指令比负面指令更有效
Prompt Chaining	复杂任务拆分为多个步骤，每个prompt处理一个阶段
XML标签分隔	复杂多内容提示中，用XML标签明确内容边界
角色提示要通用	避免过度约束角色，让模型有一定灵活性

(注：内容由 AI 生成，请谨慎参考)