



















































POWERTOOL






POWER TOOLS	ITEM CODE	MODEL	DESCRIPTION
	S0200301	CDG100	Angle Grinder 4" Back switch Type Input Power : 820w Disc Diameter : 100mm No-load speed : 10000rpm
	S0200310	CDN100	Angle Grinder 4 1/2" Back switch Type Input Power : 860w Disc Diameter : 100mm No-load speed : 11500rpm
	S0200302	CDG100-A	Angle Grinder 4" Input Power : 850w Disc Diameter : 100mm No-load speed : 10000rpm
	S0200304	CDG115-A	Angle Grinder 4 1/2" Input Power : 850w Disc Diameter : 115mm No-load speed : 11500rpm
	S0200308	CDAG-100	Angle Grinder 4" Back switch Type Input Power : 810w Disc Diameter : 100mm No-load speed : 11500rpm
	S0200309	CDAG-115	Angle Grinder 4 1/2" Back switch Type Input Power : 830w No-load speed : 11500rpm
	S0200303	CDG180	Angle Grinder : 7" Input Power : 1800w Disc Diameter : 180mm
	S0200105	CDED10	Electric Drill Chuck size : 10mm Input Power : 460w
	S0200103	EID13	Impact Drill Chuck Size :13mm Input Power : 580w
	S0200104	HID13	Impact Drill Chuck Size :13mm Input Power : 750w Aluminium Housine
	S0200701	CDRHD800	Rottery Hammer Drilling diameter : 26mm Input Power : 800w
	S0200702	CDRHD800	Rottery Hammer Drilling diameter : 26mm Input Power : 800w
	S0200503	CDRH1200	Rottery Hammer Drilling diameter : 26mm Input Power : 1200w
	S0200501	CDDH1200	Rottery Hammer Drilling diameter : 26mm Input Power : 1200w
	S0200504	CDDH1200	Demolition Hammer Impact Joules : 12J Input Power : 1200w
	S0200502	CDDH1500	Demolition Hammer Impact Joules : 55J Input Power : 1700w
	S0200802	300W	Plam Sander Rated Voltage : 220-240V Rated input power : 300W Rated Frequency : 50-60Hz No-load speed : 16500r/min Sandpaper Size : 110x100mm

















POWER TOOLS	ITEM CODE	MODEL	DESCRIPTION
	S0203501	ES400	Sander Input Power : 400w No-load Speed : 14000r/min Pad size : 90x180mm
	S0203001	EB600	Electric Blower Speed control Type Input Power : 600w No-load speed : 0-13000r/min
	S0200901	CDWT470	Wood Trimmer Collet Size : 1/4" Input power : 580w
	S0200902	600W	Wood Trimmer Rated Voltage : 220V Rated input power : 600W Rated Frequency : 50-60Hz
	S0201102	CDR2100	Router Collet Size : 1/2" Input Power : 2200w
	S0201101	CDR2100	Router Collet Size : 1/2" Input Power : 2200w
	S0201301	CDJS650	Jig Saw Input power : 650w Max Diameter : 65mm
	S0201302	CD630 - (NEW)	Jig Saw Input power : 630w Max Diameter : 65mm
	S0201002	620W	Planer Rated Voltage : 220V Rated input power : 620W Cutter head diameter : 82mm Rated Frequency : 50-60Hz No-load speed : 16000r/min
	S0200202	CDC1500 - (NEW)	Circular saw - 7 1/4" Input Power : 1500w Blade size : 185mm
	S0201401	CDMC1300	Marble cutter Blade size : 110mm Input Power : 1300w No-load speed : 13000rpm
	S0200601	CDCP180	Policer Input Power : 1400w Disc size : 185mm
	S0200602	CDCP180	Policer Input Power : 1400w Disc size : 185mm
	S0203901	1100W	Paint Mixer Rated Voltage :220V Rated input power : 1100W Mixing paddle length : 120mm Rated Frequency : 50Hz No-load speed : 0-900r/min
	S0201601	CDMS1600	Miter saw : 10" Input Power : 1800w Blade size : 255mm
	S0201701	CDCS2300	Cutoff Machine : 14" Input power : 2300w Disc size : 355mm
	S02031001	HG2000	Heat Gun Input Power : 2000w Low temperature : 350c 20-350c High temperature : 650c 50-650c
	S0202201	CD10-20v	Cordless Drill Rated Voltage : 20v Chuck size : 10mm Torque : 0-40N.M
	S0202202	CID10-20v	Cordless Impact Drill Rated Voltage : 20v Chuck size : 10mm Torque : 0-80N.M




















POWER TOOLS	ITEM CODE	MODEL	DESCRIPTION
	S0202203	3A17-12v	Cordless Impact Drill 18650/1.5Ah*4 tortue : 0~25N gear: 25+1chuck : 0.8-10mm speed: 0-550/0-1350(r/min)
	S0202204	CID10-20v	Cordless Impact Drill Rated Voltage : 20v Chuck size : 10mm Torque : 0-80N.M
	S0202205	20V	Cordless Impact Drill Rated Voltage : 20v Chuck size : 10mm Torque : 0-80N.M
	S0203601	E/G Trimmer	Electric Grass Trimmer
	S0202109	24Ltr - 2HP	Air Compressor 24Ltr Direct Couple Motor Power : 2HP/ 1.5KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202101	24Ltr - 2HP	Air Compressor 24Ltr Direct Couple Motor Power : 2HP/ 1.5KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202117	24Ltr - 2HP	Air Compressor 24Ltr Direct Couple Motor Power : 2HP/ 1.5KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202102	40Ltr - 1HP	Air Compressor 40Ltr Motor Power : 1HP/ 0.75KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202118	40L - 1HP (NEW)	Air Compressor 40Ltr Motor Power : 1HP/ 0.75KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202103	60Ltr - 2 HP	Air Compressor 60Ltr Motor Power : 2HP/ 1.5KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202119	60L - 2HP (NEW)	Air Compressor 60Ltr Motor Power : 2HP/ 1.5KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202120	100L - 3HP (NEW)	Air Compressor - 100Ltr Motor Power : 3HP/ 2.2KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202114	100Ltr - 3HP	Air Compressor - 100Ltr Motor Power : 3HP/ 2.2KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202104	100Ltr - 3HP	Air Compressor - 100Ltr Motor Power : 3HP/ 2.2KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202105	200Ltr - 4 HP	Air Compressor - 200Ltr - Tribal Piston Motor Power : 4HP/ 3KW Voltage:240V/50-60HZ Max Pressure: 8 BAR
	S0202106	300Ltr - 7.5 HP	Air Compressor - 300Ltr - Tribal Piston Motor Power : 7.5HP/ 5.5KW Voltage:380V/50-60HZ (Three Phase) Max Pressure: 12.5 BAR
	S0202107	500Ltr - 10HP	Air Compressor - 500Ltr Electric Motor : 10HP/7.5KW 380V,50HZ,three-phase Piston Diameter: 090mm*2+065mm*1 Pressure : 12.5BAR/232PSi Capacity: 970L/min
	S0202108	500Ltr - 10HP	Air Compressor - 500L Electric Motor : 10HP/7.5KW 4P380V,50HZ, three-phase Piston Diameter: 0105mm*2+065mm*2 Pressure : 16BAR/232PSi Capacity: 1050L/min




POWER TOOLS	ITEM CODE	MODEL	DESCRIPTION
	S0202001	MMA-200	Welding Plant Model : MMA-200 Power : 200AMP Input Voltage: 220V
	S0202002	MMA-250	Welding Plant Model : MMA-250 Power : 250AMP Input Voltage: 220V
	S0202003	MMA-315	Industrial Welding Plant Model : MMA-315 Power : 315AMP Input Voltage: 220V
	S0202004	MMA-400	Industrial Welding Plant Model : MMA-400 Power : 400AMP Input Voltage: 220-380V
	S0202005	TIG-MMA 250	Industrial Welding Plant Model : MMA-400 Power : 400AMP Input Voltage: 220-380V
	S0201501	BG328A	Brush Cutter Engine : Single Cylinder, Air cooled, 2 Stroke Engine power: 30.5cc Tank Capacity: 1.2L
	S0201502	BG328A	Brush Cutter Engine : Single Cylinder, Air cooled, 2 Stroke Engine power: 30.5cc Tank Capacity: 1.2L
	S0900101	Mini Tiller	Engine Type : 1E44F-5 - 2 Stroke Engine Power : 1.7Kw Displacement : 52cc Tilling Width : 25cm Tilling Depth : 10 - 15cm
	S0900201	Earth Auger	Engine Type : Single Cylinder - 2 stroke Engine Power : 1.6kw Displacement : 48cc Bit : 1 Bit
	S0900202	Auger Bit	Bit Size : 200mm
	S0202804	70BAR	Model : 70Bar Input Power : 1200w Motor Type : Carbon Brush Motor Maximum Pressure : 7mpa Max flow : 6.5L/Min
	S0202801	QL - 280	Model : QL-280 Input Power : 1300w 100% Coper Winding Maximum Pressure : 8mpa Theory flow : 10L/Min
	S0202802	QL - 280	Model : QL-280 Input Power : 1300w 100% Coper Winding Maximum Pressure : 8mpa Theory flow : 10L/Min
	S0202805	SK - 580	Model : SK-580 Input Power : 2200w 100% Coper Winding Maximum Pressure : 80Bar Theory flow : 40L/Min
	S0202806	SK - 580	Model : SK-580 Input Power : 2200w 100% Coper Winding Maximum Pressure : 80Bar Theory flow : 40L/Min
	S0202601	PA-250/500	Model : PA-500 Motor Power : 930w Lifting Capacity : 250kg/ 500kg Lifting Height(m) : 20/10 Lifting speed (m/min) : 10/5
	S0202602	PA - 500/1000	Model : PA-1000 Motor Power : 2000w Lifting Capacity : 500kg/ 1000kg Lifting Height(m) : 20/10 Lifting speed (m/min) : 20/10
	S0202603	PA - 500/1000	Model : PA-1000 Motor Power : 2000w Lifting Capacity : 500kg/ 1000kg Lifting Height(m) : 30/15 Lifting speed (m/min) : 20/10
	S0202604	PA - 600/1200	Model : PA-1200L Motor Power : 2000w Lifting Capacity : 600kg/ 1200kg Lifting Height(m) : 20/10 Lifting speed (m/min) : 20/10

POWER TOOLS	ITEM CODE	MODEL	DESCRIPTION
	S0202605	PA - 600/1200	Model : PA-1200L Motor Power : 2000w Lifting Capacity : 600kg/ 1200kg Lifting Height(m) : 30/15 Lifting speed (m/min) : 20/10
	S0202903	PA-600/1200 Moving Hoist	Model : PA-1200L Motor Power : 2000w Lifting Capacity : 600kg/ 1200kg Lifting Height(m) : 20/10 Lifting speed (m/min) : 20/10
	S0202901	PA-500/1000 Small Electric Hoist	Model : PA-1000L Motor Power : 1800w Lifting Capacity : 500kg/ 1000kg Lifting Height(m) : 20/10 Lifting speed (m/min) : 20/10
	S0202902	Trolley	Hoist Trolley PA-600/1200
Chain Block 	S0500101	1 TON/ 3M	Chain Block Brand : VITAL Capacity : 1 Ton Lifting Length : 3 M
	S0500105	1 TON/ 5M	Chain Block Brand : VITAL Capacity : 1 Ton Lifting Length : 5 M
	S0500102	2 TON/3M	Chain Block Brand : VITAL Capacity : 2 Ton Lifting Length : 3 M
	S0500106	2 TON/5M	Chain Block Brand : VITAL Capacity : 2 Ton Lifting Length : 5 M
	S0500107	2 TON/10M	Chain Block Brand : VITAL Capacity : 2 Ton Lifting Length : 10M
	S0500103	3 TON/ 3M	Chain Block Brand : VITAL Capacity : 3 Ton Lifting Length : 3 M
	S0500108	3 TON/5M	Chain Block Brand : VITAL Capacity : 3 Ton Lifting Length : 5 M
	S0500109	3 TON/10M	Chain Block Brand : VITAL Capacity : 3 Ton Lifting Length : 10M
	S0500104	5 TON/3M	Chain Block Brand : VITAL Capacity : 5 Ton Lifting Length : 3 M
	S0500110	5 TON/ 5M	Chain Block Brand : VITAL Capacity : 5 Ton Lifting Length : 5 M
	S0500111	5 TON/ 10M	Chain Block Brand : VITAL Capacity : 5 Ton Lifting Length : 10 M
	S0500201	1 TON/ 3M	Chain Block Brand : DUBHE Capacity : 1 Ton Lifting Length : 3 M
	S0500205	1 TON/ 5M	Chain Block Brand : DUBHE Capacity : 1 Ton Lifting Length : 5 M
	S0500202	2 TON/ 3M	Chain Block Brand : DUBHE Capacity : 2 Ton Lifting Length : 3 M
	S0500206	2 TON/ 5M	Chain Block Brand : DUBHE Capacity : 2 Ton Lifting Length : 5 M

POWER TOOLS	ITEM CODE	MODEL	DESCRIPTION
Chain Block 	S0500207	2 TON/ 10M	Chain Block Brand : DUBHE Capacity : 2 Ton Lifting Length : 10M
	S0500203	3 TON/ 3M	Chain Block Brand : DUBHE Capacity : 3 Ton Lifting Length : 3 M
	S0500208	3 TON/ 5M	Chain Block Brand : DUBHE Capacity : 3 Ton Lifting Length : 5 M
	S0500209	3 TON/ 10M	Chain Block Brand : DUBHE Capacity : 3 Ton Lifting Length : 10 M
	S0500204	5 TON/ 3M	Chain Block Brand : DUBHE Capacity : 5 Ton Lifting Length : 3 M
	S0500210	5 TON/ 5M	Chain Block Brand : DUBHE Capacity : 5 Ton Lifting Length : 5 M
	S0500211	5 TON/ 10M	Chain Block Brand : DUBHE Capacity : 5 Ton Lifting Length : 10 M
Pellet Truck 	S0500301	2 TON	Pellet Truck Lifting Weidht : 2 Ton
	S0500303	2.5 TON	Pellet Truck Lifting Weidht : 2.5 Ton
	S0500302	3 TON	Pellet Truck Lifting Weidht : 3 Ton
Manual Stacker 	S0400102	1 TON/1000Kg	Capacity : 01 Ton/ 1000Kg Max Lifting height : 1600mm Mast height : 2040mm
	S0400103	2 TON/2000Kg	Capacity : 01 Ton/ 2000Kg Max Lifting height : 1600mm Mast height : 2040mm
Engine Hoist 	S04002001	2TON	Engine Hoist - 2Ton (Heavy Duty)
	S04002002	3TON	Engine Hoist - 3Ton (Heavy Duty)
RETCHET BELT 	S0500403	2 TON	RETCHET BELT 2 Ton Heavy duty Belt Size : 1" / 25mm
	S0500404	3 TON	RETCHET BELT 5 Ton Heavy duty Belt size : 1.5"/ 35mm
	S0500401	5 TON	RETCHET BELT 5 Ton Heavy duty Belt size : 2" / 50mm
	S0500402	10 TON	RETCHET BELT 10 Ton Heavy duty Belt size : 3" / 75mm

POWER TOOLS	ITEM CODE	MODEL	DESCRIPTION
	S0202401	FFC- 15	Model : FFC-15 Motor Power : 2hp / 1500w Output (h/kg) : Corn - 55kg
	S0202402	FFC- 23	Model : FFC-23 Motor Power : 5hp / 3000w Output (h/kg) : Corn - 180kg
	S0202404	9FC - 21	Model : 9FC - 21 (One short Machine) Motor Power : 3hp / 2200w Output (h/kg) : 250kg
	S0202403	9FC - 21	Model : 9FC - 21 (One short Machine) Motor Power : 3hp / 2200w Output (h/kg) : 250kg
	S0202504 A	9FC - 21	Model : 9FC - 21 (One short Machine) Motor Power : 3hp / 2200w Output (h/kg) : 250kg
	S0203401	WX-SU50 - 2"	Outlet/Inlet Size : 2" x 2" Speed RPM : 3600rpm Suction : 8m Delivery : 36m
	S0203402	WX-SU80 - 3"	Outlet/Inlet Size : 3" x 3" Speed RPM : 3600rpm Suction : 8m Delivery : 36m
	S0203403	WX-SU100 - 4"	Outlet/Inlet Size : 4" x 4" Speed RPM : 3600rpm Suction : 7m Delivery : 36m
	S0203404	WX-150150 - 6"	Outlet/Inlet Size : 4" x 4" Speed RPM : 3600rpm Suction : 6m Delivery : 25m
	S0203301	WP20D - 170F	Engine Model : WX-170F Pump Type : SP Suction (M) : 8M Delivery (M) : 26M Input/Output : 2" x 2"
	S0203302	WP30D - 178F	Engine Model : WX-178F Pump Type : SP Suction (M) : 8M Delivery (M) : 26M Input/Output : 3" x 3"
	S0203303	WP40D - 186F	Engine Model : WX-186F Pump Type : SP Suction (M) : 8M Delivery (M) : 26M Input/Output : 4" x 4"
	S0203701	CB-20	Model : CB20 Power : 300w Voltage : 12v - 24v
	S0203702	CB-30	Model : CB30 Power : 800w Voltage : 12v - 24v
	S0203703	CB-50	Model : CB50 Power : 1000w Voltage : 12v - 24v
	S0203801	VC24L	Vacuum Cleaner Wet & Dry - with Blower Tanc capacity : 24L Input power : 1500w
	S0203802	VC30L	Vacuum Cleaner Wet & Dry - With Blower Tanc capacity : 30L Input power : 1500w
	S0203803	VC100L	Vacuum Cleaner Wet & Dry Tanc capacity : 100L Input power : 4500w
	S0202301	0.5HP	Model : QB 60 Motor Power: 0.5Hp/ 0.37kw Inlet&Outlet : 1" x 1" Max Head: 40Mtr L/min - 40 Impeller : Brass
	S0202302	0.5HP	Model : CPM-130 Motor Power: 0.5Hp/ 0.37kw Inlet&Outlet : 1" x 1" Max Head: 23Mtr L/min - 90 Impeller : Stainer steel

POWER TOOLS	ITEM CODE	MODEL	DESCRIPTION
	S0202302-A	0.5HP	Model : CPM-130 Motor Power: 0.5Hp/ 0.37kw Inlet&Outlet : 1" x 1" Max Head: 23Mtr L/min - 90 Impeller : Stainer steel
	S0202303	0.8HP	Model : CPM-146 Motor Power: 0.8Hp/ 0.55kw Inlet&Outlet : 1" x 1" Max Head: 28Mtr L/min - 90 Impeller : Stainer steel
	S0202303-A	0.8HP	Model : CPM-146 Motor Power: 0.8Hp/ 0.55kw Inlet&Outlet : 1" x 1" Max Head: 28Mtr L/min - 90 Impeller : Stainer steel
	S0202304	1HP	Model : CPM-158 Motor Power: 1Hp/ 0.75kw - 1" x 1" Max Head: 36Mtr L/min - 100 Impeller : Stainer steel
	S0202304-A	1HP	Model : CPM-158 Motor Power: 1Hp/ 0.75kw - 1" x 1" Max Head: 36Mtr L/min - 100 Impeller : Stainer steel
	S0202305	2HP	Model : MHF/SAM Motor Power: 2Hp/ 1500kw Inlet&Outlet : 2" x 2" Max Head: 22.5Mtr L/min - 600 Impeller : Stainer steel
	S0202324	S/S Pump 1HP	Model : SCP-158 Motor Power: 1Hp/ 0.75kw Inlet&Outlet : 1 1/4" x 1" Max Head: 36Mtr L/min - 100
	S0202324-A	S/S Pump 1HP	Model : SCP-158 Motor Power: 1Hp/ 0.75kw Inlet&Outlet : 1 1/4" x 1" Max Head: 36Mtr L/min - 100
	S0202330	2HP	Model : MHF/SAM Motor Power: 2Hp/ 1500kw Inlet&Outlet : 2" x 2" Max Head: 22.5Mtr L/min - 600
	S0202325	3HP	Model : HM/6A Motor Power: 3Hp/ 2200kw Inlet&Outlet : 3" x 3" Max Head: 18.5Mtr L/min - 1300 Impeller : Stainer steel
	S0202323	Water pressure Pump - PS170 (Booster Pump)	Model - PS170 Motor power : 1/2hp - 0.37kw Input/Output : 1" x 1" Max Head : 40m
	S0202326	JET Pump	Model - JET100L Motor Power : 1hp / 0.75kw Input/Output : 1" x 1" Max head : 50M L/min : 60L
	S0202307	Garden Pump 0.5HP	Garden Submersible Pump Model : BDP 4004 Motor Power: 370w - 0.5HP Outlet : 1" Max Head: 7Mtr Motor: 100% Copper
	S0202308	Submersible Pump 1HP	Submersible Pump Model : QDX1.5-32-0.75 Motor Power : 750w - 1HP Outlet : 1" Max Head : 32Mtr Motor : 100% Copper
	S0202329	Submersible Pump 2HP	Model : SPA6-39/3-1.5AF Motor Power : 2hp / 1.5kw Diameter : 2" Max Head : 39m Motor : 100% Copper
	S0202310	Sewage Pump 1HP	Sewage Pump Model : WQD6-18-0.75 Motor Power: 1HP / 075kw Outlet - 2" Max Head: 19Mtr Motor: 100% Copper
	S0203201	WATER PUMP CONTROLLER	Power: 370W - 1100W Rated Voltage: 220V Frequency: 50/60Hz Max Current: 10A Starting Pressure: 1.5 Bar Max Working Pressure: 10 Bar Thread: 1" x 1" G1" Protection Rating: IP65 Cable: Rubber, 0.75mm ² 50cm power cable with plug +0.75mm ³ 30cm pump
	S0202328	Cutter Pump 2HP	Cutter Pump Model: V1500DF Motor Power : 2HP / 1.5kw Diameter : 2" Max Head : 14m Motor: 100% Copper
	S0202312	0.33HP	Model : - 3SDM 2/6 - 0.25 100% copper winding Motor : 0.33HP / 0.25kw - 220v Max immersion depth: 36m Impeller Stage - 6 well diameter - 3" Outlet - 1 1/4"

POWER TOOLS	ITEM CODE	MODEL	DESCRIPTION
Tubewell Pump 	S0202312-A	0.33HP	Model : - 3SDM 2/6 - 0.25 100% copper winding Motor : 0.33HP / 0.25kw – 220v Max immersion depth: 36m Impeller Stage – 6 well diameter – 3” Outlet - 1 1/4”
	S0202313	0.5HP	Model - 3SDM 3/8 - 0.37 100% copper winding Motor : 0.5HP / 0.37kw – 220v Max immersion depth: 48m Impeller Stage – 8 well diameter – 3” Outlet - 1 1/4”
	S0202313-A	0.5HP	Model - 3SDM 3/8 - 0.37 100% copper winding Motor : 0.5HP / 0.37kw – 220v Max immersion depth: 48m Impeller Stage – 8 well diameter – 3” Outlet - 1 1/4”
	S0202315	0.75HP	Model - 3SDM 3/10 - 0.55 100% copper winding Motor : 0.75HP / 0.55kw – 220v Max immersion depth: 58m Impeller Stage – 10 well diameter – 3” Outlet - 1 1/4”
	S0202315-A	0.75HP	Model - 3SDM 3/10 - 0.55 100% copper winding Motor : 0.75HP / 0.55kw – 220v Max immersion depth: 58m Impeller Stage – 10 well diameter – 3” Outlet - 1 1/4”
	S0202314	1HP	Model - 3SDM 4/11 - 0.75 100% copper winding Motor : 1HP / 0.75kw – 220v Max immersion depth: 66m Impeller Stage – 11 well diameter – 3” Outlet - 1 1/4”
Tubewell Pump 	S0202314-A	1HP	Model - 3SDM 4/11 - 0.75 100% copper winding Motor : 1HP / 0.75kw – 220v Max immersion depth: 66m Impeller Stage – 11 well diameter – 3” Outlet - 1 1/4”
	S0202331	1HP	Model - 3SDM 4/11 - 0.75 100% copper winding Motor : 1HP / 0.75kw – 220v Max immersion depth: 66m Impeller Stage – 11 well diameter – 3” Outlet - 1 1/4”
	S0202316	1.5HP	Model - 3SDM 4/20 - 1.1 100% copper winding Motor : 1.5HP / 1.1kw – 220v Max immersion depth: 105m Impeller Stage – 20 well diameter – 3” Outlet - 1 1/4”
	S0202316-A	1.5HP	Model - 3SDM 4/20 - 1.1 100% copper winding Motor : 1.5HP / 1.1kw – 220v Max immersion depth: 105m Impeller Stage – 20 well diameter – 3” Outlet - 1 1/4”
	S0202317	0.5HP	Model - 4SDM 5/8 - 0.37 100% copper winding Motor : 0.5HP / 0.37kw – 220v Max immersion depth: 39m Impeller Stage – 8 well diameter – 4” Outlet - 1 1/4”
	S0202317-A	0.5HP	Model - 4SDM 5/8 - 0.37 100% copper winding Motor : 0.5HP / 0.37kw – 220v Max immersion depth: 39m Impeller Stage – 8 well diameter – 4” Outlet - 1 1/4”
Tubewell Pump 	S0202318	0.75HP	Model - 4SDM 5/11 - 0.55 100% copper winding Motor : 0.75HP / 0.55kw – 220v Max immersion depth: 54m Impeller Stage – 11 well diameter – 4” Outlet - 1 1/4”
	S0202318-A	0.75HP	Model - 4SDM 5/11 - 0.55 100% copper winding Motor : 0.75HP / 0.55kw – 220v Max immersion depth: 54m Impeller Stage – 11 well diameter – 4” Outlet - 1 1/4”
	S0202319	1HP	Model - 4SDM 5/14 - 0.75 100% copper winding Motor : 1HP / 0.75kw – 220v Max immersion depth: 70m Impeller Stage – 14 well diameter – 4” Outlet - 1 1/4”
	S0202319-A	1HP	Model - 4SDM 5/14 - 0.75 100% copper winding Motor : 1HP / 0.75kw – 220v Max immersion depth: 70m Impeller Stage – 14 well diameter – 4” Outlet - 1 1/4”
	S0202320	1.5HP	Model - 4SDM 5/17 - 1.1 100% copper winding Motor : 1.5HP / 1.1kw – 220v Max immersion depth: 101m Impeller Stage – 17 well diameter – 4” Outlet - 1 1/4”
	S0202320-A	1.5HP	Model - 4SDM 5/17 - 1.1 100% copper winding Motor : 1.5HP / 1.1kw – 220v Max immersion depth: 101m Impeller Stage – 17 well diameter – 4” Outlet - 1 1/4”
	S0202321	2HP	Model - 4SDM 5/23 - 1.5 100% copper winding Motor : 2 HP / 1.5kw – 220v Max immersion depth: 131m Impeller Stage – 23 well diameter – 4” Outlet - 1 1/4”
	S0202321-A	2HP	Model - 4SDM 5/23 - 1.5 100% copper winding Motor : 2 HP / 1.5kw – 220v Max immersion depth: 131m Impeller Stage – 23 well diameter – 4” Outlet - 1 1/4”