

The Method of finding out the ruler (*graha*) of the year in the कृषिपराशरः

शाकं त्रिगुणितं कृत्वा द्वियुतं मुनिना हरेत् ।
भागशिष्टो नृपो ज्ञेयो नृपान्मन्त्री चतुर्थकः ॥ १२

पाठान्तर-

शाकस्य कालं त्रिगुणीकृतञ्च द्वि-बाण-वस्वब्धिसमन्वितञ्च ।
राजा च मन्त्री च जलाधिपश्च सस्याधिपः स्यान्मुनिभाजितेन ॥
(कृषिसंग्रहः, श्लो. २२, बङ्गवासी Kolkata Ed.)

Multiply the number denoting the śaka year by three and add two. Divide the result by seven (The number of the sages). The remainder indicates the ruling planet for that Saka year. The earth, Fourth from the ruling planet, means the minister planet of that year.

So, here is the step-wise format:

Every year, a particular planet is the ruler, and another planet is the minister.

- Multiply the Saka year number by 3 and add 2.
- Divide the result by seven (the number of sages).
- The remainder indicates the ruling planet of that Saka year.
- The planet, which is fourth from the ruling planet, indicates the minister planet of that year.

To explain this formula, the following illustration may be helpful. Let the śaka year be 1920.

$$1920 \times 3 = 5760$$

$$5760 + 2 = 5762$$

$$5762 \div 7 = 823 + \text{remainder } 1$$

The main "planets" (old concept) are listed in the following order: 1. Sun, 2. Moon, 3. Mars, 4. Mercury, 5. Jupiter, 6. Venus, 7. Saturn.

Therefore, the ruling planet of the 1920 Saka year is the Sun. The "minister planet" of the year is Venus, as it is the fifth planet from the Sun.

The Result is

चित्तलार्के नृपे वृष्टिर्वृष्टिरुग्रा निशापतौ ।
वृष्टिर्मन्दा सदा भौमे चन्द्रजे वृष्टिरुत्तमा ॥13 ॥
गुरौ च शोभना वृष्टिर्भागवे वृष्टिरुत्तमा ।
पृथिवी धूलिसम्पूर्णा वृष्टिहीना शनौ भवेत् ॥14 ॥

As per the calculation written above:

- The sun, as the year's ruler, indicates average rainfall,
- the Moon heavy rains, Mars scanty rains, and Mercury good rains.
- When Jupiter happens to be the king of the year, the rainfall is satisfactory.
- Venus indicates excellent rainfall,
- While Saturn, as a king, leaves the earth dry and dusty.

But in the **Kṛṣī(ṣī)parāśara (Śrī Śrī Gaurāṅga Grantha Mandira, Baranagar, Kolkata; MS No. 464/3)**

शका(क)वेदा(द)गुणीतो वामे द्विमिश्रो म(मु)निना हि(ह)त ।
शेषे तस्य भवेद्राजा मन्त्री तस्य चतुर्थकम् ।।

So, here what we see is the formula as Śaka Year multiplied by 4 and added with 2 and divide by 7.

But in an another MS of **Kṛṣipaddhati (Sanskrit Sahitya Samaj, Howrah; MS No. 626)**

अथ राजानयनम्

शाकन्तु त्रिगुणं कृत्वा त्रियुतं मुनिना हरेत् ।
भागशिष्टो नृपो ज्ञेयो नृपान्मन्त्री चतुर्थकः ।।

Here, the formula takes śaka, multiplies it by 3, adds 3, and then divides the result by 7.

Meghānayanam in Kṛṣiparāśara:

शकाब्दं वह्निसंयुक्तं वेदभागसमाहृतम् ।
शेषं मेघं विजानीयादावर्तादि यथाक्रमम् ।। 23

By adding the number of types of fire (3) to the number denoting the Śaka Year and dividing that sum by the number of the Vedas (4), with the remainder (in this calculation), the type of cloud should be identified, as per the sequence starting from the Āvarta (listed in the next).

आवर्तश्चैव संवर्तः पुष्करो द्रोण एव च ।
चत्वारो जलदाः प्रोक्ता आवर्तादियथाक्रमम् ।। 24

Āvarta (Cumulonimbus¹), Saṁvarta (Altostratus²), Puṣkara (Vortex³) and Droṇa (Stratocumulus⁴) are the four types of cloud (Jaladā), which have been said (by sages) in the sequence from Āvarta (Talked about before).

एकदेशेन चावर्तः संवर्तः सर्वतो जलम् ।
पुष्करे दुष्करं वारि द्रोणे बहुजला मही ।। 25

(Rains) Some parts not everywhere (are called) Āvarta, Saṁvarta is the (condition when) everywhere water (may be seen through water). In the case of Puṣkara (cloud), water (rain) is scanty, and Droṇa (indicates) the earth (the place where the cloud could be seen) gets full of water.

If we go step by step:

¹ Cumulonimbus gives a thunderstorm in a short span of time and in a limited space. special feature of its buildup in the sky with a base at about 2500-3000 ft (about 750-900 m) above ground and with a vertical ascent of 25,000-30,000 ft (about 7-9 km) above its base. (Balkundi)

² An altostratus, which is widely spread in the sky, at a height from 2.5 km to 6.0 km above sea level. The thickness of the sheet-cloud can be considerable, rendering the Sun invisible during the period of its spread in the sky. (Balkundi)

³ A vortex, shows that it is a cloud of short duration as its buildup is a temporary phenomenon or a disturbance in the normal atmosphere. (Balkundi)

⁴ stratocumulus which is a sheet-cloud at a height of approximately 2 km above ground. This type also gives steady, continuous rain. (Balkundi)

Āvarta, Samvarta, Puṣkara and Droṇa are the four types of cloud (Jaladā). Āvarta is the first in order.

Method:

- Add the number of types of fire (which is three) to the number denoting the Saka year (i.e., 1920).
- Divide the sum by the number of the Vedas (which is four).
- The remainder of the division (in this calculation, $1920+3=1923/4=1$) indicates the type of the cloud, viz., Aavarta, etc., according to their order.

Characteristics of clouds:

- Aavarta rains in one part, while Samvarta rains everywhere.
- Water is very little when Pushkara is the cloud of the year, but Drona makes the earth full of water.

But in the *Meghamālā* in *Rudrayāmalatantra*, the method of the ruler is different

चैत्रादिमेषचापाद्रातुलाकर्कटकेषु च ।
नृपमन्त्रीधान्यमेघरसशस्याधिपाः क्रमात् ।। ३.२

The Vāreśa (ruler of the weekday) on Caitra Śukla Pratipadā is considered the king (rājā) of the year. The Vāreśa on Meṣa Saṅkrānti becomes the minister (mantri). Similarly, the Vāreśa on the day the Sun enters Ārdra is regarded as the lord of grains (dhānyādhipa), and so on.

The results based on the Ruler Planet for that specific year are quite similar to those in KSP.

The same comes in the *Nāradasaṁhitā*

चैत्राद्येष्वपि मासेषु मेषाद्याः संक्रमाः क्रमात् ।
चैत्रादितिथिवारेशस्तस्याब्दस्य त्वधीश्वरः ।। २.१

Ghāgha-Bhaddarī:
(Vikramasamvat)

त्रिगुण करे विक्रम बरस, तामो पंच मिलाय ।
भाग सात को दीजिए, पीछे भेद बताय ।।
एक अंक पै जानिये, भडली मध्यम काल ।
अंक बचे जो दोय तो, वैसे साल रसाल ।।
तीन बचे तो भडली, वर्षा मध्यम जान ।
चार बचे तो जानिये, मालव काल वशान ।।
पांच बचे तो देखिये, घर-घर मंगल होय ।
अंक बचे षट् जानिये, धरणी में बहुतोय ।।
सात बचे तो वर्ष में चैनचार सुखसार ।
शून्य बचे तो भडली, धरणी हाहाकार ।।
इति विक्रमसंवत्सरफलम् ।

Multiply the Vikrama Samvat year by three, add five to the result, and then divide it by seven. The remainder determines the outcome:

- If the remainder is **1, 2, or 3**, it indicates a **moderate condition (madhyama)**.
- If the remainder is **4**, it signifies **famine (durvikṣa)** in the **Mālava region** (from Chittor to Ujjain).
- If the remainder is **5**, it indicates **prosperity in households** (general well-being).
- If the remainder is **6**, it indicates **heavy rainfall**.
- If the remainder is **7** (i.e., effectively remainder 0 in modulo 7 counting), it signifies an **increase in people's desire for comforts and resources (sukha-sādhana)**.
- If the remainder is **0**, it indicates **widespread distress or chaos (hāhākāra)**.

(Śakasamvat)

संवत् दुगुणो कीजिए, पीछे पांच मिलात ।
 पीछे दोय निकास के, भाग दीजिए सात ।।
 एक बचे तो श्रेष्ठ हो, दोय बचे तो श्रेष्ठ ।
 तीन बचे दुर्भिक्षता, चार बचे अनिष्ट ।।
 पांच बचे तो मध्यम बरस, छठे अन्न समभाव ।
 सात बचे तो वर्ष शुभ, शून्य शून्य को दाव ।।
 इति शालिबाहनवर्षफलम् ।।

Double the Śālivāhana Śaka year, add five to the result, then subtract two. Divide the final value by seven. The remainder determines the outcome:

- If the remainder is **1 or 2**, it indicates a **highly auspicious year (śreṣṭha)**.
- If the remainder is **3**, it indicates **famine (durvikṣa)**.
- If the remainder is **4**, it indicates **inauspicious conditions (aniṣṭa)**.
- If the remainder is **5**, it indicates **moderate rainfall (madhyama-varṣā)**.
- If the remainder is **6**, it indicates an **abundance of food grains (anna-sambhava)**.
- If the remainder is **7** (i.e., effectively remainder 0 in modulo 7), it indicates an **auspicious year**.
- If the remainder is **0**, it indicates **no significant result (śūnya-phala)**.

मेघमहोदय-वर्षाप्रबोधे संवत्सरफलाध्यायः

शाकं स्त्रिगो युतो द्वाभ्यां चतुर्भगिऽवशेषितः
 समेऽङ्के स्यादल्पवृष्टिः प्रचुरा विषमे पुनः ।। ४.५

Multiply the Śālivāhana Śaka year by three, add two to the result, and then divide it by four. The remainder determines the rainfall:

- If the remainder is **even (0 or 2)**, it indicates **low rainfall**.
- If the remainder is **odd (1 or 3)**, it indicates **high rainfall**.

विक्रमाङ्कः शकस्याङ्कयुक्तो द्विगो विभाज्य च ।
 सप्तभिस्तत्र यल्लब्धं तस्मात् फलमुदीर्यते ।। ४.९
 एके षट्के च दूर्भिक्षं सुभिक्षं भुजवेदयोः ।
 समतां रामशरयोः शून्ये रौरवमादिशेते ।। ४.१०

Add the Vikrama Samvat year to the Śaka Samvat year, multiply the sum by two, and then divide the result by seven. Based on the remainder obtained:

- If the remainder is **1 or 6**, it indicates an **inauspicious time (duṣkāla)**.
- If the remainder is **3 or 5**, it indicates an **auspicious time (sukāla)**.
- If the remainder is **2 or 4**, it indicates a **moderate or average time (madhyama-kāla)**.
- If the remainder is **0**, it signifies **Raurava**, an extremely inauspicious time.

क्वचित्-

संवत्सरं शाकं मीलयेत् त्रिगुणोऽघमः ।
पञ्चनामयुतः सप्तविभक्तोऽस्य फलं क्रमात् ॥ ४.११
सुभिक्षं भुजवेदाभ्यां दुर्भिक्षं तु त्रिपञ्चके ।
शून्ये षट्के रौरवं स्याद् एकेन समता मता ॥ ४.१२

Add the Vikrama Samvat and the Śaka Samvat years. Multiply the sum by three, add five, and then divide the result by seven. The remainder determines the condition:

- If the remainder is **2 or 4**, it indicates an **auspicious time (sukāla)**.
- If the remainder is **3 or 5**, it indicates an **inauspicious time (duṣkāla)**.
- If the remainder is **0 or 6**, it indicates **Raurava**, an extremely inauspicious time.
- If the remainder is **1**, it may be considered **moderate (samatā-kāla)**.

पाठान्तरे-

संवत्सरसमायुक्तास्त्रिगुणाः पञ्चभिर्युताः
सप्तभिस्तु हरेद्भागं शेषं वर्षफलं मत् ॥ ४.१३

Take the Śālivāhana Śaka year, multiply it by three, add five, and then divide the result by seven. The remainder is interpreted as follows:

- If the remainder is **2 or 4**, it indicates an **auspicious time (sukāla)**.
- If the remainder is **1 or 5**, it indicates an **inauspicious time (duṣkāla)**.
- If the remainder is **0 or 6**, it indicates **Raurava**, an extremely inauspicious time.
- If the remainder is **3**, it indicates a **moderate time (madhyama-kāla)**.

अत्र पाठान्तराणि बहूनि यथा-

शाकं च त्रिगुणं कृत्वा सप्तभिर्भागमाहरेत् ।
शेषं च द्विगुणीकृत्य पञ्च तत्र नियोजयेत् ॥ ४.१४

Multiply the Śaka year by three and divide the result by seven. Take the remainder, multiply it by two, and then add five.

(Maybe: Finally, divide this result again by seven. The remainder obtained determines the condition:

क्वचित्-

वत्सरं द्विगुणीकृत्य त्रिभिर्न्यूनं तु कारयेत् ।
सप्तभिस्तु हरेद्भागं शेषं संवत्सरे फलम् ॥ ४.१५
आदिचतुष्के दुर्भिक्षं सुभिक्षं च द्विपञ्चके ।
त्रिषट्के मध्यमं कालं शून्ये शून्यं विनिर्दिशेत् ॥ ४.१६
(केचित्तु एतत्करणेन उष्णकालिकधान्यपरिज्ञानं वदन्ति)

Multiply the Saṃvatsara (year) by two, subtract three from the result, and then divide it by seven. The remainder determines the outcome (Same for the 4.14):

- If the remainder is **1 or 4**, it indicates an **inauspicious time (duṣkāla)**.
- If the remainder is **2 or 5**, it indicates an **auspicious time (sukāla)**.
- If the remainder is **3 or 6**, it indicates a **moderate time (madhyama-kāla)**.
- If the remainder is **0**, it indicates **śūnya-phala** (no significant result).

Some just measure summer rice production using this method.

पुनरप्यस्यैव पाठान्तरं यथा-

वत्सरं त्रिगुणीकृत्य त्रिभिन्न्यूनं कृते ततः ।
नवभिर्भाज्यते शेषे संवत्सरशुभाशुभम् ।। ४.१७
शेषे द्वित्रिचतुष्के च सुभिक्षं वर्षमुच्यते ।
षडेकशून्यैर्मध्यस्थं हीनं पञ्चष्टसप्तसु ।। ४.१८

Multiply the Saṃvatsara (year) by two, subtract three from the result, and then divide it by nine. The remainder determines the outcome:

- If the remainder is **2, 3, or 4**, it indicates an **auspicious time (sukāla)**.
- If the remainder is **5, 7, or 8**, it indicates a **deficient or unfavourable result (hīna-phala)**.

क्वचित्-

संवत्सराङ्गस्त्रिगुणः सप्तभक्तोऽवशेषिते ।
कृते पञ्चगुणो भागस्त्रिभिस्तेन फलं मतम् ।। ४.१९
एकशेषे सुभिक्षं स्याद् द्विशेषे मध्यमा समा ।
शून्ये दुर्भिक्षमादेश्यं वर्षे तत्र शुभाशुभम् ।। ४.२०

Multiply the Saṃvatsara (year) by three and divide the result by seven. Take the remainder, multiply it by five, and then divide this result by three. The final remainder determines the outcome:

- If the remainder is **1**, it indicates an **auspicious time (sukāla)**.
- If the remainder is **2**, it indicates a **moderate condition (madhyama-kāla)**.
- If the remainder is **0**, it indicates an **inauspicious time (duṣkāla)**.

रुद्रदेवस्तु-

संवत्सरस्य ये अङ्का अधोऽधो लिखाताः क्रमात् ।
वेदाङ्गसहिताये तु मुनिभिर्भागमाहरेत् ।। ४.२१
आद्ये चतुष्के दुर्भिक्षं सुभिक्षं द्विकपञ्चके ।
त्रिषष्ठे मध्यमः कालः शून्ये शून्यं विनिर्देशेत् ।। ४.२२

Write the **Saṃvatsara number** and the **century number** one below the other, add them together with four and divide the sum by seven. The remainder determines the outcome:

Like for the 1620 the calculation would be $(16+20) \times 4 / 7$

- If the remainder is **4**, it indicates **inauspicious time (duṣkāla)**.
- If the remainder is **2 or 5**, it indicates **auspicious time (sukāla)**.
- If the remainder is **3 or 6**, it indicates a **moderate condition (madhyama-kāla)**.
- If the remainder is **0**, it indicates **śūnya-phala** (no significant result).

तथा-

कालो विक्रमभूपतेः प्रथमतस्त्रिस्ताड्यते मीलनात्, पश्चात्पञ्चयुते तुरङ्गमहते शेषाङ्कमालोचयेत् ।
द्वाभ्यां वह्निभिरिन्द्रियै रसयुतैः कालोत्तमतत्वं वदेत्, शून्येनाधमतां चतुःशशधरे स्यान्मध्यमत्वं सदा ।। ४.२३
(अत्र यदि पञ्चैवयोज्यन्ते तदा सप्तवर्षानन्तरमवश्यं शून्यं समायाति, न च तत्र दुष्कालनियमः, तेन पञ्च
योगकरणमिति कोर्थः । पञ्चमनुष्योक्ता अङ्काः क्षेप्या इति इष्ट वचनम् ।)

Multiply the sum of both the **Vikrama Saṃvat** year and the **century number (śatābdī)** by three. Add these results together, then add five to the sum. Divide the final value by seven. The remainder determines the outcome:

Like for for the Year 1620 the calculation would be $(16+20) \times 3 = 108/7$ (Reminder 7)

- If the remainder is **2, 3, 5, or 6**, it indicates a **highly auspicious time (uttama-kāla)**.
- If the remainder is **1 or 4**, it indicates a **moderate time (madhyama-kāla)**.
- If the remainder is **0**, it indicates an **inauspicious time (adhama-kāla)**.

क्वचित् पुनः-

संवत्सराङ्कं द्विगुणीकृत्यैव मीलयेत्ततः ।
सप्तभिर्भागदानेन बोध्यं वर्षशुभाशुभम् ।। ४.२४

Double the Saṃvatsara (year), add one to the result, and divide it by seven. The remainder determines the outcome:

- If the remainder is **0**, it indicates an **inauspicious time (duṣkāla)**.

संवत्सरे द्विगुणिते त्रिभिरन्वतेथ नन्दैर्विभाजनमनुष्यफलं तु शेषे ।
युग्मे त्रिके जलनिधौ च सुभिक्षमेके षड् नन्दयोश्च समतापरतोऽतिदौस्थ्यः ।। ४.२५

Double the Saṃvatsara (year), add three to the result, and divide it by nine. The remainder determines the outcome:

- If the remainder is **2, 3, or 4**, it indicates **auspicious time (sukāla)**.
- If the remainder is **6 or 0** (i.e., $9 \equiv 0$ in modulo 9), it indicates a **balanced or average condition (samāna)**.
- If the remainder is **5, 7, or 8**, it indicates an **inauspicious condition (adhama)**.

शाकं त्रिनिघ्नं मुनिभाजितं च शेषं द्विनिघ्नं शरसंयुतं च ।
वर्षा च धान्यं तृणशीततेजोआयुश्चवृद्धिः क्षयविग्रहौ च ।। ४.२६

Multiply the Śaka year by three, divide by seven, take the remainder, multiply it by two, and add five. From this, predictions are made about rainfall, crops, grass, cold, heat, wind, growth, decay, and conflict.

1. Take the **Śaka Saṃvatsara (year)**
2. Multiply by **3**
3. Divide by **7** → note the **remainder**
4. Multiply the remainder by **2**
5. Add **5**

The final value (or its remainder again, if required) is used to judge:

- **Rainfall (varṣā)**
- **Grains (dhānya)**

- Grass (tṛṇa)
- Cold (śīta)
- Heat (tejas)
- Wind (vāyu)
- Growth (vṛddhi)
- Decline (kṣaya)
- Conflict (vighraha)

अस्य फलम् –
 वर्षाविंशोपकाः सर्वे त्रिगुणास्त्रिभिरुनिताः ।
 सप्तभिस्तडिभागेन शेषं संवत्सरे फलम् ॥४.२७
 चन्द्रे वेदे च दुर्भिक्षं सुभिक्षं युग्मवाणयोः ।
 त्रिषष्टे मध्यमः कालः शून्ये रौरवमादिशेत् ॥ ४.२८

Take the **Viṃśopakā** (year value / numerical indicator), multiply it by three, and add three to the result. Then divide the final value by seven. The remainder is used to determine the year's result. The remainder determines the yearly condition:

- 1 or 4 → Duṣkāla (bad time/scarcity/drought)
- 2 or 5 → Sukāla (good time/prosperity / good yield)
- 3 or 6 → Madhyama (average or moderate condition)
- 0 → Raurava (very severe condition, calamity, chaos)

Samvatsaraphalaṁ

गताब्दा द्वियुता सूर्यभक्तासतत्रावशेषतः ।
 सुबुद्धो नन्दिसारी च कर्कोटकः पृथुश्रवाः । ।
 वासुकिस्तक्षकश्चैव कम्बलाश्चतरावुभौ ।
 हेममाली नरेन्द्रश्च वज्रदंष्ट्रो वृषस्तथा । ।

The elapsed years, increased by two and divided by twelve (*sūrya-bhakta*), leave a remainder. According to that remainder, the names are assigned in sequence as: Subuddha, Nandisāri, Karkoṭaka, Pṛthuśravā, Vāsuki, Takṣaka, Kambala, Aśvatara, Hemamālī, Narendra, Vajradamṣṭra, and Vṛṣa.

सुबुद्धो बुद्धिकर्ता च वृष्टिः कर्षणसम्पत्ता ।
 नन्दिसारे महावृष्टिर्नन्दते च महाजनाः । ।
 कर्कोटके जलं नास्ति निधनं च महीपतेः ।
 पृथुश्रवा जलं स्वल्पं सस्यहानिः प्रजायते । ।
 वासुकि सस्यकर्ता च बहुवृष्टिकरः शुभः ।
 तक्षके मध्यमा वृष्टिर्विग्रहो निधनं ध्रुवम् । ।
 कम्बले मध्यमा वृष्टिः शस्यं भवति शोभनम् ।
 जायतेश्वतरे स्वल्पं जलं शस्यं विनश्यति । ।
 हेममाले महावृष्टिर्नरेन्द्रः प्लवते महीम् ।
 वज्रदंष्ट्रे त्वनावृष्टिर्वृषे स्यादतितो भयम् । ।

In the year of Subuddha, wisdom prevails, and the rainfall becomes favourable for ploughing. In Nandisāra, there is abundant rainfall, and the people rejoice greatly. In Karkoṭaka, there is no rainfall, and even the king meets destruction. In Pṛthuśravā, rainfall is scanty, and loss of crops occurs.

In Vāsuki, crops flourish, and plentiful rainfall produces auspicious results.
 In Takṣaka, rainfall is moderate, but conflict and death are certain to arise.
 In Kambala, rainfall is moderate, and the crops become excellent.
 In Aśvatara, little rain falls, and the crops perish.
 In Hemamālī, there is excessive rainfall; in Narendra, the earth becomes flooded.
 In Vajradamṣṭra, drought prevails, and in Vṛṣa, there arises extreme fear.

So, in short, the result would be below as per the reminder:

1. Subuddha — Rainfall is favourable for ploughing and cultivation.
2. Nandisāra — Heavy rainfall.
3. Karkoṭaka — No rainfall (drought).
4. Prthuśravā — Scanty rainfall.
5. Vāsuki — Abundant and auspicious rainfall.
6. Takṣaka — Moderate rainfall.
7. Kambala — Moderate rainfall with good crops.
8. Aśvatara — Very little rainfall; crops perish.
9. Hemamālī — Excessive rainfall.
10. Narendra — Flood-producing rainfall; the earth gets inundated.
11. Vajradamṣṭra — Complete lack of rainfall (severe drought).
12. Vṛṣa — Great fear or calamity (rainfall not specifically mentioned).

Quite the same thing comes in the Kṛśī(ṣī)parāśara (Śrī Śrī Gaurāṅga Grantha Mandira, Baranagar, Kolkata; MS No. 464/3)

शाके रसाग्नि संयुक्तं चतुर्तिर्भागहारितम् ।
 अनन्तादिक्रमेनैव अष्टनागप्रकिर्तिता ।।
 अनन्त वासुकी पद्मामहापद्मश्च तक्षकः ।
 कुलीर कर्कट सङ्खः अष्टनागप्रकिर्तिता १ ।

After adding 9 and 3 to the Śaka year and dividing by four, the resulting remainder indicates, in sequence beginning with Ananta, one among the eight Nāgas — Ananta, Vāsuki, Padma, Mahāpadma, Takṣaka, Kulīra, Karkāṭa, and Śaṅkha. From this, the degree of fear or danger from snakes is predicted for the year.”

We didn't got the phala for the Nāgas here in this MS. But, there are even the Hastījñanam

अथ हस्तिज्ञानम्
 शाके वेदसमायुक्तं वषु(सु)भिर्भागहारितम् ।
 ऐरावतादिक्रमेनैव अष्टहस्तिप्रकीर्ति(र्ति)ता ।
 ऐरावतो पुण्डरीको वाघन(नाक्ष) कुमद अञ्जन
 पुष्पदन्त सार्वभौम शूप्रतीकञ्च दीर्घजा १ ।
 ऐरावतो गजश्रेष्ठः सर्वलक्षणसंयुतम् ।
 सर्वदा सर्वदेशेषु वर्षेत् चैव समूर्द्धयेत् । १ । १
 पुण्डरीकाक्षहस्ति च सदा वर्षति भूमिषु ।
 अल्पसश्ये(स्ये)न लोकानां शु(सु)खानि विविधानि च १ । २
 वाघनाक्ष गजः क्रूरः कदाचित् वर्षते क्षितौ ।
 नस्यन्ति मूपराश्च शोकदुःखप्रदायक १ । ३
 कुमदः कुञ्जरश्रेष्ठ सदामदविमोहितः ।

स(स्व)ल्पं वारिदवर्षश्च लोकानां हितकारकः १।४
 कदाचित् कुत्रचित्देशे वर्षेत् सस्य समृद्धयेत्।
 प्रायसः(शः) प्रतिकुला च अञ्जनः खञ्जकुञ्जरः।१।५
 सर्वलोकं हिर्या(था)य पुष्पदन्ताक्ष कुञ्जरः।
 यत्र वर्षे गजाधिसे सस्यविधिः महीतले १।६
 सर्वलोकानुरक्तश्च सार्वभौमगजाधिपः।
 शुविष्टी(सुवृष्टि)जनक पृथ्यां(थिव्यां) वृहत्कायो महाबलम् १।७
 शुप्रदीकाश्च हस्ती च सर्वलोक हिता(ते) रतः।
 वर्षेत् सस्यहितर्था(तर्था)य शुरेन्द्रस्य मनोरमः १।८

Add **four** (*veda* = 4) to the **Śaka year**, and divide the result by **eight** (*vasu* = 8).
 The remainder determines one among the **eight elephants**, beginning with **Airāvata**.

The eight elephants are:

1. **Airāvata**
2. **Puṇḍarīka**
3. **Vāghanākṣa** (or Vyāghranākṣa)
4. **Kumuda**
5. **Añjana**
6. **Puṣpadanta**
7. **Sārvabhauma**
8. **Supratīka**

Airāvata is the supreme elephant endowed with all auspicious marks.

When Airāvata rules:

- Rainfall occurs properly everywhere
- Crops flourish
- General prosperity prevails

Puṇḍarīka brings:

- Regular rainfall
- Moderate agricultural production
- Yet people enjoy various comforts and happiness

Vāghanākṣa

- Rainfall becomes uncertain
- Crops may fail
- Sorrow and suffering arise

Kumuda gives:

- Slight or limited rainfall
- Yet conditions remain somewhat beneficial to people

Añjana causes:

- Rainfall only in certain regions
- Uneven agricultural prosperity
- Mostly adverse conditions

Puṣpadanta is beneficial:

- Rainfall supports agriculture
- Prosperity spreads widely

Sārvabhauma:

- Produces excellent rainfall
- Possesses great strength and stability
- Brings abundance across the land

Supratīka:

- Acts for the welfare of all beings
- Produces beneficial rainfall
- Enhances crop growth

There is *Hastinijñānam* too, but the result is the same as the *hastiphala*, so we are not reapt.

Two Another methods we will tell at this end from the same MS:

अथकृश(ष)कज्ञानम्
शाकेन्द्रसमायुक्तं चतुर्ति(र्थी)हरितं तथा ।
सलजितादिक्रमेनैव त्रयश्चैव प्रकीर्त्तिता १ ।
शलजित् भीमसहदेवयो हनुमान् (कृशकस्तथा) ।
शलजित् कृशको(षको) यत्र तत्र लोक सू(सु)खान्विता ।
जायन्ते विविधसस्यं कीटादैः सस्यनासनम् । १ । १
यत्र वर्षे भीमसेन कृशकश्च भवेद्यदा ।
अक्लेशे जायते सस्यं धनधान्यसविस्तरम् १ । २
हनुमानः कृशको यत्रः तत्रमेघा जलप्रदा ।
क(क्)चित् शुन्यं क्वचित् सस्यं सस्यं वा पूर्णमेव च १ । ३

Add **one** (*Indra* = 1) to the **Śaka year**, then divide the result by **four**. The remainder determines one among the three/four symbolic cultivators beginning with **Śalajit**.

The sequence is:

1. Śalajit
2. Bhīmasena
3. Hanumān

When Śalajit becomes the cultivator of the year:

- People remain generally happy
- Various crops are produced
- However, crops may also suffer from insects and pests

Indicates:

- Good agricultural diversity
- But vulnerability to pest attacks

When Bhīmasena becomes the cultivator:

- Crops grow without difficulty
- Prosperity in wealth and grain arises
- Agricultural production becomes abundant

Indicates:

- Excellent farming conditions
- Agricultural prosperity
- Economic abundance

When Hanumān becomes the cultivator:

- Clouds bring rainfall
- Rainfall becomes uneven
- Some places remain barren while others become highly productive

Indicates:

- Irregular regional rainfall
- Uneven crop distribution
- Localized prosperity and scarcity simultaneously

अथ आढकज्ञानम्

शाको वेदसमायुक्तं वेदेण(न) भागहारितम् ।
 विहरादिक्रमेनैव चतुर्थञ्च प्रकीर्त्तिता ।। १
 विहरहस्ते यत्रवर्षे आढको यदि निश्चयः ।
 दुःर्भिक्ष मर्त्तलोके च बहुकष्टप्रदायक ।। २
 भीमहस्ते यत्रवर्षे आढको यदि निश्चयः ।
 पवि(रि)माने स(स्व)ल्पसस्यं गुष्णस्तज्ञाय मानकम् ।। ३
 लक्ष्मीहस्ते यत्रवर्षे आढको यदि निश्चयः ।
 अतिसस्यविद्यमाने कृपना लोकमाढका ।। ४
 आढको हनुमद्भस्ते यत्रवर्षे प्रजायते ।
 अल्पान्यपि च सस्यानि प्रमाणे वहुनानिव ।। ५

Add **four** (*veda* = 4) to the **Śaka year**, and divide the result by **four**. The remainder determines one among the four symbolic categories beginning with **Vihara-hasta**.

The four categories are:

1. Vihara-hasta
2. Bhīma-hasta
3. Lakṣmī-hasta
4. Hanumat-hasta

When the year falls under Vihara-hasta:

- Famine or scarcity arises
- People suffer greatly
- Difficulties become widespread

Indicates:

- Severe agricultural distress
- Poor harvest
- Social hardship

When Bhīma-hasta governs the year:

- Crop production becomes limited
- Yield remains low or moderate

Indicates:

- Limited agricultural output
- Reduced productivity

When Lakṣmī-hasta prevails:

- Crops become abundant
- Agricultural prosperity increases
- Yet people may still remain economically restrained or cautious

Indicates:

- Excellent harvest
- Prosperity and abundance

When Hanumat-hasta rules:

- Even small quantities of crops appear substantial
- Limited produce becomes sufficient through proper distribution or utility

Indicates:

- Moderate production
- Relative sufficiency despite lower quantity

1. Modulo 7 Methods (Septenary Cycles)

Planetary Ruler & Minister (Kṛṣiparaāśara):

- **Formula:** Multiply the number denoting the śaka year by three and add two. Divide the result by seven (The number of the sages). The remainder indicates the ruling planet for that Saka year. The earth, Fourth from the ruling planet, means the minister planet of that year.

Vikrama General Outcome (Ghāgha-Bhadarī):

- **Formula:** Multiply the Vikrama Saṃvat year by three, add five to the result, and then divide it by seven. The remainder determines the outcome:
- If the remainder is **1, 2, or 3**, it indicates a **moderate condition (madhyama)**.
- If the remainder is **4**, it signifies **famine (durvikṣa)** in the **Mālava region** (from Chittor to Ujjain).
- If the remainder is **5**, it indicates **prosperity in households** (general well-being).
- If the remainder is **6**, it indicates **heavy rainfall**.
- If the remainder is **7** (i.e., effectively remainder 0 in modulo 7 counting), it signifies an **increase in people's desire for comforts and resources (sukha-sādhana)**.
- If the remainder is **0**, it indicates **widespread distress or chaos (hāhākāra)**.

Śaka General Outcome (Ghāgha-Bhadarī):

- **Formula:** Double the Śālivāhana Śaka year, add five to the result, then subtract two. Divide the final value by seven. The remainder determines the outcome:
- **Result:** Remainder 1-2 (Auspicious), 3 (Famine), 5 (Moderate Rain), 0 (No result).

Sum of Eras Model (Meghamahodaya 4.9):

- **Formula:** Add the Vikrama Saṃvat year to the Śaka Saṃvat year, multiply the sum by two, and then divide the result by seven. Based on the remainder obtained:
- **Result:** Remainder 1/6 (Inauspicious), 3/5 (Auspicious), 2/4 (Moderate), 0 (Extreme distress).

Era Summation Variation (Meghamahodaya 4.11):

- **Formula:** Add the Vikrama Saṃvat and the Śaka Saṃvat years. Multiply the sum by three, add five, and then divide the result by seven. The remainder determines the condition:
- **Result:** 2/4 (Auspicious), 3/5 (Inauspicious), 0/6 (Severe distress), 1 (Moderate).

Century-Based Model (Meghamahodaya 4.13):

- **Formula:** Take the Śatābdī (century) of the Śālivāhana Śaka year, multiply it by three, add five, and then divide the result by seven. The remainder is interpreted as follows:
 - If the remainder is **2 or 4**, it indicates an **auspicious time (sukāla)**.
 - If the remainder is **1 or 5**, it indicates an **inauspicious time (duṣkāla)**.
 - If the remainder is **0 or 6**, it indicates **Raurava**, an extremely inauspicious time.
 - If the remainder is **3**, it indicates a **moderate time (madhyama-kāla)**.

The "Double Remainder" Model (Meghamahodaya 4.14):

- **Formula:** Multiply the Śaka year by three and divide the result by seven. Take the remainder, multiply it by two, and then add five.
- If the remainder is **2 or 4**, it indicates an **auspicious time (sukāla)**.
- If the remainder is **1 or 5**, it indicates an **inauspicious time (duṣkāla)**.
- If the remainder is **0 or 6**, it indicates **Raurava**, an extremely inauspicious time.
- If the remainder is **3**, it indicates a **moderate time (madhyama-kāla)**.

Yearly Subtraction Model (Meghamahodaya 4.15):

- **Formula:** Multiply the Saṃvatsara (year) by two, subtract three from the result, and then divide it by seven. The remainder determines the outcome:
- **Result:** 1/4 (Inauspicious), 2/5 (Auspicious), 3/6 (Moderate), 0 (No result).

Combined Samvatsara-Century Model (Meghamahodaya 4.21):

- **Formula:** Write the **Saṃvatsara number** and the **century number** one below the other, add them together with four and divide the sum by seven. The remainder determines the outcome:
- **Result:** 4 (Inauspicious), 2/5 (Auspicious), 3/6 (Moderate), 0 (No result).
-

Vikrama-Century Double Multiplier (Meghamahodaya 4.23):

- **Formula:** Multiply both the **Vikrama Saṃvat year** and the **century number (śatābdī)** by three. Add these results together, then add five to the sum. Divide the final value by seven. The remainder determines the outcome:
- **Result:** 2/3/5/6 (Highly Auspicious), 1/4 (Moderate), 0 (Inauspicious).

Basic Doubling Model (Meghamahodaya 4.24):

- **Formula:** Double the Samvatsara (year), add one to the result, and divide it by seven. The remainder determines the outcome:
- **Result:** 0 (Inauspicious).

Vimśopakā Model (Meghamahodaya 4.27):

- **Formula:** Take the **Vimśopakā (year value / numerical indicator)**, multiply it by three, and add three to the result. Then divide the final value by seven. The remainder is used to determine the year's result. The remainder determines the yearly condition:
- **Result:** 1/4 (Bad), 2/5 (Good), 3/6 (Average), 0 (Severe).

2. Modulo 9 Methods (Ennead Cycles)

Samvatsara Nine-Division (Meghamahodaya 4.17):

- **Formula:** Multiply the Samvatsara (year) by two, subtract three from the result, and then divide it by nine. The remainder determines the outcome:
- **Result:** Remainder 2-4 (Auspicious), 5/7/8 (Unfavourable), 6/1/0 (Moderate).

Human Prosperity Model (Meghamahodaya 4.25):

- **Formula:** Double the Samvatsara (year), add three to the result, and divide it by nine. The remainder determines the outcome:
- **Result:** Remainder 2-4 (Auspicious), 6/0 (Balanced), 5/7/8 (Inauspicious).

3. Modulo 4 Methods (Quaternary Cycles)

Rainfall Intensity (Meghamahodaya 4.5):

- **Formula:** Multiply the Śālivāhana Śaka year by three, add two to the result, and then divide it by four. The remainder determines the rainfall
- **Result:** Even remainder (0, 2) = Low rainfall; Odd remainder (1, 3) = High rainfall.

4. Modulo 3 Methods (Ternary Cycles)

Three-State Outcome (Meghamahodaya 4.19):

- **Formula:** Multiply the Samvatsara (year) by three and divide the result by seven. Take the remainder, multiply it by five, and then divide this result by three. The final remainder determines the

- **Result:** Remainder 1 (Auspicious), 2 (Moderate), 0 (Inauspicious).