

```
<!DOCTYPE html>

<html>

<head>

  <title>PHP String Manipulation</title>


<style>

  body{

    font-family: Arial;

    background-color: #f2f2f2;

    text-align: center;

  }


  .container{

    width: 500px;

    margin: 50px auto;

    background: white;

    padding: 20px;

    border-radius: 10px;

  }


  input{

    width: 80%;

    padding: 10px;

    margin: 10px;

  }
```

```
button{
    padding: 10px 20px;
    background-color: blue;
    color: white;
    border: none;
    border-radius: 5px;
}
```

```
h3{
    color: green;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<h1>String Manipulation</h1>
```

```
<form method="POST">
```

```
    <input type="text" name="text" placeholder="Enter a string">
```

```
    <br>
```

```
    <button type="submit">Process</button>
```

```
</form>
```

```
<?php

if($_SERVER["REQUEST_METHOD"] == "POST"){

    $str = $_POST['text'];

    // Reverse string
    $reverse = strrev($str);

    // String length
    $length = strlen($str);

    // Substring (first 5 characters)
    $substring = substr($str, 0, 5);

    echo "<h3>Results</h3>";
    echo "Original String: " . $str . "<br>";
    echo "Reversed String: " . $reverse . "<br>";
    echo "Length: " . $length . "<br>";
    echo "Substring (first 5 chars): " . $substring . "<br>";
}

?>

</div>
```

</body>

</html>