

```
<!DOCTYPE html>

<html>

<head>

  <title>Dynamic Content using DOM</title>


<style>

  body{

    font-family: Arial;

    background-color: #f2f2f2;

    text-align: center;

    margin-top: 100px;

  }


  .container{

    width: 400px;

    margin: auto;

    background: white;

    padding: 20px;

    border-radius: 10px;

  }


  button{

    padding: 10px 20px;

    background-color: blue;

    color: white;

    border: none;
```

```
border-radius: 5px;
cursor: pointer;
}
```

```
#output{
margin-top: 20px;
font-size: 20px;
color: green;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<h2>DOM Manipulation Example</h2>
```

```
<p id="text">
```

```
Click the button to display dynamic content.
```

```
</p>
```

```
<button onclick="showMessage()">
```

```
Click Here
```

```
</button>
```

```
<div id="output"></div>
```

```
</div>
```

```
<script>
```

```
function showMessage(){
```

```
    // Access element using DOM
```

```
    let output = document.getElementById("output");
```

```
    // Change content dynamically
```

```
    output.innerHTML =
```

```
    "Welcome! This content is displayed using JavaScript DOM.";
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```