

Tampilan Home

(home.html)

```
<!DOCTYPE html>
<html>
<head>
<title>TAMPAHAN HOME</title>
<link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
<link href="https://fonts.googleapis.com/css?family=Montserrat:400,700" rel="stylesheet">
<link href="https://fonts.googleapis.com/css?family=Ubuntu:300,400,700&display=swap" rel="stylesheet">
<link rel="stylesheet" href="home.css">
</head>
<body>
<div class="header">

<div>
<ul class="nav">
<li class="active"><a href="#">Home</a></li>
<li><a href="#">Profile</a></li>
<li><a href="#">Products</a></li>
</ul>
</div>
</div>
<div class="video">
<iframe width="350" height="250" src="https://www.youtube.com/embed/AwKQ3_uT3I" frameborder="0" allowfullscreen></iframe>
</div>
<div class="wrapper">
<div class="title">
<div>
<div>
<div class="form">
<div class="input-field">
<label>Nama</label>
<input type="text" class="input" placeholder="Nama anda...">
</div>
<div class="input-field">
<label>Nomor HP</label>
<input type="number" class="input">
</div>
<div class="input-field">
<label>Alamat</label>
<textarea type="text" class="input"></textarea>
</div>
<div class="input-field">
<input type="checkbox" checked=""> Pembayaran
<div class="input-field">
<input type="radio" id="cash" name="pembayaran" value="cash">
<input type="radio" id="credit" name="pembayaran" value="pembayaran">
</div>
<div class="input-field">
<label>Kategori</label>
<div class="custom_select">
<select>
<option value="Komputer">Komputer</option>
<option value="Keyboard">Keyboard</option>
<option value="Mouse">Mouse</option>
</select>
</div>
</div>
<div class="input-field">
<input type="submit" value="Kirim" class="btn">
</div>
</div>
</div>
</div>
</div>
</body>
</html>
```

(home.css)

```
File Edit Selection View Go Run Terminal Help home.css - Untitled (Workspace) - Visual Studio Code
home.html home.css x
STUDI KASUS > MODUL 1 RAYHAN > home.css > .wrapper
1 @import url('https://fonts.googleapis.com/css?family=Ubuntu:wght@300;400;700&display=swap');
2
3 body{
4   margin: 0;
5   padding: 0;
6   background-color: cyan;
7 }
8 .Logo{
9   width: 90px;
10  height: 30px;
11  margin-top: 0px;
12  margin-right: 48px;
13  margin-left: -55px;
14  cursor: pointer;
15 }
16
17 .active{
18   color: goldenrod;
19 }
20
21 li, a{
22   font-family: "Montserrat", sans-serif;
23   font-weight: 500;
24   font-size: 16px;
25   text-decoration: none;
26 }
27
28 header{
29   display: flex;
30   padding: 20px 10%;
31   background: black;
32 }
33
```


```
File Edit Selection View Go Run Terminal Help home.css - Untitled (Workspace) - Visual Studio Code
home.html home.css x
STUDI KASUS > MODUL1 RAYHAN > home.css > .wrapper
33
34 .nav_links{
35     list-style: none;
36 }
37
38 .nav_links li{
39     display: inline-flex;
40     padding: 5px 10px;
41 }
42
43 .nav_links li a{
44     transition: all, 0.3s ease 0s;
45 }
46
47 .nav_links li a: hover{
48     color: #ee0bbd;
49 }
50
51 .video{
52     margin-left: 50px;
53     margin-top: 200px;
54 }
55
56 .wrapper{
57     max-width: 500px;
58     width: 100%;
59     background-color: cyan;
60     margin: -40px 40px;
61     padding: 50px;
62     box-shadow: 1px 1px 2px rgba(0, 0, 0, 0.125);
63 }
64
```

```
File Edit Selection View Go Run Terminal Help home.css - Untitled (Workspace) - Visual Studio Code
home.html home.css x
STUDI KASUS > MODUL1 RAYHAN > home.css > .wrapper
65 .wrapper .form{
66     width: 100%;
67 }
68
69 .wrapper .title{
70     font-size: 24px;
71     font-weight: 700;
72     margin-bottom: 25px;
73     color: #fec107;
74     text-transform: uppercase;
75     text-align: center;
76 }
77
78 .wrapper .form .input_field{
79     margin-bottom: 15px;
80     display: flex;
81     align-items: center;
82 }
83
84 .wrapper .form .input_field label{
85     width: 100px;
86     color: #757575;
87     margin-right: 10px;
88     font-size: 14px;
89 }
90
91 .wrapper .form .input_field .input{
92     width: 100%;
93     outline: none;
94     border: 1px solid #d5dbd9;
95     font-size: 15px;
96     padding: 8px 10px;
97     border-radius: 3px;
98 }
```


```
File Edit Selection View Go Run Terminal Help home.css - Untitled (Workspace) - Visual Studio Code
home.html home.css x
STUDI KASUS > MODUL1 RAYHAN > home.css > .wrapper
99 }
100
101 .wrapper .form .input_field .textarea{
102     resize: none;
103     height: 125px;
104 }
105
106 .wrapper .form .input_field .custom_select{
107     position: relative;
108     width: 100%;
109     height: 37px;
110 }
111
112 .wrapper .form .input_field .custom_select select{
113     -webkit-appearance: none;
114     appearance: none;
115     border: 1px solid #d5d5d9;
116     width: 100%;
117     height: 100%;
118     padding: 8px 10px;
119     border-radius: 3px;
120     outline: none;
121 }
122
123 .wrapper .form .input_field .custom_select::before{
124     content: "";
125     position: absolute;
126     top: 0;
127     right: 0;
128     border: 8px solid;
129     border-color: red transparent transparent transparent;
130     pointer-events: none;
131 }
Ln 57, Col 22 Spaces: 4 UTF-8 CRLF CSS
```

```
File Edit Selection View Go Run Terminal Help home.css - Untitled (Workspace) - Visual Studio Code
home.html home.css x
STUDI KASUS > MODUL1 RAYHAN > home.css > .wrapper
133 .wrapper .form .input_field .input:focus,
134 .wrapper .form .input_field .textarea:focus,
135 .wrapper .form .input_field select:focus{
136     border: 1px solid #fec107;
137 }
138
139 .wrapper .form .input_field p{
140     font-size: 14px;
141     color: #757575;
142 }
143
144 .wrapper .form .input_field .btn{
145     width: 100%;
146     padding: 8px 10px;
147     font-size: 15px;
148     border: 0;
149     background: #fec107;
150     color: #fff;
151     cursor: pointer;
152     border-radius: 3px;
153     outline: none;
154 }
155
156 .wrapper .form .input_field .last-child{
157     margin-bottom: 0;
158 }
159
160 .wrapper .form .input_field .btn:hover{
161     background: #ffd65;
162 }
163
164
Ln 57, Col 22 Spaces: 4 UTF-8 CRLF CSS
```

(output)




Tampilan profile
(profile.html)



```
33 <p class="card-title">Merk yang tersedia di EAD Store antara lain:</p>
34 <ul type="circle">
35 <li>HP</li>
36 <li>ASUS</li>
37 <li>Logitech</li>
38 <li>Dell</li>
39 <li>Lenovo</li>
40 <li>Apple</li>
41 </ul>
42 </div>
43
44
45 </div>
46
47 <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js" integrity="sha384-DfXdz2htPH0lsSSs5nCTpuj/zy4C+0GpamoFVy38MVBnE+IbbVYUew+0rCXAkRk" crossorigin="anonymous"></script>
48 <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js" integrity="sha384-9/reFTGAW83EW2RDu2S0VW1a1oRnIyZpAJkxv4BeUWrYnB1iHh8GU+682p067n1u" crossorigin="anonymous"></script>
49 <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.js" integrity="sha384-B4gt1jrGC7Jh4AgTPSdu00BvFoV8shuf57BaghqFfPLYxofvL8/KUEf" crossorigin="anonymous"></script>
50
51 </body>
52
53 </html>
```

(profile.css)

```
1 @import url('https://fonts.googleapis.com/css2?family=Ubuntu:wght@300;400;700&display=swap');
2
3 body{
4   margin: 0;
5   padding: 0;
6   background-color: cyan;
7 }
8 .Logo{
9   width: 90px;
10  height: 30px;
11  margin-top: 0px;
12  margin-right: 48px;
13  margin-left: -55px;
14  cursor: pointer;
15 }
16
17 .active{
18   color: goldenrod;
19 }
20
21 li, a{
22   font-family: "Montserrat", sans-serif;
23   font-weight: 500;
24   font-size: 16px;
25   text-decoration: none;
26 }
27
28 header{
29   display: flex;
30   padding: 20px 10%;
31   background: black;
32 }
33
```




The screenshot shows the Visual Studio Code editor with a workspace titled 'profile.css - Untitled (Workspace)'. The editor has two tabs open: 'profile.html' and 'profile.css'. The 'profile.css' tab is active, displaying the following CSS code:

```
33
34 .nav_links{
35   list-style: none;
36 }
37
38 .nav_links li{
39   display: inline-flex;
40   padding: 5px 10px;
41 }
42
43 .nav_links li a{
44   transition: all, 0.3s ease 0s;
45 }
46
47 .nav_links li a:hover{
48   color: #eebbdd;
49 }
50
51 .card .card-img-top{
52   background-color: darkcyan;
53   padding: 10px 10px;
54 }
```

The status bar at the bottom indicates the cursor is at line 53, column 23, with 4 spaces. The encoding is UTF-8, and the line endings are CRLF. The system clock shows 20:08 on 27/09/2020.

(output)



Tampilan products
(profile.html)

```
File Edit Selection View Go Run Terminal Help products.html - Untitled (Workspace) - Visual Studio Code
products.html x products.css
STUDI KASUS > MODUL1 RAYHAN > products.html > html > body
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>TAMPILAN PRODUCTS</title>
5 <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css">
6 <link href="https://fonts.googleapis.com/css?family=Nunito&display=swap" rel="stylesheet">
7 <link href="https://fonts.googleapis.com/css?family=Aldrich&display=swap" rel="stylesheet">
8 <link rel="stylesheet" href="home.css">
9 <style>
10 table, tr, th, td{
11     border: 1px solid green;
12     border-collapse: collapse;
13     width: 500px;
14     text-align: center;
15     font-size: 12px;
16 }
17 th{
18     background-color: pink;
19 }
20 td{
21     background-color: powderblue;
22 }
23 </style>
24 </head>
25
26 <body>
27 <header>
28 
29 <nav>
30 <ul class="nav_links">
31 <li><a href="#">Home</a></li>
32 <li><a href="#">Profile</a></li>
33 <li><a class="active" href="#">Products</a></li>
34 </ul>
35 </nav>
36 </header>
37
38 <h3>Daftar Barang</h3>
39
40 <table>
41 <thead>
42 <tr>
43 <th rowspan="2">Ketersediaan Barang</th>
44 <th rowspan="2">Nama Barang</th>
45 <th colspan="3">Detail Barang</th>
46 </tr>
47 <tr>
48 <th>Merk</th>
49 <th>Jenis</th>
50 <th>Harga</th>
51 </tr>
52 </thead>
53 <tbody>
54 <tr>
55 <th rowspan="5">Ready Stock</th>
56 <td>All-in-One 24-f0051d</td>
57 <td>HP</td>
58 <td>Komputer</td>
59 <td>Rp. 11.358.000</td>
60 </tr>
61 <tr>
62 <td>All-in-One V222UAK-BA341Y</td>
63 <td>Asus</td>
64 <td>Komputer</td>
65 <td>Rp. 11.358.000</td>
66 </tr>
67 <tr>
68 <td>All-in-One V222UAK-BA341Y</td>
69 <td>Asus</td>
70 <td>Komputer</td>
71 <td>Rp. 11.358.000</td>
72 </tr>
73 <tr>
74 <td>All-in-One V222UAK-BA341Y</td>
75 <td>Asus</td>
76 <td>Komputer</td>
77 <td>Rp. 11.358.000</td>
78 </tr>
79 <tr>
80 <td>All-in-One V222UAK-BA341Y</td>
81 <td>Asus</td>
82 <td>Komputer</td>
83 <td>Rp. 11.358.000</td>
84 </tr>
85 </tbody>
86 </table>
87
88 </body>
89 </html>
```

```
File Edit Selection View Go Run Terminal Help products.html - Untitled (Workspace) - Visual Studio Code
products.html x products.css
STUDI KASUS > MODUL1 RAYHAN > products.html > html > body > header > nav > ul.nav_links > li
33 <li><a class="active" href="#">Products</a></li>
34 </ul>
35 </nav>
36 </header>
37
38 <h3>Daftar Barang</h3>
39
40 <table>
41 <thead>
42 <tr>
43 <th rowspan="2">Ketersediaan Barang</th>
44 <th rowspan="2">Nama Barang</th>
45 <th colspan="3">Detail Barang</th>
46 </tr>
47 <tr>
48 <th>Merk</th>
49 <th>Jenis</th>
50 <th>Harga</th>
51 </tr>
52 </thead>
53 <tbody>
54 <tr>
55 <th rowspan="5">Ready Stock</th>
56 <td>All-in-One 24-f0051d</td>
57 <td>HP</td>
58 <td>Komputer</td>
59 <td>Rp. 11.358.000</td>
60 </tr>
61 <tr>
62 <td>All-in-One V222UAK-BA341Y</td>
63 <td>Asus</td>
64 <td>Komputer</td>
65 <td>Rp. 11.358.000</td>
66 </tr>
67 <tr>
68 <td>All-in-One V222UAK-BA341Y</td>
69 <td>Asus</td>
70 <td>Komputer</td>
71 <td>Rp. 11.358.000</td>
72 </tr>
73 <tr>
74 <td>All-in-One V222UAK-BA341Y</td>
75 <td>Asus</td>
76 <td>Komputer</td>
77 <td>Rp. 11.358.000</td>
78 </tr>
79 <tr>
80 <td>All-in-One V222UAK-BA341Y</td>
81 <td>Asus</td>
82 <td>Komputer</td>
83 <td>Rp. 11.358.000</td>
84 </tr>
85 </tbody>
86 </table>
87
88 </body>
89 </html>
```

The image displays two screenshots of the Visual Studio Code editor, showing the development of an HTML document named 'products.html'.


Top Screenshot: The editor shows the 'products.html' file with the following HTML code (lines 65-96):

```
65 <td>Rp. 8.099.000</td>
66 </tr>
67 <tr>
68 <td>Bluetooth Multi-Device Keyboard K480-Black</td>
69 <td>Logitech</td>
70 <td>Keyboard</td>
71 <td>Rp. 470.000</td>
72 </tr>
73 <tr>
74 <td>Wireless Keyboard and Mouse KM636-Black</td>
75 <td>Dell</td>
76 <td>Keyboard</td>
77 <td>Rp. 399.000</td>
78 </tr>
79 <tr>
80 <td>Wireless Mouse M230 Fan Collection-England</td>
81 <td>Logitech</td>
82 <td>Mouse</td>
83 <td>Rp. 175.000</td>
84 </tr>
85 <tr>
86 <th rowspan="3">Sold Out</th>
87 <td>All-in IdeaCentre AI0520-22KL</td>
88 <td>Lenovo</td>
89 <td>Komputer</td>
90 <td>Rp. 10.850.000</td>
91 </tr>
92 <tr>
93 <td>M590 Multi Device Silent Wireless Mouse</td>
94 <td>Logitech</td>
95 <td>Mouse</td>
96 <td>Rp. 394.000</td>
```

Bottom Screenshot: The editor shows the continuation of the HTML code (lines 96-109):

```
96 <td>Rp. 394.000</td>
97 </tr>
98 <tr>
99 <td>Smart Keyboard iPad Pro 10.5 inch</td>
100 <td>Apple</td>
101 <td>Keyboard</td>
102 <td>Rp. 3.000.000</td>
103 </tr>
104 </tbody>
105 </table>
106
107 </div>
108 </body>
109 </html>
```

(profile.css)



(output)

How To Create HTML Table

TAMPILAN PRODUCTS

E:/YAN/KULIAH/SEMESTER%205/PENGEMBANGAN%20APLIKASI%20WEB/PRAKTIKUM/STUDI%20KASUS/MODUL1%20RAYHAN/products.html

AppsGmailYouTubeInstagramFacebook - Masuk...Attendancei-GRACIAS | Telkom...CeLOE - Learning...Disney+ Hotstar - S...Broadcaster Resmi...

ENTERPRISE APPLICATION DEVELOPMENT

HomeProfileProducts

Daftar Barang

Ketersediaan Barang	Nama Barang	Detail Barang		
		Merk	Jenis	Harga
Ready Stock	All-in-One 24-f0051d	HP	Komputer	Rp. 11.358.000
	All-in-One V222UAK-BA341T	Asus	Komputer	Rp. 8.099.000
	Bluetooth Multi-Device Keyboard K480-Black	Logitech	Keyboard	Rp. 470.000
	Wireless Keyboard and Mouse KM636-Black	Dell	Keyboard	Rp. 399.000
	Wireless Mouse M238 Fan Collection-England	Logitech	Mouse	Rp. 175.000
Sold Out	All-in IdeaCentre AIO520-22KL	Lenovo	Komputer	Rp. 10.850.000
	M590 Multi Device Silent Wireless Mouse	Logitech	Mouse	Rp. 394.000
	Smart Keyboard iPad Pro 10.5 inch	Apple	Keyboard	Rp. 3.000.800

ENG21:1927/09/2020