## 粒子滤波

Particle Filter learning note For reading translation

我真的不懂忧郁



## 粒子滤波

## Particle Filter learning note For reading translation

by

#### 我真的不懂忧郁

Student Name Student Number
First Surname 1234567

Instructor: I. Surname Teaching Assistant: I. Surname

Project Duration: Month, Year - Month, Year

Faculty: Faculty of Aerospace Engineering, Delft

Cover: Canadarm 2 Robotic Arm Grapples SpaceX Dragon by NASA under

CC BY-NC 2.0 (Modified)

Style: TU Delft Report Style, with modifications by Daan Zwaneveld



#### Preface

A preface...

我真的不懂忧郁 Delft, June 2024

#### Summary

 $A\ summary...$ 

### 目录

Preface		i	
Summary			
No	menclature		
1	背景	1	
2	Important Sampling and SIS	2	
3	重采样	3	
References		4	
A	Source Code Example	5	
В	Task Division Example	6	

#### Nomenclature

If a nomenclature is required, a simple template can be found below for convenience. Feel free to use, adapt or completely remove.

#### **Abbreviations**

Abbreviation	Definition
ISA	International Standard Atmosphere

#### **Symbols**

Symbol	Definition	Unit
V	Velocity	[m/s]
ρ	Density	[kg/m <sup>3</sup> ]

背景

Important Sampling and SIS

重采样

SIR Filter

#### References

[1] I. Surname, I. Surname, and I. Surname. "The Title of the Article". In: *The Title of the Journal* 1.2 (2000), pp. 123–456.



#### Source Code Example

Adding source code to your report/thesis is supported with the package listings. An example can be found below. Files can be added using \lstinputlisting[language=<language>] {<filename>}.

```
^{2} ISA Calculator: import the function, specify the height and it will return a
_3 list in the following format: [Temperature, Density, Pressure, Speed of Sound].
4 Note that there is no check to see if the maximum altitude is reached.
7 import math
g0 = 9.80665
9 R = 287.0
10 layer1 = [0, 288.15, 101325.0]
11 alt = [0,11000,20000,32000,47000,51000,71000,86000]
a = [-.0065, 0, .0010, .0028, 0, -.0028, -.0020]
14 def atmosphere(h):
      for i in range(0,len(alt)-1):
16
          if h >= alt[i]:
              layer0 = layer1[:]
17
              layer1[0] = min(h,alt[i+1])
18
              if a[i] != 0:
19
                  layer1[1] = layer0[1] + a[i]*(layer1[0]-layer0[0])
20
                  layer1[2] = layer0[2] * (layer1[1]/layer0[1])**(-g0/(a[i]*R))
                  layer1[2] = layer0[2]*math.exp((-g0/(R*layer1[1]))*(layer1[0]-layer0[0]))
23
      return [layer1[1],layer1[2]/(R*layer1[1]),layer1[2],math.sqrt(1.4*R*layer1[1])]
```



#### Task Division Example

If a task division is required, a simple template can be found below for convenience. Feel free to use, adapt or completely remove.

#### 表 B.1: Distribution of the workload

	Task	Student Name(s)
	Summary	
Chapter 1	Introduction	
Chapter 2		
Chapter 3		
Chapter *		
Chapter *	Conclusion	
	Editors	
	CAD and Figures	
	Document Design and Layout	