

Cooling cravers to the carefree: Behavioral archetypes of thermal preference from city-scale longitudinal smartwatch micro-surveys

Clayton Miller^{a,*}

^aSingapore Management University, *TODO(author): department or school, Singapore, TODO(author): postal code, Singapore*

Abstract

Keywords: thermal comfort, thermal preference, personal comfort, wearable sensing, ecological momentary assessment, behavioural archetypes

1. Introduction

Characterization of thermal comfort in the built environment has long been dominated by the creation of thermal comfort models, which combine physiology and environmental science to describe when and how a person should feel thermally comfortable or uncomfortable [1]. Rooted in heat-balance theory, these models relate metabolic heat production, clothing insulation, air temperature, radiant conditions, humidity, and air movement to a predicted comfort state, drawing on how core and skin temperatures jointly drive thermal sensation [2], how circadian phase and the thermoneutral zone set the body's baseline [3, 4], and how radiant and solar exposure adds heat that simple air-temperature metrics miss [5, 6]. From these inputs, the models predict thermal sensation, satisfaction, and preference, and they remain the backbone of the comfort standards and mechanical systems designed around them [7]. Newer adaptive formulations extend this picture by recognizing that people stay comfortable across a wider range of conditions than heat-balance theory alone would predict, as behavioral adjustment, expectation, and prior thermal history reshape what feels acceptable [8, 9]. Even within the same space, individuals differ systematically in thermal sensitivity and response [10, 11], which is one reason identical ambient conditions can produce the heterogeneous preferences illustrated in Figure 1. To capture this variation directly, personal comfort models learn from an individual's own repeated feedback and physiological signals rather than assuming a population average [12]. Yet both approaches face practical limits. Generalized models predict individual thermal sensation correctly only about a third of the time [7], while personal models are difficult to scale because they depend on collecting sustained, labeled data from every occupant [12]. Efforts to connect these models to the broader context that surrounds them, including the psychological and non-physical influences that shape perception [13, 14], demographic and cultural differences in expectation and preference

[15, 16], and the social conventions and economics that govern who controls and pays for indoor climate [17, 18], remain nascent, but they may explain much of why the models still fall short.

1.1. Thermal behavior varies between people under similar conditions

Given these deficiencies, it is worth looking more closely at the wider set of factors that shape people's thermal experience in cities, which Figure 1 organizes into two broad families. The left side gathers the physical, environmental, and physiological factors that classical models were built to handle but that continue to surprise us in their detail and interaction. At the environmental scale, real spaces are rarely uniform, and local asymmetries in radiant, surface, and air-movement conditions shape comfort in ways a single room temperature cannot represent [19], while personally controlled air movement can restore comfort and even cognitive performance at warmer set points [20, 21]. Closer to the body, near-body heat sources such as laptops [22], the insulation and cut of clothing [23], posture [24], and physical activity and metabolic rate [25] all shift the balance between heat production and loss. The physiological state of the occupant adds further variation through cutaneous blood flow [26], sweating and skin wettedness [27], hydration [28], the thermic effect of food and drink [29, 30], and age-related shifts in thermal thresholds [31]. Even the pleasantness of a given thermal stimulus depends on internal state, so the same temperature can feel welcome or aversive depending on whether it helps restore the body's balance [32]. These physical and physiological signals also rarely act alone, combining with the visual, acoustic, and air-quality exposures that any rigorous account of the indoor experience must weigh together [33].

The right side of Figure 1 gathers the psychological, cultural, economic, and historical or institutional forces that sit outside the heat balance yet strongly condition how people interpret and act on it. Psychologically, cooling choices are bound up with identity, values, and the situation at hand rather than temperature alone [34], and habitual reliance on air conditioning can harden into a practice that people find difficult to step outside of, even briefly [35]. Culturally, expectations of what

*Corresponding author

Email address: *TODO(author)*:

corresponding_email@example.edu (Clayton Miller)




Figure 1: Elements shaping individual thermal preference. The left side groups physical, environmental, and physiological factors around a seated occupant: the surrounding radiant, air-movement, and surface conditions; near-body heat sources, clothing insulation, posture, and physical activity; and physiological state such as skin temperature, perspiration, metabolic rate, hydration, sleep and circadian phase, acclimatization, and thermoregulation. The right side lists psychological, cultural, economic, and historical or institutional factors, ranging from expectation, perceived control, and behavioral adjustment, to dress conventions and regional comfort norms, energy prices and who pays the bill, and colonial design, regulatory, and infrastructural legacies. Together these illustrate why identical ambient conditions can produce heterogeneous thermal-preference responses across individuals.

a comfortable indoor climate should feel like are learned and socially organized, shaped by evolving conventions, domestic technology, and the material culture of cooling [36, 37, 38], and they take on distinctive forms in specific settings, from the air-conditioned lives of young people in Singapore [39] to the use and energy demand of naturally ventilated places of worship [40]. Economically, the decision to buy and run cooling responds to weather, prices, incomes, and the efficiency of the available equipment [41, 42, 43], and as incomes rise and the climate warms, adoption is projected to grow steeply, with large and unequally distributed consequences for electricity demand and emissions [44, 45, 46, 47]. Underlying all of this is a historical and institutional legacy in which particular comfort norms, standards, and infrastructures were exported and standardized, homogenizing expectations across very different climates and cultures [48, 49, 50, 51], a trajectory whose sustainability in an increasingly hot world is now openly in question [52].

1.2. Repeated in-situ data can reveal behavioral response patterns

Repeated in-situ reporting provides one route to observing how thermal preference changes with context and time [53].

2. Methods

- 2.1. Study design, cohort, and data source
- 2.2. Survey measures, outdoor heat, and environmental-control context
- 2.3. Participant eligibility and person-level features
- 2.4. Archetype discovery and interpretation
- 2.5. Mechanistic scrutiny and robustness checks




Figure 2: Cozie smartwatch micro-survey interface. The thermal-preference question offers Cooler, No change, and Warmer responses; the accompanying location question records the space category at the time of response.






Figure 3: Survey composition and thermal preference by space type. Top panel: the overall thermal-preference mix as the number of surveys in each category (Prefer Cooler, No Change, Prefer Warmer), with each category's share of all surveys labeled above its bar. Middle panel: the number of surveys recorded in each space type, with each type's share of all surveys labeled at the end of its bar. Bottom panel: within each space type, the share of surveys indicating Prefer Cooler, No Change, or Prefer Warmer, drawn as a fully stacked bar with the Prefer Cooler share labeled inside each bar.




Figure 4: Empirical-Bayes feature construction. The left panel shows fitted Beta priors for prefer-cooler and prefer-warmer response rates; the center and right panels compare participants' raw and shrunk rates for the two features.

3. Results

- 3.1. Cohort coverage and thermal-preference context*
- 3.2. Behavioral thermal archetypes*
- 3.3. Heat dose-response and environmental-control context*
- 3.4. Robustness and boundary membership*

Four Archetypes of Thermal Preference (n = 104)




Figure 5: Overview of the four behavioral thermal-preference archetypes derived in this study (n = 104 participants). From left to right: the Craver (Constant Cool-Seekers; n = 23, 22.1%), who prefers cooler more often, even in air-conditioned spaces; the Captive (Often Over-Cooled; n = 12, 11.5%), who prefers warmer more often, especially in air-conditioned spaces; the Conventional (Normatively Responsive; n = 35, 33.7%), whose prefer-cooler response rises with outdoor heat; and the Carefree (Heat-Unbothered; n = 34, 32.7%), who most consistently reports no change, even outdoors. Each column shows a representative icon, a schematic line sketch of the archetype's thermal-preference behavior (axes unlabeled), its name and subtitle, its sample size and share of participants, and a one-line behavioral summary.




Figure 6: Four-archetype clustering diagnostics. The left panel projects the standardized feature space onto its first two principal components; the right panel shows silhouette widths for individual participants, grouped by archetype.




Figure 7: Standardized feature signatures of the four behavioral thermal archetypes. Lines show cluster centroids for prefer-cooler rate, prefer-warmer rate, and heat sensitivity.




Figure 8: Prefer-cooler responses for each archetype across five probable control contexts, ordered by increasing air-conditioning likelihood (Outdoor with no A/C; Home with maybe A/C; Indoor Other with maybe A/C; Office or Classroom with likely A/C; and Transport with likely A/C), with 95 percent cluster-bootstrap confidence intervals. Each archetype uses a distinct marker in addition to color so the series remain distinguishable in black and white.




Figure 9: Prefer-warmer (too cold) responses by archetype across the four probable control contexts, ordered by increasing air-conditioning likelihood (Outdoor with no A/C; Home with maybe A/C; Office, Class, or Other indoor with likely A/C; and Transport with very likely A/C). Bars show the percentage of responses indicating a preference for warmer conditions.





Figure 11: Heat coupling by archetype. Points and horizontal intervals show the difference in participants' prefer-cooler probability between hot and not-hot observations, with 95% bootstrap confidence intervals.

Figure 10: Probability of preferring cooler conditions versus outdoor heat, shown separately for three probable control supergroups ordered by increasing air-conditioning likelihood (top to bottom: Outdoor with no A/C; Home or Other indoor with maybe A/C; and Office, Classroom, or Transport with likely A/C). Within each panel, one line per archetype gives the prefer-cooler share across outdoor heat-index sextile centers, with Wilson 95 percent intervals as shaded bands and a distinct marker per archetype (Craver, circle; Captive, cross; Conventional, triangle; Carefree, square) so the series remain distinguishable in black and white. The dotted vertical line marks the cohort median heat index.




Figure 12: Outdoor exposure and provoked comfort by archetype. The left panel summarizes participants' outdoor-exposure share; the right panel shows the probability of reporting No Change when observations are both hot and outdoors.




Figure 13: Survey characteristics not used to construct the archetypes. From left to right, panels show the distribution of space type, noise distraction, and alone-versus-group context across the four archetypes.




Figure 14: Wearable physiology in the one hour before each survey, summarized to one value per participant and compared across the four archetypes. From left to right: resting heart-rate proxy (mean heart rate on low-activity occasions), mean heart rate, within-hour heart-rate standard deviation (all in beats per minute), and movement (steps per hour, drawn on a logarithmic axis because a single participant is far more active). In each panel the box marks the interquartile range and median and the points are individual participants, colored by archetype. Kruskal-Wallis epsilon-squared effect sizes are all below 0.03 and none of the differences is statistically significant, so the archetypes are not distinguished by heart rate or activity.




Figure 15: Onboarding measures by archetype: one candidate signal against representative null dimensions ($n = 101$ participants with onboarding data). Each panel shows a participant-level measure across the four archetypes as a box (interquartile range and median) with individual participants overlaid, colored by archetype, and is annotated with the Kruskal-Wallis epsilon-squared effect size and p-value. From left to right: Ten-Item Personality Inventory Openness (1 to 7), Satisfaction With Life Scale total (5 to 35), age in years, and body mass index. Openness is the only measure with a medium effect (epsilon-squared 0.137, $p = 0.003$), higher in the Carefree type, whereas the other dimensions overlap across archetypes.

4. Discussion

- 4.1. What the archetypes add to thermal-comfort research
- 4.2. Implications for buildings, controls, and personalization
- 4.3. Strengths and limitations
- 4.4. Future work

5. Conclusions

CRedit authorship contribution statement

CRedit authorship contribution statement

CRedit roles to be finalized by the authors.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgments

Data availability

The data and analysis materials will be made available in the associated public repository, subject to the privacy protections described in the accompanying data documentation.

Declaration of generative AI and AI-assisted technologies in the writing process

During the preparation of this work, the authors used generative AI tools to assist with organizing and polishing manuscript source files. The authors reviewed and edited all content and take full responsibility for the final manuscript.

Appendix A. Supplementary methods and robustness detail

References

- [1] P. Fanger, Thermal comfort: analysis and applications in environmental engineering, 1972.
- [2] S. M. Frank, S. N. Raja, C. F. Bulcao, D. S. Goldstein, Relative contribution of core and cutaneous temperatures to thermal comfort and autonomic responses in humans, *J. Appl. Physiol.* 86 (5) (1999) 1588–1593.
- [3] K. Kräuchi, How is the circadian rhythm of core body temperature regulated?, *Clin. Auton. Res.* 12 (3) (2002) 147–149.
- [4] B. Kingma, A. Frijns, W. van Marken Lichtenbelt, The thermoneutral zone: implications for metabolic studies, *Front. Biosci. (Elite Ed.)* 4 (5) (2012) 1975–1985.
- [5] E. Halawa, J. van Hoof, V. Soebarto, The impacts of the thermal radiation field on thermal comfort, energy consumption and control—a critical overview, *Renew. Sustain. Energy Rev.* 37 (2014) 907–918.
- [6] S. G. Hodder, K. Parsons, The effects of solar radiation on thermal comfort, *Int. J. Biometeorol.* 51 (3) (2007) 233–250.
- [7] T. Cheung, S. Schiavon, T. Parkinson, P. Li, G. Brager, Analysis of the accuracy on PMV–PPD model using the ASHRAE global thermal comfort database II, *Building and Environment* 153 (2019) 205–217.
- [8] R. Dear, G. Brager, Developing an adaptive model of thermal comfort and preference, *Center for the Built Environment* 104 (Part 1) (1998) 145–167.
- [9] M. Schweiker, R. Risetto, A. Wagner, Thermal expectation: Influencing factors and its effect on thermal perception, *Energy and Buildings* 210 (2020) 109729.
- [10] R. F. Rupp, T. Parkinson, J. Kim, J. Toftum, R. de Dear, The impact of occupant’s thermal sensitivity on adaptive thermal comfort model, *Building and Environment* 207 (2022) 108517.
- [11] Z. Wang, R. de Dear, M. Luo, B. Lin, Y. He, A. Ghahramani, Y. Zhu, Individual difference in thermal comfort: A literature review, *Building and Environment* 138 (2018) 181–193.
- [12] L. Arakawa Martins, V. Soebarto, T. Williamson, A systematic review of personal thermal comfort models, *Building and Environment* 207 (2022) 108502.
- [13] V. L. Castaldo, I. Pigliautile, F. Rosso, F. Cotana, F. De Giorgio, A. L. Pisello, How subjective and non-physical parameters affect occupants’ environmental comfort perception, *Energy and Buildings* 178 (2018) 107–129.
- [14] G. Chinazzo, J. Wienold, M. Andersen, Daylight affects human thermal perception, *Sci. Rep.* 9 (1) (2019) 13690.
- [15] S. Karjalainen, Thermal comfort and gender: a literature review: Thermal comfort and gender: a literature review, *Indoor Air* 22 (2) (2012) 96–109.
- [16] S. Naheed, S. Shooshtarian, A review of cultural background and thermal perceptions in urban environments, *Sustainability* 13 (16) (2021) 9080.
- [17] E. Shove, Converging conventions of comfort, cleanliness and convenience, *J. Consumer Policy* 26 (4) (2003) 395–418.
- [18] K. Gillingham, M. Harding, D. Rapson, Split incentives in residential energy consumption, *Energy J.* 33 (2) (Apr. 2012).

- [19] X. Su, O. B. Kazanci, Z. Wang, B. W. Olesen, L. Sun, Y. Yuan, Local thermal comfort chart for non-uniform building environments: Comparison with vehicle environments and its application, *Build. Environ.* 234 (110162) (2023) 110162.
- [20] S. Schiavon, B. Yang, Y. Donner, V. W.-C. Chang, W. W. Nazaroff, Thermal comfort, perceived air quality, and cognitive performance when personally controlled air movement is used by tropically acclimatized persons, *Indoor Air* 27 (3) (2017) 690–702.
- [21] J. A. Porras-Salazar, F. Tartarini, S. Schiavon, The effect of indoor temperature on work performance of fifty-eight people in a simulated office environment, *Build. Environ.* 263 (111813) (2024) 111813.
- [22] H. Zhang, A. Hedge, Laptop heat and models of user thermal discomfort, *Proc. Hum. Factors Ergon. Soc. Annu. Meet.* 58 (1) (2014) 1456–1460.
- [23] G. Havenith, K. Kuklane, J. Fan, S. Hodder, Y. Ouzzahra, K. Lundgren, D. Loveday, A database of static clothing thermal insulation and vapor permeability values of non-western ensembles for use in ASHRAE standard 55, ISO 7730, and ISO 9920, *ASHRAE Trans.* 121 (1) (2015) 197–215.
- [24] P. Tikuisis, M. B. Ducharme, The effect of postural changes on body temperatures and heat balance, *Eur. J. Appl. Physiol. Occup. Physiol.* 72 (5-6) (1996) 451–459.
- [25] G. A. Gaesser, G. A. Brooks, Muscular efficiency during steady-rate exercise: effects of speed and work rate, *J. Appl. Physiol.* 38 (6) (1975) 1132–1139.
- [26] J. M. Johnson, D. L. Kellogg, Thermoregulatory and thermal control in the human cutaneous circulation, *Front. Biosci. (Schol. Ed.)* 2 (3) (2010) 825–853.
- [27] T. Fukazawa, G. Havenith, Differences in comfort perception in relation to local and whole body skin wettedness, *Eur. J. Appl. Physiol.* 106 (1) (2009) 15–24.
- [28] M. N. Sawka, S. J. Montain, W. A. Latzka, Hydration effects on thermoregulation and performance in the heat, *Comp. Biochem. Physiol. A Mol. Integr. Physiol.* 128 (4) (2001) 679–690.
- [29] R. Swaminathan, R. F. King, J. Holmfield, R. A. Siwek, M. Baker, J. K. Wales, Thermic effect of feeding carbohydrate, fat, protein and mixed meal in lean and obese subjects, *Am. J. Clin. Nutr.* 42 (2) (1985) 177–181.
- [30] J. Otsuka, Y. Okamoto, N. Fujii, Y. Enoki, D. Maejima, T. Nishiyasu, T. Amano, Effects of isomaltulose ingestion on thermoregulatory responses during exercise in a hot environment, *Int. J. Environ. Res. Public Health* 18 (11) (2021) 5760.
- [31] H.-W. Huang, W.-C. Wang, C.-C. K. Lin, Influence of age on thermal thresholds, thermal pain thresholds, and reaction time, *J. Clin. Neurosci.* 17 (6) (2010) 722–726.
- [32] M. Cabanac, Physiological role of pleasure: A stimulus can feel pleasant or unpleasant depending upon its usefulness as determined by internal signals, *Science* 173 (4002) (1971) 1103–1107.
- [33] G. Chinazzo, R. K. Andersen, E. Azar, V. M. Barthelmes, C. Becchio, L. Belussi, C. Berger, S. Carlucci, S. P. Corgnati, S. Crosby, L. Danza, L. de Castro, M. Favero, S. Gauthier, R. T. Hellwig, Q. Jin, J. Kim, M. Sarey Khanie, D. Khovalyg, C. Lingua, A. Luna-Navarro, A. Mahdavi, C. Miller, I. Mino-Rodriguez, I. Pigliautile, A. L. Pisello, R. F. Rupp, A.-M. Sadick, F. Salamone, M. Schweiker, M. Syndicus, G. Spiglianini, N. G. Vasquez, D. Vakalis, M. Vellei, S. Wei, Quality criteria for multi-domain studies in the indoor environment: Critical review towards research guidelines and recommendations, *Build. Environ.* 226 (2022) 109719.
- [34] O. O. Osunmuyiwa, S. R. Payne, P. Vigneswara Ilavarasan, A. D. Peacock, D. P. Jenkins, I cannot live without air conditioning! the role of identity, values and situational factors on cooling consumption patterns in india, *Energy Res. Soc. Sci.* 69 (2020) 101634.
- [35] R. Hitchings, Researching air-conditioning addiction and ways of puncturing practice: Professional office workers and the decision to go outside, *Environ. Plan. A* 43 (12) (2011) 2838–2856.
- [36] E. Shove, G. Walker, S. Brown, Material culture, room temperature and the social organisation of thermal energy, *J. Mater. Cult.* 19 (2) (2014) 113–124.
- [37] Y. Strengers, C. Maller, Integrating health, housing and energy policies: social practices of cooling, *Build. Res. Inf.* 39 (2) (2011) 154–168.
- [38] B. Goodchild, A. Ambrose, S. Berry, A. Maye-Banbury, T. Moore, G. Sherriff, Modernity, materiality and domestic technology: A case study of cooling and heating from south australia, *Hous. Theory Soc.* 37 (3) (2020) 357–377.
- [39] R. Hitchings, S. J. Lee, Air conditioning and the material culture of routine human encasement: The case of young people in contemporary singapore, *J. Mater. Cult.* 13 (3) (2008) 251–265.
- [40] A. B. Atmaca, G. Z. Gedik, Evaluation of mosques in terms of thermal comfort and energy consumption in a temperate-humid climate, *Energy Build.* 195 (2019) 195–204.
- [41] P. He, P. Liu, Y. L. Qiu, L. Liu, The weather affects air conditioner purchases to fill the energy efficiency gap, *Nat. Commun.* 13 (1) (2022) 5772.

- [42] D. S. Noonan, L.-H. C. Hsieh, D. Matisoff, Economic, sociological, and neighbor dimensions of energy efficiency adoption behaviors: Evidence from the U.S. residential heating and air conditioning market, *Energy Res. Soc. Sci.* 10 (2015) 102–113.
- [43] G. Y. Yun, K. Steemers, Behavioural, physical and socio-economic factors in household cooling energy consumption, *Appl. Energy* 88 (6) (2011) 2191–2200.
- [44] L. W. Davis, P. J. Gertler, Contribution of air conditioning adoption to future energy use under global warming, *Proc. Natl. Acad. Sci. U. S. A.* 112 (19) (2015) 5962–5967.
- [45] F. P. Colelli, I. S. Wing, E. D. Cian, Air-conditioning adoption and electricity demand highlight climate change mitigation-adaptation tradeoffs, *Sci. Rep.* 13 (1) (2023) 4413.
- [46] G. Falchetta, E. D. Cian, F. Pavanello, I. S. Wing, Inequalities in global residential cooling energy use to 2050, *Nat. Commun.* 15 (1) (2024) 7874.
- [47] H. Zhang, Y. Shan, R. Li, R. Xue, J. Ma, J. Kikstra, Z. Shi, Z. Wang, B. Zhang, B. Wang, S. Fang, F. Yang, K. Hubacek, Rising air-conditioning use intensifies global warming, *Nat. Commun.* 17 (1) (2026) 1961.
- [48] S. Roaf, Comfort colonialism, state and regulatory capture and capitalism preventing decarbonisation in the built environment, *Energy Res. Soc. Sci.* 138 (2026) 104802.
- [49] F. Williamson, Health and weather in unfavourable environments: Exploring the historical dynamics of colonial medical meteorology in nineteenth-century tropical asia, *Hist. Meteorol.* 12 (Aug. 2025).
- [50] S. Healy, Air-conditioning and the ‘homogenization’ of people and built environments, *Build. Res. Inf.* 36 (4) (2008) 312–322.
- [51] T. Winter, An uncomfortable truth: Air-conditioning and sustainability in asia, *Environ. Plan. A* 45 (3) (2013) 517–531.
- [52] K. Lundgren-Kownacki, E. D. Hornyanszky, T. A. Chu, J. A. Olsson, P. Becker, Challenges of using air conditioning in an increasingly hot climate, *Int. J. Biometeorol.* 62 (3) (2018) 401–412.
- [53] A. A. Stone, S. Shiffman, Ecological momentary assessment (EMA) in behavioral medicine, *Annals of Behavioral Medicine* 16 (3) (1994) 199–202.