

PROJECT REPORT

TITLE

IOT BASED WEATHER STATION

prepared by

ARIN GHANSHALA

Built on: 28th May, 2026

Project type: IOT, Cloud

Github URL: https://www.github.com/buganalyst/weather_station

IoT Based Weather Monitoring System

Abstract

The IoT Based Weather Monitoring System is a smart environmental monitoring project developed using NodeMCU ESP8266, DHT11 sensor, BMP180 sensor, OLED display, and ThingSpeak cloud platform. The main objective of this project is to monitor environmental conditions such as temperature, humidity, atmospheric pressure, and altitude in real time and upload the collected data to the cloud for remote monitoring and analysis.

The NodeMCU ESP8266 acts as the central controller and Wi-Fi communication module. Sensor readings are displayed locally on the OLED display and simultaneously transmitted to the ThingSpeak cloud server using internet connectivity. The cloud platform stores the data and generates graphical charts for visualization and analytics.

This project can be used in smart agriculture, industries, laboratories, hospitals, server rooms, and disaster monitoring systems where continuous environmental monitoring is important for safety and operational stability. The system demonstrates practical implementation of Internet of Things (IoT), embedded systems, wireless communication, sensor interfacing, and cloud computing technologies.

Introduction

Weather monitoring systems are essential for measuring environmental conditions and maintaining safety in critical areas. Traditional weather monitoring systems are often expensive and difficult to deploy in small-scale environments. With the advancement of Internet of Things (IoT) technology, low-cost and efficient monitoring systems can now be developed using microcontrollers and cloud platforms.

This project presents an IoT-based weather monitoring system using NodeMCU ESP8266. The system collects environmental data from sensors and uploads the information to a cloud server using Wi-Fi communication. The collected data can be monitored remotely from anywhere through the internet.

The project provides real-time monitoring capabilities and helps in early detection of environmental changes that may affect equipment, infrastructure, or human safety.

Objectives

The main objectives of this project are:

- To monitor temperature and humidity using DHT11 sensor
- To measure atmospheric pressure and altitude using BMP180 sensor
- To display real-time data on OLED display
- To upload sensor data to ThingSpeak cloud platform
- To develop a low-cost and portable IoT weather station

- To enable remote monitoring and analysis of environmental conditions
- To demonstrate practical implementation of IoT and cloud computing

Problem Statement

Environmental monitoring is important in many sectors such as industries, agriculture, healthcare, and data centers. Sudden changes in temperature, humidity, or pressure can cause equipment failures, overheating, fire hazards, and environmental instability.

Manual monitoring methods are inefficient and require continuous human supervision. Therefore, there is a need for an automated and cloud-enabled monitoring system that can continuously collect environmental data and provide remote accessibility.

This project solves the problem by creating an automated IoT-based monitoring system capable of collecting, processing, displaying, and transmitting environmental data in real time.

System Architecture

The system consists of sensors, microcontroller, display module, and cloud platform.

Working Flow

1. Sensors collect environmental data.
2. NodeMCU processes the sensor readings.
3. Data is displayed on OLED display.
4. NodeMCU connects to Wi-Fi network.
5. Sensor data is uploaded to ThingSpeak cloud.
6. ThingSpeak generates charts for monitoring and analysis.

Hardware Components

1. NodeMCU ESP8266

NodeMCU ESP8266 is an open-source IoT development board based on the ESP8266 Wi-Fi module. It contains built-in Wi-Fi functionality and acts as the main controller of the project.

Functions:

- Reads sensor data
- Processes information
- Controls OLED display
- Connects to Wi-Fi
- Uploads data to cloud server

Advantages:

- Low power consumption
- Built-in Wi-Fi
- Easy programming using Arduino IDE

- Compact and low-cost

2. DHT11 Sensor

DHT11 is a digital sensor used for measuring temperature and humidity.

Features:

- Low-cost sensor
- Digital output
- Good stability
- Easy interfacing

Parameters Measured:

- Temperature
- Humidity

3. BMP180 Sensor

BMP180 is a digital pressure sensor used for measuring atmospheric pressure and altitude.

Features:

- High accuracy
- Low power consumption
- Small size
- I2C communication support

Parameters Measured:

- Atmospheric pressure
- Altitude

4. OLED Display

OLED display is used to show live sensor readings locally.

Functions:

- Displays temperature
- Displays humidity
- Displays pressure
- Displays altitude

Advantages:

- Low power usage
- High display clarity
- Compact size

5. Additional Components

Breadboard

Used for circuit prototyping and component connections.

Jumper Wires

Used for electrical connections between components.

LEDs

Used as status indicators.

Buzzer

Used for alert indications.

5V Power Supply

Provides power to the system.

Software Requirements

Arduino IDE

Arduino IDE is used to write, compile, and upload code to NodeMCU ESP8266.

Functions:

- Code development
- Library management
- Serial monitoring
- Firmware uploading

ThingSpeak Cloud Platform

ThingSpeak is an IoT cloud platform used for storing and visualizing sensor data.

Features:

- Real-time data storage
- Graph generation
- Remote monitoring
- Data analytics

Circuit Connections

DHT11 Connections

DHT11 Pin	NodeMCU Pin
VCC	3.3V

DHT11 Pin	NodeMCU Pin
GND	GND
DATA	GPIO

BMP180 Connections

BMP180 Pin	NodeMCU Pin
VCC	3.3V
GND	GND
SDA	D2
SCL	D1

OLED Connections

OLED Pin	NodeMCU Pin
VCC	3.3V
GND	GND
SDA	D2
SCL	D1

Methodology

The project follows the following methodology:

1. Sensors are connected to NodeMCU.
2. NodeMCU reads environmental data from sensors.
3. Sensor values are processed using Arduino code.
4. OLED display shows live readings.
5. ESP8266 connects to Wi-Fi network.
6. Data is transmitted to ThingSpeak cloud platform.
7. Cloud server stores and visualizes the data.

The system continuously repeats this process to provide real-time monitoring.

Results and Output

The project successfully monitored environmental conditions and uploaded the data to the ThingSpeak cloud platform.

Outputs Obtained:

- Real-time temperature readings
- Humidity monitoring

- Atmospheric pressure monitoring
- Altitude measurement
- Live OLED display output
- Cloud-based graphical visualization

The ThingSpeak platform generated charts for each environmental parameter, allowing remote analysis and monitoring.

Applications

This project can be used in:

- Smart agriculture systems
- Weather monitoring stations
- Industrial monitoring systems
- Hospitals and laboratories
- Pharmaceutical storage rooms
- Data centers and server rooms
- Smart homes
- Environmental research centers

Advantages

- Low-cost implementation
- Real-time monitoring
- Wireless communication
- Cloud-based data storage
- Portable design
- Easy scalability
- Remote accessibility
- Low power consumption

Limitations

- Requires internet connectivity
- Limited sensor accuracy compared to industrial systems
- Depends on cloud server availability
- Basic security implementation

Future Scope

Future improvements can include:

- AI-based weather prediction
- SMS and email alerts

- Mobile application integration
- Rain and wind sensors
- Solar-powered system
- Advanced data analytics
- MQTT communication protocol
- Smart automation systems

Conclusion

The IoT Based Weather Monitoring System successfully demonstrates the implementation of IoT technology for real-time environmental monitoring. The system effectively collects temperature, humidity, pressure, and altitude data using sensors and uploads the information to the cloud using NodeMCU ESP8266.

The project provides a low-cost, portable, and scalable monitoring solution suitable for various real-world applications. It demonstrates practical concepts of embedded systems, wireless communication, cloud computing, and sensor interfacing.

The system can be further enhanced with artificial intelligence, advanced analytics, and automation technologies for smart environmental monitoring applications.

References

1. NodeMCU ESP8266 Documentation
2. Arduino IDE Official Documentation
3. ThingSpeak IoT Platform
4. DHT11 Sensor Datasheet
5. BMP180 Sensor Datasheet
6. SSD1306 OLED Display Documentation