Practical 1: Syslog, NTP, SSH, OSPF

R1 CONFIGURATION

```
enable
configure terminal
interface g0/0
ip address 192.168.1.1 255.255.255.0
no shutdown
interface s0/1/0
ip address 10.1.1.1 255.255.255.252
clock rate 64000
no shutdown
line console 0
password conpa55
login
line vty 0 4
password vtypa55
login
enable secret enpa55
router ospf 1
network 192.168.1.0 0.0.0.255 area 0
network 10.1.1.0 0.0.0.3 area 0
area 0 authentication message-digest
interface s0/1/0
ip ospf message-digest-key 1 md5 MD5pa55
ntp server 192.168.1.5
ntp update-calendar
ntp authenticate
ntp trusted-key 1
ntp authentication-key 1 md5 NTPpa55
```

```
logging host 192.168.1.6
service timestamps log datetime msec
```

R2 CONFIGURATION

```
enable
configure terminal
interface s0/1/0
ip address 10.1.1.2 255.255.255.252
no shutdown
interface s0/1/1
ip address 10.2.2.2 255.255.255.252
clock rate 64000
no shutdown
line console 0
password conpa55
login
line vty 0 4
password vtypa55
login
enable secret enpa55
router ospf 1
network 10.1.1.0 0.0.0.3 area 0
network 10.2.2.0 0.0.0.3 area 0
area 0 authentication message-digest
interface s0/1/0
ip ospf message-digest-key 1 md5 MD5pa55
interface s0/1/1
ip ospf message-digest-key 1 md5 MD5pa55
ntp server 192.168.1.5
ntp update-calendar
```

```
ntp authenticate
ntp trusted-key 1
ntp authentication-key 1 md5 NTPpa55
logging host 192.168.1.6
service timestamps log datetime msec
```

R3 CONFIGURATION

```
enable
configure terminal
interface g0/0
ip address 192.168.3.1 255.255.255.0
no shutdown
interface s0/1/0
ip address 10.2.2.1 255.255.255.252
no shutdown
line console 0
password conpa55
login
line vty 0 4
password vtypa55
login
enable secret enpa55
router ospf 1
network 192.168.3.0 0.0.0.255 area 0
network 10.2.2.0 0.0.0.3 area 0
area 0 authentication message-digest
interface s0/1/0
ip ospf message-digest-key 1 md5 MD5pa55
ntp server 192.168.1.5
ntp update-calendar
```

```
ntp authenticate
ntp trusted-key 1
ntp authentication-key 1 md5 NTPpa55
logging host 192.168.1.6
service timestamps log datetime msec
ip domain-name ccnasecurity.com
username SSHadmin privilege 15 secret sshpa55
line vty 0 4
login local
transport input ssh
crypto key generate rsa
1024
ip ssh version 2
ip ssh time-out 90
ip ssh authentication-retries 2
```