

Операционные системы

Продвинутое использование git

Бугерра Сухайеб

24 июня 2025

Российский университет дружбы народов, Москва, Россия

Цели и задачи работы

Получение навыков правильной работы с репозиториями git.

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

Процесс выполнения лабораторной работы

```
buguerra@buguerra:~$  
buguerra@buguerra:~$ pnpm setup  
Appended new lines to /home/buguerra/.bashrc  
  
Next configuration changes were made:  
export PNPM_HOME="/home/buguerra/.local/share/pnpm"  
case ":$PATH:" in  
  *:$PNPM_HOME:*) ;;  
  *) export PATH="$PNPM_HOME:$PATH" ;;  
esac  
  
To start using pnpm, run:  
source /home/buguerra/.bashrc  
buguerra@buguerra:~$ source ~/.bashrc  
buguerra@buguerra:~$
```

Рис. 1: Node.js

```
buguerra@buguerra:~$ pnpm add -g commitizen

Update available! 9.13.0 → 10.12.2.
Changelog: https://github.com/pnpm/pnpm/releases/tag/v10.12.2
Run "pnpm self-update" to update.

Follow @pnpmjs for updates: https://x.com/pnpmjs

WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +151
Progress: resolved 151, reused 0, downloaded 151, added 151, done

/home/buguerra/.local/share/pnpm/global/5:
+ commitizen 4.3.1

Done in 5.5s
buguerra@buguerra:~$
```

Рис. 2: установка commitizen

```
buguerra@buguerra:~$  
buguerra@buguerra:~$ pnpm add -g standard-changelog  
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6  
Packages: +34  
+++++  
Progress: resolved 185, reused 151, downloaded 34, added 34, done  
  
/home/buguerra/.local/share/pnpm/global/5:  
+ standard-changelog 7.0.1  
  
Done in 3.8s  
buguerra@buguerra:~$
```

Рис. 3: установка standard-changelog




Рис. 4: package.json

Использование commitizen

```
buguerra@buguerra: ~/git-extended$ git add .
buguerra@buguerra:~/git-extended$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:    Other changes that don't modify src
  or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master f2bc69e] chore: test
 1 file changed, 14 insertions(+)
 create mode 100644 package.json
buguerra@buguerra:~/git-extended$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.12 КиБ | 1.12 МБ/с, готово.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:buguerra-rudn/git-extended.git
   c47168e..f2bc69e  master -> master
buguerra@buguerra:~/git-extended$
```

Рис. 5: Отправка

```
buguerra@buguerra:~/git-extended$ git flow init

Which branch should be used for bringing forth production releases?
- master
Branch name for production releases: [master]
Branch name for "next release" development: [develop]

How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory? [/home/buguerra/git-extended/.git/hooks]
buguerra@buguerra:~/git-extended$
buguerra@buguerra:~/git-extended$ git branch
* develop
  master
buguerra@buguerra:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:   https://github.com/bugerra-rudn/git-extended/pull/new/develop
remote:
To github.com:bugerra-rudn/git-extended.git
 * [new branch]      develop -> develop
buguerra@buguerra:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

```
buguerra@buguerra:~/git-extended$  
buguerra@buguerra:~/git-extended$ git push --all  
Перечисление объектов: 6, готово.  
Подсчет объектов: 100% (6/6), готово.  
При сжатии изменений используется до 4 потоков  
Сжатие объектов: 100% (4/4), готово.  
Запись объектов: 100% (5/5), 2.67 КиБ | 2.67 МиБ/с, готово.  
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To github.com:buguerra-rudn/git-extended.git  
  f2bc69e..c25bc78  develop -> develop  
  f2bc69e..44159e2  master -> master  
buguerra@buguerra:~/git-extended$ git push --tags  
Перечисление объектов: 1, готово.  
Подсчет объектов: 100% (1/1), готово.  
Запись объектов: 100% (1/1), 155 байтов | 155.00 КиБ/с, готово.  
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To github.com:buguerra-rudn/git-extended.git  
  * [new tag]          1.0.0 -> 1.0.0  
buguerra@buguerra:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md  
https://github.com/buguerra-rudn/git-extended/releases/tag/v1.0.0  
buguerra@buguerra:~/git-extended$
```

Рис. 7: Завершение релиза

Отправим данные на github

```
buguerra@buguerra:~/git-extended$  
buguerra@buguerra:~/git-extended$ git flow feature start feature_branch  
Переключились на новую ветку «feature/feature_branch»  
  
Summary of actions:  
- A new branch 'feature/feature_branch' was created, based on 'develop'  
- You are now on branch 'feature/feature_branch'  
  
Now, start committing on your feature. When done, use:  
  
    git flow feature finish feature_branch  
  
buguerra@buguerra:~/git-extended$ touch test2  
buguerra@buguerra:~/git-extended$ git flow feature finish feature_branch  
Переключились на ветку «develop»  
Эта ветка соответствует «origin/develop».  
Уже актуально.  
Ветка feature/feature_branch удалена (была c25bc78).  
  
Summary of actions:  
- The feature branch 'feature/feature_branch' was merged into 'develop'  
- Feature branch 'feature/feature_branch' has been locally deleted  
- You are now on branch 'develop'  
  
buguerra@buguerra:~/git-extended$
```

Рис. 8: Отправка

```
git flow release finish '1.2.3'

buguerra@buguerra:~/git-extended$ gedit package.json
buguerra@buguerra:~/git-extended$ standard-changelog
buguerra@buguerra:~/git-extended$ git add CHANGELOG.md
buguerra@buguerra:~/git-extended$ git commit -am 'chore(site): update changelog'
[release/1.2.3 cd03c38] chore(site): update changelog
 2 files changed, 5 insertions(+), 1 deletion(-)
buguerra@buguerra:~/git-extended$ git flow release finish 1.2.3
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
  CHANGELOG.md | 4 ++++
  package.json | 2 +-
  2 files changed, 5 insertions(+), 1 deletion(-)
Уже на «master»
Ваша ветка опережает «origin/master» на 3 коммита.
(используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
  CHANGELOG.md | 4 ++++
  package.json | 2 +-
  2 files changed, 5 insertions(+), 1 deletion(-)
Ветка release/1.2.3 удалена (была cd03c38).

Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged '1.2.3'
- Release tag '1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
```

Рис. 9: Объединение веток

```
Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged '1.2.3'
- Release tag '1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

buguerra@buguerra:~/git-extended$ git push --all
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (6/6), готово.
Запись объектов: 100% (6/6), 2.78 КиБ | 2.78 МБ/с, готово.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:buguerra-rudn/git-extended.git
   c25bc78..6f6f781  develop -> develop
   44159e2..53e9c10  master -> master
buguerra@buguerra:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 156 байтов | 156.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:buguerra-rudn/git-extended.git
 * [new tag]         1.2.3 -> 1.2.3
buguerra@buguerra:~/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/buguerra-rudn/git-extended/releases/tag/v1.2.3
buguerra@buguerra:~/git-extended$
```

Рис. 10: Завершение релиза

Подготовка рабочего репозитория

```
buguerra@buguerra:~/work/study/2024-2025/Операционные системы/os-intro$ gedit package.json
buguerra@buguerra:~/work/study/2024-2025/Операционные системы/os-intro$ git add .
buguerra@buguerra:~/work/study/2024-2025/Операционные системы/os-intro$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:    Other changes that don't modify src
or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 24711a3] chore: test
 1 file changed, 14 insertions(+)
 create mode 100644 package.json
buguerra@buguerra:~/work/study/2024-2025/Операционные системы/os-intro$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.11 КиБ | 1.11 МБ/с, готово.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:buguerra-rudn/os-intro.git
 42e01c9..24711a3  master -> master
buguerra@buguerra:~/work/study/2024-2025/Операционные системы/os-intro$
```

Рис. 11: package.json и коммит

Подготовка рабочего репозитория

```
buguerra@buguerra:~/work/study/2024-2025/Операционные системы/os-intro$ standard-changelog --first-release
buguerra@buguerra:~/work/study/2024-2025/Операционные системы/os-intro$ git add CHANGELOG.md
buguerra@buguerra:~/work/study/2024-2025/Операционные системы/os-intro$ git commit -am 'chore(site): add changelog'
[release/1.0.0 8947671] chore(site): add changelog
1 file changed, 5 insertions(+), 119 deletions(-)
buguerra@buguerra:~/work/study/2024-2025/Операционные системы/os-intro$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
CHANGELOG.md | 124 +++-----
1 file changed, 5 insertions(+), 119 deletions(-)
Уже на «master»
Ваша ветка опережает «origin/master» на 2 коммита.
(используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 124 +++-----
1 file changed, 5 insertions(+), 119 deletions(-)
Ветка release/1.0.0 удалена (была 8947671).

Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged '1.0.0'
- Release tag '1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'
```

Рис. 12: Завершение релиза

Выводы по проделанной работе

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.