SmartInfra Security Suite | Executive Summary

Level 5 — Security Intelligence | Professional Plus

Internal Use

Scan Time: 03/04/2569 22:14:40
Total Hosts: 11
Total Findings: 18

OVERALL RISK POSTURE

HIGH

Elevated risk posture. High-risk exposures should be prioritized for remediation.

📌 Executive Overview

11 Affected Hosts	**18** Total Findings	**49.0** Avg Risk Score
75.5 Security Score	**C** Security Grade	**0** KEV Detected

ภาพรวมการประเมินครั้งนี้สะท้อนสถานะความปลอดภัยของระบบจากข้อมูลสแกนล่าสุด โดยเน้นการจัดลำดับความเสี่ยงและการตัดสินใจเชิงบริหารเพื่อใช้วางแผน remediation

🧭 Threat Distribution

0	8	9	1	13
CRITICAL	HIGH	MEDIUM	LOW	CVE

ใช้หน้านี้เป็นหน้าสรุปสำหรับผู้บริหารก่อนลงรายละเอียดเชิงเทคนิคในหน้าถัดไป

🚨 Top 3 Urgent Findings

- **192.168.1.152 : RTSP:554** — HIGH — RTSP/IP camera service exposed `[CVE-2002-1321]`
- **192.168.1.201 : HTTP:3000** — HIGH — Alternative web/application port exposed `[CVE-2003-0249]`
- **192.168.1.1 : HTTP:80** — HIGH — Web service exposed `[CVE-1999-0236]`

🗄 Top 3 Affected Hosts

- **192.168.1.152** — HIGH — Findings: 2 — KEV: 0 — Ports: 554, 5000
- **192.168.1.201** — HIGH — Findings: 2 — KEV: 0 — Ports: 22, 3000
- **192.168.1.1** — HIGH — Findings: 4 — KEV: 0 — Ports: 22, 53, 80, 443

🛠 Immediate Recommended Actions

- เร่งตรวจสอบและจำกัดการเข้าถึงบริการที่มีความเสี่ยงระดับ HIGH/CRITICAL ก่อนเป็นลำดับแรก
- ดำเนินการ patching / upgrade สำหรับบริการที่เชื่อมโยงกับ CVE และ KEV
- ทบทวน exposure ของพอร์ตที่เปิดสู่เครือข่าย โดยเฉพาะพอร์ต admin, web, camera และ remote service
- บังคับใช้ hardening, credential review, segmentation และ logging สำหรับ host ที่อยู่ใน Top Risk

⭐ Top 5 Hosts by Maximum Threat

Host	Threat	Risk Score	Findings	Critical	High	Medium	KEV	Ports	Top Finding
192.168.1.152	HIGH	131.0	2	0	1	1	0	554, 5000	RTSP:554 (HIGH | CVE-2002-1321)
192.168.1.201	HIGH	115.0	2	0	1	1	0	22, 3000	HTTP:3000 (HIGH | CVE-2003-0249)
192.168.1.1	HIGH	103.0	4	0	3	1	0	22, 53, 80, 443	HTTP:80 (HIGH | CVE-1999-0236)
192.168.1.90	HIGH	103.0	1	0	1	0	0	80	HTTP:80 (HIGH | CVE-1999-0236)
192.168.1.150	HIGH	103.0	1	0	1	0	0	80	HTTP:80 (HIGH | CVE-1999-0236)

🚨 Top 10 Findings

IP	Port	Service	Threat	Risk Score	CVE	KEV	Finding
192.168.1.152	554	RTSP	HIGH	131.0	CVE-2002-1321	-	RTSP/IP camera service exposed
192.168.1.201	3000	HTTP	HIGH	115.0	CVE-2003-0249	-	Alternative web/application port exposed
192.168.1.1	80	HTTP	HIGH	103.0	CVE-1999-0236	-	Web service exposed
192.168.1.1	443	HTTP	HIGH	103.0	CVE-1999-0236	-	Web service exposed
192.168.1.90	80	HTTP	HIGH	103.0	CVE-1999-0236	-	Web service exposed
192.168.1.150	80	HTTP	HIGH	103.0	CVE-1999-0236	-	Web service exposed
192.168.1.194	8080	HTTP	HIGH	103.0	CVE-1999-0236	-	Web service exposed
192.168.1.1	53	DNS	HIGH	73.0	CVE-2007-0193	-	DNS service detected
192.168.1.153	22	SSH	MEDIUM	84.0	CVE-2023-25136	-	SSH service exposed
192.168.1.155	22	SSH	MEDIUM	84.0	CVE-2023-25136	-	SSH service exposed

🦠 Top CVE / Known Exploited Vulnerabilities

IP	Port	Service	CVE	CVSS	KEV	Description
192.168.1.1	53	DNS	CVE-2007-0193	7.5	-	FON La Fonera routers do not properly limit DNS service access by unauthenticated clients, which allows remote attackers to tunnel...
192.168.1.1	80	HTTP	CVE-1999-0236	7.5	-	ScriptAlias directory in NCSA and Apache httpd allowed attackers to read CGI programs.
192.168.1.1	443	HTTP	CVE-1999-0236	7.5	-	ScriptAlias directory in NCSA and Apache httpd allowed attackers to read CGI programs.
192.168.1.90	80	HTTP	CVE-1999-0236	7.5	-	ScriptAlias directory in NCSA and Apache httpd allowed attackers to read CGI programs.
192.168.1.150	80	HTTP	CVE-1999-0236	7.5	-	ScriptAlias directory in NCSA and Apache httpd allowed attackers to read CGI programs.
192.168.1.152	554	RTSP	CVE-2002-1321	7.5	-	Multiple buffer overflows in RealOne and RealPlayer allow remote attackers to execute arbitrary code via (1) a Synchronized Multim...
192.168.1.194	8080	HTTP	CVE-1999-0236	7.5	-	ScriptAlias directory in NCSA and Apache httpd allowed attackers to read CGI programs.
192.168.1.201	3000	HTTP	CVE-2003-0249	7.5	-	PHP treats unknown methods such as "PoSt" as a GET request, which could allow attackers to intended access restrictions if PHP is ...
192.168.1.153	22	SSH	CVE-2023-25136	6.5	-	OpenSSH server (sshd) 9.1 introduced a double-free vulnerability during options.kex_algorithms handling. This is fixed in OpenSSH ...
192.168.1.155	22	SSH	CVE-2023-25136	6.5	-	OpenSSH server (sshd) 9.1 introduced a double-free vulnerability during options.kex_algorithms handling. This is fixed in OpenSSH ...

🛠 Remediation Recommendations (Top 5 Hosts)

Host	Threat	Risk Score	Key Issues	Recommended Actions
192.168.1.152	HIGH	131.0	• **RTSP:554:** RTSP/IP camera service exposed [CVE-2002-1321] • **UPNP?:5000:** Alternative web/application port exposed	• Change default credentials, restrict access, and isolate cameras on a separate VLAN or security zone. • Verify whether this web/admin/application port must be reachable. Restrict or proxy it if unnecessary.
192.168.1.201	HIGH	115.0	• **HTTP:3000:** Alternative web/application port exposed [CVE-2003-0249] • **SSH:22:** SSH service exposed [CVE-2023-25136]	• Restrict source IPs, prefer key-based authentication, disable password login where possible, and rotate credentials. • Verify whether this web/admin/application port must be reachable. Restrict or proxy it if unnecessary.
192.168.1.1	HIGH	103.0	• **HTTP:80:** Web service exposed [CVE-1999-0236] • **HTTP:443:** Web service exposed [CVE-1999-0236] • **DNS:53:** DNS service detected [CVE-2007-0193] • **SSH:22:** SSH service exposed (Dropbear detected)	• Review firmware/software updates, restrict source IPs, and harden SSH settings for embedded/Linux devices. • Ensure recursion and zone transfer are restricted appropriately and expose only where required. • Review exposed web applications, patch software, protect admin interfaces, and restrict management panels.
192.168.1.90	HIGH	103.0	• **HTTP:80:** Web service exposed [CVE-1999-0236]	• Review exposed web applications, patch software, protect admin interfaces, and restrict management panels.
192.168.1.150	HIGH	103.0	• **HTTP:80:** Web service exposed [CVE-1999-0236]	• Review exposed web applications, patch software, protect admin interfaces, and restrict management panels.

📎 Appendix A — Full Risk Findings

ภาคผนวกนี้แสดงรายละเอียด findings ทั้งหมดสำหรับการตรวจสอบย้อนกลับ การวิเคราะห์เชิงเทคนิค และการส่งต่อให้ทีมปฏิบัติการใช้วางแผน remediation ต่อไป

IP	Port	Proto	Service	Threat	Risk Score	CVE	Finding	Recommendation
192.168.1.152	554	tcp	RTSP	HIGH	131.0	CVE-2002-1321	RTSP/IP camera service exposed	Change default credentials, restrict access, and isolate cameras on a separate VLAN or security zone.
192.168.1.201	3000	tcp	HTTP	HIGH	115.0	CVE-2003-0249	Alternative web/application port exposed	Verify whether this web/admin/application port must be reachable. Restrict or proxy it if unnecessary.
192.168.1.1	80	tcp	HTTP	HIGH	103.0	CVE-1999-0236	Web service exposed	Review exposed web applications, patch software, protect admin interfaces, and restrict management panels.
192.168.1.1	443	tcp	HTTP	HIGH	103.0	CVE-1999-0236	Web service exposed	Review exposed web applications, patch software, protect admin interfaces, and restrict management panels.
192.168.1.90	80	tcp	HTTP	HIGH	103.0	CVE-1999-0236	Web service exposed	Review exposed web applications, patch software, protect admin interfaces, and restrict management panels.
192.168.1.150	80	tcp	HTTP	HIGH	103.0	CVE-1999-0236	Web service exposed	Review exposed web applications, patch software, protect admin interfaces, and restrict management panels.
192.168.1.194	8080	tcp	HTTP	HIGH	103.0	CVE-1999-0236	Web service exposed	Review exposed web applications, patch software, protect admin interfaces, and restrict management panels.

IP	Port	Proto	Service	Threat	Risk Score	CVE	Finding	Recommendation
192.168.1.1	53	tcp	DNS	HIGH	73.0	CVE-2007-0193	DNS service detected	Ensure recursion and zone transfer are restricted appropriately and expose only where required.
192.168.1.153	22	tcp	SSH	MEDIUM	84.0	CVE-2023-25136	SSH service exposed	Restrict source IPs, prefer key-based authentication, disable password login where possible, and rotate credentials.
192.168.1.155	22	tcp	SSH	MEDIUM	84.0	CVE-2023-25136	SSH service exposed	Restrict source IPs, prefer key-based authentication, disable password login where possible, and rotate credentials.
192.168.1.190	22	tcp	SSH	MEDIUM	84.0	CVE-2023-25136	SSH service exposed	Restrict source IPs, prefer key-based authentication, disable password login where possible, and rotate credentials.
192.168.1.194	22	tcp	SSH	MEDIUM	84.0	CVE-2023-25136	SSH service exposed	Restrict source IPs, prefer key-based authentication, disable password login where possible, and rotate credentials.
192.168.1.201	22	tcp	SSH	MEDIUM	84.0	CVE-2023-25136	SSH service exposed	Restrict source IPs, prefer key-based authentication, disable password login where possible, and rotate credentials.
192.168.1.152	5000	tcp	UPNP?	MEDIUM	62.0	-	Alternative web/application port exposed	Verify whether this web/admin/application port must be reachable. Restrict or proxy it if unnecessary.

IP	Port	Proto	Service	Threat	Risk Score	CVE	Finding	Recommendation
192.168.1.1	22	tcp	SSH	MEDIUM	55.0	-	SSH service exposed (Dropbear detected)	Review firmware/software updates, restrict source IPs, and harden SSH settings for embedded/Linux devices.
192.168.1.190	111	tcp	RPCBIND	MEDIUM	55.0	-	rpcbind service exposed	Restrict rpcbind exposure to internal hosts only and disable it if unused.
192.168.1.169	22	tcp	SSH	MEDIUM	45.0	-	SSH service exposed	Restrict source IPs, prefer key-based authentication, disable password login where possible, and rotate credentials.
192.168.1.177	8081	tcp	BLACKICE-ICECAP?	LOW	30.0	-	Non-standard service port detected	Validate whether this custom or dynamic service port is expected and restrict access where appropriate.

ท่านเซ่อ สมโภช ทองน้ำเที่ยง

ผอ. หน่วยข่าวกรองด้านไซเบอร์

Approved By