


	1		
	-	BudgetWriter	В
AccountingEntry>			
	J	<u>- delimiter: String</u>	- delimiter: String
		+ writeBudgetEntryToFile(Entry: budgetEntry) : void	+ readAllBudgetingEntriesInAM
		i · whicebudgetermy for hetermy, budgetermy), volu	· reauminoungeringerinesinAlvi





- delimiter: String - delimiter: String + writeCategoryToFile(Category: category): void + readAllCategoriesFromFile(): ReceiptWriter Re - delimiter: String - delimiter: String + writeReceiptToFile(Receipt: receipt) : void + readAllReceiptsFile(Date date <<Abstract>> Category **Entry** - id: String - id: String - description: String - expense: Boolean + Category(String description) - date: Date + getId(): String - amount: Double + getDescription(): String - category: Category + setDescription(String descripti Entry(Boolean expense, Date date, Double amount, Category category) + getId(): String + getDate() : Date + setDate(Date date) : void + getAmount(): Double + setAmount(Double amount) : void + getCategory(): Category + setCategory(Category category) : void

CategoryWriter

Ca

· · · · · · · · · · · · · · · · · · ·	
egoryReader	7
<u>.                                    </u>	-
	_
_ist <category></category>	
ceiptReader	7
	-
	-
: List <entry></entry>	
on) : void	
ony . void	
ı	
	Receipt

