Stanford University ACM Team Notebook (2011-12)

Table of Contents

Combinatorial optimization

Geometry

Numerical algorithms

Graph algorithms

Data structures

Miscellaneous

Dinic.cc 1/27

```cpp
// Adjacency list implementation of Dinic's blocking flow algorithm.
// This is very fast in practice, and only loses to push-relabel flow.
//
// Running time:
//     O(|V|^2 |E|)
//
// INPUT:
//     - graph, constructed using AddEdge()
//     - source
//     - sink
//
// OUTPUT:
//     - maximum flow value
//     - To obtain the actual flow values, look at all edges with
//       capacity > 0 (zero capacity edges are residual edges).

#include <cmath>
#include <vector>
#include <iostream>
#include <queue>

using namespace std;

const int INF = 2000000000;

struct Edge {
  int from, to, cap, flow, index;
  Edge(int from, int to, int cap, int flow, int index) :
    from(from), to(to), cap(cap), flow(flow), index(index) {}
};

struct Dinic {
  int N;
  vector<vector<Edge> > G;
  vector<Edge *> dad;
  vector<int> Q;

  Dinic(int N) : N(N), G(N), dad(N), Q(N) {}

  void AddEdge(int from, int to, int cap) {
    G[from].push_back(Edge(from, to, cap, 0, G[to].size()));
    if (from == to) G[from].back().index++;
    G[to].push_back(Edge(to, from, 0, 0, G[from].size() - 1));
  }

  long long BlockingFlow(int s, int t) {
    fill(dad.begin(), dad.end(), (Edge *) NULL);
    dad[s] = &G[0][0] - 1;

    int head = 0, tail = 0;
    Q[tail++] = s;
    while (head < tail) {
      int x = Q[head++];
      for (int i = 0; i < G[x].size(); i++) {
        Edge &e = G[x][i];
        if (!dad[e.to] && e.cap - e.flow > 0) {
          dad[e.to] = &G[x][i];
          Q[tail++] = e.to;
        }
      }
    }
    if (!dad[t]) return 0;
```

```
    long long totflow = 0;
    for (int i = 0; i < G[t].size(); i++) {
      Edge *start = &G[G[t][i].to][G[t][i].index];
      int amt = INF;
      for (Edge *e = start; amt && e != dad[s]; e = dad[e->from]) {
        if (!e) { amt = 0; break; }
        amt = min(amt, e->cap - e->flow);
      }
      if (amt == 0) continue;
      for (Edge *e = start; amt && e != dad[s]; e = dad[e->from]) {
        e->flow += amt;
        G[e->to][e->index].flow -= amt;
      }
      totflow += amt;
    }
    return totflow;
  }

  long long GetMaxFlow(int s, int t) {
    long long totflow = 0;
    while (long long flow = BlockingFlow(s, t))
      totflow += flow;
    return totflow;
  }
};
```

MinCostMaxFlow.cc 2/27

```
// Implementation of min cost max flow algorithm using adjacency
// matrix (Edmonds and Karp 1972).  This implementation keeps track of
// forward and reverse edges separately (so you can set cap[i][j] !=
// cap[j][i]).  For a regular max flow, set all edge costs to 0.
//
// Running time, O(|V|^2) cost per augmentation
//     max flow:           O(|V|^3) augmentations
//     min cost max flow:  O(|V|^4 * MAX_EDGE_COST) augmentations
//
// INPUT:
//     - graph, constructed using AddEdge()
//     - source
//     - sink
//
// OUTPUT:
//     - (maximum flow value, minimum cost value)
//     - To obtain the actual flow, look at positive values only.

#include <cmath>
#include <vector>
#include <iostream>

using namespace std;

typedef vector<int> VI;
typedef vector<VI> VVI;
typedef long long L;
typedef vector<L> VL;
typedef vector<VL> VVL;
typedef pair<int, int> PII;
typedef vector<PII> VPII;

const L INF = numeric_limits<L>::max() / 4;

struct MinCostMaxFlow {
  int N;
  VVL cap, flow, cost;
  VI found;
  VL dist, pi, width;
  VPII dad;

  MinCostMaxFlow(int N) :
    N(N), cap(N, VL(N)), flow(N, VL(N)), cost(N, VL(N)),
    found(N), dist(N), pi(N), width(N), dad(N) {}

  void AddEdge(int from, int to, L cap, L cost) {
    this->cap[from][to] = cap;
    this->cost[from][to] = cost;
  }

  void Relax(int s, int k, L cap, L cost, int dir) {
    L val = dist[s] + pi[s] - pi[k] + cost;
    if (cap && val < dist[k]) {
      dist[k] = val;
      dad[k] = make_pair(s, dir);
      width[k] = min(cap, width[s]);
    }
  }

  L Dijkstra(int s, int t) {
    fill(found.begin(), found.end(), false);
    fill(dist.begin(), dist.end(), INF);
    fill(width.begin(), width.end(), 0);
    dist[s] = 0;
    width[s] = INF;

    while (s != -1) {
      int best = -1;
      found[s] = true;
      for (int k = 0; k < N; k++) {
        if (found[k]) continue;
        Relax(s, k, cap[s][k] - flow[s][k], cost[s][k], 1);
        Relax(s, k, flow[k][s], -cost[k][s], -1);
        if (best == -1 || dist[k] < dist[best]) best = k;
      }
      s = best;
    }

    for (int k = 0; k < N; k++)
      pi[k] = min(pi[k] + dist[k], INF);
    return width[t];
  }

  pair<L, L> GetMaxFlow(int s, int t) {
    L totflow = 0, totcost = 0;
    while (L amt = Dijkstra(s, t)) {
      totflow += amt;
      for (int x = t; x != s; x = dad[x].first) {
        if (dad[x].second == 1) {
          flow[dad[x].first][x] += amt;
          totcost += amt * cost[dad[x].first][x];
        } else {
          flow[x][dad[x].first] -= amt;
          totcost -= amt * cost[x][dad[x].first];
        }
      }
    }
    return make_pair(totflow, totcost);
```

```
  }
};
```

PushRelabel.cc 3/27

```
// Adjacency list implementation of FIFO push relabel maximum flow
// with the gap relabeling heuristic.  This implementation is
// significantly faster than straight Ford-Fulkerson.  It solves
// random problems with 10000 vertices and 1000000 edges in a few
// seconds, though it is possible to construct test cases that
// achieve the worst-case.
//
// Running time:
//     O(|V|^3)
//
// INPUT:
//     - graph, constructed using AddEdge()
//     - source
//     - sink
//
// OUTPUT:
//     - maximum flow value
//     - To obtain the actual flow values, look at all edges with
//       capacity > 0 (zero capacity edges are residual edges).

#include <cmath>
#include <vector>
#include <iostream>
#include <queue>

using namespace std;

typedef long long LL;

struct Edge {
  int from, to, cap, flow, index;
  Edge(int from, int to, int cap, int flow, int index) :
    from(from), to(to), cap(cap), flow(flow), index(index) {}
};

struct PushRelabel {
  int N;
  vector<vector<Edge> > G;
  vector<LL> excess;
  vector<int> dist, active, count;
  queue<int> Q;

  PushRelabel(int N) : N(N), G(N), excess(N), dist(N), active(N), count(2*N) {}

  void AddEdge(int from, int to, int cap) {
    G[from].push_back(Edge(from, to, cap, 0, G[to].size()));
    if (from == to) G[from].back().index++;
    G[to].push_back(Edge(to, from, 0, 0, G[from].size() - 1));
  }

  void Enqueue(int v) {
    if (!active[v] && excess[v] > 0) { active[v] = true; Q.push(v); }
  }

  void Push(Edge &e) {
    int amt = int(min(excess[e.from], LL(e.cap - e.flow)));
    if (dist[e.from] <= dist[e.to] || amt == 0) return;
    e.flow += amt;
    G[e.to][e.index].flow -= amt;
    excess[e.to] += amt;
    excess[e.from] -= amt;
    Enqueue(e.to);
  }

  void Gap(int k) {
    for (int v = 0; v < N; v++) {
      if (dist[v] < k) continue;
      count[dist[v]]--;
      dist[v] = max(dist[v], N+1);
      count[dist[v]]++;
      Enqueue(v);
    }
  }

  void Relabel(int v) {
    count[dist[v]]--;
    dist[v] = 2*N;
    for (int i = 0; i < G[v].size(); i++)
      if (G[v][i].cap - G[v][i].flow > 0)
        dist[v] = min(dist[v], dist[G[v][i].to] + 1);
    count[dist[v]]++;
    Enqueue(v);
  }

  void Discharge(int v) {
    for (int i = 0; excess[v] > 0 && i < G[v].size(); i++) Push(G[v][i]);
    if (excess[v] > 0) {
      if (count[dist[v]] == 1)
        Gap(dist[v]);
      else
        Relabel(v);
    }
  }

  LL GetMaxFlow(int s, int t) {
    count[0] = N-1;
    count[N] = 1;
    dist[s] = N;
    active[s] = active[t] = true;
    for (int i = 0; i < G[s].size(); i++) {
      excess[s] += G[s][i].cap;
      Push(G[s][i]);
    }

    while (!Q.empty()) {
      int v = Q.front();
      Q.pop();
      active[v] = false;
      Discharge(v);
    }

    LL totflow = 0;
    for (int i = 0; i < G[s].size(); i++) totflow += G[s][i].flow;
    return totflow;
  }
};
```

MinCostMatching.cc 4/27

```
///////////////////////////////////////////////////////////////////////////
// Min cost bipartite matching via shortest augmenting paths
//
// This is an O(n^3) implementation of a shortest augmenting path
// algorithm for finding min cost perfect matchings in dense
// graphs.  In practice, it solves 1000x1000 problems in around 1
// second.
//
//   cost[i][j] = cost for pairing left node i with right node j
//   Lmate[i] = index of right node that left node i pairs with
//   Rmate[j] = index of left node that right node j pairs with
//
// The values in cost[i][j] may be positive or negative.  To perform
// maximization, simply negate the cost[][] matrix.
///////////////////////////////////////////////////////////////////////////

#include <algorithm>
#include <cstdio>
#include <cmath>
#include <vector>

using namespace std;

typedef vector<double> VD;
typedef vector<VD> VVD;
typedef vector<int> VI;

double MinCostMatching(const VVD &cost, VI &Lmate, VI &Rmate) {
  int n = int(cost.size());

  // construct dual feasible solution
  VD u(n);
  VD v(n);
  for (int i = 0; i < n; i++) {
    u[i] = cost[i][0];
    for (int j = 1; j < n; j++) u[i] = min(u[i], cost[i][j]);
  }
  for (int j = 0; j < n; j++) {
    v[j] = cost[0][j] - u[0];
    for (int i = 1; i < n; i++) v[j] = min(v[j], cost[i][j] - u[i]);
  }

  // construct primal solution satisfying complementary slackness
  Lmate = VI(n, -1);
  Rmate = VI(n, -1);
  int mated = 0;
  for (int i = 0; i < n; i++) {
    for (int j = 0; j < n; j++) {
      if (Rmate[j] != -1) continue;
      if (fabs(cost[i][j] - u[i] - v[j]) < 1e-10) {
        Lmate[i] = j;
        Rmate[j] = i;
        mated++;
        break;
      }
    }
  }

  VD dist(n);
  VI dad(n);
  VI seen(n);

  // repeat until primal solution is feasible
  while (mated < n) {

    // find an unmatched left node
    int s = 0;
    while (Lmate[s] != -1) s++;

    // initialize Dijkstra
    fill(dad.begin(), dad.end(), -1);
    fill(seen.begin(), seen.end(), 0);
    for (int k = 0; k < n; k++)
      dist[k] = cost[s][k] - u[s] - v[k];

    int j = 0;
    while (true) {

      // find closest
      j = -1;
      for (int k = 0; k < n; k++) {
        if (seen[k]) continue;
        if (j == -1 || dist[k] < dist[j]) j = k;
      }
      seen[j] = 1;

      // termination condition
      if (Rmate[j] == -1) break;

      // relax neighbors
      const int i = Rmate[j];
      for (int k = 0; k < n; k++) {
        if (seen[k]) continue;
        const double new_dist = dist[j] + cost[i][k] - u[i] - v[k];
        if (dist[k] > new_dist) {
          dist[k] = new_dist;
          dad[k] = j;
        }
      }
    }

    // update dual variables
    for (int k = 0; k < n; k++) {
      if (k == j || !seen[k]) continue;
      const int i = Rmate[k];
      v[k] += dist[k] - dist[j];
      u[i] -= dist[k] - dist[j];
    }
    u[s] += dist[j];

    // augment along path
    while (dad[j] >= 0) {
      const int d = dad[j];
      Rmate[j] = Rmate[d];
      Lmate[Rmate[j]] = j;
      j = d;
    }
    Rmate[j] = s;
    Lmate[s] = j;

    mated++;
  }

  double value = 0;
  for (int i = 0; i < n; i++)
    value += cost[i][Lmate[i]];

  return value;
}
```

MaxBipartiteMatching.cc 5/27

```
// This code performs maximum bipartite matching.
//
// Running time: O(|E| |V|) -- often much faster in practice
//
//   INPUT: w[i][j] = edge between row node i and column node j
//   OUTPUT: mr[i] = assignment for row node i, -1 if unassigned
//           mc[j] = assignment for column node j, -1 if unassigned
//           function returns number of matches made

#include <vector>

using namespace std;

typedef vector<int> VI;
typedef vector<VI> VVI;

bool FindMatch(int i, const VVI &w, VI &mr, VI &mc, VI &seen) {
  for (int j = 0; j < w[i].size(); j++) {
    if (w[i][j] && !seen[j]) {
      seen[j] = true;
      if (mc[j] < 0 || FindMatch(mc[j], w, mr, mc, seen)) {
        mr[i] = j;
        mc[j] = i;
        return true;
      }
    }
  }
  return false;
}

int BipartiteMatching(const VVI &w, VI &mr, VI &mc) {
  mr = VI(w.size(), -1);
  mc = VI(w[0].size(), -1);

  int ct = 0;
  for (int i = 0; i < w.size(); i++) {
    VI seen(w[0].size());
    if (FindMatch(i, w, mr, mc, seen)) ct++;
  }
  return ct;
}
```

MinCut.cc 6/27

```
// Adjacency matrix implementation of Stoer-Wagner min cut algorithm.
//
// Running time:
//     O(|V|^3)
//
// INPUT:
//     - graph, constructed using AddEdge()
//
// OUTPUT:
//     - (min cut value, nodes in half of min cut)

#include <cmath>
#include <vector>
#include <iostream>

using namespace std;

typedef vector<int> VI;
typedef vector<VI> VVI;

const int INF = 1000000000;

pair<int, VI> GetMinCut(VVI &weights) {
  int N = weights.size();
  VI used(N), cut, best_cut;
  int best_weight = -1;

  for (int phase = N-1; phase >= 0; phase--) {
    VI w = weights[0];
    VI added = used;
    int prev, last = 0;
    for (int i = 0; i < phase; i++) {
      prev = last;
      last = -1;
      for (int j = 1; j < N; j++)
        if (!added[j] && (last == -1 || w[j] > w[last])) last = j;
      if (i == phase-1) {
        for (int j = 0; j < N; j++) weights[prev][j] += weights[last][j];
        for (int j = 0; j < N; j++) weights[j][prev] = weights[prev][j];
        used[last] = true;
        cut.push_back(last);
        if (best_weight == -1 || w[last] < best_weight) {
          best_cut = cut;
          best_weight = w[last];
        }
      } else {
        for (int j = 0; j < N; j++)
          w[j] += weights[last][j];
        added[last] = true;
      }
    }
  }
  return make_pair(best_weight, best_cut);
}
```

ConvexHull.cc 7/27

```
// Compute the 2D convex hull of a set of points using the monotone chain
// algorithm.  Eliminate redundant points from the hull if REMOVE_REDUNDANT is
// #defined.
//
// Running time: O(n log n)
//
//   INPUT:   a vector of input points, unordered.
//   OUTPUT:  a vector of points in the convex hull, counterclockwise, starting
//            with bottommost/leftmost point

#include <cstdio>
#include <cassert>
#include <vector>
#include <algorithm>
#include <cmath>

using namespace std;

#define REMOVE_REDUNDANT
```

```
typedef double T;
const T EPS = 1e-7;
struct PT {
  T x, y;
  PT() {}
  PT(T x, T y) : x(x), y(y) {}
  bool operator<(const PT &rhs) const { return make_pair(y,x) < make_pair(rhs.y,rhs.x); }
  bool operator==(const PT &rhs) const { return make_pair(y,x) == make_pair(rhs.y,rhs.x); }
};

T cross(PT p, PT q) { return p.x*q.y-p.y*q.x; }
T area2(PT a, PT b, PT c) { return cross(a,b) + cross(b,c) + cross(c,a); }

#ifdef REMOVE_REDUNDANT
bool between(const PT &a, const PT &b, const PT &c) {
  return (fabs(area2(a,b,c)) < EPS && (a.x-b.x)*(c.x-b.x) <= 0 && (a.y-b.y)*(c.y-b.y) <= 0);
}
#endif

void ConvexHull(vector<PT> &pts) {
  sort(pts.begin(), pts.end());
  pts.erase(unique(pts.begin(), pts.end()), pts.end());
  vector<PT> up, dn;
  for (int i = 0; i < pts.size(); i++) {
    while (up.size() > 1 && area2(up[up.size()-2], up.back(), pts[i]) >= 0) up.pop_back();
    while (dn.size() > 1 && area2(dn[dn.size()-2], dn.back(), pts[i]) <= 0) dn.pop_back();
    up.push_back(pts[i]);
    dn.push_back(pts[i]);
  }
  pts = dn;
  for (int i = (int) up.size() - 2; i >= 1; i--) pts.push_back(up[i]);

#ifdef REMOVE_REDUNDANT
  if (pts.size() <= 2) return;
  dn.clear();
  dn.push_back(pts[0]);
  dn.push_back(pts[1]);
  for (int i = 2; i < pts.size(); i++) {
    if (between(dn[dn.size()-2], dn[dn.size()-1], pts[i])) dn.pop_back();
    dn.push_back(pts[i]);
  }
  if (dn.size() >= 3 && between(dn.back(), dn[0], dn[1])) {
    dn[0] = dn.back();
    dn.pop_back();
  }
  pts = dn;
#endif
}
```

Geometry.cc 8/27

```
// C++ routines for computational geometry.

#include <iostream>
#include <vector>
#include <cmath>
#include <cassert>

using namespace std;

double INF = 1e100;
double EPS = 1e-12;

struct PT {
  double x, y;
  PT() {}
  PT(double x, double y) : x(x), y(y) {}
  PT(const PT &p) : x(p.x), y(p.y)    {}
  PT operator + (const PT &p)  const { return PT(x+p.x, y+p.y); }
  PT operator - (const PT &p)  const { return PT(x-p.x, y-p.y); }
  PT operator * (double c)     const { return PT(x*c,   y*c  ); }
  PT operator / (double c)     const { return PT(x/c,   y/c  ); }
};

double dot(PT p, PT q)     { return p.x*q.x+p.y*q.y; }
double dist2(PT p, PT q)   { return dot(p-q,p-q); }
double cross(PT p, PT q)   { return p.x*q.y-p.y*q.x; }
ostream &operator<<(ostream &os, const PT &p) {
  os << "(" << p.x << "," << p.y << ")";
}

// rotate a point CCW or CW around the origin
PT RotateCCW90(PT p)   { return PT(-p.y,p.x); }
PT RotateCW90(PT p)    { return PT(p.y,-p.x); }
PT RotateCCW(PT p, double t) {
  return PT(p.x*cos(t)-p.y*sin(t), p.x*sin(t)+p.y*cos(t));
}

// project point c onto line through a and b
// assuming a != b
PT ProjectPointLine(PT a, PT b, PT c) {
  return a + (b-a)*dot(c-a, b-a)/dot(b-a, b-a);
}

// project point c onto line segment through a and b
PT ProjectPointSegment(PT a, PT b, PT c) {
  double r = dot(b-a,b-a);
  if (fabs(r) < EPS) return a;
  r = dot(c-a, b-a)/r;
  if (r < 0) return a;
  if (r > 1) return b;
  return a + (b-a)*r;
}

// compute distance from c to segment between a and b
double DistancePointSegment(PT a, PT b, PT c) {
  return sqrt(dist2(c, ProjectPointSegment(a, b, c)));
}

// compute distance between point (x,y,z) and plane ax+by+cz=d
double DistancePointPlane(double x, double y, double z,
                          double a, double b, double c, double d)
{
  return fabs(a*x+b*y+c*z-d)/sqrt(a*a+b*b+c*c);
}

// determine if lines from a to b and c to d are parallel or collinear
bool LinesParallel(PT a, PT b, PT c, PT d) {
  return fabs(cross(b-a, c-d)) < EPS;
}

bool LinesCollinear(PT a, PT b, PT c, PT d) {
  return LinesParallel(a, b, c, d)
      && fabs(cross(a-b, a-c)) < EPS
      && fabs(cross(c-d, c-a)) < EPS;
}

// determine if line segment from a to b intersects with
```

```
// line segment from c to d
bool SegmentsIntersect(PT a, PT b, PT c, PT d) {
  if (LinesCollinear(a, b, c, d)) {
    if (dist2(a, c) < EPS || dist2(a, d) < EPS ||
      dist2(b, c) < EPS || dist2(b, d) < EPS) return true;
    if (dot(c-a, c-b) > 0 && dot(d-a, d-b) > 0 && dot(c-b, d-b) > 0)
      return false;
    return true;
  }
  if (cross(d-a, b-a) * cross(c-a, b-a) > 0) return false;
  if (cross(a-c, d-c) * cross(b-c, d-c) > 0) return false;
  return true;
}

// compute intersection of line passing through a and b
// with line passing through c and d, assuming that unique
// intersection exists; for segment intersection, check if
// segments intersect first
PT ComputeLineIntersection(PT a, PT b, PT c, PT d) {
  b=b-a; d=c-d; c=c-a;
  assert(dot(b, b) > EPS && dot(d, d) > EPS);
  return a + b*cross(c, d)/cross(b, d);
}

// compute center of circle given three points
PT ComputeCircleCenter(PT a, PT b, PT c) {
  b=(a+b)/2;
  c=(a+c)/2;
  return ComputeLineIntersection(b, b+RotateCW90(a-b), c, c+RotateCW90(a-c));
}

// determine if point is in a possibly non-convex polygon (by William
// Randolph Franklin); returns 1 for strictly interior points, 0 for
// strictly exterior points, and 0 or 1 for the remaining points.
// Note that it is possible to convert this into an *exact* test using
// integer arithmetic by taking care of the division appropriately
// (making sure to deal with signs properly) and then by writing exact
// tests for checking point on polygon boundary
bool PointInPolygon(const vector<PT> &p, PT q) {
  bool c = 0;
  for (int i = 0; i < p.size(); i++){
    int j = (i+1)%p.size();
    if ((p[i].y <= q.y && q.y < p[j].y ||
      p[j].y <= q.y && q.y < p[i].y) &&
      q.x < p[i].x + (p[j].x - p[i].x) * (q.y - p[i].y) / (p[j].y - p[i].y))
      c = !c;
  }
  return c;
}

// determine if point is on the boundary of a polygon
bool PointOnPolygon(const vector<PT> &p, PT q) {
  for (int i = 0; i < p.size(); i++)
    if (dist2(ProjectPointSegment(p[i], p[(i+1)%p.size()], q), q) < EPS)
      return true;
    return false;
}

// compute intersection of line through points a and b with
// circle centered at c with radius r > 0
vector<PT> CircleLineIntersection(PT a, PT b, PT c, double r) {
  vector<PT> ret;
  b = b-a;
  a = a-c;
  double A = dot(b, b);
  double B = dot(a, b);
  double C = dot(a, a) - r*r;
  double D = B*B - A*C;
  if (D < -EPS) return ret;
  ret.push_back(c+a+b*(-B+sqrt(D+EPS))/A);
  if (D > EPS)
    ret.push_back(c+a+b*(-B-sqrt(D))/A);
  return ret;
}

// compute intersection of circle centered at a with radius r
// with circle centered at b with radius R
vector<PT> CircleCircleIntersection(PT a, PT b, double r, double R) {
  vector<PT> ret;
  double d = sqrt(dist2(a, b));
  if (d > r+R || d+min(r, R) < max(r, R)) return ret;
  double x = (d*d-R*R+r*r)/(2*d);
  double y = sqrt(r*r-x*x);
  PT v = (b-a)/d;
  ret.push_back(a+v*x + RotateCCW90(v)*y);
  if (y > 0)
    ret.push_back(a+v*x - RotateCCW90(v)*y);
  return ret;
}

// This code computes the area or centroid of a (possibly nonconvex)
// polygon, assuming that the coordinates are listed in a clockwise or
// counterclockwise fashion.  Note that the centroid is often known as
// the "center of gravity" or "center of mass".
double ComputeSignedArea(const vector<PT> &p) {
  double area = 0;
  for(int i = 0; i < p.size(); i++) {
    int j = (i+1) % p.size();
    area += p[i].x*p[j].y - p[j].x*p[i].y;
  }
  return area / 2.0;
}

double ComputeArea(const vector<PT> &p) {
  return fabs(ComputeSignedArea(p));
}

PT ComputeCentroid(const vector<PT> &p) {
  PT c(0,0);
  double scale = 6.0 * ComputeSignedArea(p);
  for (int i = 0; i < p.size(); i++){
    int j = (i+1) % p.size();
    c = c + (p[i]+p[j])*(p[i].x*p[j].y - p[j].x*p[i].y);
  }
  return c / scale;
}

// tests whether or not a given polygon (in CW or CCW order) is simple
bool IsSimple(const vector<PT> &p) {
  for (int i = 0; i < p.size(); i++) {
    for (int k = i+1; k < p.size(); k++) {
      int j = (i+1) % p.size();
      int l = (k+1) % p.size();
      if (i == l || j == k) continue;
      if (SegmentsIntersect(p[i], p[j], p[k], p[l]))
        return false;
    }
  }
  return true;
}
```

```
int main() {

  // expected: (-5,2)
  cerr << RotateCCW90(PT(2,5)) << endl;

  // expected: (5,-2)
  cerr << RotateCW90(PT(2,5)) << endl;

  // expected: (-5,2)
  cerr << RotateCCW(PT(2,5),M_PI/2) << endl;

  // expected: (5,2)
  cerr << ProjectPointLine(PT(-5,-2), PT(10,4), PT(3,7)) << endl;

  // expected: (5,2) (7.5,3) (2.5,1)
  cerr << ProjectPointSegment(PT(-5,-2), PT(10,4), PT(3,7)) << " "
       << ProjectPointSegment(PT(7.5,3), PT(10,4), PT(3,7)) << " "
       << ProjectPointSegment(PT(-5,-2), PT(2.5,1), PT(3,7)) << endl;

  // expected: 6.78903
  cerr << DistancePointPlane(4,-4,3,2,-2,5,-8) << endl;

  // expected: 1 0 1
  cerr << LinesParallel(PT(1,1), PT(3,5), PT(2,1), PT(4,5)) << " "
       << LinesParallel(PT(1,1), PT(3,5), PT(2,0), PT(4,5)) << " "
       << LinesParallel(PT(1,1), PT(3,5), PT(5,9), PT(7,13)) << endl;

  // expected: 0 0 1
  cerr << LinesCollinear(PT(1,1), PT(3,5), PT(2,1), PT(4,5)) << " "
       << LinesCollinear(PT(1,1), PT(3,5), PT(2,0), PT(4,5)) << " "
       << LinesCollinear(PT(1,1), PT(3,5), PT(5,9), PT(7,13)) << endl;

  // expected: 1 1 1 0
  cerr << SegmentsIntersect(PT(0,0), PT(2,4), PT(3,1), PT(-1,3)) << " "
       << SegmentsIntersect(PT(0,0), PT(2,4), PT(4,3), PT(0,5)) << " "
       << SegmentsIntersect(PT(0,0), PT(2,4), PT(2,-1), PT(-2,1)) << " "
       << SegmentsIntersect(PT(0,0), PT(2,4), PT(5,5), PT(1,7)) << endl;

  // expected: (1,2)
  cerr << ComputeLineIntersection(PT(0,0), PT(2,4), PT(3,1), PT(-1,3)) << endl;

  // expected: (1,1)
  cerr << ComputeCircleCenter(PT(-3,4), PT(6,1), PT(4,5)) << endl;

  vector<PT> v;
  v.push_back(PT(0,0));
  v.push_back(PT(5,0));
  v.push_back(PT(5,5));
  v.push_back(PT(0,5));

  // expected: 1 1 1 0 0
  cerr << PointInPolygon(v, PT(2,2)) << " "
       << PointInPolygon(v, PT(2,0)) << " "
       << PointInPolygon(v, PT(0,2)) << " "
       << PointInPolygon(v, PT(5,2)) << " "
       << PointInPolygon(v, PT(2,5)) << endl;

  // expected: 0 1 1 1 1
  cerr << PointOnPolygon(v, PT(2,2)) << " "
       << PointOnPolygon(v, PT(2,0)) << " "
       << PointOnPolygon(v, PT(0,2)) << " "
       << PointOnPolygon(v, PT(5,2)) << " "
       << PointOnPolygon(v, PT(2,5)) << endl;

  // expected: (1,6)
  //           (5,4) (4,5)
  //           blank line
  //           (4,5) (5,4)
  //           blank line
  //           (4,5) (5,4)
  vector<PT> u = CircleLineIntersection(PT(0,6), PT(2,6), PT(1,1), 5);
  for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;
  u = CircleLineIntersection(PT(0,9), PT(9,0), PT(1,1), 5);
  for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;
  u = CircleCircleIntersection(PT(1,1), PT(10,10), 5, 5);
  for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;
  u = CircleCircleIntersection(PT(1,1), PT(8,8), 5, 5);
  for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;
  u = CircleCircleIntersection(PT(1,1), PT(4.5,4.5), 10, sqrt(2.0)/2.0);
  for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;
  u = CircleCircleIntersection(PT(1,1), PT(4.5,4.5), 5, sqrt(2.0)/2.0);
  for (int i = 0; i < u.size(); i++) cerr << u[i] << " "; cerr << endl;

  // area should be 5.0
  // centroid should be (1.1666666, 1.166666)
  PT pa[] = { PT(0,0), PT(5,0), PT(1,1), PT(0,5) };
  vector<PT> p(pa, pa+4);
  PT c = ComputeCentroid(p);
  cerr << "Area: " << ComputeArea(p) << endl;
  cerr << "Centroid: " << c << endl;

  return 0;
}
```

JavaGeometry.java 9/27

```
// In this example, we read an input file containing three lines, each
// containing an even number of doubles, separated by commas.  The first two
// lines represent the coordinates of two polygons, given in counterclockwise
// (or clockwise) order, which we will call "A" and "B".  The last line
// contains a list of points, p[1], p[2], ...
//
// Our goal is to determine:
//   (1) whether B - A is a single closed shape (as opposed to multiple shapes)
//   (2) the area of B - A
//   (3) whether each p[i] is in the interior of B - A
//
// INPUT:
//   0 0 10 0 0 10
//   0 0 10 10 10 0
//   8 6
//   5 1
//
// OUTPUT:
//   The area is singular.
//   The area is 25.0
//   Point belongs to the area.
//   Point does not belong to the area.

import java.util.*;
import java.awt.geom.*;
import java.io.*;

public class JavaGeometry {

    // make an array of doubles from a string
    static double[] readPoints(String s) {
```

```
    String[] arr = s.trim().split("\\s++");
    double[] ret = new double[arr.length];
    for (int i = 0; i < arr.length; i++) ret[i] = Double.parseDouble(arr[i]);
    return ret;
}

// make an Area object from the coordinates of a polygon
static Area makeArea(double[] pts) {
    Path2D.Double p = new Path2D.Double();
    p.moveTo(pts[0], pts[1]);
    for (int i = 2; i < pts.length; i += 2) p.lineTo(pts[i], pts[i+1]);
    p.closePath();
    return new Area(p);
}

// compute area of polygon
static double computePolygonArea(ArrayList<Point2D.Double> points) {
    Point2D.Double[] pts = points.toArray(new Point2D.Double[points.size()]);
    double area = 0;
    for (int i = 0; i < pts.length; i++){
        int j = (i+1) % pts.length;
        area += pts[i].x * pts[j].y - pts[j].x * pts[i].y;
    }
    return Math.abs(area)/2;
}

// compute the area of an Area object containing several disjoint polygons
static double computeArea(Area area) {
    double totArea = 0;
    PathIterator iter = area.getPathIterator(null);
    ArrayList<Point2D.Double> points = new ArrayList<Point2D.Double>();

    while (!iter.isDone()) {
        double[] buffer = new double[6];
        switch (iter.currentSegment(buffer)) {
        case PathIterator.SEG_MOVETO:
        case PathIterator.SEG_LINETO:
            points.add(new Point2D.Double(buffer[0], buffer[1]));
            break;
        case PathIterator.SEG_CLOSE:
            totArea += computePolygonArea(points);
            points.clear();
            break;
        }
        iter.next();
    }
    return totArea;
}

// notice that the main() throws an Exception -- necessary to
// avoid wrapping the Scanner object for file reading in a
// try { ... } catch block.
public static void main(String args[]) throws Exception {

    Scanner scanner = new Scanner(new File("input.txt"));
    // also,
    //   Scanner scanner = new Scanner (System.in);

    double[] pointsA = readPoints(scanner.nextLine());
    double[] pointsB = readPoints(scanner.nextLine());
    Area areaA = makeArea(pointsA);
    Area areaB = makeArea(pointsB);
    areaB.subtract(areaA);
    // also,
    //   areaB.exclusiveOr (areaA);
    //   areaB.add (areaA);
    //   areaB.intersect (areaA);

    // (1) determine whether B - A is a single closed shape (as
    //     opposed to multiple shapes)
    boolean isSingle = areaB.isSingular();
    // also,
    //   areaB.isEmpty();

    if (isSingle)
        System.out.println("The area is singular.");
    else
        System.out.println("The area is not singular.");

    // (2) compute the area of B - A
    System.out.println("The area is " + computeArea(areaB) + ".");

    // (3) determine whether each p[i] is in the interior of B - A
    while (scanner.hasNextDouble()) {
        double x = scanner.nextDouble();
        assert(scanner.hasNextDouble());
        double y = scanner.nextDouble();

        if (areaB.contains(x,y)) {
            System.out.println ("Point belongs to the area.");
        } else {
            System.out.println ("Point does not belong to the area.");
        }
    }

    // Finally, some useful things we didn't use in this example:
    //
    //   Ellipse2D.Double ellipse = new Ellipse2D.Double (double x, double y,
    //                                                    double w, double h);
    //
    //     creates an ellipse inscribed in box with bottom-left corner (x,y)
    //     and upper-right corner (x+y,w+h)
    //
    //   Rectangle2D.Double rect = new Rectangle2D.Double (double x, double y,
    //                                                     double w, double h);
    //
    //     creates a box with bottom-left corner (x,y) and upper-right
    //     corner (x+y,w+h)
    //
    // Each of these can be embedded in an Area object (e.g., new Area (rect)).

    }
}
```

Geom3D.java 10/27

```
public class Geom3D {
  // distance from point (x, y, z) to plane aX + bY + cZ + d = 0
  public static double ptPlaneDist(double x, double y, double z,
      double a, double b, double c, double d) {
    return Math.abs(a*x + b*y + c*z + d) / Math.sqrt(a*a + b*b + c*c);
  }

  // distance between parallel planes aX + bY + cZ + d1 = 0 and
  // aX + bY + cZ + d2 = 0
  public static double planePlaneDist(double a, double b, double c,
      double d1, double d2) {
    return Math.abs(d1 - d2) / Math.sqrt(a*a + b*b + c*c);
```

```
  }

  // distance from point (px, py, pz) to line (x1, y1, z1)-(x2, y2, z2)
  // (or ray, or segment; in the case of the ray, the endpoint is the
  // first point)
  public static final int LINE = 0;
  public static final int SEGMENT = 1;
  public static final int RAY = 2;
  public static double ptLineDistSq(double x1, double y1, double z1,
      double x2, double y2, double z2, double px, double py, double pz,
      int type) {
    double pd2 = (x1-x2)*(x1-x2) + (y1-y2)*(y1-y2) + (z1-z2)*(z1-z2);

    double x, y, z;
    if (pd2 == 0) {
      x = x1;
      y = y1;
      z = z1;
    } else {
      double u = ((px-x1)*(x2-x1) + (py-y1)*(y2-y1) + (pz-z1)*(z2-z1)) / pd2;
      x = x1 + u * (x2 - x1);
      y = y1 + u * (y2 - y1);
      z = z1 + u * (z2 - z1);
      if (type != LINE && u < 0) {
        x = x1;
        y = y1;
        z = z1;
      }
      if (type == SEGMENT && u > 1.0) {
        x = x2;
        y = y2;
        z = z2;
      }
    }

    return (x-px)*(x-px) + (y-py)*(y-py) + (z-pz)*(z-pz);
  }

  public static double ptLineDist(double x1, double y1, double z1,
      double x2, double y2, double z2, double px, double py, double pz,
      int type) {
    return Math.sqrt(ptLineDistSq(x1, y1, z1, x2, y2, z2, px, py, pz, type));
  }
}
```

Delaunay.cc 11/27

```
// Slow but simple Delaunay triangulation. Does not handle
// degenerate cases (from O'Rourke, Computational Geometry in C)
//
// Running time: O(n^4)
//
// INPUT:    x[] = x-coordinates
//           y[] = y-coordinates
//
// OUTPUT:   triples = a vector containing m triples of indices
//                     corresponding to triangle vertices

#include<vector>
using namespace std;

typedef double T;

struct triple {
    int i, j, k;
    triple() {}
    triple(int i, int j, int k) : i(i), j(j), k(k) {}
};

vector<triple> delaunayTriangulation(vector<T>& x, vector<T>& y) {
        int n = x.size();
        vector<T> z(n);
        vector<triple> ret;

        for (int i = 0; i < n; i++)
            z[i] = x[i] * x[i] + y[i] * y[i];

        for (int i = 0; i < n-2; i++) {
            for (int j = i+1; j < n; j++) {
                for (int k = i+1; k < n; k++) {
                    if (j == k) continue;
                    double xn = (y[j]-y[i])*(z[k]-z[i]) - (y[k]-y[i])*(z[j]-z[i]);
                    double yn = (x[k]-x[i])*(z[j]-z[i]) - (x[j]-x[i])*(z[k]-z[i]);
                    double zn = (x[j]-x[i])*(y[k]-y[i]) - (x[k]-x[i])*(y[j]-y[i]);
                    bool flag = zn < 0;
                    for (int m = 0; flag && m < n; m++)
                        flag = flag && ((x[m]-x[i])*xn +
                                        (y[m]-y[i])*yn +
                                        (z[m]-z[i])*zn <= 0);
                    if (flag) ret.push_back(triple(i, j, k));
                }
            }
        }
        return ret;
}

int main()
{
    T xs[]={0, 0, 1, 0.9};
    T ys[]={0, 1, 0, 0.9};
    vector<T> x(&xs[0], &xs[4]), y(&ys[0], &ys[4]);
    vector<triple> tri = delaunayTriangulation(x, y);

    //expected: 0 1 3
    //          0 3 2

    int i;
    for(i = 0; i < tri.size(); i++)
        printf("%d %d %d\n", tri[i].i, tri[i].j, tri[i].k);
    return 0;
}
```

Euclid.cc 12/27

```
// This is a collection of useful code for solving problems that
// involve modular linear equations.  Note that all of the
// algorithms described here work on nonnegative integers.

#include <iostream>
#include <vector>
#include <algorithm>

using namespace std;

typedef vector<int> VI;
typedef pair<int,int> PII;
```

```
// return a % b (positive value)
int mod(int a, int b) {
  return ((a%b)+b)%b;
}

// computes gcd(a,b)
int gcd(int a, int b) {
  int tmp;
  while(b){a%=b; tmp=a; a=b; b=tmp;}
  return a;
}

// computes lcm(a,b)
int lcm(int a, int b) {
  return a/gcd(a,b)*b;
}

// returns d = gcd(a,b); finds x,y such that d = ax + by
int extended_euclid(int a, int b, int &x, int &y) {
  int xx = y = 0;
  int yy = x = 1;
  while (b) {
    int q = a/b;
    int t = b; b = a%b; a = t;
    t = xx; xx = x-q*xx; x = t;
    t = yy; yy = y-q*yy; y = t;
  }
  return a;
}

// finds all solutions to ax = b (mod n)
VI modular_linear_equation_solver(int a, int b, int n) {
  int x, y;
  VI solutions;
  int d = extended_euclid(a, n, x, y);
  if (!(b%d)) {
    x = mod (x*(b/d), n);
    for (int i = 0; i < d; i++)
      solutions.push_back(mod(x + i*(n/d), n));
  }
  return solutions;
}

// computes b such that ab = 1 (mod n), returns -1 on failure
int mod_inverse(int a, int n) {
  int x, y;
  int d = extended_euclid(a, n, x, y);
  if (d > 1) return -1;
  return mod(x,n);
}

// Chinese remainder theorem (special case): find z such that
// z % x = a, z % y = b.  Here, z is unique modulo M = lcm(x,y).
// Return (z,M).  On failure, M = -1.
PII chinese_remainder_theorem(int x, int a, int y, int b) {
  int s, t;
  int d = extended_euclid(x, y, s, t);
  if (a%d != b%d) return make_pair(0, -1);
  return make_pair(mod(s*b*x+t*a*y,x*y)/d, x*y/d);
}

// Chinese remainder theorem: find z such that
// z % x[i] = a[i] for all i.  Note that the solution is
// unique modulo M = lcm_i (x[i]).  Return (z,M).  On
// failure, M = -1.  Note that we do not require the a[i]'s
// to be relatively prime.
PII chinese_remainder_theorem(const VI &x, const VI &a) {
  PII ret = make_pair(a[0], x[0]);
  for (int i = 1; i < x.size(); i++) {
    ret = chinese_remainder_theorem(ret.second, ret.first, x[i], a[i]);
    if (ret.second == -1) break;
  }
  return ret;
}

// computes x and y such that ax + by = c; on failure, x = y =-1
void linear_diophantine(int a, int b, int c, int &x, int &y) {
  int d = gcd(a,b);
  if (c%d) {
    x = y = -1;
  } else {
    x = c/d * mod_inverse(a/d, b/d);
    y = (c-a*x)/b;
  }
}

int main() {

  // expected: 2
  cout << gcd(14, 30) << endl;

  // expected: 2 -2 1
  int x, y;
  int d = extended_euclid(14, 30, x, y);
  cout << d << " " << x << " " << y << endl;

  // expected: 95 45
  VI sols = modular_linear_equation_solver(14, 30, 100);
  for (int i = 0; i < (int) sols.size(); i++) cout << sols[i] << " ";
  cout << endl;

  // expected: 8
  cout << mod_inverse(8, 9) << endl;

  // expected: 23 56
  //           11 12
  int xs[] = {3, 5, 7, 4, 6};
  int as[] = {2, 3, 2, 3, 5};
  PII ret = chinese_remainder_theorem(VI (xs, xs+3), VI(as, as+3));
  cout << ret.first << " " << ret.second << endl;
  ret = chinese_remainder_theorem (VI(xs+3, xs+5), VI(as+3, as+5));
  cout << ret.first << " " << ret.second << endl;

  // expected: 5 -15
  linear_diophantine(7, 2, 5, x, y);
  cout << x << " " << y << endl;

}
```

GaussJordan.cc 13/27

```
// Gauss-Jordan elimination with full pivoting.
//
// Uses:
//   (1) solving systems of linear equations (AX=B)
//   (2) inverting matrices (AX=I)
//   (3) computing determinants of square matrices
```

```
//
// Running time: O(n^3)
//
// INPUT:    a[][] = an nxn matrix
//           b[][] = an nxm matrix
//
// OUTPUT:   X      = an nxm matrix (stored in b[][])
//           A^{-1} = an nxn matrix (stored in a[][])
//           returns determinant of a[][]

#include <iostream>
#include <vector>
#include <cmath>

using namespace std;

const double EPS = 1e-10;

typedef vector<int> VI;
typedef double T;
typedef vector<T> VT;
typedef vector<VT> VVT;

T GaussJordan(VVT &a, VVT &b) {
  const int n = a.size();
  const int m = b[0].size();
  VI irow(n), icol(n), ipiv(n);
  T det = 1;

  for (int i = 0; i < n; i++) {
    int pj = -1, pk = -1;
    for (int j = 0; j < n; j++) if (!ipiv[j])
      for (int k = 0; k < n; k++) if (!ipiv[k])
        if (pj == -1 || fabs(a[j][k]) > fabs(a[pj][pk])) { pj = j; pk = k; }
    if (fabs(a[pj][pk]) < EPS) { cerr << "Matrix is singular." << endl; exit(0); }
    ipiv[pk]++;
    swap(a[pj], a[pk]);
    swap(b[pj], b[pk]);
    if (pj != pk) det *= -1;
    irow[i] = pj;
    icol[i] = pk;

    T c = 1.0 / a[pk][pk];
    det *= a[pk][pk];
    a[pk][pk] = 1.0;
    for (int p = 0; p < n; p++) a[pk][p] *= c;
    for (int p = 0; p < m; p++) b[pk][p] *= c;
    for (int p = 0; p < n; p++) if (p != pk) {
      c = a[p][pk];
      a[p][pk] = 0;
      for (int q = 0; q < n; q++) a[p][q] -= a[pk][q] * c;
      for (int q = 0; q < m; q++) b[p][q] -= b[pk][q] * c;
    }
  }

  for (int p = n-1; p >= 0; p--) if (irow[p] != icol[p]) {
    for (int k = 0; k < n; k++) swap(a[k][irow[p]], a[k][icol[p]]);
  }

  return det;
}

int main() {
  const int n = 4;
  const int m = 2;
  double A[n][n] = { {1,2,3,4},{1,0,1,0},{5,3,2,4},{6,1,4,6} };
  double B[n][m] = { {1,2},{4,3},{5,6},{8,7} };
  VVT a(n), b(n);
  for (int i = 0; i < n; i++) {
    a[i] = VT(A[i], A[i] + n);
    b[i] = VT(B[i], B[i] + m);
  }

  double det = GaussJordan(a, b);

  // expected: 60
  cout << "Determinant: " << det << endl;

  // expected: -0.233333 0.166667 0.133333 0.0666667
  //           0.166667 0.166667 0.333333 -0.333333
  //           0.233333 0.833333 -0.133333 -0.0666667
  //           0.05 -0.75 -0.1 0.2
  cout << "Inverse: " << endl;
  for (int i = 0; i < n; i++) {
    for (int j = 0; j < n; j++)
      cout << a[i][j] << ' ';
    cout << endl;
  }

  // expected: 1.63333 1.3
  //           -0.166667 0.5
  //           2.36667 1.7
  //           -1.85 -1.35
  cout << "Solution: " << endl;
  for (int i = 0; i < n; i++) {
    for (int j = 0; j < m; j++)
      cout << b[i][j] << ' ';
    cout << endl;
  }
}
```

ReducedRowEchelonForm.cc 14/27

```
// Reduced row echelon form via Gauss-Jordan elimination
// with partial pivoting.  This can be used for computing
// the rank of a matrix.
//
// Running time: O(n^3)
//
// INPUT:    a[][] = an nxn matrix
//
// OUTPUT:   rref[][] = an nxm matrix (stored in a[][])
//           returns rank of a[][]

#include <iostream>
#include <vector>
#include <cmath>

using namespace std;

const double EPSILON = 1e-10;

typedef double T;
typedef vector<T> VT;
typedef vector<VT> VVT;

int rref(VVT &a) {
  int n = a.size();
```

```
  int m = a[0].size();
  int r = 0;
  for (int c = 0; c < m; c++) {
    int j = r;
    for (int i = r+1; i < n; i++)
      if (fabs(a[i][c]) > fabs(a[j][c])) j = i;
    if (fabs(a[j][c]) < EPSILON) continue;
    swap(a[j], a[r]);

    T s = 1.0 / a[r][c];
    for (int j = 0; j < m; j++) a[r][j] *= s;
    for (int i = 0; i < n; i++) if (i != r) {
      T t = a[i][c];
      for (int j = 0; j < m; j++) a[i][j] -= t * a[r][j];
    }
    r++;
  }
  return r;
}

int main(){
  const int n = 5;
  const int m = 4;
  double A[n][m] = { {16,2,3,13},{5,11,10,8},{9,7,6,12},{4,14,15,1},{13,21,21,13} };
  VVT a(n);
  for (int i = 0; i < n; i++)
    a[i] = VT(A[i], A[i] + n);

  int rank = rref (a);

  // expected: 4
  cout << "Rank: " << rank << endl;

  // expected: 1 0 0 1
  //           0 1 0 3
  //           0 0 1 -3
  //           0 0 0 2.78206e-15
  //           0 0 0 3.22398e-15
  cout << "rref: " << endl;
  for (int i = 0; i < 5; i++){
    for (int j = 0; j < 4; j++)
      cout << a[i][j] << ' ';
    cout << endl;
  }

}
```

FFT_new.cpp 15/27

```
#include <cassert>
#include <cstdio>
#include <cmath>

struct cpx
{
  cpx(){}
  cpx(double aa):a(aa){}
  cpx(double aa, double bb):a(aa),b(bb){}
  double a;
  double b;
  double modsq(void) const
  {
    return a * a + b * b;
  }
  cpx bar(void) const
  {
    return cpx(a, -b);
  }
};

cpx operator +(cpx a, cpx b)
{
  return cpx(a.a + b.a, a.b + b.b);
}

cpx operator *(cpx a, cpx b)
{
  return cpx(a.a * b.a - a.b * b.b, a.a * b.b + a.b * b.a);
}

cpx operator /(cpx a, cpx b)
{
  cpx r = a * b.bar();
  return cpx(r.a / b.modsq(), r.b / b.modsq());
}

cpx EXP(double theta)
{
  return cpx(cos(theta),sin(theta));
}

const double two_pi = 4 * acos(0);

// in:     input array
// out:    output array
// step:   {SET TO 1} (used internally)
// size:   length of the input/output {MUST BE A POWER OF 2}
// dir:    either plus or minus one (direction of the FFT)
// RESULT: out[k] = \sum_{j=0}^{size - 1} in[j] * exp(dir * 2pi * i * j * k / size)
void FFT(cpx *in, cpx *out, int step, int size, int dir)
{
  if(size < 1) return;
  if(size == 1)
  {
    out[0] = in[0];
    return;
  }
  FFT(in, out, step * 2, size / 2, dir);
  FFT(in + step, out + size / 2, step * 2, size / 2, dir);
  for(int i = 0 ; i < size / 2 ; i++)
  {
    cpx even = out[i];
    cpx odd = out[i + size / 2];
    out[i] = even + EXP(dir * two_pi * i / size) * odd;
    out[i + size / 2] = even + EXP(dir * two_pi * (i + size / 2) / size) * odd;
  }
}

// Usage:
// f[0...N-1] and g[0..N-1] are numbers
// Want to compute the convolution h, defined by
// h[n] = sum of f[k]g[n-k] (k = 0, ..., N-1).
// Here, the index is cyclic; f[-1] = f[N-1], f[-2] = f[N-2], etc.
// Let F[0...N-1] be FFT(f), and similarly, define G and H.
// The convolution theorem says H[n] = F[n]G[n] (element-wise product).
// To compute h[] in O(N log N) time, do the following:
//   1. Compute F and G (pass dir = 1 as the argument).
//   2. Get H by element-wise multiplying F and G.
```

```
//   3. Get h by taking the inverse FFT (use dir = -1 as the argument)
//      and *dividing by N*. DO NOT FORGET THIS SCALING FACTOR.

int main(void)
{
  printf("If rows come in identical pairs, then everything works.\n");

  cpx a[8] = {0, 1, cpx(1,3), cpx(0,5), 1, 0, 2, 0};
  cpx b[8] = {1, cpx(0,-2), cpx(0,1), 3, -1, -3, 1, -2};
  cpx A[8];
  cpx B[8];
  FFT(a, A, 1, 8, 1);
  FFT(b, B, 1, 8, 1);

  for(int i = 0 ; i < 8 ; i++)
  {
    printf("%7.2lf%7.2lf", A[i].a, A[i].b);
  }
  printf("\n");
  for(int i = 0 ; i < 8 ; i++)
  {
    cpx Ai(0,0);
    for(int j = 0 ; j < 8 ; j++)
    {
      Ai = Ai + a[j] * EXP(j * i * two_pi / 8);
    }
    printf("%7.2lf%7.2lf", Ai.a, Ai.b);
  }
  printf("\n");

  cpx AB[8];
  for(int i = 0 ; i < 8 ; i++)
    AB[i] = A[i] * B[i];
  cpx aconvb[8];
  FFT(AB, aconvb, 1, 8, -1);
  for(int i = 0 ; i < 8 ; i++)
    aconvb[i] = aconvb[i] / 8;
  for(int i = 0 ; i < 8 ; i++)
  {
    printf("%7.2lf%7.2lf", aconvb[i].a, aconvb[i].b);
  }
  printf("\n");
  for(int i = 0 ; i < 8 ; i++)
  {
    cpx aconvbi(0,0);
    for(int j = 0 ; j < 8 ; j++)
    {
      aconvbi = aconvbi + a[j] * b[(8 + i - j) % 8];
    }
    printf("%7.2lf%7.2lf", aconvbi.a, aconvbi.b);
  }
  printf("\n");

  return 0;
}
```

Simplex.cc 16/27

```
// Two-phase simplex algorithm for solving linear programs of the form
//
//     maximize     c^T x
//     subject to   Ax <= b
//                  x >= 0
//
// INPUT: A -- an m x n matrix
//        b -- an m-dimensional vector
//        c -- an n-dimensional vector
//        x -- a vector where the optimal solution will be stored
//
// OUTPUT: value of the optimal solution (infinity if unbounded
//         above, nan if infeasible)
//
// To use this code, create an LPSolver object with A, b, and c as
// arguments.  Then, call Solve(x).

#include <iostream>
#include <iomanip>
#include <vector>
#include <cmath>
#include <limits>

using namespace std;

typedef long double DOUBLE;
typedef vector<DOUBLE> VD;
typedef vector<VD> VVD;
typedef vector<int> VI;

const DOUBLE EPS = 1e-9;

struct LPSolver {
  int m, n;
  VI B, N;
  VVD D;

  LPSolver(const VVD &A, const VD &b, const VD &c) :
    m(b.size()), n(c.size()), N(n+1), B(m), D(m+2, VD(n+2)) {
    for (int i = 0; i < m; i++) for (int j = 0; j < n; j++) D[i][j] = A[i][j];
    for (int i = 0; i < m; i++) { B[i] = n+i; D[i][n] = -1; D[i][n+1] = b[i]; }
    for (int j = 0; j < n; j++) { N[j] = j; D[m][j] = -c[j]; }
    N[n] = -1; D[m+1][n] = 1;
  }

  void Pivot(int r, int s) {
    for (int i = 0; i < m+2; i++) if (i != r)
      for (int j = 0; j < n+2; j++) if (j != s)
        D[i][j] -= D[r][j] * D[i][s] / D[r][s];
    for (int j = 0; j < n+2; j++) if (j != s) D[r][j] /= D[r][s];
    for (int i = 0; i < m+2; i++) if (i != r) D[i][s] /= -D[r][s];
    D[r][s] = 1.0 / D[r][s];
    swap(B[r], N[s]);
  }

  bool Simplex(int phase) {
    int x = phase == 1 ? m+1 : m;
    while (true) {
      int s = -1;
      for (int j = 0; j <= n; j++) {
        if (phase == 2 && N[j] == -1) continue;
        if (s == -1 || D[x][j] < D[x][s] || D[x][j] == D[x][s] && N[j] < N[s]) s = j;
      }
      if (D[x][s] >= -EPS) return true;
      int r = -1;
      for (int i = 0; i < m; i++) {
        if (D[i][s] <= 0) continue;
        if (r == -1 || D[i][n+1] / D[i][s] < D[r][n+1] / D[r][s] ||
            D[i][n+1] / D[i][s] == D[r][n+1] / D[r][s] && B[i] < B[r]) r = i;
      }
```

```
      if (r == -1) return false;
      Pivot(r, s);
    }
  }

  DOUBLE Solve(VD &x) {
    int r = 0;
    for (int i = 1; i < m; i++) if (D[i][n+1] < D[r][n+1]) r = i;
    if (D[r][n+1] <= -EPS) {
      Pivot(r, n);
      if (!Simplex(1) || D[m+1][n+1] < -EPS) return -numeric_limits<DOUBLE>::infinity();
      for (int i = 0; i < m; i++) if (B[i] == -1) {
        int s = -1;
        for (int j = 0; j <= n; j++)
          if (s == -1 || D[i][j] < D[i][s] || D[i][j] == D[i][s] && N[j] < N[s]) s = j;
        Pivot(i, s);
      }
    }
    if (!Simplex(2)) return numeric_limits<DOUBLE>::infinity();
    x = VD(n);
    for (int i = 0; i < m; i++) if (B[i] < n) x[B[i]] = D[i][n+1];
    return D[m][n+1];
  }
};

int main() {

  const int m = 4;
  const int n = 3;
  DOUBLE _A[m][n] = {
    { 6, -1, 0 },
    { -1, -5, 0 },
    { 1, 5, 1 },
    { -1, -5, -1 }
  };
  DOUBLE _b[m] = { 10, -4, 5, -5 };
  DOUBLE _c[n] = { 1, -1, 0 };

  VVD A(m);
  VD b(_b, _b + m);
  VD c(_c, _c + n);
  for (int i = 0; i < m; i++) A[i] = VD(_A[i], _A[i] + n);

  LPSolver solver(A, b, c);
  VD x;
  DOUBLE value = solver.Solve(x);

  cerr << "VALUE: "<< value << endl;
  cerr << "SOLUTION:";
  for (size_t i = 0; i < x.size(); i++) cerr << " " << x[i];
  cerr << endl;
  return 0;
}
```

FastDijkstra.cc 17/27

```
// Implementation of Dijkstra's algorithm using adjacency lists
// and priority queue for efficiency.
//
// Running time: O(|E| log |V|)

#include <queue>
#include <stdio.h>

using namespace std;
const int INF = 2000000000;
typedef pair<int,int> PII;

int main(){

  int N, s, t;
  scanf ("%d%d%d", &N, &s, &t);
  vector<vector<PII> > edges(N);
  for (int i = 0; i < N; i++){
    int M;
    scanf ("%d", &M);
    for (int j = 0; j < M; j++){
      int vertex, dist;
      scanf ("%d%d", &vertex, &dist);
      edges[i].push_back (make_pair (dist, vertex)); // note order of arguments here
    }
  }

  // use priority queue in which top element has the "smallest" priority
  priority_queue<PII, vector<PII>, greater<PII> > Q;
  vector<int> dist(N, INF), dad(N, -1);
  Q.push (make_pair (0, s));
  dist[s] = 0;
  while (!Q.empty()){
    PII p = Q.top();
    if (p.second == t) break;
    Q.pop();

    int here = p.second;
    for (vector<PII>::iterator it=edges[here].begin(); it!=edges[here].end(); it++){
      if (dist[here] + it->first < dist[it->second]){
        dist[it->second] = dist[here] + it->first;
        dad[it->second] = here;
        Q.push (make_pair (dist[it->second], it->second));
      }
    }
  }

  printf ("%d\n", dist[t]);
  if (dist[t] < INF)
    for(int i=t;i!=-1;i=dad[i])
      printf ("%d%c", i, (i==s?'\n':' '));

  return 0;
}
```

SCC.cc 18/27

```
#include<memory.h>
struct edge{int e, nxt;};
int V, E;
edge e[MAXE], er[MAXE];
int sp[MAXV], spr[MAXV];
int group_cnt, group_num[MAXV];
bool v[MAXV];
int stk[MAXV];
void fill_forward(int x)
{
  int i;
```

```
  v[x]=true;
  for(i=sp[x];i;i=e[i].nxt) if(!v[e[i].e]) fill_forward(e[i].e);
  stk[++stk[0]]=x;
}
void fill_backward(int x)
{
  int i;
  v[x]=false;
  group_num[x]=group_cnt;
  for(i=spr[x];i;i=er[i].nxt) if(v[er[i].e]) fill_backward(er[i].e);
}
void add_edge(int v1, int v2) //add edge v1->v2
{
  e [++E].e=v2; e [E].nxt=sp [v1]; sp [v1]=E;
  er[  E].e=v1; er[E].nxt=spr[v2]; spr[v2]=E;
}
void SCC()
{
  int i;
  stk[0]=0;
  memset(v, false, sizeof(v));
  for(i=1;i<=V;i++) if(!v[i]) fill_forward(i);
  group_cnt=0;
  for(i=stk[0];i>=1;i--) if(v[stk[i]]){group_cnt++; fill_backward(stk[i]);}
}
```

SuffixArray.cc 19/27

```
// Suffix array construction in O(L log^2 L) time.  Routine for
// computing the length of the longest common prefix of any two
// suffixes in O(log L) time.
//
// INPUT:   string s
//
// OUTPUT:  array suffix[] such that suffix[i] = index (from 0 to L-1)
//          of substring s[i...L-1] in the list of sorted suffixes.
//          That is, if we take the inverse of the permutation suffix[],
//          we get the actual suffix array.

#include <vector>
#include <iostream>
#include <string>

using namespace std;

struct SuffixArray {
  const int L;
  string s;
  vector<vector<int> > P;
  vector<pair<pair<int,int>,int> > M;

  SuffixArray(const string &s) : L(s.length()), s(s), P(1, vector<int>(L, 0)), M(L) {
    for (int i = 0; i < L; i++) P[0][i] = int(s[i]);
    for (int skip = 1, level = 1; skip < L; skip *= 2, level++) {
      P.push_back(vector<int>(L, 0));
      for (int i = 0; i < L; i++)
        M[i] = make_pair(make_pair(P[level-1][i], i + skip < L ? P[level-1][i + skip] : -1000), i);
      sort(M.begin(), M.end());
      for (int i = 0; i < L; i++)
        P[level][M[i].second] = (i > 0 && M[i].first == M[i-1].first) ? P[level][M[i-1].second] : i;
    }
  }

  vector<int> GetSuffixArray() { return P.back(); }

  // returns the length of the longest common prefix of s[i...L-1] and s[j...L-1]
  int LongestCommonPrefix(int i, int j) {
    int len = 0;
    if (i == j) return L - i;
    for (int k = P.size() - 1; k >= 0 && i < L && j < L; k--) {
      if (P[k][i] == P[k][j]) {
        i += 1 << k;
        j += 1 << k;
        len += 1 << k;
      }
    }
    return len;
  }
};

int main() {

  // bobocel is the 0'th suffix
  //  obocel is the 5'th suffix
  //   bocel is the 1'st suffix
  //    ocel is the 6'th suffix
  //     cel is the 2'nd suffix
  //      el is the 3'rd suffix
  //       l is the 4'th suffix
  SuffixArray suffix("bobocel");
  vector<int> v = suffix.GetSuffixArray();

  // Expected output: 0 5 1 6 2 3 4
  //                  2
  for (int i = 0; i < v.size(); i++) cout << v[i] << " ";
  cout << endl;
  cout << suffix.LongestCommonPrefix(0, 2) << endl;
}
```

BIT.cc 20/27

```
#include <iostream>
using namespace std;

#define LOGSZ 17

int tree[(1<<LOGSZ)+1];
int N = (1<<LOGSZ);

// add v to value at x
void set(int x, int v) {
  while(x <= N) {
    tree[x] += v;
    x += (x & -x);
  }
}

// get cumulative sum up to and including x
int get(int x) {
  int res = 0;
  while(x) {
    res += tree[x];
    x -= (x & -x);
  }
  return res;
```

```
}

// get largest value with cumulative sum less than or equal to x;
// for smallest, pass x-1 and add 1 to result
int getind(int x) {
  int idx = 0, mask = N;
  while(mask && idx < N) {
    int t = idx + mask;
    if(x >= tree[t]) {
      idx = t;
      x -= tree[t];
    }
    mask >>= 1;
  }
  return idx;
}
```

UnionFind.cc 21/27

```
//union-find set: the vector/array contains the parent of each node
int find(vector <int>& C, int x){return (C[x]==x) ? x : C[x]=find(C, C[x]);} //C++
int find(int x){return (C[x]==x)?x:C[x]=find(C[x]);} //C
```

KDTree.cc 22/27

```
// -----------------------------------------------------------------------
// A straightforward, but probably sub-optimal KD-tree implmentation that's
// probably good enough for most things (current it's a 2D-tree)
//
//  - constructs from n points in O(n lg^2 n) time
//  - handles nearest-neighbor query in O(lg n) if points are well distributed
//  - worst case for nearest-neighbor may be linear in pathological case
//
// Sonny Chan, Stanford University, April 2009
// -----------------------------------------------------------------------

#include <iostream>
#include <vector>
#include <limits>
#include <cstdlib>

using namespace std;

// number type for coordinates, and its maximum value
typedef long long ntype;
const ntype sentry = numeric_limits<ntype>::max();

// point structure for 2D-tree, can be extended to 3D
struct point {
    ntype x, y;
    point(ntype xx = 0, ntype yy = 0) : x(xx), y(yy) {}
};

bool operator==(const point &a, const point &b)
{
    return a.x == b.x && a.y == b.y;
}

// sorts points on x-coordinate
bool on_x(const point &a, const point &b)
{
    return a.x < b.x;
}

// sorts points on y-coordinate
bool on_y(const point &a, const point &b)
{
    return a.y < b.y;
}

// squared distance between points
ntype pdist2(const point &a, const point &b)
{
    ntype dx = a.x-b.x, dy = a.y-b.y;
    return dx*dx + dy*dy;
}

// bounding box for a set of points
struct bbox
{
    ntype x0, x1, y0, y1;

    bbox() : x0(sentry), x1(-sentry), y0(sentry), y1(-sentry) {}

    // computes bounding box from a bunch of points
    void compute(const vector<point> &v) {
        for (int i = 0; i < v.size(); ++i) {
            x0 = min(x0, v[i].x);   x1 = max(x1, v[i].x);
            y0 = min(y0, v[i].y);   y1 = max(y1, v[i].y);
        }
    }

    // squared distance between a point and this bbox, 0 if inside
    ntype distance(const point &p) {
        if (p.x < x0) {
            if (p.y < y0)       return pdist2(point(x0, y0), p);
            else if (p.y > y1)  return pdist2(point(x0, y1), p);
            else                return pdist2(point(x0, p.y), p);
        }
        else if (p.x > x1) {
            if (p.y < y0)       return pdist2(point(x1, y0), p);
            else if (p.y > y1)  return pdist2(point(x1, y1), p);
            else                return pdist2(point(x1, p.y), p);
        }
        else {
            if (p.y < y0)       return pdist2(point(p.x, y0), p);
            else if (p.y > y1)  return pdist2(point(p.x, y1), p);
            else                return 0;
        }
    }
};

// stores a single node of the kd-tree, either internal or leaf
struct kdnode
{
    bool leaf;      // true if this is a leaf node (has one point)
    point pt;       // the single point of this is a leaf
    bbox bound;     // bounding box for set of points in children

    kdnode *first, *second; // two children of this kd-node

    kdnode() : leaf(false), first(0), second(0) {}
    ~kdnode() { if (first) delete first; if (second) delete second; }

    // intersect a point with this node (returns squared distance)
```

```
    ntype intersect(const point &p) {
        return bound.distance(p);
    }

    // recursively builds a kd-tree from a given cloud of points
    void construct(vector<point> &vp)
    {
        // compute bounding box for points at this node
        bound.compute(vp);

        // if we're down to one point, then we're a leaf node
        if (vp.size() == 1) {
            leaf = true;
            pt = vp[0];
        }
        else {
            // split on x if the bbox is wider than high (not best heuristic...)
            if (bound.x1-bound.x0 >= bound.y1-bound.y0)
                sort(vp.begin(), vp.end(), on_x);
            // otherwise split on y-coordinate
            else
                sort(vp.begin(), vp.end(), on_y);

            // divide by taking half the array for each child
            // (not best performance if many duplicates in the middle)
            int half = vp.size()/2;
            vector<point> vl(vp.begin(), vp.begin()+half);
            vector<point> vr(vp.begin()+half, vp.end());
            first = new kdnode();   first->construct(vl);
            second = new kdnode();  second->construct(vr);
        }
    }
};

// simple kd-tree class to hold the tree and handle queries
struct kdtree
{
    kdnode *root;

    // constructs a kd-tree from a points (copied here, as it sorts them)
    kdtree(const vector<point> &vp) {
        vector<point> v(vp.begin(), vp.end());
        root = new kdnode();
        root->construct(v);
    }
    ~kdtree() { delete root; }

    // recursive search method returns squared distance to nearest point
    ntype search(kdnode *node, const point &p)
    {
        if (node->leaf) {
            // commented special case tells a point not to find itself
//            if (p == node->pt) return sentry;
//            else
                return pdist2(p, node->pt);
        }

        ntype bfirst = node->first->intersect(p);
        ntype bsecond = node->second->intersect(p);

        // choose the side with the closest bounding box to search first
        // (note that the other side is also searched if needed)
        if (bfirst < bsecond) {
            ntype best = search(node->first, p);
            if (bsecond < best)
                best = min(best, search(node->second, p));
            return best;
        }
        else {
            ntype best = search(node->second, p);
            if (bfirst < best)
                best = min(best, search(node->first, p));
            return best;
        }
    }

    // squared distance to the nearest
    ntype nearest(const point &p) {
        return search(root, p);
    }
};

// --------------------------------------------------------------------------
// some basic test code here

int main()
{
    // generate some random points for a kd-tree
    vector<point> vp;
    for (int i = 0; i < 100000; ++i) {
        vp.push_back(point(rand()%100000, rand()%100000));
    }
    kdtree tree(vp);

    // query some points
    for (int i = 0; i < 10; ++i) {
        point q(rand()%100000, rand()%100000);
        cout << "Closest squared distance to (" << q.x << ", " << q.y << ")"
             << " is " << tree.nearest(q) << endl;
    }

    return 0;
}

// --------------------------------------------------------------------------
```

LongestIncreasingSubsequence.cc 23/27

```
// Given a list of numbers of length n, this routine extracts a
// longest increasing subsequence.
//
// Running time: O(n log n)
//
//   INPUT: a vector of integers
//   OUTPUT: a vector containing the longest increasing subsequence

#include <iostream>
#include <vector>
#include <algorithm>

using namespace std;

typedef vector<int> VI;
typedef pair<int,int> PII;
typedef vector<PII> VPII;

#define STRICTLY_INCREASNG
```

```
VI LongestIncreasingSubsequence(VI v) {
  VPII best;
  VI dad(v.size(), -1);

  for (int i = 0; i < v.size(); i++) {
#ifdef STRICTLY_INCREASNG
    PII item = make_pair(v[i], 0);
    VPII::iterator it = lower_bound(best.begin(), best.end(), item);
    item.second = i;
#else
    PII item = make_pair(v[i], i);
    VPII::iterator it = upper_bound(best.begin(), best.end(), item);
#endif
    if (it == best.end()) {
      dad[i] = (best.size() == 0 ? -1 : best.back().second);
      best.push_back(item);
    } else {
      dad[i] = dad[it->second];
      *it = item;
    }
  }

  VI ret;
  for (int i = best.back().second; i >= 0; i = dad[i])
    ret.push_back(v[i]);
  reverse(ret.begin(), ret.end());
  return ret;
}
```

Dates.cc 24/27

```
// Routines for performing computations on dates.  In these routines,
// months are expressed as integers from 1 to 12, days are expressed
// as integers from 1 to 31, and years are expressed as 4-digit
// integers.

#include <iostream>
#include <string>

using namespace std;

string dayOfWeek[] = {"Mon", "Tue", "Wed", "Thu", "Fri", "Sat", "Sun"};

// converts Gregorian date to integer (Julian day number)
int dateToInt (int m, int d, int y){
  return
    1461 * (y + 4800 + (m - 14) / 12) / 4 +
    367 * (m - 2 - (m - 14) / 12 * 12) / 12 -
    3 * ((y + 4900 + (m - 14) / 12) / 100) / 4 +
    d - 32075;
}

// converts integer (Julian day number) to Gregorian date: month/day/year
void intToDate (int jd, int &m, int &d, int &y){
  int x, n, i, j;

  x = jd + 68569;
  n = 4 * x / 146097;
  x -= (146097 * n + 3) / 4;
  i = (4000 * (x + 1)) / 1461001;
  x -= 1461 * i / 4 - 31;
  j = 80 * x / 2447;
  d = x - 2447 * j / 80;
  x = j / 11;
  m = j + 2 - 12 * x;
  y = 100 * (n - 49) + i + x;
}

// converts integer (Julian day number) to day of week
string intToDay (int jd){
  return dayOfWeek[jd % 7];
}

int main (int argc, char **argv){
  int jd = dateToInt (3, 24, 2004);
  int m, d, y;
  intToDate (jd, m, d, y);
  string day = intToDay (jd);

  // expected output:
  //    2453089
  //    3/24/2004
  //    Wed
  cout << jd << endl
    << m << "/" << d << "/" << y << endl
    << day << endl;
}
```

LogLan.java 25/27

```
// Code which demonstrates the use of Java's regular expression libraries.
// This is a solution for
//
//   Loglan: a logical language
//   http://acm.uva.es/p/v1/134.html
//
// In this problem, we are given a regular language, whose rules can be
// inferred directly from the code.  For each sentence in the input, we must
// determine whether the sentence matches the regular expression or not.  The
// code consists of (1) building the regular expression (which is fairly
// complex) and (2) using the regex to match sentences.

import java.util.*;
import java.util.regex.*;

public class LogLan {

    public static String BuildRegex (){
        String space = " +";

        String A = "([aeiou])";
        String C = "([a-z&&[^aeiou]])";
        String MOD = "(g" + A + ")";
        String BA = "(b" + A + ")";
        String DA = "(d" + A + ")";
        String LA = "(l" + A + ")";
        String NAM = "([a-z]*" + C + ")";
        String PREDA = "(" + C + C + A + C + A + "|" + C + A + C + C + A + ")";

        String predstring = "(" + PREDA + "(" + space + PREDA + ")*)";
        String predname = "(" + LA + space + predstring + "|" + NAM + ")";
        String preds = "(" + predstring + "(" + space + A + space + predstring + ")*)";
        String predclaim = "(" + predname + space + BA + space + preds + "|" + DA + space +
            preds + ")";
        String verbpred = "(" + MOD + space + predstring + ")";
```

```
        String statement = "(" + predname + space + verbpred + space + predname + "|" +
            predname + space + verbpred + ")";
        String sentence = "(" + statement + "|" + predclaim + ")";

        return "^" + sentence + "$";
    }

    public static void main (String args[]){

        String regex = BuildRegex();
        Pattern pattern = Pattern.compile (regex);

        Scanner s = new Scanner(System.in);
        while (true) {

            // In this problem, each sentence consists of multiple lines, where the last
            // line is terminated by a period.  The code below reads lines until
            // encountering a line whose final character is a '.'.  Note the use of
            //
            //    s.length() to get length of string
            //    s.charAt() to extract characters from a Java string
            //    s.trim() to remove whitespace from the beginning and end of Java string
            //
            // Other useful String manipulation methods include
            //
            //    s.compareTo(t) < 0 if s < t, lexicographically
            //    s.indexOf("apple") returns index of first occurrence of "apple" in s
            //    s.lastIndexOf("apple") returns index of last occurrence of "apple" in s
            //    s.replace(c,d) replaces occurrences of character c with d
            //    s.startsWith("apple) returns (s.indexOf("apple") == 0)
            //    s.toLowerCase() / s.toUpperCase() returns a new lower/uppercased string
            //
            //    Integer.parseInt(s) converts s to an integer (32-bit)
            //    Long.parseLong(s) converts s to a long (64-bit)
            //    Double.parseDouble(s) converts s to a double

            String sentence = "";
            while (true){
                sentence = (sentence + " " + s.nextLine()).trim();
                if (sentence.equals("#")) return;
                if (sentence.charAt(sentence.length()-1) == '.') break;
            }

            // now, we remove the period, and match the regular expression

            String removed_period = sentence.substring(0, sentence.length()-1).trim();
            if (pattern.matcher (removed_period).find()){
                System.out.println ("Good");
            } else {
                System.out.println ("Bad!");
            }
        }
    }
}
```

Primes.cc 26/27

```
// O(sqrt(x)) Exhaustive Primality Test
#include <cmath>
#define EPS 1e-7
typedef long long LL;
bool IsPrimeSlow (LL x)
{
  if(x<=1) return false;
  if(x<=3) return true;
  if (!(x%2) || !(x%3)) return false;
  LL s=(LL)(sqrt((double)(x))+EPS);
  for(LL i=5;i<=s;i+=6)
  {
    if (!(x%i) || !(x%(i+2))) return false;
  }
  return true;
}
// Primes less than 1000:
//      2     3     5     7    11    13    17    19    23    29    31    37
//     41    43    47    53    59    61    67    71    73    79    83    89
//     97   101   103   107   109   113   127   131   137   139   149   151
//    157   163   167   173   179   181   191   193   197   199   211   223
//    227   229   233   239   241   251   257   263   269   271   277   281
//    283   293   307   311   313   317   331   337   347   349   353   359
//    367   373   379   383   389   397   401   409   419   421   431   433
//    439   443   449   457   461   463   467   479   487   491   499   503
//    509   521   523   541   547   557   563   569   571   577   587   593
//    599   601   607   613   617   619   631   641   643   647   653   659
//    661   673   677   683   691   701   709   719   727   733   739   743
//    751   757   761   769   773   787   797   809   811   821   823   827
//    829   839   853   857   859   863   877   881   883   887   907   911
//    919   929   937   941   947   953   967   971   977   983   991   997

// Other primes:
//    The largest prime smaller than 10 is 7.
//    The largest prime smaller than 100 is 97.
//    The largest prime smaller than 1000 is 997.
//    The largest prime smaller than 10000 is 9973.
//    The largest prime smaller than 100000 is 99991.
//    The largest prime smaller than 1000000 is 999983.
//    The largest prime smaller than 10000000 is 9999991.
//    The largest prime smaller than 100000000 is 99999989.
//    The largest prime smaller than 1000000000 is 999999937.
//    The largest prime smaller than 10000000000 is 9999999967.
//    The largest prime smaller than 100000000000 is 99999999977.
//    The largest prime smaller than 1000000000000 is 999999999989.
//    The largest prime smaller than 10000000000000 is 9999999999971.
//    The largest prime smaller than 100000000000000 is 99999999999973.
//    The largest prime smaller than 1000000000000000 is 999999999999989.
//    The largest prime smaller than 10000000000000000 is 9999999999999937.
//    The largest prime smaller than 100000000000000000 is 99999999999999997.
//    The largest prime smaller than 1000000000000000000 is 999999999999999989.
```

KMP.cpp 27/27

```
/*
Searches for the string w in the string s (of length k). Returns the
0-based index of the first match (k if no match is found). Algorithm
runs in O(k) time.
*/

#include <iostream>
#include <string>
#include <vector>

using namespace std;
```

```
typedef vector<int> VI;

void buildTable(string& w, VI& t)
{
  t = VI(w.length());
  int i = 2, j = 0;
  t[0] = -1; t[1] = 0;

  while(i < w.length())
  {
    if(w[i-1] == w[j]) { t[i] = j+1; i++; j++; }
    else if(j > 0) j = t[j];
    else { t[i] = 0; i++; }
  }
}

int KMP(string& s, string& w)
{
  int m = 0, i = 0;
  VI t;

  buildTable(w, t);
  while(m+i < s.length())
  {
    if(w[i] == s[m+i])
    {
      i++;
      if(i == w.length()) return m;
    }
    else
    {
      m += i-t[i];
      if(i > 0) i = t[i];
    }
  }
  return s.length();
}

int main()
{
  string a = (string) "The example above illustrates the general technique for assembling "+
    "the table with a minimum of fuss. The principle is that of the overall search: "+
    "most of the work was already done in getting to the current position, so very "+
    "little needs to be done in leaving it. The only minor complication is that the "+
    "logic which is correct late in the string erroneously gives non-proper "+
    "substrings at the beginning. This necessitates some initialization code.";

  string b = "table";

  int p = KMP(a, b);
  cout << p << ": " << a.substr(p, b.length()) << " " << b << endl;
}
```

Generated by GNU enscript 1.6.1.

Theoretical Computer Science Cheat Sheet

Definitions

$f(n) = O(g(n))$	iff $\exists$ positive c, n_0 such that $0 \le f(n) \le cg(n)\ \forall n \ge n_0$.
$f(n) = \Omega(g(n))$	iff $\exists$ positive c, n_0 such that $f(n) \ge cg(n) \ge 0\ \forall n \ge n_0$.
$f(n) = \Theta(g(n))$	iff $f(n) = O(g(n))$ and $f(n) = \Omega(g(n))$.
$f(n) = o(g(n))$	iff $\lim_{n\to\infty} f(n)/g(n) = 0$.
$\lim_{n\to\infty} a_n = a$	iff $\forall \epsilon > 0$, $\exists n_0$ such that $\lvert a_n - a\rvert < \epsilon$, $\forall n \ge n_0$.
$\sup S$	least $b \in \mathbb{R}$ such that $b \ge s$, $\forall s \in S$.
$\inf S$	greatest $b \in \mathbb{R}$ such that $b \le s$, $\forall s \in S$.
$\liminf_{n\to\infty} a_n$	$\lim_{n\to\infty} \inf\{a_i \mid i \ge n, i \in \mathbb{N}\}$.
$\limsup_{n\to\infty} a_n$	$\lim_{n\to\infty} \sup\{a_i \mid i \ge n, i \in \mathbb{N}\}$.
$\binom{n}{k}$	Combinations: Size k subsets of a size n set.
$\left[{n \atop k}\right]$	Stirling numbers (1st kind): Arrangements of an n element set into k cycles.
$\left\{{n \atop k}\right\}$	Stirling numbers (2nd kind): Partitions of an n element set into k non-empty sets.
$\left\langle{n \atop k}\right\rangle$	1st order Eulerian numbers: Permutations $\pi_1\pi_2\dots\pi_n$ on $\{1, 2, \dots, n\}$ with k ascents.
$\left\langle\!\!\left\langle{n \atop k}\right\rangle\!\!\right\rangle$	2nd order Eulerian numbers.
C_n	Catalan Numbers: Binary trees with $n+1$ vertices.

Series

$$\sum_{i=1}^{n} i = \frac{n(n+1)}{2}, \qquad \sum_{i=1}^{n} i^2 = \frac{n(n+1)(2n+1)}{6}, \qquad \sum_{i=1}^{n} i^3 = \frac{n^2(n+1)^2}{4}.$$

In general:

$$\sum_{i=1}^{n} i^m = \frac{1}{m+1}\left[(n+1)^{m+1} - 1 - \sum_{i=1}^{n}\left((i+1)^{m+1} - i^{m+1} - (m+1)i^m\right)\right]$$

$$\sum_{i=1}^{n-1} i^m = \frac{1}{m+1}\sum_{k=0}^{m}\binom{m+1}{k} B_k n^{m+1-k}.$$

Geometric series:

$$\sum_{i=0}^{n} c^i = \frac{c^{n+1}-1}{c-1}, \quad c \ne 1, \qquad \sum_{i=0}^{\infty} c^i = \frac{1}{1-c}, \qquad \sum_{i=1}^{\infty} c^i = \frac{c}{1-c}, \quad |c| < 1,$$

$$\sum_{i=0}^{n} ic^i = \frac{nc^{n+2} - (n+1)c^{n+1} + c}{(c-1)^2}, \quad c \ne 1, \qquad \sum_{i=0}^{\infty} ic^i = \frac{c}{(1-c)^2}, \quad |c| < 1.$$

Harmonic series:

$$H_n = \sum_{i=1}^{n} \frac{1}{i}, \qquad \sum_{i=1}^{n} iH_i = \frac{n(n+1)}{2}H_n - \frac{n(n-1)}{4}.$$

$$\sum_{i=1}^{n} H_i = (n+1)H_n - n, \qquad \sum_{i=1}^{n}\binom{i}{m}H_i = \binom{n+1}{m+1}\left(H_{n+1} - \frac{1}{m+1}\right).$$

1. $\binom{n}{k} = \frac{n!}{(n-k)!k!}$, **2.** $\sum_{k=0}^{n}\binom{n}{k} = 2^n$, **3.** $\binom{n}{k} = \binom{n}{n-k}$,

4. $\binom{n}{k} = \frac{n}{k}\binom{n-1}{k-1}$, **5.** $\binom{n}{k} = \binom{n-1}{k} + \binom{n-1}{k-1}$,

6. $\binom{n}{m}\binom{m}{k} = \binom{n}{k}\binom{n-k}{m-k}$, **7.** $\sum_{k=0}^{n}\binom{r+k}{k} = \binom{r+n+1}{n}$,

8. $\sum_{k=0}^{n}\binom{k}{m} = \binom{n+1}{m+1}$, **9.** $\sum_{k=0}^{n}\binom{r}{k}\binom{s}{n-k} = \binom{r+s}{n}$,

10. $\binom{n}{k} = (-1)^k\binom{k-n-1}{k}$, **11.** $\left\{{n \atop 1}\right\} = \left\{{n \atop n}\right\} = 1$,

12. $\left\{{n \atop 2}\right\} = 2^{n-1} - 1$, **13.** $\left\{{n \atop k}\right\} = k\left\{{n-1 \atop k}\right\} + \left\{{n-1 \atop k-1}\right\}$,

14. $\left[{n \atop 1}\right] = (n-1)!$, **15.** $\left[{n \atop 2}\right] = (n-1)!H_{n-1}$, **16.** $\left[{n \atop n}\right] = 1$, **17.** $\left[{n \atop k}\right] \ge \left\{{n \atop k}\right\}$,

18. $\left[{n \atop k}\right] = (n-1)\left[{n-1 \atop k}\right] + \left[{n-1 \atop k-1}\right]$, **19.** $\left\{{n \atop n-1}\right\} = \left[{n \atop n-1}\right] = \binom{n}{2}$, **20.** $\sum_{k=0}^{n}\left[{n \atop k}\right] = n!$, **21.** $C_n = \frac{1}{n+1}\binom{2n}{n}$,

22. $\left\langle{n \atop 0}\right\rangle = \left\langle{n \atop n-1}\right\rangle = 1$, **23.** $\left\langle{n \atop k}\right\rangle = \left\langle{n \atop n-1-k}\right\rangle$, **24.** $\left\langle{n \atop k}\right\rangle = (k+1)\left\langle{n-1 \atop k}\right\rangle + (n-k)\left\langle{n-1 \atop k-1}\right\rangle$,

25. $\left\langle{0 \atop k}\right\rangle = \begin{cases}1 & \text{if } k = 0,\\ 0 & \text{otherwise}\end{cases}$ **26.** $\left\langle{n \atop 1}\right\rangle = 2^n - n - 1$, **27.** $\left\langle{n \atop 2}\right\rangle = 3^n - (n+1)2^n + \binom{n+1}{2}$,

28. $x^n = \sum_{k=0}^{n}\left\langle{n \atop k}\right\rangle\binom{x+k}{n}$, **29.** $\left\langle{n \atop m}\right\rangle = \sum_{k=0}^{m}\binom{n+1}{k}(m+1-k)^n(-1)^k$, **30.** $m!\left\{{n \atop m}\right\} = \sum_{k=0}^{n}\left\langle{n \atop k}\right\rangle\binom{k}{n-m}$,

31. $\left\langle{n \atop m}\right\rangle = \sum_{k=0}^{n}\left\{{n \atop k}\right\}\binom{n-k}{m}(-1)^{n-k-m}k!$, **32.** $\left\langle\!\!\left\langle{n \atop 0}\right\rangle\!\!\right\rangle = 1$, **33.** $\left\langle\!\!\left\langle{n \atop n}\right\rangle\!\!\right\rangle = 0$ for $n \ne 0$,

34. $\left\langle\!\!\left\langle{n \atop k}\right\rangle\!\!\right\rangle = (k+1)\left\langle\!\!\left\langle{n-1 \atop k}\right\rangle\!\!\right\rangle + (2n-1-k)\left\langle\!\!\left\langle{n-1 \atop k-1}\right\rangle\!\!\right\rangle$, **35.** $\sum_{k=0}^{n}\left\langle\!\!\left\langle{n \atop k}\right\rangle\!\!\right\rangle = \frac{(2n)^{\underline{n}}}{2^n}$,

36. $\left\{{x \atop x-n}\right\} = \sum_{k=0}^{n}\left\langle\!\!\left\langle{n \atop k}\right\rangle\!\!\right\rangle\binom{x+n-1-k}{2n}$, **37.** $\left\{{n+1 \atop m+1}\right\} = \sum_{k}\binom{n}{k}\left\{{k \atop m}\right\} = \sum_{k=0}^{n}\left\{{k \atop m}\right\}(m+1)^{n-k}$,

Theoretical Computer Science Cheat Sheet

Identities Cont.

38. $\left[\begin{matrix} n+1 \\ m+1 \end{matrix}\right] = \sum_k \left[\begin{matrix} n \\ k \end{matrix}\right]\binom{k}{m} = \sum_{k=0}^{n} \left[\begin{matrix} k \\ m \end{matrix}\right] n^{\underline{n-k}} = n! \sum_{k=0}^{n} \frac{1}{k!}\left[\begin{matrix} k \\ m \end{matrix}\right],$

39. $\left[\begin{matrix} x \\ x-n \end{matrix}\right] = \sum_{k=0}^{n} \left\langle\!\!\left\langle \begin{matrix} n \\ k \end{matrix} \right\rangle\!\!\right\rangle \binom{x+k}{2n},$

40. $\left\{\begin{matrix} n \\ m \end{matrix}\right\} = \sum_k \binom{n}{k}\left\{\begin{matrix} k+1 \\ m+1 \end{matrix}\right\}(-1)^{n-k},$

41. $\left[\begin{matrix} n \\ m \end{matrix}\right] = \sum_k \left[\begin{matrix} n+1 \\ k+1 \end{matrix}\right]\binom{k}{m}(-1)^{m-k},$

42. $\left\{\begin{matrix} m+n+1 \\ m \end{matrix}\right\} = \sum_{k=0}^{m} k \left\{\begin{matrix} n+k \\ k \end{matrix}\right\},$

43. $\left[\begin{matrix} m+n+1 \\ m \end{matrix}\right] = \sum_{k=0}^{m} k(n+k)\left[\begin{matrix} n+k \\ k \end{matrix}\right],$

44. $\binom{n}{m} = \sum_k \left\{\begin{matrix} n+1 \\ k+1 \end{matrix}\right\}\left[\begin{matrix} k \\ m \end{matrix}\right](-1)^{m-k},$

45. $(n-m)!\binom{n}{m} = \sum_k \left[\begin{matrix} n+1 \\ k+1 \end{matrix}\right]\left\{\begin{matrix} k \\ m \end{matrix}\right\}(-1)^{m-k}, \quad \text{for } n \ge m,$

46. $\left\{\begin{matrix} n \\ n-m \end{matrix}\right\} = \sum_k \binom{m-n}{m+k}\binom{m+n}{n+k}\left[\begin{matrix} m+k \\ k \end{matrix}\right],$

47. $\left[\begin{matrix} n \\ n-m \end{matrix}\right] = \sum_k \binom{m-n}{m+k}\binom{m+n}{n+k}\left\{\begin{matrix} m+k \\ k \end{matrix}\right\},$

48. $\left\{\begin{matrix} n \\ \ell+m \end{matrix}\right\}\binom{\ell+m}{\ell} = \sum_k \left\{\begin{matrix} k \\ \ell \end{matrix}\right\}\left\{\begin{matrix} n-k \\ m \end{matrix}\right\}\binom{n}{k},$

49. $\left[\begin{matrix} n \\ \ell+m \end{matrix}\right]\binom{\ell+m}{\ell} = \sum_k \left[\begin{matrix} k \\ \ell \end{matrix}\right]\left[\begin{matrix} n-k \\ m \end{matrix}\right]\binom{n}{k}.$

Trees

Every tree with n vertices has $n-1$ edges.

Kraft inequality: If the depths of the leaves of a binary tree are $d_1, \ldots, d_n$:
$$\sum_{i=1}^{n} 2^{-d_i} \le 1,$$
and equality holds only if every internal node has 2 sons.

Recurrences

Master method:
$$T(n) = aT(n/b) + f(n), \quad a \ge 1, b > 1$$

If $\exists \epsilon > 0$ such that $f(n) = O(n^{\log_b a - \epsilon})$ then
$$T(n) = \Theta(n^{\log_b a}).$$

If $f(n) = \Theta(n^{\log_b a})$ then
$$T(n) = \Theta(n^{\log_b a} \log_2 n).$$

If $\exists \epsilon > 0$ such that $f(n) = \Omega(n^{\log_b a + \epsilon})$, and $\exists c < 1$ such that $af(n/b) \le cf(n)$ for large n, then
$$T(n) = \Theta(f(n)).$$

Substitution (example): Consider the following recurrence
$$T_{i+1} = 2^{2^i} \cdot T_i^2, \quad T_1 = 2.$$

Note that T_i is always a power of two. Let $t_i = \log_2 T_i$. Then we have
$$t_{i+1} = 2^i + 2t_i, \quad t_1 = 1.$$

Let $u_i = t_i/2^i$. Dividing both sides of the previous equation by 2^{i+1} we get
$$\frac{t_{i+1}}{2^{i+1}} = \frac{2^i}{2^{i+1}} + \frac{t_i}{2^i}.$$

Substituting we find
$$u_{i+1} = \tfrac{1}{2} + u_i, \quad u_1 = \tfrac{1}{2},$$
which is simply $u_i = i/2$. So we find that T_i has the closed form $T_i = 2^{i2^{i-1}}$. Summing factors (example): Consider the following recurrence
$$T(n) = 3T(n/2) + n, \quad T(1) = 1.$$

Rewrite so that all terms involving T are on the left side
$$T(n) - 3T(n/2) = n.$$

Now expand the recurrence, and choose a factor which makes the left side "telescope"

$$1\big(T(n) - 3T(n/2) = n\big)$$
$$3\big(T(n/2) - 3T(n/4) = n/2\big)$$
$$\vdots \quad \vdots \quad \vdots$$
$$3^{\log_2 n - 1}\big(T(2) - 3T(1) = 2\big)$$

Let $m = \log_2 n$. Summing the left side we get $T(n) - 3^m T(1) = T(n) - 3^m = T(n) - n^k$ where $k = \log_2 3 \approx 1.58496$. Summing the right side we get
$$\sum_{i=0}^{m-1} \frac{n}{2^i} 3^i = n \sum_{i=0}^{m-1} \left(\tfrac{3}{2}\right)^i.$$

Let $c = \frac{3}{2}$. Then we have
$$n \sum_{i=0}^{m-1} c^i = n\left(\frac{c^m - 1}{c - 1}\right)$$
$$= 2n(c^{\log_2 n} - 1)$$
$$= 2n(c^{(k-1)\log_c n} - 1)$$
$$= 2n^k - 2n,$$
and so $T(n) = 3n^k - 2n$. Full history recurrences can often be changed to limited history ones (example): Consider
$$T_i = 1 + \sum_{j=0}^{i-1} T_j, \quad T_0 = 1.$$

Note that
$$T_{i+1} = 1 + \sum_{j=0}^{i} T_j.$$

Subtracting we find
$$T_{i+1} - T_i = 1 + \sum_{j=0}^{i} T_j - 1 - \sum_{j=0}^{i-1} T_j$$
$$= T_i.$$

And so $T_{i+1} = 2T_i = 2^{i+1}$.

Generating functions:

1. Multiply both sides of the equation by x^i.
2. Sum both sides over all i for which the equation is valid.
3. Choose a generating function $G(x)$. Usually $G(x) = \sum_{i=0}^{\infty} x^i g_i$.
3. Rewrite the equation in terms of the generating function $G(x)$.
4. Solve for $G(x)$.
5. The coefficient of x^i in $G(x)$ is g_i.

Example:
$$g_{i+1} = 2g_i + 1, \quad g_0 = 0.$$

Multiply and sum:
$$\sum_{i \ge 0} g_{i+1} x^i = \sum_{i \ge 0} 2g_i x^i + \sum_{i \ge 0} x^i.$$

We choose $G(x) = \sum_{i \ge 0} x^i g_i$. Rewrite in terms of $G(x)$:
$$\frac{G(x) - g_0}{x} = 2G(x) + \sum_{i \ge 0} x^i.$$

Simplify:
$$\frac{G(x)}{x} = 2G(x) + \frac{1}{1-x}.$$

Solve for $G(x)$:
$$G(x) = \frac{x}{(1-x)(1-2x)}.$$

Expand this using partial fractions:
$$G(x) = x\left(\frac{2}{1-2x} - \frac{1}{1-x}\right)$$
$$= x\left(2\sum_{i \ge 0} 2^i x^i - \sum_{i \ge 0} x^i\right)$$
$$= \sum_{i \ge 0} (2^{i+1} - 1)x^{i+1}.$$

So $g_i = 2^i - 1$.

Theoretical Computer Science Cheat Sheet

$\pi \approx 3.14159, \qquad e \approx 2.71828, \qquad \gamma \approx 0.57721, \qquad \phi = \frac{1+\sqrt{5}}{2} \approx 1.61803, \qquad \hat{\phi} = \frac{1-\sqrt{5}}{2} \approx -.61803$

i	2^i	p_i
1	2	2
2	4	3
3	8	5
4	16	7
5	32	11
6	64	13
7	128	17
8	256	19
9	512	23
10	1,024	29
11	2,048	31
12	4,096	37
13	8,192	41
14	16,384	43
15	32,768	47
16	65,536	53
17	131,072	59
18	262,144	61
19	524,288	67
20	1,048,576	71
21	2,097,152	73
22	4,194,304	79
23	8,388,608	83
24	16,777,216	89
25	33,554,432	97
26	67,108,864	101
27	134,217,728	103
28	268,435,456	107
29	536,870,912	109
30	1,073,741,824	113
31	2,147,483,648	127
32	4,294,967,296	131

Pascal's Triangle

1
1 1
1 2 1
1 3 3 1
1 4 6 4 1
1 5 10 10 5 1
1 6 15 20 15 6 1
1 7 21 35 35 21 7 1
1 8 28 56 70 56 28 8 1
1 9 36 84 126 126 84 36 9 1
1 10 45 120 210 252 210 120 45 10 1

General

Bernoulli Numbers ($B_i = 0$, odd $i \ne 1$):
$$B_0 = 1,\ B_1 = -\tfrac{1}{2},\ B_2 = \tfrac{1}{6},\ B_4 = -\tfrac{1}{30},$$
$$B_6 = \tfrac{1}{42},\ B_8 = -\tfrac{1}{30},\ B_{10} = \tfrac{5}{66}.$$

Change of base, quadratic formula:
$$\log_b x = \frac{\log_a x}{\log_a b}, \qquad \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}.$$

Euler's number e:
$$e = 1 + \tfrac{1}{2} + \tfrac{1}{6} + \tfrac{1}{24} + \tfrac{1}{120} + \cdots$$
$$\lim_{n \to \infty} \left(1 + \frac{x}{n}\right)^n = e^x.$$
$$\left(1 + \tfrac{1}{n}\right)^n < e < \left(1 + \tfrac{1}{n}\right)^{n+1}.$$
$$\left(1 + \tfrac{1}{n}\right)^n = e - \frac{e}{2n} + \frac{11e}{24n^2} - O\left(\frac{1}{n^3}\right).$$

Harmonic numbers:
$$1,\ \tfrac{3}{2},\ \tfrac{11}{6},\ \tfrac{25}{12},\ \tfrac{137}{60},\ \tfrac{49}{20},\ \tfrac{363}{140},\ \tfrac{761}{280},\ \tfrac{7129}{2520},\ \ldots$$
$$\ln n < H_n < \ln n + 1,$$
$$H_n = \ln n + \gamma + O\left(\frac{1}{n}\right).$$

Factorial, Stirling's approximation:

1, 2, 6, 24, 120, 720, 5040, 40320, 362880, ...

$$n! = \sqrt{2\pi n}\left(\frac{n}{e}\right)^n \left(1 + \Theta\left(\frac{1}{n}\right)\right).$$

Ackermann's function and inverse:
$$a(i,j) = \begin{cases} 2^j & i = 1 \\ a(i-1, 2) & j = 1 \\ a(i-1, a(i, j-1)) & i, j \ge 2 \end{cases}$$
$$\alpha(i) = \min\{j \mid a(j,j) \ge i\}.$$

Binomial distribution:
$$\Pr[X = k] = \binom{n}{k} p^k q^{n-k}, \qquad q = 1 - p,$$
$$\mathrm{E}[X] = \sum_{k=1}^{n} k\binom{n}{k} p^k q^{n-k} = np.$$

Poisson distribution:
$$\Pr[X = k] = \frac{e^{-\lambda}\lambda^k}{k!}, \quad \mathrm{E}[X] = \lambda.$$

Normal (Gaussian) distribution:
$$p(x) = \frac{1}{\sqrt{2\pi}\sigma} e^{-(x-\mu)^2/2\sigma^2}, \quad \mathrm{E}[X] = \mu.$$

The "coupon collector": We are given a random coupon each day, and there are n different types of coupons. The distribution of coupons is uniform. The expected number of days to pass before we to collect all n types is
$$nH_n.$$

Probability

Continuous distributions: If
$$\Pr[a < X < b] = \int_a^b p(x)\,dx,$$
then p is the probability density function of X. If
$$\Pr[X < a] = P(a),$$
then P is the distribution function of X. If P and p both exist then
$$P(a) = \int_{-\infty}^{a} p(x)\,dx.$$

Expectation: If X is discrete
$$\mathrm{E}[g(X)] = \sum_x g(x)\Pr[X = x].$$

If X continuous then
$$\mathrm{E}[g(X)] = \int_{-\infty}^{\infty} g(x)p(x)\,dx = \int_{-\infty}^{\infty} g(x)\,dP(x).$$

Variance, standard deviation:
$$\mathrm{VAR}[X] = \mathrm{E}[X^2] - \mathrm{E}[X]^2,$$
$$\sigma = \sqrt{\mathrm{VAR}[X]}.$$

For events A and B:
$$\Pr[A \vee B] = \Pr[A] + \Pr[B] - \Pr[A \wedge B]$$
$$\Pr[A \wedge B] = \Pr[A] \cdot \Pr[B],$$
iff A and B are independent.
$$\Pr[A|B] = \frac{\Pr[A \wedge B]}{\Pr[B]}$$

For random variables X and Y:
$$\mathrm{E}[X \cdot Y] = \mathrm{E}[X] \cdot \mathrm{E}[Y],$$
if X and Y are independent.
$$\mathrm{E}[X + Y] = \mathrm{E}[X] + \mathrm{E}[Y],$$
$$\mathrm{E}[cX] = c\,\mathrm{E}[X].$$

Bayes' theorem:
$$\Pr[A_i|B] = \frac{\Pr[B|A_i]\Pr[A_i]}{\sum_{j=1}^{n} \Pr[A_j]\Pr[B|A_j]}.$$

Inclusion-exclusion:
$$\Pr\Big[\bigvee_{i=1}^{n} X_i\Big] = \sum_{i=1}^{n} \Pr[X_i] +$$
$$\sum_{k=2}^{n} (-1)^{k+1} \sum_{i_i < \cdots < i_k} \Pr\Big[\bigwedge_{j=1}^{k} X_{i_j}\Big].$$

Moment inequalities:
$$\Pr\big[|X| \ge \lambda\,\mathrm{E}[X]\big] \le \frac{1}{\lambda},$$
$$\Pr\Big[\big|X - \mathrm{E}[X]\big| \ge \lambda \cdot \sigma\Big] \le \frac{1}{\lambda^2}.$$

Geometric distribution:
$$\Pr[X = k] = pq^{k-1}, \qquad q = 1 - p,$$
$$\mathrm{E}[X] = \sum_{k=1}^{\infty} kpq^{k-1} = \frac{1}{p}.$$

Theoretical Computer Science Cheat Sheet

Trigonometry





Pythagorean theorem:
$$C^2 = A^2 + B^2.$$

Definitions:
$$\sin a = A/C, \quad \cos a = B/C,$$
$$\csc a = C/A, \quad \sec a = C/B,$$
$$\tan a = \frac{\sin a}{\cos a} = \frac{A}{B}, \quad \cot a = \frac{\cos a}{\sin a} = \frac{B}{A}.$$

Area, radius of inscribed circle:
$$\tfrac{1}{2}AB, \qquad \frac{AB}{A+B+C}.$$

Identities:
$$\sin x = \frac{1}{\csc x}, \qquad \cos x = \frac{1}{\sec x},$$
$$\tan x = \frac{1}{\cot x}, \qquad \sin^2 x + \cos^2 x = 1,$$
$$1 + \tan^2 x = \sec^2 x, \qquad 1 + \cot^2 x = \csc^2 x,$$
$$\sin x = \cos\left(\tfrac{\pi}{2} - x\right), \qquad \sin x = \sin(\pi - x),$$
$$\cos x = -\cos(\pi - x), \qquad \tan x = \cot\left(\tfrac{\pi}{2} - x\right),$$
$$\cot x = -\cot(\pi - x), \qquad \csc x = \cot\tfrac{x}{2} - \cot x,$$
$$\sin(x \pm y) = \sin x \cos y \pm \cos x \sin y,$$
$$\cos(x \pm y) = \cos x \cos y \mp \sin x \sin y,$$
$$\tan(x \pm y) = \frac{\tan x \pm \tan y}{1 \mp \tan x \tan y},$$
$$\cot(x \pm y) = \frac{\cot x \cot y \mp 1}{\cot x \pm \cot y},$$
$$\sin 2x = 2 \sin x \cos x, \qquad \sin 2x = \frac{2\tan x}{1 + \tan^2 x},$$
$$\cos 2x = \cos^2 x - \sin^2 x, \qquad \cos 2x = 2\cos^2 x - 1,$$
$$\cos 2x = 1 - 2\sin^2 x, \qquad \cos 2x = \frac{1 - \tan^2 x}{1 + \tan^2 x},$$
$$\tan 2x = \frac{2\tan x}{1 - \tan^2 x}, \qquad \cot 2x = \frac{\cot^2 x - 1}{2\cot x},$$
$$\sin(x+y)\sin(x-y) = \sin^2 x - \sin^2 y,$$
$$\cos(x+y)\cos(x-y) = \cos^2 x - \sin^2 y.$$

Euler's equation:
$$e^{ix} = \cos x + i \sin x, \qquad e^{i\pi} = -1.$$

sseiden@acm.org
http://www.csc.lsu.edu/~seiden

Matrices

Multiplication:
$$C = A \cdot B, \quad c_{i,j} = \sum_{k=1}^{n} a_{i,k} b_{k,j}.$$

Determinants: $\det A \neq 0$ iff A is non-singular.
$$\det A \cdot B = \det A \cdot \det B,$$
$$\det A = \sum_{\pi} \prod_{i=1}^{n} \operatorname{sign}(\pi) a_{i,\pi(i)}.$$

2×2 and 3×3 determinant:
$$\begin{vmatrix} a & b \\ c & d \end{vmatrix} = ad - bc,$$
$$\begin{vmatrix} a & b & c \\ d & e & f \\ g & h & i \end{vmatrix} = g \begin{vmatrix} b & c \\ e & f \end{vmatrix} - h \begin{vmatrix} a & c \\ d & f \end{vmatrix} + i \begin{vmatrix} a & b \\ d & e \end{vmatrix}$$
$$= \begin{matrix} aei + bfg + cdh \\ -ceg - fha - ibd. \end{matrix}$$

Permanents:
$$\operatorname{perm} A = \sum_{\pi} \prod_{i=1}^{n} a_{i,\pi(i)}.$$

Hyperbolic Functions

Definitions:
$$\sinh x = \frac{e^x - e^{-x}}{2}, \qquad \cosh x = \frac{e^x + e^{-x}}{2},$$
$$\tanh x = \frac{e^x - e^{-x}}{e^x + e^{-x}}, \qquad \operatorname{csch} x = \frac{1}{\sinh x},$$
$$\operatorname{sech} x = \frac{1}{\cosh x}, \qquad \coth x = \frac{1}{\tanh x}.$$

Identities:
$$\cosh^2 x - \sinh^2 x = 1, \qquad \tanh^2 x + \operatorname{sech}^2 x = 1,$$
$$\coth^2 x - \operatorname{csch}^2 x = 1, \qquad \sinh(-x) = -\sinh x,$$
$$\cosh(-x) = \cosh x, \qquad \tanh(-x) = -\tanh x,$$
$$\sinh(x+y) = \sinh x \cosh y + \cosh x \sinh y,$$
$$\cosh(x+y) = \cosh x \cosh y + \sinh x \sinh y,$$
$$\sinh 2x = 2 \sinh x \cosh x,$$
$$\cosh 2x = \cosh^2 x + \sinh^2 x,$$
$$\cosh x + \sinh x = e^x, \qquad \cosh x - \sinh x = e^{-x},$$
$$(\cosh x + \sinh x)^n = \cosh nx + \sinh nx, \quad n \in \mathbb{Z},$$
$$2\sinh^2 \tfrac{x}{2} = \cosh x - 1, \qquad 2\cosh^2 \tfrac{x}{2} = \cosh x + 1.$$

θ	$\sin\theta$	$\cos\theta$	$\tan\theta$
0	0	1	0
$\frac{\pi}{6}$	$\frac{1}{2}$	$\frac{\sqrt{3}}{2}$	$\frac{\sqrt{3}}{3}$
$\frac{\pi}{4}$	$\frac{\sqrt{2}}{2}$	$\frac{\sqrt{2}}{2}$	1
$\frac{\pi}{3}$	$\frac{\sqrt{3}}{2}$	$\frac{1}{2}$	$\sqrt{3}$
$\frac{\pi}{2}$	1	0	∞

... in mathematics you don't understand things, you just get used to them.
– J. von Neumann

More Trig.



Law of cosines:
$$c^2 = a^2 + b^2 - 2ab\cos C.$$

Area:
$$A = \tfrac{1}{2}hc,$$
$$= \tfrac{1}{2}ab\sin C,$$
$$= \frac{c^2 \sin A \sin B}{2 \sin C}.$$

Heron's formula:
$$A = \sqrt{s \cdot s_a \cdot s_b \cdot s_c},$$
$$s = \tfrac{1}{2}(a + b + c),$$
$$s_a = s - a,$$
$$s_b = s - b,$$
$$s_c = s - c.$$

More identities:
$$\sin\tfrac{x}{2} = \sqrt{\frac{1 - \cos x}{2}},$$
$$\cos\tfrac{x}{2} = \sqrt{\frac{1 + \cos x}{2}},$$
$$\tan\tfrac{x}{2} = \sqrt{\frac{1 - \cos x}{1 + \cos x}},$$
$$= \frac{1 - \cos x}{\sin x},$$
$$= \frac{\sin x}{1 + \cos x},$$
$$\cot\tfrac{x}{2} = \sqrt{\frac{1 + \cos x}{1 - \cos x}},$$
$$= \frac{1 + \cos x}{\sin x},$$
$$= \frac{\sin x}{1 - \cos x},$$
$$\sin x = \frac{e^{ix} - e^{-ix}}{2i},$$
$$\cos x = \frac{e^{ix} + e^{-ix}}{2},$$
$$\tan x = -i\frac{e^{ix} - e^{-ix}}{e^{ix} + e^{-ix}},$$
$$= -i\frac{e^{2ix} - 1}{e^{2ix} + 1},$$
$$\sin x = \frac{\sinh ix}{i},$$
$$\cos x = \cosh ix,$$
$$\tan x = \frac{\tanh ix}{i}.$$

Theoretical Computer Science Cheat Sheet

Number Theory

The Chinese remainder theorem: There exists a number C such that:
$$C \equiv r_1 \bmod m_1$$
$$\vdots \quad \vdots \quad \vdots$$
$$C \equiv r_n \bmod m_n$$
if m_i and m_j are relatively prime for $i \neq j$.

Euler's function: $\phi(x)$ is the number of positive integers less than x relatively prime to x. If $\prod_{i=1}^{n} p_i^{e_i}$ is the prime factorization of x then
$$\phi(x) = \prod_{i=1}^{n} p_i^{e_i - 1}(p_i - 1).$$

Euler's theorem: If a and b are relatively prime then
$$1 \equiv a^{\phi(b)} \bmod b.$$

Fermat's theorem:
$$1 \equiv a^{p-1} \bmod p.$$

The Euclidean algorithm: if $a > b$ are integers then
$$\gcd(a, b) = \gcd(a \bmod b, b).$$

If $\prod_{i=1}^{n} p_i^{e_i}$ is the prime factorization of x then
$$S(x) = \sum_{d|x} d = \prod_{i=1}^{n} \frac{p_i^{e_i+1} - 1}{p_i - 1}.$$

Perfect Numbers: x is an even perfect number iff $x = 2^{n-1}(2^n - 1)$ and $2^n - 1$ is prime.
Wilson's theorem: n is a prime iff
$$(n-1)! \equiv -1 \bmod n.$$

Möbius inversion:
$$\mu(i) = \begin{cases} 1 & \text{if } i = 1. \\ 0 & \text{if } i \text{ is not square-free.} \\ (-1)^r & \text{if } i \text{ is the product of } r \text{ distinct primes.} \end{cases}$$

If
$$G(a) = \sum_{d|a} F(d),$$
then
$$F(a) = \sum_{d|a} \mu(d) G\left(\frac{a}{d}\right).$$

Prime numbers:
$$p_n = n \ln n + n \ln\ln n - n + n\frac{\ln\ln n}{\ln n} + O\left(\frac{n}{\ln n}\right),$$
$$\pi(n) = \frac{n}{\ln n} + \frac{n}{(\ln n)^2} + \frac{2!n}{(\ln n)^3} + O\left(\frac{n}{(\ln n)^4}\right).$$

Graph Theory

Definitions:

Loop	An edge connecting a vertex to itself.
Directed	Each edge has a direction.
Simple	Graph with no loops or multi-edges.
Walk	A sequence $v_0 e_1 v_1 \ldots e_\ell v_\ell$.
Trail	A walk with distinct edges.
Path	A trail with distinct vertices.
Connected	A graph where there exists a path between any two vertices.
Component	A maximal connected subgraph.
Tree	A connected acyclic graph.
Free tree	A tree with no root.
DAG	Directed acyclic graph.
Eulerian	Graph with a trail visiting each edge exactly once.
Hamiltonian	Graph with a cycle visiting each vertex exactly once.
Cut	A set of edges whose removal increases the number of components.
Cut-set	A minimal cut.
Cut edge	A size 1 cut.
k-Connected	A graph connected with the removal of any $k-1$ vertices.
k-Tough	$\forall S \subseteq V, S \neq \emptyset$ we have $k \cdot c(G - S) \leq \lvert S \rvert$.
k-Regular	A graph where all vertices have degree k.
k-Factor	A k-regular spanning subgraph.
Matching	A set of edges, no two of which are adjacent.
Clique	A set of vertices, all of which are adjacent.
Ind. set	A set of vertices, none of which are adjacent.
Vertex cover	A set of vertices which cover all edges.
Planar graph	A graph which can be embeded in the plane.
Plane graph	An embedding of a planar graph.

$$\sum_{v \in V} \deg(v) = 2m.$$

If G is planar then $n - m + f = 2$, so
$$f \leq 2n - 4, \quad m \leq 3n - 6.$$
Any planar graph has a vertex with degree ≤ 5.

Notation:

$E(G)$	Edge set
$V(G)$	Vertex set
$c(G)$	Number of components
$G[S]$	Induced subgraph
$\deg(v)$	Degree of v
$\Delta(G)$	Maximum degree
$\delta(G)$	Minimum degree
$\chi(G)$	Chromatic number
$\chi_E(G)$	Edge chromatic number
G^c	Complement graph
K_n	Complete graph
K_{n_1,n_2}	Complete bipartite graph
$\mathrm{r}(k, \ell)$	Ramsey number

Geometry

Projective coordinates: triples (x, y, z), not all x, y and z zero.
$$(x, y, z) = (cx, cy, cz) \quad \forall c \neq 0.$$

Cartesian	Projective
(x, y)	$(x, y, 1)$
$y = mx + b$	$(m, -1, b)$
$x = c$	$(1, 0, -c)$

Distance formula, L_p and L_∞ metric:
$$\sqrt{(x_1 - x_0)^2 + (y_1 - y_0)^2},$$
$$\left[\lvert x_1 - x_0 \rvert^p + \lvert y_1 - y_0 \rvert^p\right]^{1/p},$$
$$\lim_{p \to \infty} \left[\lvert x_1 - x_0 \rvert^p + \lvert y_1 - y_0 \rvert^p\right]^{1/p}.$$

Area of triangle (x_0, y_0), (x_1, y_1) and (x_2, y_2):
$$\tfrac{1}{2} \operatorname{abs} \begin{vmatrix} x_1 - x_0 & y_1 - y_0 \\ x_2 - x_0 & y_2 - y_0 \end{vmatrix}.$$

Angle formed by three points:



$$\cos\theta = \frac{(x_1, y_1) \cdot (x_2, y_2)}{\ell_1 \ell_2}.$$

Line through two points (x_0, y_0) and (x_1, y_1):
$$\begin{vmatrix} x & y & 1 \\ x_0 & y_0 & 1 \\ x_1 & y_1 & 1 \end{vmatrix} = 0.$$

Area of circle, volume of sphere:
$$A = \pi r^2, \qquad V = \tfrac{4}{3}\pi r^3.$$

If I have seen farther than others, it is because I have stood on the shoulders of giants.
– Issac Newton

π

Wallis' identity:
$$\pi = 2 \cdot \frac{2 \cdot 2 \cdot 4 \cdot 4 \cdot 6 \cdot 6 \cdots}{1 \cdot 3 \cdot 3 \cdot 5 \cdot 5 \cdot 7 \cdots}$$

Brouncker's continued fraction expansion:
$$\tfrac{\pi}{4} = 1 + \cfrac{1^2}{2 + \cfrac{3^2}{2 + \cfrac{5^2}{2 + \cfrac{7^2}{2 + \cdots}}}}$$

Gregory's series:
$$\tfrac{\pi}{4} = 1 - \tfrac{1}{3} + \tfrac{1}{5} - \tfrac{1}{7} + \tfrac{1}{9} - \cdots$$

Newton's series:
$$\tfrac{\pi}{6} = \frac{1}{2} + \frac{1}{2 \cdot 3 \cdot 2^3} + \frac{1 \cdot 3}{2 \cdot 4 \cdot 5 \cdot 2^5} + \cdots$$

Sharp's series:
$$\tfrac{\pi}{6} = \frac{1}{\sqrt{3}}\left(1 - \frac{1}{3^1 \cdot 3} + \frac{1}{3^2 \cdot 5} - \frac{1}{3^3 \cdot 7} + \cdots\right)$$

Euler's series:
$$\tfrac{\pi^2}{6} = \tfrac{1}{1^2} + \tfrac{1}{2^2} + \tfrac{1}{3^2} + \tfrac{1}{4^2} + \tfrac{1}{5^2} + \cdots$$
$$\tfrac{\pi^2}{8} = \tfrac{1}{1^2} + \tfrac{1}{3^2} + \tfrac{1}{5^2} + \tfrac{1}{7^2} + \tfrac{1}{9^2} + \cdots$$
$$\tfrac{\pi^2}{12} = \tfrac{1}{1^2} - \tfrac{1}{2^2} + \tfrac{1}{3^2} - \tfrac{1}{4^2} + \tfrac{1}{5^2} - \cdots$$

Partial Fractions

Let $N(x)$ and $D(x)$ be polynomial functions of x. We can break down $N(x)/D(x)$ using partial fraction expansion. First, if the degree of N is greater than or equal to the degree of D, divide N by D, obtaining
$$\frac{N(x)}{D(x)} = Q(x) + \frac{N'(x)}{D(x)},$$
where the degree of N' is less than that of D. Second, factor $D(x)$. Use the following rules: For a non-repeated factor:
$$\frac{N(x)}{(x-a)D(x)} = \frac{A}{x-a} + \frac{N'(x)}{D(x)},$$
where
$$A = \left[\frac{N(x)}{D(x)}\right]_{x=a}.$$
For a repeated factor:
$$\frac{N(x)}{(x-a)^m D(x)} = \sum_{k=0}^{m-1} \frac{A_k}{(x-a)^{m-k}} + \frac{N'(x)}{D(x)},$$
where
$$A_k = \frac{1}{k!}\left[\frac{d^k}{dx^k}\left(\frac{N(x)}{D(x)}\right)\right]_{x=a}.$$

The reasonable man adapts himself to the world; the unreasonable persists in trying to adapt the world to himself. Therefore all progress depends on the unreasonable.
– George Bernard Shaw

Calculus

Derivatives:

1. $\dfrac{d(cu)}{dx} = c\dfrac{du}{dx}$, **2.** $\dfrac{d(u+v)}{dx} = \dfrac{du}{dx} + \dfrac{dv}{dx}$, **3.** $\dfrac{d(uv)}{dx} = u\dfrac{dv}{dx} + v\dfrac{du}{dx}$,

4. $\dfrac{d(u^n)}{dx} = nu^{n-1}\dfrac{du}{dx}$, **5.** $\dfrac{d(u/v)}{dx} = \dfrac{v\left(\frac{du}{dx}\right) - u\left(\frac{dv}{dx}\right)}{v^2}$, **6.** $\dfrac{d(e^{cu})}{dx} = ce^{cu}\dfrac{du}{dx}$,

7. $\dfrac{d(c^u)}{dx} = (\ln c)c^u\dfrac{du}{dx}$, **8.** $\dfrac{d(\ln u)}{dx} = \dfrac{1}{u}\dfrac{du}{dx}$,

9. $\dfrac{d(\sin u)}{dx} = \cos u\dfrac{du}{dx}$, **10.** $\dfrac{d(\cos u)}{dx} = -\sin u\dfrac{du}{dx}$,

11. $\dfrac{d(\tan u)}{dx} = \sec^2 u\dfrac{du}{dx}$, **12.** $\dfrac{d(\cot u)}{dx} = \csc^2 u\dfrac{du}{dx}$,

13. $\dfrac{d(\sec u)}{dx} = \tan u \sec u\dfrac{du}{dx}$, **14.** $\dfrac{d(\csc u)}{dx} = -\cot u \csc u\dfrac{du}{dx}$,

15. $\dfrac{d(\arcsin u)}{dx} = \dfrac{1}{\sqrt{1-u^2}}\dfrac{du}{dx}$, **16.** $\dfrac{d(\arccos u)}{dx} = \dfrac{-1}{\sqrt{1-u^2}}\dfrac{du}{dx}$,

17. $\dfrac{d(\arctan u)}{dx} = \dfrac{1}{1+u^2}\dfrac{du}{dx}$, **18.** $\dfrac{d(\operatorname{arccot} u)}{dx} = \dfrac{-1}{1+u^2}\dfrac{du}{dx}$,

19. $\dfrac{d(\operatorname{arcsec} u)}{dx} = \dfrac{1}{u\sqrt{1-u^2}}\dfrac{du}{dx}$, **20.** $\dfrac{d(\operatorname{arccsc} u)}{dx} = \dfrac{-1}{u\sqrt{1-u^2}}\dfrac{du}{dx}$,

21. $\dfrac{d(\sinh u)}{dx} = \cosh u\dfrac{du}{dx}$, **22.** $\dfrac{d(\cosh u)}{dx} = \sinh u\dfrac{du}{dx}$,

23. $\dfrac{d(\tanh u)}{dx} = \operatorname{sech}^2 u\dfrac{du}{dx}$, **24.** $\dfrac{d(\coth u)}{dx} = -\operatorname{csch}^2 u\dfrac{du}{dx}$,

25. $\dfrac{d(\operatorname{sech} u)}{dx} = -\operatorname{sech} u \tanh u\dfrac{du}{dx}$, **26.** $\dfrac{d(\operatorname{csch} u)}{dx} = -\operatorname{csch} u \coth u\dfrac{du}{dx}$,

27. $\dfrac{d(\operatorname{arcsinh} u)}{dx} = \dfrac{1}{\sqrt{1+u^2}}\dfrac{du}{dx}$, **28.** $\dfrac{d(\operatorname{arccosh} u)}{dx} = \dfrac{1}{\sqrt{u^2-1}}\dfrac{du}{dx}$,

29. $\dfrac{d(\operatorname{arctanh} u)}{dx} = \dfrac{1}{1-u^2}\dfrac{du}{dx}$, **30.** $\dfrac{d(\operatorname{arccoth} u)}{dx} = \dfrac{1}{u^2-1}\dfrac{du}{dx}$,

31. $\dfrac{d(\operatorname{arcsech} u)}{dx} = \dfrac{-1}{u\sqrt{1-u^2}}\dfrac{du}{dx}$, **32.** $\dfrac{d(\operatorname{arccsch} u)}{dx} = \dfrac{-1}{|u|\sqrt{1+u^2}}\dfrac{du}{dx}$.

Integrals:

1. $\displaystyle\int cu\,dx = c\int u\,dx$, **2.** $\displaystyle\int (u+v)\,dx = \int u\,dx + \int v\,dx$,

3. $\displaystyle\int x^n\,dx = \frac{1}{n+1}x^{n+1}, \quad n \neq -1$, **4.** $\displaystyle\int \frac{1}{x}dx = \ln x$, **5.** $\displaystyle\int e^x\,dx = e^x$,

6. $\displaystyle\int \frac{dx}{1+x^2} = \arctan x$, **7.** $\displaystyle\int u\frac{dv}{dx}dx = uv - \int v\frac{du}{dx}dx$,

8. $\displaystyle\int \sin x\,dx = -\cos x$, **9.** $\displaystyle\int \cos x\,dx = \sin x$,

10. $\displaystyle\int \tan x\,dx = -\ln|\cos x|$, **11.** $\displaystyle\int \cot x\,dx = \ln|\cos x|$,

12. $\displaystyle\int \sec x\,dx = \ln|\sec x + \tan x|$, **13.** $\displaystyle\int \csc x\,dx = \ln|\csc x + \cot x|$,

14. $\displaystyle\int \arcsin\tfrac{x}{a}dx = \arcsin\tfrac{x}{a} + \sqrt{a^2-x^2}, \quad a > 0$,

Theoretical Computer Science Cheat Sheet

Calculus Cont.

15. $\displaystyle\int \arccos\tfrac{x}{a}dx = \arccos\tfrac{x}{a} - \sqrt{a^2-x^2}, \quad a > 0$, **16.** $\displaystyle\int \arctan\tfrac{x}{a}dx = x\arctan\tfrac{x}{a} - \tfrac{a}{2}\ln(a^2+x^2), \quad a > 0$,

17. $\displaystyle\int \sin^2(ax)dx = \tfrac{1}{2a}\big(ax - \sin(ax)\cos(ax)\big)$, **18.** $\displaystyle\int \cos^2(ax)dx = \tfrac{1}{2a}\big(ax + \sin(ax)\cos(ax)\big)$,

19. $\displaystyle\int \sec^2 x\,dx = \tan x$, **20.** $\displaystyle\int \csc^2 x\,dx = -\cot x$,

21. $\displaystyle\int \sin^n x\,dx = -\frac{\sin^{n-1}x\cos x}{n} + \frac{n-1}{n}\int \sin^{n-2}x\,dx$, **22.** $\displaystyle\int \cos^n x\,dx = \frac{\cos^{n-1}x\sin x}{n} + \frac{n-1}{n}\int \cos^{n-2}x\,dx$,

23. $\displaystyle\int \tan^n x\,dx = \frac{\tan^{n-1}x}{n-1} - \int \tan^{n-2}x\,dx, \quad n \neq 1$, **24.** $\displaystyle\int \cot^n x\,dx = -\frac{\cot^{n-1}x}{n-1} - \int \cot^{n-2}x\,dx, \quad n \neq 1$,

25. $\displaystyle\int \sec^n x\,dx = \frac{\tan x\sec^{n-1}x}{n-1} + \frac{n-2}{n-1}\int \sec^{n-2}x\,dx, \quad n \neq 1$,

26. $\displaystyle\int \csc^n x\,dx = -\frac{\cot x\csc^{n-1}x}{n-1} + \frac{n-2}{n-1}\int \csc^{n-2}x\,dx, \quad n \neq 1$, **27.** $\displaystyle\int \sinh x\,dx = \cosh x$, **28.** $\displaystyle\int \cosh x\,dx = \sinh x$,

29. $\displaystyle\int \tanh x\,dx = \ln|\cosh x|$, **30.** $\displaystyle\int \coth x\,dx = \ln|\sinh x|$, **31.** $\displaystyle\int \operatorname{sech} x\,dx = \arctan\sinh x$, **32.** $\displaystyle\int \operatorname{csch} x\,dx = \ln\left|\tanh\tfrac{x}{2}\right|$,

33. $\displaystyle\int \sinh^2 x\,dx = \tfrac{1}{4}\sinh(2x) - \tfrac{1}{2}x$, **34.** $\displaystyle\int \cosh^2 x\,dx = \tfrac{1}{4}\sinh(2x) + \tfrac{1}{2}x$, **35.** $\displaystyle\int \operatorname{sech}^2 x\,dx = \tanh x$,

36. $\displaystyle\int \operatorname{arcsinh}\tfrac{x}{a}dx = x\operatorname{arcsinh}\tfrac{x}{a} - \sqrt{x^2+a^2}, \quad a > 0$, **37.** $\displaystyle\int \operatorname{arctanh}\tfrac{x}{a}dx = x\operatorname{arctanh}\tfrac{x}{a} + \tfrac{a}{2}\ln|a^2-x^2|$,

38. $\displaystyle\int \operatorname{arccosh}\tfrac{x}{a}dx = \begin{cases} x\operatorname{arccosh}\dfrac{x}{a} - \sqrt{x^2+a^2}, & \text{if } \operatorname{arccosh}\tfrac{x}{a} > 0 \text{ and } a > 0, \\ x\operatorname{arccosh}\dfrac{x}{a} + \sqrt{x^2+a^2}, & \text{if } \operatorname{arccosh}\tfrac{x}{a} < 0 \text{ and } a > 0, \end{cases}$

39. $\displaystyle\int \frac{dx}{\sqrt{a^2+x^2}} = \ln\left(x + \sqrt{a^2+x^2}\right), \quad a > 0$,

40. $\displaystyle\int \frac{dx}{a^2+x^2} = \tfrac{1}{a}\arctan\tfrac{x}{a}, \quad a > 0$, **41.** $\displaystyle\int \sqrt{a^2-x^2}\,dx = \tfrac{x}{2}\sqrt{a^2-x^2} + \tfrac{a^2}{2}\arcsin\tfrac{x}{a}, \quad a > 0$,

42. $\displaystyle\int (a^2-x^2)^{3/2}dx = \tfrac{x}{8}(5a^2-2x^2)\sqrt{a^2-x^2} + \tfrac{3a^4}{8}\arcsin\tfrac{x}{a}, \quad a > 0$,

43. $\displaystyle\int \frac{dx}{\sqrt{a^2-x^2}} = \arcsin\tfrac{x}{a}, \quad a > 0$, **44.** $\displaystyle\int \frac{dx}{a^2-x^2} = \frac{1}{2a}\ln\left|\frac{a+x}{a-x}\right|$, **45.** $\displaystyle\int \frac{dx}{(a^2-x^2)^{3/2}} = \frac{x}{a^2\sqrt{a^2-x^2}}$,

46. $\displaystyle\int \sqrt{a^2 \pm x^2}\,dx = \tfrac{x}{2}\sqrt{a^2 \pm x^2} \pm \tfrac{a^2}{2}\ln\left|x + \sqrt{a^2 \pm x^2}\right|$, **47.** $\displaystyle\int \frac{dx}{\sqrt{x^2-a^2}} = \ln\left|x + \sqrt{x^2-a^2}\right|, \quad a > 0$,

48. $\displaystyle\int \frac{dx}{ax^2+bx} = \frac{1}{a}\ln\left|\frac{x}{a+bx}\right|$, **49.** $\displaystyle\int x\sqrt{a+bx}\,dx = \frac{2(3bx-2a)(a+bx)^{3/2}}{15b^2}$,

50. $\displaystyle\int \frac{\sqrt{a+bx}}{x}dx = 2\sqrt{a+bx} + a\int \frac{1}{x\sqrt{a+bx}}dx$, **51.** $\displaystyle\int \frac{x}{\sqrt{a+bx}}dx = \frac{1}{\sqrt{2}}\ln\left|\frac{\sqrt{a+bx}-\sqrt{a}}{\sqrt{a+bx}+\sqrt{a}}\right|, \quad a > 0$,

52. $\displaystyle\int \frac{\sqrt{a^2-x^2}}{x}dx = \sqrt{a^2-x^2} - a\ln\left|\frac{a+\sqrt{a^2-x^2}}{x}\right|$, **53.** $\displaystyle\int x\sqrt{a^2-x^2}\,dx = -\tfrac{1}{3}(a^2-x^2)^{3/2}$,

54. $\displaystyle\int x^2\sqrt{a^2-x^2}\,dx = \tfrac{x}{8}(2x^2-a^2)\sqrt{a^2-x^2} + \tfrac{a^4}{8}\arcsin\tfrac{x}{a}, \quad a > 0$, **55.** $\displaystyle\int \frac{dx}{\sqrt{a^2-x^2}} = -\tfrac{1}{a}\ln\left|\frac{a+\sqrt{a^2-x^2}}{x}\right|$,

56. $\displaystyle\int \frac{x\,dx}{\sqrt{a^2-x^2}} = -\sqrt{a^2-x^2}$, **57.** $\displaystyle\int \frac{x^2\,dx}{\sqrt{a^2-x^2}} = -\tfrac{x}{2}\sqrt{a^2-x^2} + \tfrac{a^2}{2}\arcsin\tfrac{x}{a,} \quad a > 0$,

58. $\displaystyle\int \frac{\sqrt{a^2+x^2}}{x}dx = \sqrt{a^2+x^2} - a\ln\left|\frac{a+\sqrt{a^2+x^2}}{x}\right|$, **59.** $\displaystyle\int \frac{\sqrt{x^2-a^2}}{x}dx = \sqrt{x^2-a^2} - a\arccos\tfrac{a}{|x|}, \quad a > 0$,

60. $\displaystyle\int x\sqrt{x^2 \pm a^2}\,dx = \tfrac{1}{3}(x^2 \pm a^2)^{3/2}$, **61.** $\displaystyle\int \frac{dx}{x\sqrt{x^2+a^2}} = \tfrac{1}{a}\ln\left|\frac{x}{a+\sqrt{a^2+x^2}}\right|$,

Theoretical Computer Science Cheat Sheet

Calculus Cont.

62. $\int \frac{dx}{x\sqrt{x^2-a^2}} = \frac{1}{a}\arccos\frac{a}{|x|}, \quad a>0,$

63. $\int \frac{dx}{x^2\sqrt{x^2\pm a^2}} = \mp\frac{\sqrt{x^2\pm a^2}}{a^2x},$

64. $\int \frac{x\,dx}{\sqrt{x^2\pm a^2}} = \sqrt{x^2\pm a^2},$

65. $\int \frac{\sqrt{x^2\pm a^2}}{x^4}\,dx = \mp\frac{(x^2+a^2)^{3/2}}{3a^2x^3},$

66. $$\int \frac{dx}{ax^2+bx+c} = \begin{cases} \frac{1}{\sqrt{b^2-4ac}}\ln\left|\frac{2ax+b-\sqrt{b^2-4ac}}{2ax+b+\sqrt{b^2-4ac}}\right|, & \text{if } b^2>4ac, \\ \frac{2}{\sqrt{4ac-b^2}}\arctan\frac{2ax+b}{\sqrt{4ac-b^2}}, & \text{if } b^2<4ac, \end{cases}$$

67. $$\int \frac{dx}{\sqrt{ax^2+bx+c}} = \begin{cases} \frac{1}{\sqrt{a}}\ln\left|2ax+b+2\sqrt{a}\sqrt{ax^2+bx+c}\right|, & \text{if } a>0, \\ \frac{1}{\sqrt{-a}}\arcsin\frac{-2ax-b}{\sqrt{b^2-4ac}}, & \text{if } a<0, \end{cases}$$

68. $$\int \sqrt{ax^2+bx+c}\,dx = \frac{2ax+b}{4a}\sqrt{ax^2+bx+c} + \frac{4ax-b^2}{8a}\int\frac{dx}{\sqrt{ax^2+bx+c}},$$

69. $$\int \frac{x\,dx}{\sqrt{ax^2+bx+c}} = \frac{\sqrt{ax^2+bx+c}}{a} - \frac{b}{2a}\int\frac{dx}{\sqrt{ax^2+bx+c}},$$

70. $$\int \frac{dx}{x\sqrt{ax^2+bx+c}} = \begin{cases} \frac{-1}{\sqrt{c}}\ln\left|\frac{2\sqrt{c}\sqrt{ax^2+bx+c}+bx+2c}{x}\right|, & \text{if } c>0, \\ \frac{1}{\sqrt{-c}}\arcsin\frac{bx+2c}{|x|\sqrt{b^2-4ac}}, & \text{if } c<0, \end{cases}$$

71. $\int x^3\sqrt{x^2+a^2}\,dx = (\frac{1}{3}x^2-\frac{2}{15}a^2)(x^2+a^2)^{3/2},$

72. $\int x^n\sin(ax)\,dx = -\frac{1}{a}x^n\cos(ax) + \frac{n}{a}\int x^{n-1}\cos(ax)\,dx,$

73. $\int x^n\cos(ax)\,dx = \frac{1}{a}x^n\sin(ax) - \frac{n}{a}\int x^{n-1}\sin(ax)\,dx,$

74. $\int x^ne^{ax}\,dx = \frac{x^ne^{ax}}{a} - \frac{n}{a}\int x^{n-1}e^{ax}\,dx,$

75. $\int x^n\ln(ax)\,dx = x^{n+1}\left(\frac{\ln(ax)}{n+1} - \frac{1}{(n+1)^2}\right),$

76. $\int x^n(\ln ax)^m\,dx = \frac{x^{n+1}}{n+1}(\ln ax)^m - \frac{m}{n+1}\int x^n(\ln ax)^{m-1}\,dx.$

$$\begin{aligned}
x^1 &= x^{\underline{1}} &&= x^{\overline{1}} \\
x^2 &= x^{\underline{2}}+x^{\underline{1}} &&= x^{\overline{2}}-x^{\overline{1}} \\
x^3 &= x^{\underline{3}}+3x^{\underline{2}}+x^{\underline{1}} &&= x^{\overline{3}}-3x^{\overline{2}}+x^{\overline{1}} \\
x^4 &= x^{\underline{4}}+6x^{\underline{3}}+7x^{\underline{2}}+x^{\underline{1}} &&= x^{\overline{4}}-6x^{\overline{3}}+7x^{\overline{2}}-x^{\overline{1}} \\
x^5 &= x^{\underline{5}}+15x^{\underline{4}}+25x^{\underline{3}}+10x^{\underline{2}}+x^{\underline{1}} &&= x^{\overline{5}}-15x^{\overline{4}}+25x^{\overline{3}}-10x^{\overline{2}}+x^{\overline{1}}
\end{aligned}$$

$$\begin{aligned}
x^{\overline{1}} &= x^1 & x^{\underline{1}} &= x^1 \\
x^{\overline{2}} &= x^2+x^1 & x^{\underline{2}} &= x^2-x^1 \\
x^{\overline{3}} &= x^3+3x^2+2x^1 & x^{\underline{3}} &= x^3-3x^2+2x^1 \\
x^{\overline{4}} &= x^4+6x^3+11x^2+6x^1 & x^{\underline{4}} &= x^4-6x^3+11x^2-6x^1 \\
x^{\overline{5}} &= x^5+10x^4+35x^3+50x^2+24x^1 & x^{\underline{5}} &= x^5-10x^4+35x^3-50x^2+24x^1
\end{aligned}$$

Finite Calculus

Difference, shift operators:

$$\Delta f(x) = f(x+1) - f(x),$$
$$\mathrm{E}\,f(x) = f(x+1).$$

Fundamental Theorem:

$$f(x) = \Delta F(x) \Leftrightarrow \sum f(x)\delta x = F(x)+C.$$
$$\sum_a^b f(x)\delta x = \sum_{i=a}^{b-1} f(i).$$

Differences:

$\Delta(cu) = c\Delta u, \qquad \Delta(u+v) = \Delta u + \Delta v,$

$\Delta(uv) = u\Delta v + \mathrm{E}\,v\Delta u,$

$\Delta(x^{\underline{n}}) = nx^{\underline{n-1}},$

$\Delta(H_x) = x^{\underline{-1}}, \qquad \Delta(2^x) = 2^x,$

$\Delta(c^x) = (c-1)c^x, \qquad \Delta\binom{x}{m} = \binom{x}{m-1}.$

Sums:

$\sum cu\,\delta x = c\sum u\,\delta x,$

$\sum (u+v)\,\delta x = \sum u\,\delta x + \sum v\,\delta x,$

$\sum u\Delta v\,\delta x = uv - \sum \mathrm{E}\,v\Delta u\,\delta x,$

$\sum x^{\underline{n}}\,\delta x = \frac{x^{\underline{n+1}}}{m+1}, \qquad \sum x^{\underline{-1}}\,\delta x = H_x,$

$\sum c^x\,\delta x = \frac{c^x}{c-1}, \qquad \sum\binom{x}{m}\,\delta x = \binom{x}{m+1}.$

Falling Factorial Powers:

$x^{\underline{n}} = x(x-1)\cdots(x-n+1), \quad n>0,$

$x^{\underline{0}} = 1,$

$x^{\underline{n}} = \frac{1}{(x+1)\cdots(x+|n|)}, \quad n<0,$

$x^{\underline{n+m}} = x^{\underline{m}}(x-m)^{\underline{n}}.$

Rising Factorial Powers:

$x^{\overline{n}} = x(x+1)\cdots(x+n-1), \quad n>0,$

$x^{\overline{0}} = 1,$

$x^{\overline{n}} = \frac{1}{(x-1)\cdots(x-|n|)}, \quad n<0,$

$x^{\overline{n+m}} = x^{\overline{m}}(x+m)^{\overline{n}}.$

Conversion:

$x^{\underline{n}} = (-1)^n(-x)^{\overline{n}} = (x-n+1)^{\overline{n}}$

$\quad = 1/(x+1)^{\overline{-n}},$

$x^{\overline{n}} = (-1)^n(-x)^{\underline{n}} = (x+n-1)^{\underline{n}}$

$\quad = 1/(x-1)^{\underline{-n}},$

$$x^n = \sum_{k=1}^n \left\{ n \atop k \right\} x^{\underline{k}} = \sum_{k=1}^n \left\{ n \atop k \right\} (-1)^{n-k}x^{\overline{k}},$$

$$x^{\underline{n}} = \sum_{k=1}^n \left[n \atop k \right] (-1)^{n-k}x^k,$$

$$x^{\overline{n}} = \sum_{k=1}^n \left[n \atop k \right] x^k.$$

Theoretical Computer Science Cheat Sheet

Series

Taylor's series:

$$f(x) = f(a) + (x-a)f'(a) + \frac{(x-a)^2}{2}f''(a) + \cdots = \sum_{i=0}^\infty \frac{(x-a)^i}{i!}f^{(i)}(a).$$

Expansions:

$\frac{1}{1-x}$	$= 1+x+x^2+x^3+x^4+\cdots$	$= \sum_{i=0}^\infty x^i,$
$\frac{1}{1-cx}$	$= 1+cx+c^2x^2+c^3x^3+\cdots$	$= \sum_{i=0}^\infty c^ix^i,$
$\frac{1}{1-x^n}$	$= 1+x^n+x^{2n}+x^{3n}+\cdots$	$= \sum_{i=0}^\infty x^{ni},$
$\frac{x}{(1-x)^2}$	$= x+2x^2+3x^3+4x^4+\cdots$	$= \sum_{i=0}^\infty ix^i,$
$x^k\frac{d^n}{dx^n}\left(\frac{1}{1-x}\right)$	$= x+2^nx^2+3^nx^3+4^nx^4+\cdots$	$= \sum_{i=0}^\infty i^nx^i,$
e^x	$= 1+x+\frac{1}{2}x^2+\frac{1}{6}x^3+\cdots$	$= \sum_{i=0}^\infty \frac{x^i}{i!},$
$\ln(1+x)$	$= x-\frac{1}{2}x^2+\frac{1}{3}x^3-\frac{1}{4}x^4-\cdots$	$= \sum_{i=1}^\infty (-1)^{i+1}\frac{x^i}{i},$
$\ln\frac{1}{1-x}$	$= x+\frac{1}{2}x^2+\frac{1}{3}x^3+\frac{1}{4}x^4+\cdots$	$= \sum_{i=1}^\infty \frac{x^i}{i},$
$\sin x$	$= x-\frac{1}{3!}x^3+\frac{1}{5!}x^5-\frac{1}{7!}x^7+\cdots$	$= \sum_{i=0}^\infty (-1)^i\frac{x^{2i+1}}{(2i+1)!},$
$\cos x$	$= 1-\frac{1}{2!}x^2+\frac{1}{4!}x^4-\frac{1}{6!}x^6+\cdots$	$= \sum_{i=0}^\infty (-1)^i\frac{x^{2i}}{(2i)!},$
$\tan^{-1}x$	$= x-\frac{1}{3}x^3+\frac{1}{5}x^5-\frac{1}{7}x^7+\cdots$	$= \sum_{i=0}^\infty (-1)^i\frac{x^{2i+1}}{(2i+1)},$
$(1+x)^n$	$= 1+nx+\frac{n(n-1)}{2}x^2+\cdots$	$= \sum_{i=0}^\infty \binom{n}{i}x^i,$
$\frac{1}{(1-x)^{n+1}}$	$= 1+(n+1)x+\binom{n+2}{2}x^2+\cdots$	$= \sum_{i=0}^\infty \binom{i+n}{i}x^i,$
$\frac{x}{e^x-1}$	$= 1-\frac{1}{2}x+\frac{1}{12}x^2-\frac{1}{720}x^4+\cdots$	$= \sum_{i=0}^\infty \frac{B_ix^i}{i!},$
$\frac{1}{2x}(1-\sqrt{1-4x})$	$= 1+x+2x^2+5x^3+\cdots$	$= \sum_{i=0}^\infty \frac{1}{i+1}\binom{2i}{i}x^i,$
$\frac{1}{\sqrt{1-4x}}$	$= 1+x+2x^2+6x^3+\cdots$	$= \sum_{i=0}^\infty \binom{2i}{i}x^i,$
$\frac{1}{\sqrt{1-4x}}\left(\frac{1-\sqrt{1-4x}}{2x}\right)^n$	$= 1+(2+n)x+\binom{4+n}{2}x^2+\cdots$	$= \sum_{i=0}^\infty \binom{2i+n}{i}x^i,$
$\frac{1}{1-x}\ln\frac{1}{1-x}$	$= x+\frac{3}{2}x^2+\frac{11}{6}x^3+\frac{25}{12}x^4+\cdots$	$= \sum_{i=1}^\infty H_ix^i,$
$\frac{1}{2}\left(\ln\frac{1}{1-x}\right)^2$	$= \frac{1}{2}x^2+\frac{3}{4}x^3+\frac{11}{24}x^4+\cdots$	$= \sum_{i=2}^\infty \frac{H_{i-1}x^i}{i},$
$\frac{x}{1-x-x^2}$	$= x+x^2+2x^3+3x^4+\cdots$	$= \sum_{i=0}^\infty F_ix^i,$
$\frac{F_nx}{1-(F_{n-1}+F_{n+1})x-(-1)^nx^2}$	$= F_nx+F_{2n}x^2+F_{3n}x^3+\cdots$	$= \sum_{i=0}^\infty F_{ni}x^i.$

Ordinary power series:

$$A(x) = \sum_{i=0}^\infty a_ix^i.$$

Exponential power series:

$$A(x) = \sum_{i=0}^\infty a_i\frac{x^i}{i!}.$$

Dirichlet power series:

$$A(x) = \sum_{i=1}^\infty \frac{a_i}{i^x}.$$

Binomial theorem:

$$(x+y)^n = \sum_{k=0}^n \binom{n}{k}x^{n-k}y^k.$$

Difference of like powers:

$$x^n - y^n = (x-y)\sum_{k=0}^{n-1}x^{n-1-k}y^k.$$

For ordinary power series:

$$\alpha A(x) + \beta B(x) = \sum_{i=0}^\infty (\alpha a_i + \beta b_i)x^i,$$

$$x^kA(x) = \sum_{i=k}^\infty a_{i-k}x^i,$$

$$\frac{A(x) - \sum_{i=0}^{k-1}a_ix^i}{x^k} = \sum_{i=0}^\infty a_{i+k}x^i,$$

$$A(cx) = \sum_{i=0}^\infty c^ia_ix^i,$$

$$A'(x) = \sum_{i=0}^\infty (i+1)a_{i+1}x^i,$$

$$xA'(x) = \sum_{i=1}^\infty ia_ix^i,$$

$$\int A(x)\,dx = \sum_{i=1}^\infty \frac{a_{i-1}}{i}x^i,$$

$$\frac{A(x)+A(-x)}{2} = \sum_{i=0}^\infty a_{2i}x^{2i},$$

$$\frac{A(x)-A(-x)}{2} = \sum_{i=0}^\infty a_{2i+1}x^{2i+1}.$$

Summation: If $b_i = \sum_{j=0}^i a_i$ then

$$B(x) = \frac{1}{1-x}A(x).$$

Convolution:

$$A(x)B(x) = \sum_{i=0}^\infty\left(\sum_{j=0}^i a_jb_{i-j}\right)x^i.$$

God made the natural numbers;
all the rest is the work of man.
– Leopold Kronecker

Theoretical Computer Science Cheat Sheet

Series

Expansions:

$$\frac{1}{(1-x)^{n+1}}\ln\frac{1}{1-x} = \sum_{i=0}^{\infty}(H_{n+i}-H_n)\binom{n+i}{i}x^i,$$

$$\left(\frac{1}{x}\right)^{\overline{-n}} = \sum_{i=0}^{\infty}\left\{ i \atop n \right\}x^i,$$

$$x^{\overline{n}} = \sum_{i=0}^{\infty}\left[n \atop i \right]x^i,$$

$$(e^x-1)^n = \sum_{i=0}^{\infty}\left\{ i \atop n \right\}\frac{n!x^i}{i!},$$

$$\left(\ln\frac{1}{1-x}\right)^n = \sum_{i=0}^{\infty}\left[i \atop n \right]\frac{n!x^i}{i!},$$

$$x\cot x = \sum_{i=0}^{\infty}\frac{(-4)^i B_{2i}x^{2i}}{(2i)!},$$

$$\tan x = \sum_{i=1}^{\infty}(-1)^{i-1}\frac{2^{2i}(2^{2i}-1)B_{2i}x^{2i-1}}{(2i)!},$$

$$\zeta(x) = \sum_{i=1}^{\infty}\frac{1}{i^x},$$

$$\frac{1}{\zeta(x)} = \sum_{i=1}^{\infty}\frac{\mu(i)}{i^x},$$

$$\frac{\zeta(x-1)}{\zeta(x)} = \sum_{i=1}^{\infty}\frac{\phi(i)}{i^x},$$

$$\zeta(x) = \prod_p\frac{1}{1-p^{-x}},$$

$$\zeta^2(x) = \sum_{i=1}^{\infty}\frac{d(i)}{x^i} \quad \text{where } d(n)=\textstyle\sum_{d|n}1,$$

$$\zeta(x)\zeta(x-1) = \sum_{i=1}^{\infty}\frac{S(i)}{x^i} \quad \text{where } S(n)=\textstyle\sum_{d|n}d,$$

$$\zeta(2n) = \frac{2^{2n-1}|B_{2n}|}{(2n)!}\pi^{2n}, \quad n\in\mathbb{N},$$

$$\frac{x}{\sin x} = \sum_{i=0}^{\infty}(-1)^{i-1}\frac{(4^i-2)B_{2i}x^{2i}}{(2i)!},$$

$$\left(\frac{1-\sqrt{1-4x}}{2x}\right)^n = \sum_{i=0}^{\infty}\frac{n(2i+n-1)!}{i!(n+i)!}x^i,$$

$$e^x\sin x = \sum_{i=1}^{\infty}\frac{2^{i/2}\sin\frac{i\pi}{4}}{i!}x^i,$$

$$\sqrt{\frac{1-\sqrt{1-x}}{x}} = \sum_{i=0}^{\infty}\frac{(4i)!}{16^i\sqrt{2}(2i)!(2i+1)!}x^i,$$

$$\left(\frac{\arcsin x}{x}\right)^2 = \sum_{i=0}^{\infty}\frac{4^i i!^2}{(i+1)(2i+1)!}x^{2i}.$$

Escher's Knot



Stieltjes Integration

If G is continuous in the interval $[a,b]$ and F is nondecreasing then

$$\int_a^b G(x)\,dF(x)$$

exists. If $a\le b\le c$ then

$$\int_a^c G(x)\,dF(x) = \int_a^b G(x)\,dF(x) + \int_b^c G(x)\,dF(x).$$

If the integrals involved exist

$$\int_a^b \big(G(x)+H(x)\big)\,dF(x) = \int_a^b G(x)\,dF(x) + \int_a^b H(x)\,dF(x),$$

$$\int_a^b G(x)\,d\big(F(x)+H(x)\big) = \int_a^b G(x)\,dF(x) + \int_a^b G(x)\,dH(x),$$

$$\int_a^b c\cdot G(x)\,dF(x) = \int_a^b G(x)\,d\big(c\cdot F(x)\big) = c\int_a^b G(x)\,dF(x),$$

$$\int_a^b G(x)\,dF(x) = G(b)F(b) - G(a)F(a) - \int_a^b F(x)\,dG(x).$$

If the integrals involved exist, and F possesses a derivative F' at every point in $[a,b]$ then

$$\int_a^b G(x)\,dF(x) = \int_a^b G(x)F'(x)\,dx.$$

Cramer's Rule

If we have equations:

$$\begin{array}{c} a_{1,1}x_1 + a_{1,2}x_2 + \cdots + a_{1,n}x_n = b_1 \\ a_{2,1}x_1 + a_{2,2}x_2 + \cdots + a_{2,n}x_n = b_2 \\ \vdots \qquad\quad \vdots \qquad\qquad\quad \vdots \\ a_{n,1}x_1 + a_{n,2}x_2 + \cdots + a_{n,n}x_n = b_n \end{array}$$

Let $A=(a_{i,j})$ and B be the column matrix (b_i). Then there is a unique solution iff $\det A \ne 0$. Let A_i be A with column i replaced by B. Then

$$x_i = \frac{\det A_i}{\det A}.$$

Improvement makes strait roads, but the crooked roads without Improvement, are roads of Genius.
– William Blake (The Marriage of Heaven and Hell)

00	47	18	76	29	93	85	34	61	52
86	11	57	28	70	39	94	45	02	63
95	80	22	67	38	71	49	56	13	04
59	96	81	33	07	48	72	60	24	15
73	69	90	82	44	17	58	01	35	26
68	74	09	91	83	55	27	12	46	30
37	08	75	19	92	84	66	23	50	41
14	25	36	40	51	62	03	77	88	99
21	32	43	54	65	06	10	89	97	78
42	53	64	05	16	20	31	98	79	87

The Fibonacci number system: Every integer n has a unique representation

$$n = F_{k_1} + F_{k_2} + \cdots + F_{k_m},$$

where $k_i \ge k_{i+1}+2$ for all i, $1\le i<m$ and $k_m\ge 2$.

Fibonacci Numbers

$1,1,2,3,5,8,13,21,34,55,89,\ldots$

Definitions:

$$F_i = F_{i-1}+F_{i-2}, \quad F_0=F_1=1,$$

$$F_{-i} = (-1)^{i-1}F_i,$$

$$F_i = \frac{1}{\sqrt{5}}\left(\phi^i - \hat{\phi}^i\right),$$

Cassini's identity: for $i>0$:

$$F_{i+1}F_{i-1} - F_i^2 = (-1)^i.$$

Additive rule:

$$F_{n+k} = F_kF_{n+1} + F_{k-1}F_n,$$

$$F_{2n} = F_nF_{n+1} + F_{n-1}F_n.$$

Calculation by matrices:

$$\begin{pmatrix} F_{n-2} & F_{n-1} \\ F_{n-1} & F_n \end{pmatrix} = \begin{pmatrix} 0 & 1 \\ 1 & 1 \end{pmatrix}^n.$$