buildandteach

ASSOCIATE SERIES · A01 · SECTION 1 PLATFORM (6%) QUICK REFERENCE

Architecture · Unity Catalog · Delta Lake

Section 1: core components (architecture, Delta Lake, Unity Catalog) and compute choices.
Free Edition: serverless only, Unity Catalog, one 2X-Small SQL warehouse. Fictional rows only.

1. Two planes

```
control plane  -> Databricks-managed services + web app (Databricks account)
compute plane  -> where data is processed
  serverless   -> serverless compute plane in the Databricks account
  classic      -> VMs in YOUR cloud account
```

Account: identity, workspaces, metastores, usage. Workspace: notebooks, jobs, queries, dashboards.

2. Unity Catalog three-level namespace

```
metastore -> catalog -> schema -> table | view | volume | function | model
SELECT * FROM catalog_name.schema_name.table_name;
SELECT current_catalog(), current_schema();
```

One metastore can attach to several workspaces in the same region. UC governs access, lineage, audit.

3. Managed Delta table (no LOCATION = managed)

```
CREATE SCHEMA workspace.bt_platform_xxxxxxxxxxx;
CREATE TABLE workspace.bt_platform_xxxxxxxxxxx.study_plan (
  lesson_id STRING, section STRING, topic STRING, weight_pct INT);
INSERT INTO ... VALUES ('A01','S1','Platform',6), ('A02','S2','Ingestion',21), ('A07','S3','Transformation',22);
```

Delta is the default table format on Databricks. UC manages the files and their lifecycle.

4. Inspect it

```
DESCRIBE DETAIL study_plan;          -- format = delta, numFiles, sizeInBytes, createdAt
DESCRIBE TABLE EXTENDED study_plan;  -- Type = MANAGED
UPDATE study_plan SET topic = 'Transformation and modeling' WHERE lesson_id = 'A07';
DESCRIBE HISTORY study_plan;         -- 0 CREATE TABLE · 1 WRITE · 2 UPDATE
```

Delta = Parquet data files + a transaction log: ACID, schema enforcement, versions, time travel.

buildandteach

ASSOCIATE SERIES · A01 · SECTION 1 PLATFORM (6%) QUICK REFERENCE

Compute services and cost models

5. Compute options

```
serverless notebooks   interactive Python/SQL, no config      (Free Edition)
SQL warehouse          SQL, BI, dashboards: serverless | pro | classic
                       Free Edition: ONE warehouse, 2X-Small
all-purpose (classic)  interactive, custom size/runtime, auto termination
jobs compute (classic) created per job run, ends with the run
instance pools         idle instances ready -> faster start
serverless jobs/pipelines  Lakeflow Jobs / pipelines, no infra
```

Free Edition does not support custom compute: all-purpose, jobs compute and pools are concepts here.

6. Cost models

```
DBU = Databricks Unit of processing capability, billed per second of use
classic    : DBUs to Databricks + VM cost from your cloud provider
serverless : compute in the Databricks account, covered by the DBU price
jobs compute DBU rate  <  all-purpose DBU rate
pools      : no DBUs while idle, cloud provider still bills instances
```

Scheduled production work belongs on jobs compute or serverless jobs, not an interactive cluster.

7. Free Edition limits

Serverless only · one 2X-Small SQL warehouse · max 5 concurrent job tasks · one active pipeline per type · restricted outbound internet · no account console · daily fair-usage quota (compute pauses, data kept).

Practice challenge

DELETE rows WHERE weight_pct < 10, then DESCRIBE HISTORY. Answer: 2 rows remain (A02, A07); newest entry is DELETE; read A01 with VERSION AS OF the version before the delete (until VACUUM removes old files).

Data Engineer Associate exam guide (Aug 2026), Section 1. Independent education. No exam guarantee.
Not affiliated with or endorsed by Databricks. Fictional data. Recap: Lesson 01 youtu.be/FeQso1KkBPY