buildandteach

SQL EDITOR · PART 3 QUICK REFERENCE

Tables, summary, validation

Free Edition serverless SQL warehouse. Schema workspace.bt_sql_6aab57cf80df (S = that schema below). Same 8 fictional orders and 7 customer tiers as Parts 1 and 2.

1. Catalog, schema, CTAS (managed tables)

```
USE CATALOG workspace;
CREATE SCHEMA IF NOT EXISTS bt_sql_6aab57cf80df;
CREATE TABLE S.orders AS SELECT * FROM VALUES (...) AS t(order_id, customer, ...);
```

No LOCATION → managed: Unity Catalog owns the files; DROP TABLE deletes the data.

Plain CREATE TABLE fails if the table exists. Re-runnable: CREATE OR REPLACE TABLE or CREATE TABLE IF NOT EXISTS.

2. Check the load

```
SELECT 'orders' AS table_name, COUNT(*) AS n FROM S.orders
UNION ALL
SELECT 'customers', COUNT(*) FROM S.customers;
```

orders 8 · customers 7. Baseline on the table: 6 valid orders, 142.50. UNION ALL keeps duplicates; UNION removes them.

3. Summary table + validation rule

```
CREATE TABLE S.region_category_revenue AS
SELECT region, category, COUNT(*) AS order_count,
  SUM(CAST(quantity * unit_price AS DECIMAL(12,2))) AS revenue
FROM S.orders WHERE quantity IS NOT NULL AND unit_price IS NOT NULL
GROUP BY region, category;

SELECT CASE WHEN COUNT(*)=5 AND SUM(order_count)=6
  AND SUM(revenue)=CAST(142.50 AS DECIMAL(12,2)) THEN 'PASS' ELSE 'FAIL' END AS status
FROM S.region_category_revenue;
```

5 buckets · 6 orders · 142.50 · PASS.

buildandteach

SQL EDITOR · PART 3 QUICK REFERENCE

Charts, saved queries, history

4. Chart a result

```
SELECT region, SUM(revenue) AS revenue FROM S.region_category_revenue
GROUP BY region ORDER BY region;
```

EAST 12.00 · NORTH 80.00 · SOUTH 25.00 · WEST 25.50.

+ above the results → Visualization → Bar · uncheck Horizontal chart · X region · Y revenue (Sum) → Save.
The chart is a tab next to Table and is saved with the query.

5. Join the saved tables

```
SELECT c.tier, COUNT(DISTINCT o.order_id) AS matched_orders, SUM(...) AS revenue
FROM S.orders o INNER JOIN S.customers c ON o.customer = c.customer
WHERE ... GROUP BY c.tier ORDER BY c.tier;
```

bronze 1/30.00 · gold 3/75.50 · silver 1/25.00 = 130.50 (order 105 has no customer).

6. Find your work

Saved queries are workspace files in your home folder. Query History (sidebar) filters by user, date, compute, duration, status; failed runs show a red icon. Click a row for status (Finished), duration, rows returned, and See query profile for the full SQL.

Practice challenge

NORTH check: WHERE region = 'NORTH', CASE WHEN COUNT(*) = 2 AND SUM(revenue) = CAST(80.00 AS DECIMAL(12,2)) → 2 · 80.00 · PASS. Grouped chart: Bar, X region, Y revenue, Group by category.

Associate prep: Sections 1, 3 and 7. Query history is practical, not a named objective. No exam guarantee.
Independent education, not affiliated with Databricks. Fictional data. Part 3 of 3.