

Bootstrap Cheat Sheet

A quick reference to essential Bootstrap classes & components.

Include Bootstrap

CSS:

```
<link
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.x/dist/css/bootstrap.min.
  css"
  rel="stylesheet">
```

```
<script
  src="https://cdn.jsdelivr.net/npm/bootstrap@5.x/dist/js/bootstrap.bundle.
  min.js">
</script>
```

What it does: Loads Bootstrap's styles and interactive scripts.

Grid System

Container & Row:

```
<div class="container"></div>
<div class="row"></div>
```

Columns:

```
<div class="col">Auto-width</div>
<div class="col-6">50% width</div>
<div class="col-md-4">1/3 width on 768px</div>
```

What it does: Builds a 12-column responsive layout.

Breakpoints

xs	<576 px (auto container)
sm	576 px
md	768 px
lg	992 px
xl	1200 px
xxl	1400 px

What it does: Prefix classes (e.g. col-md-, navbar-expand-lg) for each screen size.

Typography & Text Utilities

Headings & Lead:

```
<h1 class="display-1">Big Title</h1>
<p class="lead">Intro paragraph.</p>
```

Colors & Alignment:

```
<span class="text-primary">Blue text</span>
<p class="text-center text-uppercase">Centered uppercase</p>
```

Spacing:

```
<div class="mt-3 mb-2 p-2"></div>
```

What it does: Quick text styling, colors, and margin/padding helpers.

Buttons

Basic & Outline:

```
<button class="btn btn-primary">Primary</button>
<button class="btn btn-outline-danger">Danger</button>
```

Sizes:

```
<button class="btn btn-success btn-sm">Small</button>
<button class="btn btn-info btn-lg">Large</button>
```

What it does: Pre-styled buttons with colors, outlines, and sizing.

Forms

Inputs & Selects:

```
<input class="form-control" type="text" placeholder="Text">
<select class="form-select"></select>
```

Checks & Radios:

```
<div class="form-check">
  <input class="form-check-input" type="checkbox" id="chk">
  <label class="form-check-label" for="chk">Check me</label>
</div>
```

What it does: Styles form controls consistently.

Navbar

Structure:

```
<nav class="navbar navbar-expand-lg bg-light">
```

```

<a class="navbar-brand" href="#">Brand</a>
<button class="navbar-toggler" type="button"
  data-bs-toggle="collapse" data-bs-target="#navMenu">
  <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navMenu">
  <ul class="navbar-nav">
    <li class="nav-item"><a class="nav-link active" href="#">Home</a></li>
  </ul>
</div>
</nav>

```

What it does: Creates a responsive header menu with collapse behavior.

Modal

Markup:

```

<div class="modal fade" id="exModal">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header"></div>
      <div class="modal-body"></div>
      <div class="modal-footer"></div>
    </div>
  </div>
</div>

```

What it does: Popup dialog overlay with header, body, and footer.

Alerts

Example:

```

<div class="alert alert-warning alert-dismissible fade show" role="alert">
  Warning message.
  <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
</div>

```

What it does: Shows dismissible notification boxes.

Alerts

Example:

```

<div id="myCarousel" class="carousel slide" data-bs-ride="carousel">
  <div class="carousel-inner">
    <div class="carousel-item active">
      <img src="" class="d-block w-100" alt="">

```

```
</div>
<!-- more items -->
</div>
<button class="carousel-control-prev" data-bs-target="#myCarousel"
        data-bs-slide="prev">
  <span class="carousel-control-prev-icon"></span>
</button>
<button class="carousel-control-next" data-bs-target="#myCarousel"
        data-bs-slide="next">
  <span class="carousel-control-next-icon"></span>
</button>
</div>
```

What it does: Builds an image slider with controls and indicators.