


Thai BIM Beam synthetic | S001 | Beam plan


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Beam mesh extents 4000 x 300 x 500 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Beam synthetic	DATE: 2026-10-04
SHEET: S001	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Beam

Thai BIM Beam synthetic | S002 | Section A-A / local X


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Beam mesh extents 4000 x 300 x 500 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Beam synthetic	DATE: 2026-10-04
SHEET: S002	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Beam

Thai BIM Beam synthetic | S003 | Section B-B / local Y


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Beam mesh extents 4000 x 300 x 500 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Beam synthetic	DATE: 2026-10-04
SHEET: S003	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Beam

Thai BIM Beam synthetic | S004 | B-0ED237255F61 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-0ED237255F61 | QTY 28 | Diameter 6 mm

ROLE: Links / ties

Cut length 1254.945 mm | Inside bend radius 12 mm


Straight tangent lengths mm: 40.00, 162.79, 384.00, 184.00, 302.79, 40.00

Bend angles deg: 135, 90, 90, 90, 135

Steel: TIS 20-2559 / RB RB6 SR24

BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Beam synthetic	DATE: 2026-10-04
SHEET: S004	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Beam


Thai BIM Beam synthetic | S005 | B-4E6CC801FA8E / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-4E6CC801FA8E | QTY 8 | Diameter 12 mm
ROLE: Main local X
Cut length 3908.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 3908.00
Bend angles deg:
Steel: TIS 24-2559 / DB DB12 SD40
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Beam synthetic	DATE: 2026-10-04
SHEET: S005	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Beam

Thai BIM Beam synthetic | BBS01 | Bar bending schedule

BBS SCHEDULE | Table NTS | Actual-cage marks and analytic cut lengths

BAR MARK	ROLE / STEEL	D mm	QTY	CUT m	TOTAL m	MASS kg
B-0ED237255F61	Links / ties TIS 20-2559 / RB RB6 SR24	6	28	1.255	35.138	7.799
B-4E6CC801FA8E	Main local X TIS 24-2559 / DB DB12 SD40	12	8	3.908	31.264	27.757

Counts and analytic cut lengths match actual-cage BBS Bar Marks; no procurement waste / laps inferred.

PROJECT: Thai BIM Beam synthetic	DATE: 2026-10-04
SHEET: BBS01	REV: 01
SCALE: NTS / table	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Beam