


Thai BIM Slab Two-way synthetic | S001 | Slab plan


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Slab mesh extents 3000 x 2000 x 200 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Slab Two-way synthetic	DATE: 2026-10-04
SHEET: S001	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab

Thai BIM Slab Two-way synthetic | S002 | Section A-A / local X


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Slab mesh extents 3000 x 2000 x 200 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Slab Two-way synthetic	DATE: 2026-10-04
SHEET: S002	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab

Thai BIM Slab Two-way synthetic | S003 | Section B-B / local Y


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



Slab mesh extents 3000 x 2000 x 200 mm | Actual concrete section; heavy = cut, grey = projected context; overall dimensions are local mesh extents. Red = complete actual cage projection (coincident paths overlaid).

Actual cage projected in red; leaders identify representative roles. All marks, counts and cut lengths in details / BBS.

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Slab Two-way synthetic	DATE: 2026-10-04
SHEET: S003	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Thai BIM Slab Two-way synthetic | S004 | B-19F6BDD16054 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-19F6BDD16054 | QTY 16 | Diameter 6 mm
ROLE: Two-way B Bottom
Cut length 1944.000 mm | Inside bend radius 3 mm
Straight tangent lengths mm: 1944.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Slab Two-way synthetic	DATE: 2026-10-04
SHEET: S004	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab


Thai BIM Slab Two-way synthetic | S005 | B-2D7B7ADB15F2 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Member view / actual cage



BAR MARK B-2D7B7ADB15F2 | QTY 14 | Diameter 12 mm
ROLE: Two-way A Bottom
Cut length 2938.000 mm | Inside bend radius 6 mm
Straight tangent lengths mm: 2938.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Slab Two-way synthetic	DATE: 2026-10-04
SHEET: S005	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab

Thai BIM Slab Two-way synthetic | BBS01 | Bar bending schedule

BBS SCHEDULE | Table NTS | Actual-cage marks and analytic cut lengths

BAR MARK	ROLE / STEEL	D mm	QTY	CUT m	TOTAL m	MASS kg
B-19F6BDD16054	Two-way B Bottom Nominal diameter; grade unspecified	6	16	1.944	31.104	6.904
B-2D7B7ADB15F2	Two-way A Bottom Nominal diameter; grade unspecified	12	14	2.938	41.132	36.518

Counts and analytic cut lengths match actual-cage BBS Bar Marks; no procurement waste / laps inferred.

PROJECT: Thai BIM Slab Two-way synthetic	DATE: 2026-10-04
SHEET: BBS01	REV: 01
SCALE: NTS / table	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Slab