


Thai BIM Circular synthetic | S001 | Stair plan / all levels


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



Rise 18 x 166.667 = 3000 mm | WALKING radius 2000.0 mm; arc going 349.1 mm; sweep 180 deg

Representative bars shown by role; full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S001	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S002 | Radial section 90.0 deg


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



Rise 18 x 166.667 = 3000 mm | Dimensions from verified schema-2 concrete; heavy = cut, grey = projected context

Representative bars shown by role; full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines.

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S002	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S003 | B-03B4D52B85E5 / Plan projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-03B4D52B85E5 | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 7469.809 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 2201.00 mm; sweep 178.39 deg; rise/rad 954.93 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S003	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S004 | B-03B4D52B85E5 / Elevation projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-03B4D52B85E5 | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 7469.809 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 2201.00 mm; sweep 178.39 deg; rise/rad 954.93 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S004	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S005 | B-3A4014DD0638 / Plan projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-3A4014DD0638 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 5595.606 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 1531.00 mm; sweep 177.68 deg; rise/rad 954.93 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S005	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S006 | B-3A4014DD0638 / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-3A4014DD0638 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 5595.606 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 1531.00 mm; sweep 177.68 deg; rise/rad 954.93 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S006	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S007 | B-466AFC694E19 / Plan projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-466AFC694E19 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 5958.511 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 1665.00 mm; sweep 177.87 deg; rise/rad 954.93 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S007	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S008 | B-466AFC694E19 / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-466AFC694E19 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 5958.511 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 1665.00 mm; sweep 177.87 deg; rise/rad 954.93 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S008	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S009 | B-69FC087CA6E6 / Plan projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-69FC087CA6E6 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 6704.150 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 1933.00 mm; sweep 178.16 deg; rise/rad 954.93 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S009	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S010 | B-69FC087CA6E6 / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-69FC087CA6E6 | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 6704.150 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 1933.00 mm; sweep 178.16 deg; rise/rad 954.93 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S010	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular


Thai BIM Circular synthetic | S011 | B-79A9D9D1ECC2 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-79A9D9D1ECC2 | QTY 7 | Diameter 6 mm
ROLE: Bottom landing Two-way B Bottom
Cut length 944.000 mm | Inside bend radius 3 mm
Straight tangent lengths mm: 944.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S011	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular


Thai BIM Circular synthetic | S012 | B-8E5A3583AD39 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-8E5A3583AD39 | QTY 8 | Diameter 12 mm
ROLE: Bottom landing Two-way A Bottom
Cut length 1138.000 mm | Inside bend radius 6 mm
Straight tangent lengths mm: 1138.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S012	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular


Thai BIM Circular synthetic | S013 | B-9847DB235E5B / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-9847DB235E5B | QTY 7 | Diameter 6 mm
ROLE: Top landing Two-way B Bottom
Cut length 944.000 mm | Inside bend radius 3 mm
Straight tangent lengths mm: 944.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S013	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S014 | B-A0AF4A5A0AD9 / Plan projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-A0AF4A5A0AD9 | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 7858.372 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 2335.00 mm; sweep 178.48 deg; rise/rad 954.93 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S014	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S015 | B-A0AF4A5A0AD9 / Elevation projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-A0AF4A5A0AD9 | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 7858.372 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 2335.00 mm; sweep 178.48 deg; rise/rad 954.93 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S015	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S016 | B-AD7041720AAF / Plan projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-AD7041720AAF | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 7084.866 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 2067.00 mm; sweep 178.28 deg; rise/rad 954.93 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S016	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S017 | B-AD7041720AAF / Elevation projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-AD7041720AAF | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 7084.866 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 2067.00 mm; sweep 178.28 deg; rise/rad 954.93 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S017	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular


Thai BIM Circular synthetic | S018 | B-AECF3DC789B0 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-AECF3DC789B0 | QTY 40 | Diameter 6 mm
ROLE: Radial distribution Bottom
Cut length 944.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 944.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S018	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular


Thai BIM Circular synthetic | S019 | B-C416FCD111CB / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-C416FCD111CB | QTY 8 | Diameter 12 mm
ROLE: Top landing Two-way A Bottom
Cut length 1138.000 mm | Inside bend radius 6 mm
Straight tangent lengths mm: 1138.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S019	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S020 | B-D020EC5EC9F2 / Plan projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-D020EC5EC9F2 | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 6328.397 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 1799.00 mm; sweep 178.03 deg; rise/rad 954.93 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S020	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S021 | B-D020EC5EC9F2 / Elevation projection


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-D020EC5EC9F2 | QTY 1 | Diameter 12 mm
ROLE: Helical main Bottom
Cut length 6328.397 mm | Inside bend radius 0 mm
Straight tangent lengths mm:
Helix radius 1799.00 mm; sweep 178.03 deg; rise/rad 954.93 mm
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S021	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S022 | B-ECC926CD06DD / Plan projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-ECC926CD06DD | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 8250.056 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 2469.00 mm; sweep 178.56 deg; rise/rad 954.93 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%




PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S022	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | S023 | B-ECC926CD06DD / Elevation projection

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage

SPATIAL BAR
Orthographic projection;
use analytic BBS cut length.



BAR MARK B-ECC926CD06DD | QTY 1 | Diameter 12 mm

ROLE: Helical main Bottom

Cut length 8250.056 mm | Inside bend radius 0 mm

Straight tangent lengths mm:


Helix radius 2469.00 mm; sweep 178.56 deg; rise/rad 954.93 mm

Bend angles deg:

Steel: Nominal diameter; grade unspecified

BBS basis: Analytic helix length; 2-degree geometry tessellation; no planar bend-code certification

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: S023	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular

Thai BIM Circular synthetic | BBS01 | Bar bending schedule

BBS SCHEDULE | Table NTS | Actual-cage marks and analytic cut lengths

BAR MARK	ROLE / STEEL	D mm	QTY	CUT m	TOTAL m	MASS kg
B-03B4D52B85E5	Helical main Bottom Nominal diameter; grade unspecified	12	1	7.470	7.470	6.632
B-3A4014DD0638	Helical main Bottom Nominal diameter; grade unspecified	12	1	5.596	5.596	4.968
B-466AFC694E19	Helical main Bottom Nominal diameter; grade unspecified	12	1	5.959	5.959	5.290
B-69FC087CA6E6	Helical main Bottom Nominal diameter; grade unspecified	12	1	6.704	6.704	5.952
B-79A9D9D1ECC2	Bottom landing Two-way B Bottom Nominal diameter; grade unspecified	6	7	0.944	6.608	1.467
B-8E5A3583AD39	Bottom landing Two-way A Bottom Nominal diameter; grade unspecified	12	8	1.138	9.104	8.083
B-9847DB235E5B	Top landing Two-way B Bottom Nominal diameter; grade unspecified	6	7	0.944	6.608	1.467
B-A0AF4A5A0AD9	Helical main Bottom Nominal diameter; grade unspecified	12	1	7.858	7.858	6.977
B-AD7041720AAF	Helical main Bottom Nominal diameter; grade unspecified	12	1	7.085	7.085	6.290
B-AECF3DC789B0	Radial distribution Bottom Nominal diameter; grade unspecified	6	40	0.944	37.760	8.381
B-C416FCD111CB	Top landing Two-way A Bottom Nominal diameter; grade unspecified	12	8	1.138	9.104	8.083
B-D020EC5EC9F2	Helical main Bottom Nominal diameter; grade unspecified	12	1	6.328	6.328	5.618
B-ECC926CD06DD	Helical main Bottom Nominal diameter; grade unspecified	12	1	8.250	8.250	7.325

Counts and analytic cut lengths match actual-cage BBS Bar Marks; no procurement waste / laps inferred.

PROJECT: Thai BIM Circular synthetic	DATE: 2026-10-04
SHEET: BBS01	REV: 01
SCALE: NTS / table	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Circular