


Thai BIM Floating synthetic | S001 | Stair plan / all levels


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



Rise 8 x 162.500 = 1300 mm | Representative callouts limited to available sidebar; all roles in BBS/detail pages

Representative bars shown by role; full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines.


Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S001	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating

Thai BIM Floating synthetic | S002 | Section A-A


MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



Rise 8 x 162.500 = 1300 mm | Representative callouts limited to available sidebar; all roles in BBS/detail pages

Representative bars shown by role; full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines.

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S002	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S003 | B-0316C8DEF468 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-0316C8DEF468 | QTY 6 | Diameter 6 mm
ROLE: Tread 3 Bottom distribution
Cut length 196.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 196.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S003	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S004 | B-0D0A57785E83 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-0D0A57785E83 | QTY 3 | Diameter 12 mm
ROLE: Tread 3 Cantilever main / wall embed
Cut length 1169.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 1169.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S004	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S005 | B-1D13A4BCD4FA / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-1D13A4BCD4FA | QTY 3 | Diameter 12 mm
ROLE: Tread 7 Cantilever main / wall embed
Cut length 1169.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 1169.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S005	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S006 | B-2B5E60547371 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-2B5E60547371 | QTY 6 | Diameter 6 mm
ROLE: Tread 1 Bottom distribution
Cut length 196.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 196.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S006	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S007 | B-3FCF49367964 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-3FCF49367964 | QTY 6 | Diameter 6 mm
ROLE: Tread 4 Bottom distribution
Cut length 196.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 196.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S007	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S008 | B-496FAE1C82FE / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-496FAE1C82FE | QTY 6 | Diameter 6 mm
ROLE: Tread 6 Bottom distribution
Cut length 196.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 196.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S008	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S009 | B-58B28EEFE41E / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-58B28EEFE41E | QTY 3 | Diameter 12 mm
ROLE: Tread 1 Cantilever main / wall embed
Cut length 1169.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 1169.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S009	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S010 | B-601040C662A0 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-601040C662A0 | QTY 6 | Diameter 6 mm
ROLE: Tread 7 Bottom distribution
Cut length 196.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 196.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S010	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S011 | B-795F997D8C50 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-795F997D8C50 | QTY 3 | Diameter 12 mm
ROLE: Tread 5 Cantilever main / wall embed
Cut length 1169.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 1169.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S011	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S012 | B-7D590A3DCD31 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-7D590A3DCD31 | QTY 3 | Diameter 12 mm
ROLE: Tread 8 Cantilever main / wall embed
Cut length 1169.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 1169.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S012	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S013 | B-AF765826CD7B / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-AF765826CD7B | QTY 6 | Diameter 6 mm
ROLE: Tread 8 Bottom distribution
Cut length 196.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 196.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S013	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S014 | B-D380A1C6178A / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-D380A1C6178A | QTY 3 | Diameter 12 mm
ROLE: Tread 2 Cantilever main / wall embed
Cut length 1169.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 1169.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S014	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S015 | B-D4C3CDE7ACEA / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-D4C3CDE7ACEA | QTY 3 | Diameter 12 mm
ROLE: Tread 6 Cantilever main / wall embed
Cut length 1169.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 1169.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S015	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S016 | B-DC7D8BBCBB94 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-DC7D8BBCBB94 | QTY 6 | Diameter 6 mm
ROLE: Tread 5 Bottom distribution
Cut length 196.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 196.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S016	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S017 | B-ED34C4C1F8E7 / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-ED34C4C1F8E7 | QTY 6 | Diameter 6 mm
ROLE: Tread 2 Bottom distribution
Cut length 196.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 196.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S017	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating


Thai BIM Floating synthetic | S018 | B-F244D218A87C / Shape plane

MODEL DETAIL | 1:50 | Dimensions mm / levels m | local Stair view / actual cage



BAR MARK B-F244D218A87C | QTY 3 | Diameter 12 mm
ROLE: Tread 4 Cantilever main / wall embed
Cut length 1169.000 mm | Inside bend radius 24 mm
Straight tangent lengths mm: 1169.00
Bend angles deg:
Steel: Nominal diameter; grade unspecified
BBS basis: Analytic tangent straights + centreline radius × bend angle

Scale check: 1 m = 20 mm; print at 100%



PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: S018	REV: 01
SCALE: 1:50 @ A3	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating

Thai BIM Floating synthetic | BBS01 | Bar bending schedule

BBS SCHEDULE | Table NTS | Actual-cage marks and analytic cut lengths

BAR MARK	ROLE / STEEL	D mm	QTY	CUT m	TOTAL m	MASS kg
B-0316C8DEF468	Tread 3 Bottom distribution Nominal diameter; grade unspecified	6	6	0.196	1.176	0.261
B-0D0A57785E83	Tread 3 Cantilever main / wall embed Nominal diameter; grade unspecified	12	3	1.169	3.507	3.114
B-1D13A4BCD4FA	Tread 7 Cantilever main / wall embed Nominal diameter; grade unspecified	12	3	1.169	3.507	3.114
B-2B5E60547371	Tread 1 Bottom distribution Nominal diameter; grade unspecified	6	6	0.196	1.176	0.261
B-3FCF49367964	Tread 4 Bottom distribution Nominal diameter; grade unspecified	6	6	0.196	1.176	0.261
B-496FAE1C82FE	Tread 6 Bottom distribution Nominal diameter; grade unspecified	6	6	0.196	1.176	0.261
B-58B28EEFE41E	Tread 1 Cantilever main / wall embed Nominal diameter; grade unspecified	12	3	1.169	3.507	3.114
B-601040C662A0	Tread 7 Bottom distribution Nominal diameter; grade unspecified	6	6	0.196	1.176	0.261
B-795F997D8C50	Tread 5 Cantilever main / wall embed Nominal diameter; grade unspecified	12	3	1.169	3.507	3.114
B-7D590A3DCD31	Tread 8 Cantilever main / wall embed Nominal diameter; grade unspecified	12	3	1.169	3.507	3.114
B-AF765826CD7B	Tread 8 Bottom distribution Nominal diameter; grade unspecified	6	6	0.196	1.176	0.261
B-D380A1C6178A	Tread 2 Cantilever main / wall embed Nominal diameter; grade unspecified	12	3	1.169	3.507	3.114
B-D4C3CDE7ACEA	Tread 6 Cantilever main / wall embed Nominal diameter; grade unspecified	12	3	1.169	3.507	3.114
B-DC7D8BBCBB94	Tread 5 Bottom distribution Nominal diameter; grade unspecified	6	6	0.196	1.176	0.261
B-ED34C4C1F8E7	Tread 2 Bottom distribution Nominal diameter; grade unspecified	6	6	0.196	1.176	0.261
B-F244D218A87C	Tread 4 Cantilever main / wall embed Nominal diameter; grade unspecified	12	3	1.169	3.507	3.114

Counts and analytic cut lengths match actual-cage BBS Bar Marks; no procurement waste / laps inferred.

PROJECT: Thai BIM Floating synthetic	DATE: 2026-10-04
SHEET: BBS01	REV: 01
SCALE: NTS / table	AUTHOR:
STATUS: MODEL DETAIL / REVIEW	MODEL: Floating