


Thai BIM Stair synthetic | S001 | Stair plan / all levels

MODEL DETAIL | 1:20 | Dimensions mm / levels m | local Stair view / actual cage


USER NOTE ไทย: รอยต่อฐานพัก




Rise  $18 \times 186.867 = 3000$  mm | Dimensions from verified schema-2 concrete; heavy = cut, grey = projected context

Representative bars shown by role; full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines

Scale check: 1 m = 50 mm; print at 100%




|                                 |                  |
|---------------------------------|------------------|
| PROJECT: The BIM Star synthetic | DATE: 2025-10-04 |
| SHEET: 5001                     | REV: 01          |
| SCALE: 1:20 @ A1                | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW   | MODEL: Straight  |



Rise 18 x 166.667 = 3000 mm | Dimensions from verified schema-2 concrete; heavy = cut, gray = projected context  
Representative bars shown by role, full quantities / all Bar Marks are in BBS. Curved bars are sampled centrelines.

Scale check: 1 m = 50 mm; print at 100%




|                                   |                  |
|-----------------------------------|------------------|
| PROJECT: Thai BIM Stair synthetic | DATE: 2026-10-04 |
| SHEET: S002                       | REV: 01          |
| SCALE: 1:20 @ A1                  | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW     | MODEL: Straight  |



BAR MARK B-22560EE1D1F0 | QTY 8 | Diameter 12 mm  
ROLE: Flight 1 Main Bottom  
Cut length 6264.491 mm | Inside bend radius 24 mm  
Straight tangent lengths mm: 191.75, 5648.76, 191.75  
Bend angles deg: 30.7627, 30.7627  
Steel: Nominal diameter, grade unspecified  
BBS basis: Analytic tangent straights + centreline radius + bend angle

Scale check: 1 m = 50 mm; print at 100%




|                                   |                  |
|-----------------------------------|------------------|
| PROJECT: Thai BIM Stair synthetic | DATE: 2026-10-04 |
| SHEET S003                        | REV: 01          |
| SCALE: 1:20 @ A1                  | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW     | MODEL: Straight  |



BAR MARK B-5739902BD987 | QTY 26 | Diameter 6 mm  
ROLE: Flight 1 Distribution Bottom  
Cut length 944.000 mm | Inside bend radius 24 mm  
Straight tangent lengths mm: 944.00  
Bend angles deg:  
Steel: Nominal diameter, grade unspecified  
BBS basis: Analytic tangent straights + centrline radius + bend angle

Scale check: 1 m = 50 mm; print at 100%




|                                   |                  |
|-----------------------------------|------------------|
| PROJECT: Thai BIM Stair synthetic | DATE: 2026-10-04 |
| SHEET S004                        | REV: 01          |
| SCALE: 1:20 @ A1                  | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW     | MODEL: Straight  |



BAR MARK B-79A9D9D1ECC2 | QTY 7 | Diameter 6 mm  
ROLE: Bottom landing Two-way B Bottom  
Cut length 944.000 mm | Inside bend radius 3 mm  
Straight tangent lengths mm: 944.00  
Bend angles deg:  
Steel: Nominal diameter, grade unspecified  
BBS basis: Analytic tangent straights + centreline radius + bend angle

Scale check: 1 m = 50 mm; print at 100%




|                                   |                  |
|-----------------------------------|------------------|
| PROJECT: Thai BIM Stair synthetic | DATE: 2026-10-04 |
| SHEET: S005                       | REV: 01          |
| SCALE: 1:20 @ A1                  | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW     | MODEL: Straight  |



BAR MARK B-8E5A3583AD39 | QTY 8 | Diameter 12 mm  
ROLE: Bottom landing Two-way A Bottom  
Cut length 1138.000 mm | Inside bend radius 6 mm  
Straight tangent lengths mm: 1138.00  
Bend angles deg:  
Steel: Nominal diameter, grade unspecified  
BBS basis: Analytic tangent straights + centrelines radius + bend angle

Scale check: 1 m = 50 mm; print at 100%




|                                   |                  |
|-----------------------------------|------------------|
| PROJECT: Thai BIM Stair synthetic | DATE: 2026-10-04 |
| SHEET S006                        | REV: 01          |
| SCALE: 1:20 @ A1                  | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW     | MODEL: Straight  |



BAR MARK B-9847DB235E5B | QTY 7 | Diameter 6 mm  
ROLE: Top landing Two-way B Bottom  
Cut length 944.000 mm | Inside bend radius 3 mm  
Straight tangent lengths mm: 944.00  
Bend angles deg:  
Steel: Nominal diameter, grade unspecified  
BBS basis: Analytic tangent straights + centreline radius + bend angle

Scale check: 1 m = 50 mm; print at 100%




|                                   |                  |
|-----------------------------------|------------------|
| PROJECT: Thai BIM Stair synthetic | DATE: 2026-10-04 |
| SHEET S007                        | REV: 01          |
| SCALE: 1:20 @ A1                  | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW     | MODEL: Straight  |



BAR MARK B-C416FCD111CB | QTY 8 | Diameter 12 mm  
ROLE: Top landing Two-way A Bottom  
Cut length 1138.000 mm | Inside bend radius 6 mm  
Straight tangent lengths mm: 1138.00  
Bend angles deg:  
Steel: Nominal diameter, grade unspecified  
BBS basis: Analytic tangent straights + centreline radius + bend angle

Scale check: 1 m = 50 mm; print at 100%



|                                   |                  |
|-----------------------------------|------------------|
| PROJECT: Thai BIM Stair synthetic | DATE: 2026-10-04 |
| SHEET S008                        | REV: 01          |
| SCALE: 1:20 @ A1                  | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW     | MODEL: Straight  |

Thai BIM Stair synthetic | BBS01 | Bar bending schedule

BBS SCHEDULE | Table NTS | Actual-cage marks and analytic cut lengths

| BAR MARK       | ROLE / STEEL                                                        | D mm | QTY | CUT m | TOTAL m | MASS kg |
|----------------|---------------------------------------------------------------------|------|-----|-------|---------|---------|
| B-2250EE1D1F0  | Flight 1 Main Bottom Nominal diameter: grade unspecified            | 12   | 8   | 6.264 | 50.116  | 44.494  |
| B-5739902B0D87 | Flight 1 Distribution Bottom Nominal diameter: grade unspecified    | 6    | 26  | 0.944 | 24.544  | 5.448   |
| B-79A9D01ECC2  | Bottom landing Two-way B Bottom Nominal diameter: grade unspecified | 6    | 7   | 0.944 | 6.608   | 1.467   |
| B-8E5A3583AD39 | Bottom landing Two-way A Bottom Nominal diameter: grade unspecified | 12   | 8   | 1.138 | 9.104   | 8.083   |
| B-98470B235E58 | Top landing Two-way B Bottom Nominal diameter: grade unspecified    | 6    | 7   | 0.944 | 6.608   | 1.467   |
| B-C416FC0111CB | Top landing Two-way A Bottom Nominal diameter: grade unspecified    | 12   | 8   | 1.138 | 9.104   | 8.083   |

Counts and analytic cut lengths match actual-cage BBS Bar Marks; no procurement waste / laps inferred.

|                                   |                  |
|-----------------------------------|------------------|
| PROJECT: Thai BIM Stair synthetic | DATE: 2026-10-04 |
| SHEET: BBS01                      | REV: 01          |
| SCALE: NTS / 1:1000               | AUTHOR:          |
| STATUS: MODEL DETAIL / REVIEW     | MODEL: Straight  |